


Appendix A: Test Results of Bluetooth LE

APPENDIX A: TEST RESULTS OF BLUETOOTH LE	1
APPENDIX A.1: TEST RESULTS OF CONDUCTED POWER SPECTRAL DENSITY	2
APPENDIX A.2: TEST RESULTS OF 6dB BANDWIDTH	4
APPENDIX A.3: TEST RESULTS OF 99% BANDWIDTH	6
APPENDIX A.4: TEST RESULTS OF CONDUCTED SPURIOUS EMISSIONS MEASURED IN 100 kHz BANDWIDTH	8
<i>Band Edge</i>	8
<i>Conducted Spurious Emission</i>	9
APPENDIX A.5: TEST RESULTS OF RADIATED SPURIOUS EMISSIONS	13
30 MHz - 1GHz	13
1GHz - 18GHz	15
APPENDIX A.6: TEST RESULTS OF RADIATED EMISSIONS IN RESTRICTED BANDS	27
APPENDIX A.7: TEST RESULTS OF CONDUCTED EMISSION ON AC MAINS	31


Appendix A.1: Test Results of Conducted Power Spectral Density

TestMode	Antenna	Channel	Result[dBm/3-100kHz]	Limit[dBm/3kHz]	Verdict
BLE_1M	Ant1	2402	-5.82	≤8.00	PASS
		2440	-5.25	≤8.00	PASS
		2480	-5.37	≤8.00	PASS



Appendix A.2: Test Results of 6dB Bandwidth

TestMode	Antenna	Channel	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	0.504	2401.744	2402.248	0.5	PASS
		2440	0.504	2439.736	2440.240	0.5	PASS
		2480	0.504	2479.724	2480.228	0.5	PASS



Appendix A.3: Test Results of 99% Bandwidth

TestMode	Antenna	Channel	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	0.89800	2401.5432	2402.4412	---	PASS
		2440	0.89719	2439.5314	2440.4285	---	PASS
		2480	0.89705	2479.5234	2480.4204	---	PASS



Appendix A.4: Test Results of Conducted Spurious Emissions Measured in 100 kHz Bandwidth


Band Edge


TestMode	Antenna	ChName	Channel	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	Low	2402	3.79	-44.00	≤-16.21	PASS
		High	2480	4.07	-45.14	≤-15.93	PASS




Conducted Spurious Emission

TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	2402	Reference	3.70	3.70	---	PASS
			30~1000	3.70	-42.30	≤-16.30	PASS
			1000~26500	3.70	-32.92	≤-16.30	PASS
		2440	Reference	4.24	4.24	---	PASS
			30~1000	4.24	-41.77	≤-15.76	PASS
			1000~26500	4.24	-33.29	≤-15.76	PASS
		2480	Reference	4.10	4.10	---	PASS
			30~1000	4.10	-41.93	≤-15.90	PASS
			1000~26500	4.10	-33.55	≤-15.90	PASS







Appendix A.5: Test Results of Radiated Spurious Emissions


Note:

- 1) Testing was carried out within frequency range 9kHz to the tenth harmonics. The measurement results below 30MHz and 18GHz - 26.5GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported.

30 MHz - 1GHz

EUT Information

EUT Name:	Robot Vacuum Cleaner
Model:	S90VER
Test Mode:	BLE 1M_Mid channel
Order No/Sample No:	168503817/A003820281-001
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
38.282308	14.19	40.00	25.81	100.0	H	42.0	-20.7
103.943846	13.15	43.50	30.35	100.0	H	68.0	-18.9
251.458462	15.16	46.00	30.84	100.0	H	34.0	-17.3
599.986923	23.76	46.00	22.24	100.0	H	228.0	-9.7
885.540000	26.43	46.00	19.57	100.0	H	68.0	-5.0

Final_Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum Cleaner
Model: S90VER
Test Mode: BLE 1M_Mid channel
Order No/Sample No: 168503817/A003820281-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
53.056154	16.51	40.00	23.49	100.0	V	273.0	-18.5
108.383462	13.92	43.50	29.58	100.0	V	310.0	-19.1
229.484231	15.23	46.00	30.77	100.0	V	6.0	-18.2
872.780769	27.16	46.00	18.84	100.0	V	176.0	-5.1

Final_Result


Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

1GHz - 18GHz

Note: The highest waveform in the figure is Bluetooth Fundamental.

EUT Information

EUT Name:	Robot Vacuum Cleaner
Model:	S90VER
Test Mode:	BLE 1M_Low channel
Order No/Sample No:	168503817/A003820281-001
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4799.000000	---	40.09	54.00	13.91	150.0	H	334.0	13.3
4807.500000	50.80	---	74.00	23.20	150.0	H	295.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum Cleaner
Model: S90VER
Test Mode: BLE 1M_Low channel
Order No/Sample No: 168503817/A003820281-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4809.000000	50.45	---	74.00	23.55	150.0	V	163.0	13.3
4811.500000	---	40.15	54.00	13.85	150.0	V	100.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Robot Vacuum Cleaner
Model:	S90VER
Test Mode:	BLE 1M_Low channel
Order No/Sample No:	168503817/A003820281-001
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7204.966667	---	36.04	54.00	17.96	150.0	H	35.0	8.8
7224.141667	43.62	---	74.00	30.38	150.0	H	120.0	8.7
12140.808333	50.82	---	74.00	23.18	150.0	H	225.0	16.5
12151.133333	---	42.24	54.00	11.76	150.0	H	166.0	16.7

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum Cleaner
 Model: S90VER
 Test Mode: BLE 1M_Low channel
 Order No/Sample No: 168503817/A003820281-001
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7199.066667	44.90	---	74.00	29.10	150.0	V	146.0	8.8
7227.091667	---	35.49	54.00	18.51	150.0	V	135.0	8.7
12143.266667	51.05	---	74.00	22.95	150.0	V	0.0	16.6
12144.250000	---	42.44	54.00	11.56	150.0	V	281.0	16.6

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum Cleaner
Model: S90VER
Test Mode: BLE 1M_Mid channel
Order No/Sample No: 168503817/A003820281-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4853.500000	51.22	---	74.00	22.78	150.0	H	248.0	13.3
4862.000000	---	39.87	54.00	14.13	150.0	H	266.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Robot Vacuum Cleaner
Model:	S90VER
Test Mode:	BLE 1M_Mid channel
Order No/Sample No:	168503817/A003820281-001
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1115.500000	---	37.93	54.00	16.07	150.0	V	258.0	0.8
1124.000000	50.17	---	74.00	23.83	150.0	V	273.0	0.9
4861.000000	---	40.08	54.00	13.92	150.0	V	173.0	13.3
4870.000000	51.47	---	74.00	22.53	150.0	V	287.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Robot Vacuum Cleaner
Model:	S90VER
Test Mode:	BLE 1M_Mid channel
Order No/Sample No:	168503817/A003820281-001
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7228.075000	44.53	---	74.00	29.47	150.0	H	236.0	8.7
7253.641667	---	35.28	54.00	18.72	150.0	H	212.0	8.5
12149.166667	---	42.47	54.00	11.53	150.0	H	201.0	16.7
12162.441667	52.07	---	74.00	21.93	150.0	H	295.0	16.1

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Robot Vacuum Cleaner
Model:	S90VER
Test Mode:	BLE 1M_Mid channel
Order No/Sample No:	168503817/A003820281-001
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7225.125000	---	35.30	54.00	18.70	150.0	V	248.0	8.7
7234.466667	44.31	---	74.00	29.69	150.0	V	224.0	8.6
12135.891667	---	42.45	54.00	11.55	150.0	V	75.0	16.4
12146.216667	51.41	---	74.00	22.59	150.0	V	64.0	16.6

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum Cleaner
Model: S90VER
Test Mode: BLE 1M_High channel
Order No/Sample No: 168503817/A003820281-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4950.000000	---	40.31	54.00	13.69	150.0	H	211.0	13.3
4958.000000	51.61	---	74.00	22.39	150.0	H	249.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum Cleaner
 Model: S90VER
 Test Mode: BLE 1M_High channel
 Order No/Sample No: 168503817/A003820281-001
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1122.000000	49.04	---	74.00	24.96	150.0	V	266.0	0.9
1123.500000	---	37.14	54.00	16.86	150.0	V	266.0	0.9
4967.500000	---	41.23	54.00	12.77	150.0	V	273.0	13.3
4977.000000	51.69	---	74.00	22.31	150.0	V	184.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Robot Vacuum Cleaner
Model:	S90VER
Test Mode:	BLE 1M_High channel
Order No/Sample No:	168503817/A003820281-001
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7475.383333	---	35.34	54.00	18.66	150.0	H	6.0	8.6
7487.183333	44.61	---	74.00	29.39	150.0	H	265.0	8.7
12134.908333	---	42.53	54.00	11.48	150.0	H	192.0	16.3
12153.100000	51.45	---	74.00	22.55	150.0	H	228.0	16.6

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum Cleaner
Model: S90VER
Test Mode: BLE 1M_High channel
Order No/Sample No: 168503817/A003820281-001
Test Voltage: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7410.483333	---	35.34	54.00	18.66	150.0	V	322.0	8.3
7441.458333	44.01	---	74.00	29.99	150.0	V	359.0	8.4
12039.525000	---	42.06	54.00	11.94	150.0	V	262.0	16.2
12153.591667	51.92	---	74.00	22.08	150.0	V	59.0	16.5


Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Appendix A.6: Test Results of Radiated Emissions in Restricted Bands

EUT Information

EUT Name:	Robot Vacuum Cleaner
Model:	S90VER
Test Mode:	BLE 1M_Low channel
Order No/Sample No:	168503817/A003820281-001
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2361.858824	---	42.41	54.00	11.59	150.0	H	337.0	8.5
2361.984559	51.36	---	74.00	22.64	150.0	H	74.0	8.5

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Robot Vacuum Cleaner
Model:	S90VER
Test Mode:	BLE 1M_Low channel
Order No/Sample No:	168503817/A003820281-001
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2361.886765	---	41.46	54.00	12.54	150.0	V	45.0	8.5
2362.585294	51.56	---	74.00	22.44	150.0	V	144.0	8.5

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Robot Vacuum Cleaner
Model:	S90VER
Test Mode:	BLE 1M_High channel
Order No/Sample No:	168503817/A003820281-001
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.988971	---	42.04	54.00	11.96	150.0	H	328.0	9.0
2485.338235	52.36	---	74.00	21.64	150.0	H	354.0	9.0

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Robot Vacuum Cleaner
Model:	S90VER
Test Mode:	BLE 1M_High channel
Order No/Sample No:	168503817/A003820281-001
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.213235	---	42.63	54.00	11.37	150.0	V	241.0	9.0
2485.878677	53.12	---	74.00	20.88	150.0	V	223.0	9.0


Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Appendix A.7: Test Results of Conducted Emission on AC Mains

Common Information

EUT Name: Robotic Vacuum Cleaner
Model: S90VER
Test Mode: Charging and Wireless link
Test Voltage: AC 120V, 60Hz




Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)
0.152250	54.37	---	65.88	11.51	1000.0	9.000	L1	10.3
0.366000	38.06	---	58.59	20.53	1000.0	9.000	L1	10.3
22.103250	25.06	---	60.00	34.94	1000.0	9.000	L1	11.1
22.794000	26.91	---	60.00	33.09	1000.0	9.000	L1	11.1
23.484750	26.43	---	60.00	33.57	1000.0	9.000	L1	11.1
26.247750	18.30	---	60.00	41.70	1000.0	9.000	L1	11.2
22.103250	---	18.10	50.00	31.90	1000.0	9.000	L1	11.1
22.794000	---	21.04	50.00	28.96	1000.0	9.000	L1	11.1
23.484750	---	20.26	50.00	29.74	1000.0	9.000	L1	11.1
25.557000	---	13.82	50.00	36.18	1000.0	9.000	L1	11.2
26.247750	---	11.98	50.00	38.02	1000.0	9.000	L1	11.2

Common Information

EUT Name: Robotic Vacuum Cleaner
Model: S90VER
Test Mode: Charging and Wireless link
Test Voltage: AC 120V, 60Hz



Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)
0.152250	54.64	---	65.88	11.24	1000.0	9.000	N	10.2
0.363750	38.92	---	58.64	19.72	1000.0	9.000	N	10.4
22.152750	---	18.56	50.00	31.44	1000.0	9.000	N	11.4
22.152750	25.71	---	60.00	34.29	1000.0	9.000	N	11.4
22.845750	---	23.89	50.00	26.11	1000.0	9.000	N	11.4
22.845750	30.64	---	60.00	29.36	1000.0	9.000	N	11.4
23.538750	---	20.04	50.00	29.96	1000.0	9.000	N	11.4
23.538750	27.83	---	60.00	32.17	1000.0	9.000	N	11.4
25.615500	---	11.47	50.00	38.53	1000.0	9.000	N	11.6
26.306250	---	17.35	50.00	32.65	1000.0	9.000	N	11.6
26.306250	21.33	---	60.00	38.67	1000.0	9.000	N	11.6
26.999250	---	18.51	50.00	31.49	1000.0	9.000	N	11.6