

SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 1 of 573

TEST REPORT

Application No.: FYCR2211000438AT

Applicant: GL Technologies (Hong Kong) Limited

Address of Applicant: FLAT/RM 203 2/F BUILDING 19W 19 SCIENCE PARK WEST AVENUE

SHATIN NT Hong Kong

Manufacturer: GL Technologies (Hong Kong) Limited

Address of Manufacturer: FLAT/RM 203 2/F BUILDING 19W 19 SCIENCE PARK WEST AVENUE

SHATIN NT Hong Kong

Factory: GL Technologies (Hong Kong) Limited

Address of Factory: FLAT/RM 203 2/F BUILDING 19W 19 SCIENCE PARK WEST AVENUE

SHATIN NT Hong Kong

Equipment Under Test (EUT):

EUT Name: AX3000 WiFi 6 Router

Model No.: GL-MT3000
Trade Mark: GL.iNET

FCC ID: 2AFIW-MT3000

Standard(s): 47 CFR Part 15, Subpart E 15.407

Date of Receipt: 2022-11-03

Date of Test: 2022-11-23 to 2022-12-08

Date of Issue: 2022-12-13

Test Result: Pass*

Winkey Wang
Winkey Wang
EMC Technical Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.pxp and, for electronic forms and comments, subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

^{*} In the configuration tested, the EUT complied with the standards specified above.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 2 of 573

	Revision Record					
Version	Version Chapter Date Modifier					
01		2022-12-13		Original		

Authorized for issue by:		
	Tree Zhan	
	Tree Zhan/Project Engineer	-
	Winkeywarg	
	Winkey Wang/Reviewer	-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 3 of 573

2 Test Summary

Radio Spectrum Technical Requirement						
Item	Standard	Method	Requirement	Result		
Antenna Requirement	47 CFR Part 15,	N/A	47 CFR Part 15, Subpart C 15.203	Pass		
Transmission in the Absence of Data	Subpart E 15.407	N/A	47 CFR Part 15, Subpart E 15.407 (c)	Pass		

Item	Standard	Method	Requirement	Result
Conducted Emissions at AC Power Line (150kHz-30MHz)		ANSI C63.10 (2013) Section 6.2	47 CFR Part 15, Subpart C 15.207 & Subpart E 15.407 b(9)	Pass
Duty Cycle		KDB 789033 II B 1	KDB 789033 D02 II B 1	Pass
99% Bandwidth		KDB 789033 II D	N/A	Pass
26dB Emission bandwidth		KDB 789033 D02 II C 1	47 CFR Part 15, Subpart E 15.407 (a)	Pass
Minimum 6 dB bandwidth (5.725- 5.85 GHz band)		KDB 789033 D02 II C 2	47 CFR Part 15, Subpart E 15.407 (e)	Pass
Maximum Conducted output power	47 CFR Part 15,	KDB 789033 D02 II E	47 CFR Part 15, Subpart E 15.407 (a)	Pass
Peak Power spectrum density	Subpart E 15.407	KDB 789033 D02 II F	47 CFR Part 15, Subpart E 15.407 (a)	Pass
Radiated Emissions (Above 1GHz)		KDB 789033 D02 II G	47 CFR Part 15, Subpart C 15.209 & Subpart E 15.407(b)	Pass
Radiated Emissions which fall in the restricted bands		KDB 789033 D02 II G	47 CFR Part 15, Subpart C 15.209 & Subpart E 15.407(b)	Pass
Frequency Stability		ANSI C63.10 (2013) Section 6.8	47 CFR Part 15, Subpart E 15.407 (g)	Pass
Radiated Emissions (Below 1GHz)		KDB 789033 D02 II G	47 CFR Part 15, Subpart C 15.209 & Subpart E 15.407(b)	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone (86-755) 8307 1443, or email: CND Doccheck@ss.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 4 of 573

3 Contents

			Page
1	COVE	R PAGE	1
2	TEST	SUMMARY	3
3	CONT	ENTS	4
4		RAL INFORMATION	
	4.1 E	DETAILS OF E.U.T	6
		DESCRIPTION OF SUPPORT UNITS	
		MEASUREMENT UNCERTAINTY	
		[EST LOCATION	
		EST FACILITY	
		DEVIATION FROM STANDARDS	
		ABNORMALITIES FROM STANDARD CONDITIONS	
5	EQUIF	PMENT LIST	9
_			
6		O SPECTRUM TECHNICAL REQUIREMENT	
	6.1 A	ANTENNA REQUIREMENT	
	6.1.1	Test Requirement:	
	6.1.2	Conclusion	
	6.2 T	Fransmission in the Absence of Data	
	6.2.1	Test Requirement:	
	6.2.2	Conclusion	13
7	RADIO	O SPECTRUM MATTER TEST RESULTS	14
	7.1	CONDUCTED EMISSIONS AT AC POWER LINE (150KHz-30MHz)	14
	7.1.1	E.U.T. Operation	
	7.1.2	Test Mode Description	14
	7.1.3	Test Setup Diagram	
	7.1.4	Measurement Procedure and Data	
	7.2	DUTY CYCLE	
	7.2.1	E.U.T. Operation	
	7.2.2	Test Mode Description	
	7.2.3	Test Setup Diagram	
	7.2.4	Measurement Procedure and Data	
		99% BANDWIDTH	
	7.3.1	E.U.T. Operation	
	7.3.2	Test Mode Description	
	7.3.3	Test Setup Diagram	
	7.3.4	Measurement Procedure and Data	
		26DB EMISSION BANDWIDTH	
	7.4.1	E.U.T. Operation	
	7.4.2	Test Mode Description	
	7.4.3	Test Setup Diagram	24



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone (86-755) 8307 1443, or email: CND Doccheck@ss.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report	No .	FYCR221100043803
IXCPOIL	110	1 1 01122 1 1000 7000

Page: 5 of 573

10	APPENDIX	224
9	EUT CONSTRUCTIONAL DETAILS (EUT PHOTOS)	223
8	TEST SETUP PHOTO	223
	7.12.4 Measurement Procedure and Data	222
	7.12.3 Test Setup Diagram	
	7.12.2 Test Mode Description	
	7.12.1 E.U.T. Operation	221
7.	.12 Transmitter Power Control	
	7.11.4 Measurement Procedure and Data	
	7.11.3 Test Setup Diagram	
	7.11.2 Test Mode Description	
7.	7.11.1 E.U.T. Operation	
7	7.10.4 Measurement Procedure and Data	
	7.10.3 Test Setup Diagram7.10.4 Measurement Procedure and Data	
	7.10.2 Test Mode Description	
	7.10.1 E.U.T. Operation	
7.	7.10 FREQUENCY STABILITY	
7	7.9.4 Measurement Procedure and Data	
	7.9.3 Test Setup Diagram	
	7.9.2 Test Mode Description	
	7.9.1 E.U.T. Operation	
1.	.9 RADIATED EMISSIONS WHICH FALL IN THE RESTRICTED BANDS	
7	7.8.4 Measurement Procedure and Data	
	7.8.3 Test Setup Diagram	
	7.8.2 Test Mode Description	
	7.8.1 E.U.T. Operation	
7.	7.0 1 RADIATED EMISSIONS (ABOVE 1GHz)	
_	7.7.4 Measurement Procedure and Data	
	7.7.3 Test Setup Diagram	
	7.7.2 Test Mode Description	
	7.7.1 E.U.T. Operation	
7.	.7 PEAK POWER SPECTRUM DENSITY	
	7.6.4 Measurement Procedure and Data	
	7.6.3 Test Setup Diagram	
	7.6.2 Test Mode Description	
	7.6.1 E.U.T. Operation	
7.	.6 MAXIMUM CONDUCTED OUTPUT POWER	
	7.5.4 Measurement Procedure and Data	
	7.5.3 Test Setup Diagram	
	7.5.2 Test Mode Description	
	7.5.1 E.U.T. Operation	
7.	7.5 MINIMUM 6 DB BANDWIDTH (5.725-5.85 GHz BAND)	
	7.4.4 Measurement Procedure and Data	24



8

9

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document ose not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone (86-755) 8307 1443, or email: CND Doccheck@ss.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 6 of 573

4 General Information

4.1 Details of E.U.T.

Adapter Model: ICP20-050-3000D
Input: AC 100-240V 50/60Hz 0.6A
Output: DC 5V 3A.
DC cable:140cm unshielded
RJ45 cable:75cm unshielded
U-NII-1: 5180-5240MHz; U-NII-2A: 5260-5320MHz; U-NII-2C: 5500-5700MHz; U-NII-3: 5745-5825MHz
U-NII-1: 5190-5230MHz; U-NII-2A: 5270-5310MHz; U-NII-2C: 5510- 5670MHz; U-NII-3: 5755-5795MHz
U-NII-1: 5210MHz; U-NII-2A: 5290MHz; U-NII-2C: 5530-5610MHz; U-NII-3: 5775MHz
5250MHz/5570MHz
802.11a: OFDM (64QAM, 16QAM, QPSK, BPSK);
802.11n: OFDM (BPSK, QPSK, 16QAM, 64QAM);
802.11ac: OFDM (BPSK, QPSK, 16QAM, 64QAM, 256QAM)
802.11ax: OFDMA(16QAM, 64QAM, 256QAM, 1024QAM, QPSK, BPSK)
802.11a/n(HT20)/ac(HT20)/ax(HEW20): 20MHz;
802.11n(HT40)/ac(HT40)/ax(HEW40): 40MHz;
802.11ac(HT80)/ax(HEW80): 80MHz
802.11ac(HT160)/ax(HEW160): 320MHz
Master
Support
PCB Antenna;FPC Antenna
Antenna 1&2: 4.14dBi ;Antenna 3:3.78dBi; Directional Gain: 8.8dBi.

Remark: The information in this section is provided by the applicant or manufacturer, CCS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

4.2 Description of Support Units

Description	Manufacturer	Model No.	Serial No.				
	-	-	-				
The EUT has been tested as	The EUT has been tested as an independent unit.						



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone (88-755) 8307 1442, research.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 7 of 573

4.3 Measurement Uncertainty

Test Item	Measurement Uncertainty
Conducted Emissions at AC Power Line (150kHz-30MHz)	± 2.1 dB (9kHz to 30MHz)
Duty Cycle	± 0.3%
99% Bandwidth	± 0.3%
26dB Emission bandwidth	± 0.3%
Minimum 6 dB bandwidth (5.725-5.85 GHz band)	± 0.3%
Maximum Conducted output power	± 0.8dB
Peak Power spectrum density	± 0.4dB
Radiated Emissions (Above 1GHz)	± 4.4dB (Above 1GHz)
Radiated Emissions which fall in the restricted bands	± 4.4dB (Above 1GHz)
Frequency Stability	± 5.4 x 10-8
Radiated Emissions (Below 1GHz)	± 3.1dB (Below 1GHz)

Remark:

The Ulab (lab Uncertainty) is less than Ucispr/ETSI (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;
- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Termd-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 8 of 573

4.4 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc. Shenzhen branch.

Fuyong lab. Xinlong TechnoPark,Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China Tel: +86 755 8866 3988 Fax: +86 755 2671 0594

No tests were sub-contracted.

4.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6606.01)

Compliance Certification Services (Kunshan) Inc. Shenzhen branch is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6606.01.

• FCC -Designation Number: CN1322

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized as an accredited testing laboratory.

Designation Number: CN1322. Test Firm Registration Number: 718073

• Innovation, Science and Economic Development Canada

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0129.

IC#: 28189.

4.6 Deviation from Standards

None

4.7 Abnormalities from Standard Conditions

None





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 9 of 573

5 Equipment List

Conducted Emissions at AC Power Line (150kHz-30MHz)						
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date	
Shielding Room	CRT	N/A	SEM001-14	2021/7/13	2024/7/12	
EMI Test Receiver	Rohde & Schwarz	ESCI	SEM004-01	2022/7/12	2023/7/11	
Two-Line V-Network	Rohde & Schwarz	ENV216	SEM007-16	2022/7/12	2023/7/11	
Two-Line V-Network	Rohde & Schwarz	ESH3-Z5	SEM007-22	2022/1/10	2023/1/9	
Coaxial Cable	CCS	N/A	SEM033-02	2022/5/16	2023/5/15	
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A	

Duty Cycle						
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date	
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-25	2022/5/30	2023/5/29	
Attenuator	Huber+Suhner	6620_SMA-50- 1	SEM021-09	2022/7/12	2023/7/11	
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A	

99% Bandwidth					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Attenuator	Huber+Suhner	6620_SMA-50- 1	SEM021-09	2022/7/12	2023/7/11
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A

26dB Emission bandwid	lth				
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-25	2022/5/30	2023/5/29
Attenuator	Huber+Suhner	6620_SMA-50- 1	SEM021-09	2022/7/12	2023/7/11
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone (86-755) 8307 1443, or email: CND Doccheck@ss.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 10 of 573

Minimum 6 dB bandwidth (5.725-5.85 GHz band)					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-25	2022/5/30	2023/5/29
Attenuator	Huber+Suhner	6620_SMA-50- 1	SEM021-09	2022/7/12	2023/7/11
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A

Maximum Conducted output power					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Power Sensor	Erika Fiedler	U2021XA	SEM009-15	2022/7/12	2023/7/11
Power Sensor	Erika Fiedler	U2021XA	SEM009-16	2022/7/12	2023/7/11
Attenuator	Huber+Suhner	6620_SMA-50- 1	SEM021-09	2022/7/12	2023/7/11
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A

Peak Power spectrum density					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-25	2022/5/30	2023/5/29
Attenuator	Huber+Suhner	6620_SMA-50- 1	SEM021-09	2022/7/12	2023/7/11
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A

Radiated Emissions (Above 1GHz)					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
3m Anechoic Chamber	CRT	N/A	SEM001-13	2021/7/13	2024/7/12
MXE EMI receiver	Agilent	N9038A	SEM004-05	2022/7/12	2023/7/11
Broad-Band Horn Antenna	Schwarzbeck	BBHA 9120D	SEM003-32	2021/9/26	2024/9/25
Coaxial Cable	CCS	N/A	SEM035-02	2022/5/16	2023/5/15
Pre-amplifier	TST PASS	LNA04080G30	SEM005-27	2022/4/15	2023/4/14
Pre-amplifier	TST PASS	LNA10180G45	SEM005-28	2022/4/15	2023/4/14
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document ose not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone (86-755) 8307 1443, or email: CND Doccheck@ss.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 11 of 573

Radiated Emissions whi	Radiated Emissions which fall in the restricted bands				
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
3m Anechoic Chamber	CRT	N/A	SEM001-13	2021/7/13	2024/7/12
Broad-Band Horn Antenna	Schwarzbeck	BBHA 9120D	SEM003-32	2021/9/26	2024/9/25
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-23	2022/4/24	2023/4/23
Coaxial Cable	CCS	N/A	SEM035-03	2022/5/16	2023/5/15
Pre-amplifier	TST PASS	LNA04080G30	SEM005-27	2022/4/15	2023/4/14
Pre-amplifier	TST PASS	LNA10180G45	SEM005-28	2022/4/15	2023/4/14
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A

Frequency Stability					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-25	2022/5/30	2023/5/29
Attenuator	Huber+Suhner	6620_SMA-50- 1	SEM021-09	2022/7/12	2023/7/11
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A

Radiated Emissions (Below 1GHz)					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
3m Anechoic Chamber	CRT	N/A	SEM001-13	2021/7/13	2024/7/12
Trilog-Broadband Antenna	Schwarzbeck	VULB9168	SEM003-33	2021/9/25	2024/9/24
Loop Antenna	ETS-LINDGREN	6502	SEM003-36	2021/9/26	2024/9/25
MXE EMI receiver	Agilent	N9038A	SEM004-05	2022/7/12	2023/7/11
Pre-amplifier	HP	8447D	SEM005-02	2022/7/12	2023/7/11
Coaxial Cable	CCS	N/A	SEM035-01	2022/5/16	2023/5/15
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A

General used equipment					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Humidity/ Temperature Indicator	Mingle	TH607	SEM002-22	2022-07-12	2023-07-11
Humidity/ Temperature Indicator	Mingle	TH607	SEM002-23	2022-07-12	2023-07-11
Barometer	DUMAI	DYM3	SEM002-24	2022-07-12	2023-07-11



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document ose not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone (86-755) 8307 1443, or email: CND Doccheck@ss.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 12 of 573

6 Radio Spectrum Technical Requirement

6.1 Antenna Requirement

6.1.1 Test Requirement:

47 CFR Part 15, Subpart C 15.203

6.1.2 Conclusion

Standard Requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit permanently attached antenna or of an so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

EUT Antenna:

The antenna is integrated on the main PCB and no consideration of replacement. The best case gain of the Antenna 1&2: 4.14dBi ;Antenna 3:3.78dBi; Directional Gain: 8.8dBi.

Antenna location: Refer to internal photo.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a thittp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection respons a certained for 30 days only.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 13 of 573

6.2 Transmission in the Absence of Data

6.2.1 Test Requirement:

47 CFR Part 15, Subpart E 15.407 (c)

6.2.2 Conclusion

Standard Requirement:

The device shall automatically discontinue transmission in case of either absence of information to transmit or operational failure. These provisions are not intended to preclude the transmission of control or signalling information or the use of repetitive codes used by certain digital technologies to complete frame or burst intervals.

Applicants shall include in their application for equipment authorization a description of how this requirement is met.

EUT Details:

WIFI chip support automatically discontinue transmission in case of either absence of information to transmit or operational failure, if the chip detect absence of information to transmit or operational failure, it will be automatically shut off.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing impaction reports extraited processes and the sample of the deliver of the sample of the sample of the sample of the testing impaction reports.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 14 of 573

7 Radio Spectrum Matter Test Results

7.1 Conducted Emissions at AC Power Line (150kHz-30MHz)

Test Requirement 47 CFR Part 15, Subpart C 15.207 & Subpart E 15.407 b(9)

Test Method: ANSI C63.10 (2013) Section 6.2

Limit:

Frequency of emission(MHz)	Conducted limit(dB μ V)			
Frequency of emission(MHZ)	Quasi-peak	Average		
0.15-0.5	66 to 56*	56 to 46*		
0.5-5	56	46		
5-30	60	50		
*Decreases with the logarithm of the frequency.				

7.1.1 E.U.T. Operation

Operating Environment:

Temperature: 22.6 °C Humidity: 52.4 % RH Atmospheric Pressure: 1020 mbar

7.1.2 Test Mode Description

7.11.2 103(10)		
Pre-scan / Final test	Mode Code	Description
Final test	01	TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80), data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW20); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW20); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW80), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.
Pre-scan	02	TX mode (U-NII-2A)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80), data rate @ MCS0 is



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terma-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the faw. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 15 of 573

		the worst case of IEEE 802.11ac(VHT160) data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW20); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW80), data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW160), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.
Pre-scan	03	TX mode (U-NII-2C)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW20); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40), data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW160), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.
Pre-scan	04	TX mode (U-NII-3)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW20); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW80), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.

7.1.3 Test Setup Diagram





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unautorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone (86-755) 8307 1443, or email: CND Doccheck@ss.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 16 of 573

7.1.4 Measurement Procedure and Data

- 1) The mains terminal disturbance voltage test was conducted in a shielded room.
- 2) The EUT was connected to AC power source through a LISN 1 (Line Impedance Stabilization Network) which provides a $50 \text{ohm}/50 \mu\text{H} + 5 \text{ohm}$ linear impedance. The power cables of all other units of the EUT were connected to a second LISN 2, which was bonded to the ground reference plane in the same way as the LISN 1 for the unit being measured. A multiple socket outlet strip was used to connect multiple power cables to a single LISN provided the rating of the LISN was not exceeded.
- 3) The tabletop EUT was placed upon a non-metallic table 0.8m above the ground reference plane. And for floor-standing arrangement, the EUT was placed on the horizontal ground reference plane,
- 4) The test was performed with a vertical ground reference plane. The rear of the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane was bonded to the horizontal ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISNs mounted on top of the ground reference plane. This distance was between the closest points of the LISN 1 and the EUT. All other units of the EUT and associated equipment was at least 0.8 m from the LISN 2.
- 5) In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to ANSI C63.10 on conducted measurement.

Remark: Level=Read Level+ Cable Loss+ LISN Factor






SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 17 of 573

Test Mode: 01; Line: Live line



Site : Shielding Room

Condition: Line Job No. : 00438AT

Test mode: 01

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.1685	0.02	0.25	13.84	14.11	55.03	-40.92	Average
2	0.1685	0.02	0.25	31.33	31.60	65.03	-33.43	QP
3	0.3673	0.03	0.27	17.73	18.03	48.56	-30.53	Average
4	0.3673	0.03	0.27	30.23	30.53	58.56	-28.03	QP
5	0.5293	0.02	0.26	34.19	34.47	46.00	-11.53	Average
6	0.5293	0.02	0.26	42.57	42.85	56.00	-13.15	QP
7	0.5432	0.03	0.26	32.94	33.23	46.00	-12.77	Average
8	0.5432	0.03	0.26	40.71	41.00	56.00	-15.00	QP
9	1.5113	0.02	0.18	18.71	18.91	46.00	-27.09	Average
10	1.5113	0.02	0.18	28.10	28.30	56.00	-27.70	QP
11	2.8998	0.02	0.15	19.17	19.34	46.00	-26.66	Average
12	2.8998	0.02	0.15	27.29	27.46	56.00	-28.54	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Co




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 18 of 573

Test Mode: 01; Line: Neutral Line



Site : Shielding Room

Condition: Neutral Job No. : 00438AT

Test mode: 01

		Cable	LISN	Read		Limit	0ver	
	Freq	Loss	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.1815	0.02	0.30	31.37	31.69	54.42	-22.73	Average
2	0.1815	0.02	0.30	36.70	37.02	64.42	-27.40	QP
3	0.2316	0.02	0.29	26.82	27.13	52.39	-25.26	Average
4	0.2316	0.02	0.29	36.71	37.02	62.39	-25.37	QP
5	0.5210	0.02	0.26	35.59	35.87	46.00	-10.13	Average
6	0.5210	0.02	0.26	44.24	44.52	56.00	-11.48	QP
7	0.8174	0.06	0.12	18.61	18.79	46.00	-27.21	Average
8	0.8174	0.06	0.12	28.51	28.69	56.00	-27.31	QP
9	1.1413	0.03	0.07	14.70	14.80	46.00	-31.20	Average
10	1.1413	0.03	0.07	25.38	25.48	56.00	-30.52	QP
11	9.3518	0.04	0.15	21.49	21.68	50.00	-28.32	Average
12	9.3518	0.04	0.15	27.72	27.91	60.00	-32.09	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Termd-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerted parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 3d days only.

Attention. To check the abstraction of cleaning impaction report a certification, places contact us at deephone. (66-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 19 of 573

7.2 Duty Cycle

Test Requirement KDB 789033 D02 II B 1
Test Method: KDB 789033 II B 1

7.2.1 E.U.T. Operation

Operating Environment:

Temperature: 24.5 °C Humidity: 52.1 % RH Atmospheric Pressure: 1020 mbar

7.2.2 Test Mode Description

7.2.2 Test N	7.2.2 Test Mode Description			
Pre-scan / Final test	Mode Code	Description		
Final test	01	TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80), data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW20); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW80), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.		
Final test	02	TX mode (U-NII-2A)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80), data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW20); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW20); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW80), data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW80), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.		
Final test	03	TX mode (U-NII-2C)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40), data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW160), final test modes are considering the modulation and worse data rates. Only the data		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone (86-755) 8307 1443, or email: CND Doccheck@ss.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 20 of 573

		of worst case is recorded in the report.
Final test	04	TX mode (U-NII-3)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW20); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW80), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.

7.2.3 Test Setup Diagram



7.2.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest ent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention of the document is unlawfully and offenders may be prosecuted to the fullest of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

(86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 21 of 573

7.3 99% Bandwidth

Test Requirement N/A

Test Method: KDB 789033 II D

7.3.1 E.U.T. Operation

Operating Environment:

Temperature: 24.5 °C Humidity: 52.1 % RH Atmospheric Pressure: 1020 mbar

7.3.2 Test Mode Description

7.3.2 Test M	7.3.2 Test Mode Description			
Pre-scan / Final test	Mode Code	Description		
Final test	01	TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80), data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW20); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW80), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.		
Final test	02	TX mode (U-NII-2A)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80), data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW20); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW20); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW80), data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW80), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.		
Final test	03	TX mode (U-NII-2C)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW20); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40), data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW160), final test modes are considering the modulation and worse data rates. Only the data		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone (86-755) 8307 1443, or email: CND Doccheck@ss.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 22 of 573

		of worst case is recorded in the report.
Final test	04	TX mode (U-NII-3)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW20); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW80), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.

7.3.3 Test Setup Diagram



7.3.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions.forElectronic Documents and the state of the



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 23 of 573

7.4 26dB Emission bandwidth

Test Requirement 47 CFR Part 15, Subpart E 15.407 (a)

Test Method: KDB 789033 D02 II C 1

7.4.1 E.U.T. Operation

Operating Environment:

Temperature: 24.5 °C Humidity: 52.1 % RH Atmospheric Pressure: 1020 mbar

7.4.2 Test Mode Description

7.4.2 Test M	7.4.2 Test Mode Description			
Pre-scan / Final test	Mode Code	Description		
Final test	01	TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80), data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW20); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW80), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.		
Final test	02	TX mode (U-NII-2A)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80), data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW20); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW20); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW80), data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW80), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.		
Final test	03	TX mode (U-NII-2C)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW20); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40), data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW160), final test modes are considering the modulation and worse data rates. Only the data		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone (86-755) 8307 1443, or email: CND Doccheck@ss.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 24 of 573

		of worst case is recorded in the report.
Final test	04	TX mode (U-NII-3)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW20); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case

7.4.3 Test Setup Diagram



7.4.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification insight and thereon, any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing /inspection regort & certificate, please contact us at telephone: (86-755) 8307 1443, p. email: VENDeccheck-Risus come.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 25 of 573

7.5 Minimum 6 dB bandwidth (5.725-5.85 GHz band)

Test Requirement 47 CFR Part 15, Subpart E 15.407 (e)

Test Method: KDB 789033 D02 II C 2

Limit:

Frequency band(MHz)	Limit
5725-5850	≥500 kHz

7.5.1 E.U.T. Operation

Operating Environment:

Temperature: 24.5 °C Humidity: 52.1 % RH Atmospheric Pressure: 1020 mbar

7.5.2 Test Mode Description

7.5.2 Test W	7.5.2 Test Mode Description			
Pre-scan / Final test	Mode Code	Description		
Final test	04	TX mode (U-NII-3)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW20); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Co




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 26 of 573

7.5.3 Test Setup Diagram



7.5.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not excended parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration right gray of a faith in the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone. (86-755) 8307 1443, or email: CND Doccheck@use.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 27 of 573

7.6 Maximum Conducted output power

Test Requirement 47 CFR Part 15, Subpart E 15.407 (a)

Test Method: KDB 789033 D02 II E

Limit:

Frequen	cy band(MHz)	Limit
E1E0	E2E0	≤1W(30dBm) for master device
5150-	5250	≤250mW(24dBm) for client device
5250-	5350	≤250mW(24dBm) for client device or 11dBm+10logB*
5470-	5725	≤250mW(24dBm) for client device or 11dBm+10logB*
5725-	5850	≤1W(30dBm)
Remark:	* Where B is the	e 26dB emission bandwidth in MHz.
	The maximum conducted output power must be measured over any int of continuous transmission using instrumentation calibrated in terms or rms-equivalent voltage.	

7.6.1 E.U.T. Operation

Operating Environment:

Temperature: 24.5 °C Humidity: 52.1 % RH Atmospheric Pressure: 1020 mbar

7.6.2 Test Mode Description

	1012 TOOL HOUSE DESCRIPTION				
Pre-scan / Final test	Mode Code	Description			
Final test	01	TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80), data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW20); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.			
Final test	02	TX mode (U-NII-2A)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone (86-755) 8307 1443, or email: CND Doccheck@ss.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 28 of 573

		802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80), data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT160) data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW20); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW80), data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW160), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.
Final test	03	TX mode (U-NII-2C)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW20); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40), data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.
Final test	04	TX mode (U-NII-3)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW20); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW80), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document ose not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone (86-755) 8307 1443, or email: CND Doccheck@ss.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 29 of 573

7.6.3 Test Setup Diagram



7.6.4 Measurement Procedure and Data

Note: Since the verify power the same operating range bandwidth and smaller power can be covered by the higher power.

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx.and, for electronic Documents a thitp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excertate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the faw. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 3d days only.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 30 of 573

7.7 Peak Power spectrum density

Test Requirement 47 CFR Part 15, Subpart E 15.407 (a)

Test Method: KDB 789033 D02 II F

Limit:

Frequenc	y band(MHz)	Limit			
E1E0 E	250	≤17dBm in 1MHz for master device			
5150-5	0250	≤11dBm in 1MHz for client device			
5250-5	350	≤11dBm in 1MHz for client device			
5470-5	725	≤11dBm in 1MHz for client device			
5725-5850		≤30dBm in 500 kHz			
Remark:	Remark: The maximum power spectral density is measured as a conducted of by direct connection of a calibrated test instrument to the equipment test.				

7.7.1 E.U.T. Operation

Operating Environment:

Temperature: 24.5 °C Humidity: 52.1 % RH Atmospheric Pressure: 1020 mbar

7.7.2 Test Mode Description

	.7.2 Test mode bescription				
Pre-scan / Final test	Mode Code	Description			
Final test	01	TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80), data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW20); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW80), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.			
Final test	02	TX mode (U-NII-2A)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80), data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT160) data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT160) data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT160) data rate @ MCS0 is the worst case of IEEE			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention To check the authenticity of testing inspection report & certificate, please contact us at telephone (86-755) 8307 1443, or amail. EM. Doccheck@sus.com"




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 31 of 573

		802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW80), data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW160), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.
Final test	03	TX mode (U-NII-2C)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW20); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40), data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW160), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.
Final test	04	TX mode (U-NII-3)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW20); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW80), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.

7.7.3 Test Setup Diagram



7.7.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not excended parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration right gray of a faith in the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone. (86-755) 8307 1443, or email: CND Doccheck@use.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 32 of 573

7.8 Radiated Emissions (Above 1GHz)

Test Requirement 47 CFR Part 15, Subpart C 15.209 & Subpart E 15.407(b)

Test Method: KDB 789033 D02 II G

Measurement Distance: 3m

Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)		
Above 1GHz	500	3		

^{*} Frequency in CFR 15.205 Restricted Band.

Note: Frequency in non-Restricted Band:

- (1) For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
- (2) For transmitters operating in the 5.25-5.35 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
- (3) For transmitters operating in the 5.47-5.725 GHz band: All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of −27 dBm/MHz.
- (4) For transmitters operating in the 5.725-5.85 GHz band:
- (i) All emissions shall be limited to a level of −27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.

7.8.1 E.U.T. Operation

Operating Environment:

Temperature: 22.4 °C Humidity: 55.6 % RH Atmospheric Pressure: 1020 mbar

7.8.2 Test Mode Description

Pre-scan /	Mode	Description
Final test	Code	Description



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sindings at the time of its intervention only and within the limits of client's instructions, if any. The Company and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention To check the authenticity of testing inspection regort & certificate, please contact us at telephone. (86-755) 8307 1443, or amail: CND Doccheck@use.com"



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 33 of 573

Final test	01	TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80), data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW20); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW80), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.
Final test	02	TX mode (U-NII-2A)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80), data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW20); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW20); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW80), data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW80), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.
Final test	03	TX mode (U-NII-2C)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW20); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40), data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.
Final test	04	TX mode (U-NII-3)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW20); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW80), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document ose not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone (86-755) 8307 1443, or email: CND Doccheck@ss.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 34 of 573

7.8.3 Test Setup Diagram



Above 1GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone (88-755) 8307 1442, research.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 35 of 573

7.8.4 Measurement Procedure and Data

- a. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak or average method as specified and then reported in a data sheet.
- g. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- i. Repeat above procedures until all frequencies measured was complete.

Remark:

- 1. Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor
- 2. Scan from 18GHz to 40GHz, the disturbance above 18GHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 3. As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.
- 4. The disturbance above 18GHz were very low and the harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.
- 5. For devices with multiple operating modes, measurements on the middle channel is used to determine the worst-case mode(s). Only the worst case mode with the highest output power and the mode with the highest output power spectral density for each modulation family (e.g., OFDM and direct sequence spread spectrum) is recorded in the test report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Termd-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerted parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 3d days only.

Attention. To check the abstraction of cleaning impaction report a certification, places contact us at delephone. (66-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 36 of 573

Test Mode: 01; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5180 TX RSE Note : 5G WIFI 11A

1016	Freq	Cable	Ant	Preamp Factor	1000		Limit		
	MHz	dB		_			dBuV/m		
1	1224.247	3,20	24.29	52.68	54.74	29.55	74.00	-44.45	peak
2	1672.779	4.14	24.95	52.95	55.94	32,08	74,00	-41.92	peak
3	4304.400	7.48	29.94	52.90	57.84	42,36	74.00	-31.64	peak
4	8738.852	10.19	36.12	54.05	57.19	49.45	68.20	-18.75	peak
5	10360.000	11.08	38.85	53.35	52.23	48.81	68.20	-19.39	peak
6	15540,000	13,49	39.74	53.43	52.91	52,71	74.00	-21.29	peak
	The second second second second								



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx.and, for electronic Documents a thitp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excertate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the faw. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 3d days only.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 37 of 573

Test Mode: 01; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No : 00438AT Mode : 5180 TX RSE Note : 5G WIFI 11A

ACCE		MILT	TTM						
	Freq	Cable		Preamp Factor	Read Level		Limit Line		Remark
	MHz	dB	dB/m	— dB	dBuV	dBuV/m	dBuV/m	— dB	
-	-0.736 (6.85				20.00		10000		
1	1300.858	3.37	1 Aug 14 (40 Aug 14)	52.73		The second second			11
2	1687.347	4,17	24.98	52.95	56.49	32,69	74,00	-41.31	peak
3	4430.628	7,47	30.11	52.94	57.45	42.09	68.20	-26,11	peak
4	8613.468	9.92	36.14	53.98	56.95	49.03	68,20	-19,17	peak
5	10360.000	11,08	38.85	53.35	52.28	48,86	68,20	-19.34	peak
6	15540,000	13.49	39.74	53.43	51.71	51,51	74,00	-22,49	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.for Electronio Documents at http://www.ags.com/en/Terms-and-Conditions.for Electronio Documents at http://www.ags.com/en/Termd-Conditions/Terms-a-Document.agsx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Liness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:*Document is authorized testing inspection regord & extrictions.**




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 38 of 573

Test Mode: 01; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5200 TX RSE Note : 5G WIFI 11A

AOTE		MILI		4.000.000	*0.59		VALUE OF	40.00	
		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Leve1	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1119.323	2.95	24.22	52.60	56,06	30.63	74.00	-43.37	peak
2	1653.550	4,10	24.91	52.94	56,42	32,49	68.20	-35.71	peak
3	4304.400	7.48	29.94	52.90	57,47	41.99	74.00	-32.01	peak
4	8764.146	10.25	36,12	54.06	57.38	49.69	68,20	-18.51	peak
5	10400,000	11.07	38,89	53,36	52,46	49.06	68,20	-19,14	peak
6	15600.000	13,50	39.53	53.40	52,27	51.90	74.00	-22.10	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Termd-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:*To check the authericity of testing impaction reports.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 39 of 573

Test Mode: 01; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:middle



: chamber Site

Note

Condition: 3m VERTICAL

Job No : 00438AT Mode : 5200 TX RSE : 5G WIFI 11A

> Cable Ant Preamp Read Limit Over Loss Factor Factor Level Level Line Limit Remark

	MHZ	qB	qB/m	qB	dBuV	dBuV/m	dBuV/m	qB		
1	1249,269	3.26	24.27	52.69	55.19	30.03	68.20	-38.17 pe	ak	
2	1682.477	4,16	24,97	52,95	56.80	32,98	74.00	-41.02 pe	ak	
3	4379.699	7.47	30.04	52.92	57.84	42.43	74.00	-31.57 pe	ak	
4	8638.399	9.98	36.13	53.99	57.45	49.57	68,20	-18.63 pe	ak	
5	10400.000	11.07	38.89	53.36	52.53	49.13	68,20	-19.07 pe	ak	
6	15600.000	13.50	39.53	53.40	51.97	51.60	74.00	-22,40 pe	ak	



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-a-Documents.at-butper.at-butpe




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 40 of 573

Test Mode: 01; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5240 TX RSE Note : 5G WIFI 11A

oce	Freq	Cable	Ant	Preamp Factor			Limit Line		
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1245.663	3,25	24.28	52.69	54.86	29.70	68.20	-38.50	peak
2	1583.392	3.95	24.75	52.90	57.73	33.53	74,00	-40,47	peak
3	4254.921	7,48	29.87	52,88	57.43	41.90	74.00	-32.10	peak
4	8106.200	9.48	36.19	53,67	56.60	48.60	74.00	-25.40	peak
5	10480.000	11.06	38.99	53.40	52.19	48,84	68,20	-19.36	peak
6	15720,000	13.50	39.13	53.34	52.51	51.80	74,00	-22.20	peak
									The second second



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx.and, for electronic Documents a thittp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the faw. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 41 of 573

Test Mode: 01; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

Job No : 00438AT Mode : 5240 TX RSE

Note	: 5G Freq	WIFI Cable Loss	Ant	Preamp Factor	Read Level		Limit Line	1417	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1	1245.663	3.25	24.28	52.69	54.99	29.83	68.20	-38.37	peak
2	1648.778	4.09	24.90	52.93	56.56	32,62	68,20	-35.58	peak
3	4267.237	7.48	29.88	52.89	57.88	42.35	74.00	-31.65	peak
4	8663,404	10.03	36.13	54.01	57.26	49,41	68,20	-18.79	peak
5	10480.000	11.06	38.99	53.40	52.92	49.57	68.20	-18.63	peak
6	15720.000	13.50	39.13	53.34	53,72	53.01	74.00	-20.99	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents, subject to Terms and Conditions for Electronio Documents at http://www.sgs.com/en/Terms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention.To check the authenticity of testing impaction report & extricate, please contact us at telephone (88-755) \$307/14-3.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 42 of 573

Test Mode: 01; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5180 TX RSE Note : 5G WIFI 11N20

lote	: 5G	MIFI	11N20						
		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Leve1	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1300.858	3.37	24.25	52.73	54.65	29.54	74.00	-44.46	peak
2	1587.975	3.96	24.77	52.90	56.88	32.71	74,00	-41.29	peak
3	4304.400	7.48	29.94	52.90	57.74	42.26	74.00	-31.74	peak
4	8764.146	10.25	36,12	54.06	56.82	49.13	68,20	-19,07	peak
5	10360.000	11.08	38.85	53.35	52.24	48.82	68.20	-19.38	peak
6	15540,000	13.49	39.74	53,43	52,31	52.11	74.00	-21.89	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.pxp. and for electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sind responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration right gradients of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 43 of 573

Test Mode: 01; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



: chamber Site

Note

1

3

2

Condition: 3m VERTICAL

Job No : 00438AT Mode : 5180 TX RSE : 5G WIFI 11N20

Cable Ant Preamp Read Limit Over Loss Factor Factor Level Level Line Limit Remark Freq dB dB/m dB dBuV dBuV/m dBuV/m 1122.563 2.96 24.23 52.60 54.71 29.30 74.00 -44.70 peak 1672,779 4.14 24.95 52.95 55.76 31.90 74.00 -42.10 peak 4341.886 7.48 29.99 52.91 57.24 41.80 74.00 -32.20 peak 8738.852 10.19 36.12 54.05 56.50 48.76 68.20 -19.44 peak 5 10360.000 11.08 38.85 53.35 52.33 48.91 68.20 -19.29 peak

6 15540.000 13.49 39.74 53.43 52.33 52.13 74.00 -21.87 peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Termd-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:*To check the authericity of testing impaction reports.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 44 of 573

Test Mode: 01; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5220 TX RSE Note : 5G WIFI 11N20

ote	Frea		Ant	Preamp Factor			Limit Line		
	MHz	dB					dBuV/m	_	
1	1293.359	3,36	24.25	52.72	55.20	30.09	68.20	-38.11	peak
2	1663,137	4.12	24.93	52.94	56.08	32,19	74,00	-41.81	peak
3	4304,400	7,48	29.94	52.90	57,31	41.83	74.00	-32.17	peak
4	8638.399	9.98	36.13	53.99	56.93	49.05	68,20	-19.15	peak
5	10400.000	11.07	38.89	53.36	53.30	49.90	68.20	-18.30	peak
6	15600.000	13.50	39.53	53,40	52.28	51.91	74,00	-22.09	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents, subject to Terms and Conditions for Electronio Documents at http://www.sgs.com/en/Terms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention.To check the authenticity of testing impaction report & extricate, please contact us at telephone (88-755) \$307/14-3.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 45 of 573

Test Mode: 01; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL

Job No : 00438AT Mode : 5220 TX RSE

Note : 5G WIFI 11N20

	Freq	-	- 419-39	Preamp Factor	Read		Limit		
	MHz	dB					dBuV/m		- Newark
4	D/3/2/2 #3 0	2 20	30.73				35.55		22.00
2	1220.714 1682.477	4.16	24.97	52.67 52.95	56,55	32.73	74.00	-41.27	peak
4	4329.354 8613.468	1000	E # 26 (50 (50)	52.91 53.98	200	The way to the second	120 5 6 6 6 1	7.0	A
	10400.000 15600.000		19 5 F 18 Sec.	53.36 53.40	The second second	100	7 10 10 10 10 10		20 1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions.forElectronic Documents and the struction is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excertate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the faw. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 3d days only.

Attention - To sheet his each entail of testing finapection report a certificate, please contact us at delephone (68-75) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 46 of 573

Test Mode: 01; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5240 TX RSE Note : 5G WIFI 11N20

OLE	50	Cable		Preamp	Read		Limit	Over	
	Freq			Factor					
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	7
1	1132.340	2.99	24.24	52.61	55.10	29.72	74.00	-44.28	peak
2	1658.337	4.11	24.92	52.94	56.20	32.29	68.20	-35.91	peak
3	4218.186	7.48	29.82	52.87	57.48	41.91	74.00	-32.09	peak
4	8613,468	9.92	36.14	53.98	57.13	49.21	68.20	-18.99	peak
5	10480.000	11.06	38.99	53.40	53.05	49.70	68.20	-18.50	peak
6	15720,000	13,50	39.13	53,34	52,73	52.02	74,00	-21.98	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terma-and-Conditions/Terms-and-Conditions.forElectronic Documents and the structure of the structure




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 47 of 573

Test Mode: 01; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

Job No : 00438AT Mode : 5240 TX RSE Note : 5G WIFI 11N20

Cable Ant Preamp Read Limit Over Loss Factor Factor Level Level Line Limit Remark Freq MHZ dB dB/m dB dBuV dBuV/m dBuV/m 1 1122.563 2.96 24.23 52.60 55.47 30.06 74.00 -43.94 peak 2 1653.550 4.10 24.91 52.94 56.37 32.44 68.20 -35.76 peak 3 4316.859 7.48 29.95 52.90 57.60 42.13 74.00 -31.87 peak 8764.146 10.25 36.12 54.06 56.76 49.07 68.20 -19.13 peak 5 10480.000 11.06 38.99 53.40 52.63 49.28 68.20 -18.92 peak 6 15720,000 13,50 39,13 53,34 52,60 51,89 74,00 -22,11 peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx.and, for electronic Documents a thitp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excertate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the faw. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 3d days only.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 48 of 573

Test Mode: 01; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5180 TX RSE

Note : 5G WIFI 11AX 20

AOFE		MILT	TIMY Y	0					
	Freq		-	Preamp Factor	Read Level		Limit Line	10100	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1227.791	3.21	24.29	52.68	55.05	29.87	74.00	-44.13	peak
2	1663,137	4.12	24.93	52.94	56.52	32,63	74.00	-41.37	peak
3	4443,453	7.47	30.12	52.94	57.63	42.28	68.20	-25.92	peak
4	8764.146	10.25	36.12	54.06	56.82	49,13	68.20	-19.07	peak
5	10360.000	11.08	38.85	53,35	52.35	48.93	68,20	-19.27	peak
6	15540,000	13,49	39.74	53.43	52,67	52.47	74.00	-21.53	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Termd-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:*To check the authericity of testing impaction reports.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 49 of 573

Test Mode: 01; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No : 00438AT Mode : 5180 TX RSE

Note : 5G WIFI 11AX 20

ote	: 56	MTFT	11AX 2	9					
		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Leve1	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1	1203.199	3,16	24.30	52.66	54.76	29.56	74.00	-44.44	peak
2	1667.951	4.13	24.94	52.94	56.17	32,30	74,00	-41.70	peak
3	4329.354	7.48	29.97	52.91	57.49	42.03	74.00	-31.97	peak
4	8764.146	10.25	36.12	54.06	56.80	49.11	68.20	-19,09	peak
5	10360.000	11.08	38.85	53.35	51.97	48.55	68,20	-19.65	peak
6	15540.000	13.49	39.74	53.43	52,65	52,45	74.00	-21,55	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.pxp and for electronic forms subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-e-Document.spx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration for progray of relationations of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention To check the authentic of the sample(s) tested and such sample(s) are retained for 30 days only.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 50 of 573

Test Mode: 01; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5220 TX RSE

Note : 5G WIFI 11AX 20

vote	: 56	MILI	IIAX Z	О					
		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Leve1	Leve1	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	7
1	1234.909	3.23	24.28	52.68	55.30	30.13	74.00	-43.87	peak
2	1663.137	4.12	24.93	52.94	56.85	32,96	74.00	-41.04	peak
3	4469.214	7.47	30.16	52.95	57.57	42,25	68,20	-25,95	peak
4	8738.852	10,19	36.12	54.05	57.14	49.40	68.20	-18,80	peak
5	10400.000	11.07	38.89	53.36	52.79	49.39	68.20	-18.81	peak
6	15600.000	13.50	39.53	53.40	53.06	52,69	74.00	-21.31	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.spx and, for electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-e-Document.spx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sind responsibility is to its Client and this document does not excended the except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are reflected for 30 days only.

Attention to check the surferciory of testing inspection report is sertificate, please contact us at telephone (85-755) 83071443 or applied.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 51 of 573

Test Mode: 01; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL

Job No : 00438AT

Mode : 5220 TX RSE

Note : 5G WIFI 11AX 20

iore	Freq	Cable		Preamp Factor			Limit Line	1417	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	7
1	1282.193	3,33	24.26	52.72	54.71	29.58	68.20	-38.62	peak
2	1648.778	4.09	24.90	52.93	56,33	32,39	68,20	-35,81	peak
3	4267.237	7.48	29.88	52.89	57,44	41,91	74.00	-32.09	peak
4	8663.404	10.03	36.13	54.01	56.40	48.55	68,20	-19,65	peak
5	10400.000	11.07	38.89	53.36	53.21	49.81	68.20	-18.39	peak
6	15600.000	13,50	39.53	53,40	52,53	52,16	74.00	-21.84	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions.forElectronic Documents and the struction is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excertate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the faw. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 3d days only.

Attention - To sheet his each entail of testing finapection report a certificate, please contact us at delephone (68-75) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 52 of 573

Test Mode: 01; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5240 TX RSE

Note : 5G WIFI 11AX 20

OLE			Ant	Preamp	Read		Limit	Over	
	Freq			Factor		Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	7
1	1242.068	3.24	24.28	52.69	54.77	29.60	68.20	-38.60	peak
2	1597.181	3.98	24.79	52.91	56.58	32,44	74.00	-41.56	peak
3	4316.859	7.48	29.95	52.90	57.18	41.71	74.00	-32.29	peak
4	8891.725	10.52	36.11	54.14	56.79	49.28	68,20	-18.92	peak
5	10480.000	11.06	38.99	53.40	53.27	49.92	68,20	-18.28	peak
6	15720.000	13.50	39.13	53.34	52,58	51.87	74.00	-22,13	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Termd-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:*To check the authericity of testing impaction reports.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 53 of 573

Test Mode: 01; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



: chamber Site

Condition: 3m VERTICAL

Job No : 00438AT Mode : 5240 TX RSE

Not

ote	: 5G	MTFT	11AX 2	0					
		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Leve1	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1	1217,190	3,19	24.29	52.67	54.94	29.75	74.00	-44.25	peak
2	1677.621	4.15	24.96	52.95	56,43	32.59	74.00	-41.41	peak
3	4354.454	7.48	30.00	52.91	57.18	41.75	74.00	-32.25	peak
4	8738.852	10.19	36.12	54.05	57.00	49.26	68.20	-18.94	peak
5	10480.000	11.06	38.99	53.40	52.94	49.59	68,20	-18.61	peak
6	15720,000	13.50	39.13	53,34	52.74	52.03	74.00	-21.97	peak






SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 54 of 573

Test Mode: 02; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5260 TX RSE Note : 5G WIFI 11A

ore	; .3G	MILI	LIA						
	Freq	Cable		Preamp Factor	Read Level		Limit Line	Over Limit	
	MHz	dB	dB/m	— dB	dBuV	dBuV/m	dBuV/m		-
1	1234.909	3,23	24.28	52.68	55.03	29.86	74.00	-44.14	peak
2	1687.347	4.17	24.98	52,95	56,31	32,51	74.00	-41.49	peak
3	4405.090	7.47	30.07	52.93	57.80	42,41	68.20	-25.79	peak
4	8789,516	10.30	36.12	54.08	57.22	49,56	68,20	-18.64	peak
5	10520,000	11.07	39,04	53.41	52,69	49.39	68.20	-18.81	peak
6	15780.000	13,51	38.93	53,31	53.81	52.94	74.00	-21.06	peak
	100000000000000000000000000000000000000								The latest the second



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.for Electronio Documents at http://www.ags.com/en/Terms-and-Conditions.for Electronio Documents at http://www.ags.com/en/Termd-Conditions/Terms-a-Document.agsx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Liness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:*Document is authorized testing inspection regord & extrictions.**




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 55 of 573

Test Mode: 02; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No : 00438AT Mode : 5260 TX RSE Note : 5G WIFI 11A

MO CC		MATIT	TIM						
	Freq			Preamp Factor	Read Level		Limit Line	100	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	1
1	1227,791	3.21	24.29	52.68	55.22	30.04	74.00	-43.96	peak
2	1592,571	3.97	24.78	52.90	56.93	32,78	74.00	-41.22	peak
3	4341.886	7.48	29.99	52.91	57.45	42.01	74.00	-31.99	peak
4	8663,404	10.03	36.13	54.01	56.74	48.89	68,20	-19,31	peak
5	10520.000	11.07	39,04	53.41	53.02	49.72	68.20	-18,48	peak
6	15780,000	13,51	38.93	53.31	53.15	52,28	74.00	-21.72	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions.forElectronic Documents and the struction is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excertate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the faw. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 3d days only.

Attention - To sheet his each entail of testing finapection report a certificate, please contact us at delephone (68-75) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 56 of 573

Test Mode: 02; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5300 TX RSE Note : 5G WIFI 11A

ote	Freq		Ant	Preamp Factor			Limit Line		
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1132.340	2.99	24.24	52.61	55.12	29.74	74.00	-44.26	peak
2	1597.181	3.98	24.79	52.91	56.69	32.55	74.00	-41.45	peak
3	4443.453	7.47	30.12	52.94	57.71	42.36	68.20	-25.84	peak
4	8764.146	10.25	36.12	54.06	56.71	49,02	68.20	-19.18	peak
5	10600.000	11,12	39.13	53,44	53.05	49.86	68.20	-18.34	peak
6	15900,000	13.51	38.53	53.25	53.56	52.35	74.00	-21.65	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions.forElectronic Documents and the struction is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excertate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the faw. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 3d days only.

Attention - To sheet his each entail of testing finapection report a certificate, please contact us at delephone (68-75) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 57 of 573

Test Mode: 02; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL

Job No : 00438AT Mode : 5300 TX RSE Note : 5G WIFI 11A

Cable Ant Preamp Read Limit Loss Factor Factor Level Level Line Limit Remark MHZ dB/m dB. dBuV dBuV/m dBuV/m 1 1231.345 3.22 24.28 52.68 55.33 30.15 74.00 -43.85 peak 2 1663.137 4.12 24.93 52.94 55.97 32.08 74.00 -41.92 peak 4443.453 7.47 30.12 52.94 57.83 42.48 68.20 -25.72 peak 3 8663.404 10.03 36.13 54.01 57.14 49.29 68.20 -18.91 peak 5 10600.000 11.12 39.13 53.44 53.72 50.53 68.20 -17.67 peak 6 15900.000 13.51 38.53 53.25 53.21 52.00 74.00 -22.00 peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx.and, for electronic Documents a thitp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excertate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the faw. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 3d days only.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 58 of 573

Test Mode: 02; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5320 TX RSE Note : 5G WIFI 11A

VOLE	50	MILI		Assess	0		1.65.64	0	
	Freq			Preamp Factor			Limit Line		
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1203.199	3,16	24,30	52.66	54.76	29.56	74.00	-44.44	peak
2	1672.779	4.14	24.95	52.95	55,98	32.12	74.00	-41.88	peak
3	4430.628	7.47	30.11	52.94	58.51	43.15	68.20	-25.05	peak
4	8789,516	10.30	36.12	54.08	56.98	49.32	68,20	-18,88	peak
5	10640.000	11.15	39.18	53.46	53.09	49.96	74.00	-24.04	peak
6	15960,000	13.52	38.33	53.22	53.97	52,60	74,00	-21.40	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Termd-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:*To check the authericity of testing impaction reports.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 59 of 573

Test Mode: 02; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

Job No : 00438AT Mode : 5320 TX RSE Note : 5G WIFI 11A

: 5G WIFI 11A Cable Ant Preamp Read Limit Loss Factor Factor Level Level Line Limit Remark Freq MHZ dB dB/m dB dBuV dBuV/m dBuV/m 1 1300.858 3.37 24.25 52.73 55.37 30.26 74.00 -43.74 peak 1653.550 4.10 24.91 52.94 56.78 32.85 68.20 -35.35 peak 4279.589 7,48 29.90 52.89 57.65 42.14 74.00 -31.86 peak 3 8638.399 9.98 36.13 53.99 56.72 48.84 68.20 -19.36 peak 5 10640.000 11.15 39.18 53.46 53.74 50.61 74.00 -23.39 peak 6 15960,000 13.52 38.33 53.22 54.13 52.76 74.00 -21.24 peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.repx.and.forelectronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions.repx.and.forelectronic Documents at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 60 of 573

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT Mode : 5260 TX RSE

Mode : 5260 | X RSE Note : 5G WIFI 11N2

: 56	MIFI	11N20		3.0				
	Cable	Ant	Preamp	Read		Limit	Over	
Freq	Loss	Factor	Factor	Leve1	Leve1	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1297,103	3.36	24.25	52.73	54.45	29.33	68.20	-38.87	peak
1682,477	4.16	24.97	52,95	55.57	31.75	74,00	-42.25	peak
4417.841	7.47	30.09	52.93	57.52	42.15	68.20	-26.05	peak
8738.852	10.19	36,12	54.05	57.02	49.28	68.20	-18.92	peak
10520.000	11.07	39,04	53,41	53,21	49.91	68.20	-18.29	peak
15780,000	13,51	38.93	53.31	53.40	52,53	74.00	-21.47	peak
	Freq MHz 1297.103 1682.477 4417.841 8738.852 10520.000	Cable Loss MHz dB 1297.103 3.36 1682.477 4.16 4417.841 7.47 8738.852 10.19 10520.000 11.07	Cable Ant Loss Factor MHz dB dB/m 1297.103 3.36 24.25 1682.477 4.16 24.97 4417.841 7.47 30.09 8738.852 10.19 36.12 10520.000 11.07 39.04	Cable Ant Preamp Freq Loss Factor Factor MHz dB dB/m dB 1297.103 3.36 24.25 52.73 1682.477 4.16 24.97 52.95 4417.841 7.47 30.09 52.93 8738.852 10.19 36.12 54.05 10520.000 11.07 39.04 53.41	Cable Ant Preamp Read Loss Factor Factor Level MHz dB dB/m dB dBuV 1297.103 3.36 24.25 52.73 54.45 1682.477 4.16 24.97 52.95 55.57 4417.841 7.47 30.09 52.93 57.52 8738.852 10.19 36.12 54.05 57.02 10520.000 11.07 39.04 53.41 53.21	Cable Ant Preamp Read Loss Factor Factor Level Level MHz dB dB/m dB dBuV dBuV/m 1297.103 3.36 24.25 52.73 54.45 29.33 1682.477 4.16 24.97 52.95 55.57 31.75 4417.841 7.47 30.09 52.93 57.52 42.15 8738.852 10.19 36.12 54.05 57.02 49.28 10520.000 11.07 39.04 53.41 53.21 49.91	Cable Ant Preamp Read Limit Freq Loss Factor Factor Level Level Line MHz dB dB/m dB dBuV dBuV/m dBuV/m 1297.103 3.36 24.25 52.73 54.45 29.33 68.20 1682.477 4.16 24.97 52.95 55.57 31.75 74.00 4417.841 7.47 30.09 52.93 57.52 42.15 68.20 8738.852 10.19 36.12 54.05 57.02 49.28 68.20 10520.000 11.07 39.04 53.41 53.21 49.91 68.20	Cable Ant Preamp Read Limit Over Loss Factor Freq Loss Factor Factor Level Level Limit Over Limit MHz dB dB/m dB dBuV dBuV/m dBuV/m dB 1297.103 3.36 24.25 52.73 54.45 29.33 68.20 -38.87 1682.477 4.16 24.97 52.95 55.57 31.75 74.00 -42.25 4417.841 7.47 30.09 52.93 57.52 42.15 68.20 -26.05 8738.852 10.19 36.12 54.05 57.02 49.28 68.20 -18.92 10520,000 11.07 39.04 53.41 53.21 49.91 68.20 -18.29



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. To reme and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not excended parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration from great report refer only to the sample(s) are testing intervention of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are testing for 30 days only.

Attention: To check the authenticity of testing inspection regort & certificate, please contact us at telephone. (86-755) 8307 1443, or applied.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 61 of 573

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No : 00438AT Mode : 5260 TX RSE

Note : 5G WIFI 11N20

	Freq			Preamp Factor	Read Level		Limit Line	1000	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1271.123	3,31	24.26	52.71	54.91	29.77	68.20	-38.43	peak
2	1672,779	4,14	24.95	52.95	56,46	32.60	74.00	-41.40	peak
3	4329.354	7.48	29.97	52.91	57.50	42.04	74.00	-31.96	peak
4	8764.146	10.25	36.12	54.06	57.33	49.64	68,20	-18.56	peak
5	10520,000	11.07	39.04	53.41	53.06	49.76	68,20	-18,44	peak
6	15780,000	13,51	38.93	53,31	53.37	52,50	74.00	-21.50	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terma-and-Conditions/Terms-and-Conditions.forElectronic Documents and the structure of the structure




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 62 of 573

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5300 TX RSE Note : 5G WIFI 11N20

NO LE	1, 000	-	Ant	The second of	Read		Limit	14.14.4	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	7
1	1300.858	3.37	24.25	52.73	54.43	29.32	74.00	-44.68	peak
2	1667,951	4.13	24,94	52,94	56,09	32.22	74.00	-41.78	peak
3	4329.354	7.48	29.97	52.91	57.83	42.37	74.00	-31.63	peak
4	8688.480	10.08	36.13	54.02	56,37	48.56	68.20	-19,64	peak
5	10600,000	11.12	39.13	53.44	53.05	49.86	68,20	-18.34	peak
6	15900,000	13.51	38,53	53.25	53.35	52,14	74.00	-21.86	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. The decirron of the first document is subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not excended parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection regort & certificate, please contact us at telephone. (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 63 of 573

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL

Job No : 00438AT Mode : 5300 TX RSE Note : 5G WIFI 11N20

Cable Ant Preamp Read Limit Over Loss Factor Factor Level Level Line Limit Remark Freq dB dB/m dB. dBuV dBuV/m dBuV/m dB 1 1260.149 3.28 24.27 52.70 54.68 29.53 68.20 -38.67 peak 2 1667.951 4.13 24.94 52.94 56.26 32.39 74.00 -41.61 peak 4392.376 7.47 30.06 52.93 58.12 42.72 74.00 -31.28 peak 3 8789,516 10.30 36.12 54.08 57.51 49.85 68.20 -18.35 peak 5 10600.000 11.12 39.13 53.44 53.54 50.35 68.20 -17.85 peak 6 15900.000 13.51 38.53 53.25 53.18 51.97 74.00 -22.03 peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.for Electronio Documents at http://www.ags.com/en/Terms-and-Conditions.for Electronio Documents at http://www.ags.com/en/Termd-Conditions/Terms-a-Document.agsx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Liness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:*Document is authorized testing inspection regord & extrictions.**




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 64 of 573

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5320 TX RSE Note : 5G WIFI 11N20

iote	: 56	MILT	111/20						
		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Leve1	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1293,359	3.36	24.25	52.72	55.30	30.19	68.20	-38.01	peak
2	1667.951	4.13	24.94	52.94	56,43	32,56	74.00	-41.44	peak
3	4291.977	7.48	29.92	52.89	57.43	41.94	74.00	-32.06	peak
4	8738.852	10,19	36.12	54.05	56.67	48.93	68,20	-19.27	peak
5	10640.000	11.15	39.18	53.46	52.71	49.58	74.00	-24,42	peak
6	15960,000	13.52	38.33	53.22	53,54	52.17	74.00	-21.83	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions.forElectronic Documents and the struction is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excertate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the faw. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 3d days only.

Attention - To sheet his each entail of testing finapection report a certificate, please contact us at delephone (68-75) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 65 of 573

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

Job No : 00438AT Mode : 5320 TX RSE Note : 5G WIFI 11N20

ote	: 5G	MTFT	111/20						
		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Leve1	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1	1271.123	3.31	24.26	52.71	54,54	29.40	68.20	-38.80	peak
2	1677.621	4.15	24.96	52.95	56.71	32.87	74.00	-41.13	peak
3	4329.354	7.48	29.97	52.91	57.74	42.28	74.00	-31.72	peak
4	8713.630	10.14	36.13	54.04	57.11	49.34	68,20	-18.86	peak
5	10640,000	11.15	39.18	53.46	52.64	49.51	74.00	-24.49	peak
6	15960,000	13.52	38.33	53.22	53.85	52,48	74,00	-21.52	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.pxp and for electronic forms subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-e-Document.spx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration for progray of relationations of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention To check the authentic of the sample(s) tested and such sample(s) are retained for 30 days only.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 66 of 573

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5260 TX RSE

Note : 5G WIFI 11AX20

ore	: 30	MILI	TIANZO						
		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Leve1	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1300.858	3.37	24.25	52.73	54.93	29.82	74.00	-44.18	peak
2	1667.951	4.13	24,94	52.94	56,24	32.37	74,00	-41.63	peak
3	4304.400	7.48	29.94	52.90	57.68	42.20	74.00	-31.80	peak
4	8688.480	10.08	36,13	54.02	56.79	48.98	68.20	-19.22	peak
5	10520,000	11.07	39.04	53.41	52.71	49.41	68.20	-18.79	peak
6	15780,000	13,51	38.93	53.31	53,65	52.78	74.00	-21.22	peak
	A						100		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terma-and-Conditions/Terms-and-Conditions.forElectronic Documents and the structure of the structure




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 67 of 573

Test Mode: 02; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No : 00438AT Mode : 5260 TX RSE

Note : 5G WIFI 11AX20

OLL		MATIT	TIMMZO						
		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Leve1	Leve1	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1217,190	3,19	24.29	52.67	55.37	30.18	74.00	-43.82	peak
2	1648.778	4.09	24.90	52.93	56.24	32,30	68,20	-35.90	peak
3	4304,400	7.48	29.94	52.90	57.38	41.90	74.00	-32.10	peak
4	8866.062	10.47	36.11	54.12	56.58	49.04	68,20	-19.16	peak
5	10520.000	11.07	39,04	53.41	53,34	50.04	68,20	-18.16	peak
6	15780.000	13,51	38,93	53.31	53,40	52,53	74.00	-21.47	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions.forElectronic Documents and the struction is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excertate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the faw. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 3d days only.

Attention - To sheet his each entail of testing finapection report a certificate, please contact us at delephone (68-75) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 68 of 573

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:middle



: chamber Site

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5300 TX RSE

No

lote	: 5G	B	11AX20		45.57		A COUNTY		
		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Leve1	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1256.512	3.28	24.27	52.70	54.39	29.24	68.20	-38.96	peak
2	1667.951	4.13	24.94	52.94	56.81	32,94	74,00	-41.06	peak
3	4456.315	7.47	30.14	52.95	57,66	42,32	68.20	-25.88	peak
4	8789,516	10.30	36,12	54.08	56.80	49.14	68,20	-19.06	peak
5	10600.000	11,12	39.13	53,44	53.13	49.94	68,20	-18.26	peak
6	15900.000	13.51	38,53	53,25	53.51	52,30	74,00	-21.70	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Termd-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:*To check the authericity of testing impaction reports.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 69 of 573

Test Mode: 02; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL

Job No : 00438AT Mode : 5300 TX RSE

Note : 5G WIFI 11AX20

: 5G	MIFI	11AX20						
	Cable	Ant	Preamp	Read		Limit	Over	
Freq	Loss	Factor	Factor	Leve1	Leve1	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1245.663	3.25	24.28	52.69	54.73	29.57	68.20	-38.63	peak
1682,477	4.16	24.97	52.95	56.08	32.26	74.00	-41.74	peak
4354.454	7.48	30.00	52.91	57.38	41.95	74.00	-32.05	peak
8840.473	10.41	36.12	54.11	56.45	48.87	68.20	-19,33	peak
10600.000	11.12	39.13	53.44	54.06	50.87	68.20	-17.33	peak
15900,000	13.51	38.53	53.25	53.38	52.17	74.00	-21.83	peak
	Freq MHz 1245.663 1682.477 4354.454 8840.473 10600.000	MHz dB 1245.663 3.25 1682.477 4.16 4354.454 7.48 8840.473 10.41 10600.000 11.12	Cable Ant Loss Factor MHz dB dB/m 1245.663 3.25 24.28 1682.477 4.16 24.97 4354.454 7.48 30.00 8840.473 10.41 36.12 10600.000 11.12 39.13	Cable Ant Preamp Loss Factor Factor MHz dB dB/m dB 1245.663 3.25 24.28 52.69 1682.477 4.16 24.97 52.95 4354.454 7.48 30.00 52.91 8840.473 10.41 36.12 54.11 10600.000 11.12 39.13 53.44	Cable Ant Preamp Read Loss Factor Factor Level MHz dB dB/m dB dBuV 1245.663 3.25 24.28 52.69 54.73 1682.477 4.16 24.97 52.95 56.08 4354.454 7.48 30.00 52.91 57.38 8840.473 10.41 36.12 54.11 56.45 10600.000 11.12 39.13 53.44 54.06	Cable Ant Preamp Read Loss Factor Factor Level Level MHz dB dB/m dB dBuV dBuV/m 1245.663 3.25 24.28 52.69 54.73 29.57 1682.477 4.16 24.97 52.95 56.08 32.26 4354.454 7.48 30.00 52.91 57.38 41.95 8840.473 10.41 36.12 54.11 56.45 48.87 10600.000 11.12 39.13 53.44 54.06 50.87	Cable Ant Preamp Read Limit Freq Loss Factor Factor Level Level Line MHz dB dB/m dB dBuV dBuV/m dBuV/m 1245.663 3.25 24.28 52.69 54.73 29.57 68.20 1682.477 4.16 24.97 52.95 56.08 32.26 74.00 4354.454 7.48 30.00 52.91 57.38 41.95 74.00 8840.473 10.41 36.12 54.11 56.45 48.87 68.20 10600.000 11.12 39.13 53.44 54.06 50.87 68.20	Freq Cable Loss Factor Factor Read Level Level Limit Limit Over Limit MHz dB dB/m dB dBuV dBuV/m dBuV/m dBuV/m dB 1245.663 3.25 24.28 52.69 54.73 29.57 68.20 -38.63 1682.477 4.16 24.97 52.95 56.08 32.26 74.00 -41.74 4354.454 7.48 30.00 52.91 57.38 41.95 74.00 -32.05 8840.473 10.41 36.12 54.11 56.45 48.87 68.20 -19.33



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions.forElectronic Documents and the struction is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excertate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the faw. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 3d days only.

Attention - To sheet his each entail of testing finapection report a certificate, please contact us at delephone (68-75) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 70 of 573

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5320 TX RSE

Note : 5G WIFI 11AX20

OCC	, ,,,,,,,,,	MITT	TIMAZO						
	Freq			Preamp Factor			Limit Line	10 10 4	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1260.149	3.28	24.27	52.70	54,58	29.43	68.20	-38.77	peak
2	1658.337	4.11	24.92	52,94	56.15	32,24	68,20	-35,96	peak
3	4329.354	7.48	29.97	52.91	57,96	42.50	74.00	-31.50	peak
4	8943.274	10,63	36.11	54.17	56.11	48.68	68,20	-19.52	peak
5	10640,000	11.15	39.18	53.46	52,85	49.72	74.00	-24.28	peak
6	15960,000	13.52	38.33	53.22	54.00	52.63	74.00	-21.37	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terma-and-Conditions/Terms-and-Conditions.forElectronic Documents and the structure of the structure




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 71 of 573

Test Mode: 02; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

Job No : 00438AT Mode : 5320 TX RSE

Note : 5G WIFI 11AX26

lote	: 5G Freq	Cable		Preamp Factor	Read Level		Limit Line		
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1155.483	3.04	24.26	52.63	55.15	29.82	74.00	-44.18	peak
2	1601.804	3.99	24.80	52.91	56,41	32.29	74.00	-41.71	peak
3	4495.125	7.47	30.19	52.96	57.47	42.17	68.20	-26.03	peak
4	8866.062	10.47	36.11	54.12	56.72	49.18	68,20	-19.02	peak
5	10640.000	11.15	39.18	53.46	52.68	49.55	74.00	-24.45	peak
6	15960,000	13.52	38.33	53.22	54.26	52.89	74,00	-21.11	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Termd-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:*To check the authericity of testing impaction reports.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 72 of 573

Test Mode: 03; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5500 TX RSE Note : 5G WIFI 11A

OLE	, ,,	MILI	TIM						
	Freq			Preamp Factor			Limit Line		
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	7
1	1263.796	3.29	24.27	52.70	54,66	29.52	68.20	-38.68	peak
2	1672,779	4.14	24.95	52.95	56.59	32.73	74.00	-41.27	peak
3	4279.589	7.48	29.90	52.89	57.34	41.83	74.00	-32.17	peak
4	8789.516	10.30	36.12	54.08	56.94	49.28	68.20	-18.92	peak
5	11000,000	11.36	39.60	53,60	52.06	49.42	74.00	-24.58	peak
6	16500,000	14.69	39.93	52,90	50.94	52.66	68.20	-15.54	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.pxp and, for electronic forms and comments, subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 73 of 573

Test Mode: 03; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL Job No : 00438AT

Mode : 5500 TX RSE Note : 5G WIFI 11A

Occ	. ,50	C-1-1-		nadana.	n		1.5.554	0	
	Freq			Preamp Factor			Limit Line	14.74	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1	1234.909	3.23	24.28	52.68	54.59	29.42	74.00	-44.58	peak
2	1658,337	4,11	24.92	52,94	56.54	32,63	68.20	-35,57	peak
3	4469.214	7.47	30.16	52.95	57.34	42.02	68.20	-26.18	peak
4	8713.630	10.14	36.13	54.04	57.02	49.25	68.20	-18.95	peak
5	11000.000	11.36	39.60	53.60	52.72	50.08	74.00	-23.92	peak
6	16500,000	14.69	39.93	52.90	50.60	52,32	68.20	-15.88	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Terms-and-Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not excended parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration riggery or faislification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection regort & certificate, please contact us at telephone. (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 74 of 573

Test Mode: 03; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5580 TX RSE Note : 5G WIFI 11A

ore	: 50	MILI	LIA						
	Freq	Cable		Preamp Factor	Read		Limit	Over Limit	
	ried	1055	PACTON	FACTOR	rever	rever	Line	LIMIL	Nemark.
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1231.345	3.22	24.28	52,68	54.76	29.58	74.00	-44.42	peak
2	1658.337	4.11	24.92	52.94	56,19	32.28	68.20	-35,92	peak
3	4443.453	7.47	30.12	52.94	57.94	42.59	68.20	-25.61	peak
4	8738.852	10.19	36.12	54.05	56.92	49.18	68.20	-19.02	peak
5	11160.000	11.44	39.63	53,67	52.19	49.59	74.00	-24.41	peak
6	16740,000	14.50	40.74	52.75	50.26	52.75	68,20	-15.45	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.pxp and for electronic forms subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-e-Document.spx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration for progrey or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention To check the authentic of the testing improvement exertificate, please contactus at telephone (88-75) 83071443




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 75 of 573

Test Mode: 03; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:middle



: chamber Site

1

3

Condition: 3m VERTICAL

Job No : 00438AT Mode : 5580 TX RSE : 5G WIFI 11A Note

Cable Ant Preamp Read Limit Level Level Line Limit Remark Freq Loss Factor Factor MHZ dB dB/m dB dBuV dBuV/m dBuV/m 1297.103 3.36 24.25 52.73 54.78 29.66 68.20 -38.54 peak 2 1692.231 4.18 24.99 52.96 56.68 32.89 74.00 -41.11 peak 4218.186 7.48 29.82 52.87 57.28 41.71 74.00 -32.29 peak 8738.852 10.19 36.12 54.05 56.51 48.77 68.20 -19.43 peak 5 11160.000 11.44 39.63 53.67 52.08 49.48 74.00 -24.52 peak

16740.000 14.50 40.74 52.75 49.41 51.90 68.20 -16.30 peak



ess otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed relarf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, etc. to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 76 of 573

Test Mode: 03; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5700 TX RSE Note : 5G WIFI 11A

OFF		MILT	TTH						
	Freq	1-1-1-1		Preamp Factor	1000		Limit Line	100	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	7
1	1242.068	3.24	24.28	52.69	55.77	30.60	68.20	-37.60	peak
2	1658.337	4.11	24.92	52.94	56.50	32,59	68,20	-35.61	peak
3	4291.977	7.48	29.92	52.89	57.81	42,32	74.00	-31.68	peak
4	8738.852	10.19	36.12	54.05	56.84	49,10	68,20	-19.10	peak
5	11400.000	11.55	39.68	53.76	53.80	51,27	74.00	-22.73	peak
6	17100,000	14,34	42.14	52.54	47.97	51.91	68,20	-16.29	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx.and, for electronic Documents a thitp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excertate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the faw. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 3d days only.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 77 of 573

Test Mode: 03; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL Job No : 00438AT

Mode : 5700 TX RSE Note : 5G WIFI 11A

Cable Ant Preamp Read Limit Over Loss Factor Factor Level Level Line Limit Remark Freq dB dB/m dB. dBuV dBuV/m dBuV/m dB. 1 1234.909 3.23 24.28 52.68 54.83 29.66 74.00 -44.34 peak 2 1687.347 4.17 24.98 52.95 56.79 32.99 74.00 -41.01 peak 4417.841 7.47 30.09 52.93 57.65 42.28 68.20 -25.92 peak 3 8638.399 9.98 36.13 53.99 56.91 49.03 68.20 -19.17 peak 5 11400.000 11.55 39.68 53.76 53.74 51.21 74.00 -22.79 peak 6 17100.000 14.34 42.14 52.54 48.51 52.45 68.20 -15.75 peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.repx.and.forelectronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions.repx.and.forelectronic Documents at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 78 of 573

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5500 TX RSE Note : 5G WIFI 11N20

VOLE		Cable	00.100	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Leve1	Leve1	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1300.858	3,37	24.25	52.73	54.63	29.52	74.00	-44.48	peak
2	1587.975	3,96	24.77	52.90	57.05	32,88	74.00	-41,12	peak
3	4430.628	7,47	30.11	52.94	57.28	41.92	68.20	-26.28	peak
4	8539.102	9.76	36.14	53.93	57.40	49,37	68,20	-18.83	peak
5	11000,000	11.36	39.60	53.60	52,40	49.76	74.00	-24.24	peak
6.	16500,000	14,69	39.93	52.90	50.55	52,27	68.20	-15,93	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Terms-and-Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not excended parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration riggery or faislification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection regort & certificate, please contact us at telephone. (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 79 of 573

Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No : 00438AT Mode : 5500 TX RSE

Note : 5G WIFI 11N20

	Freq	Cable Loss		Preamp Factor	Read Level		Limit Line		Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1220.714	3.20	24.29	52.67	55.01	29.83	74.00	-44.17	peak
2	1677.621	4.15	24.96	52.95	56.90	33,06	74,00	-40,94	peak
3	4341.886	7.48	29.99	52.91	57.52	42.08	74.00	-31.92	peak
4	8814.957	10.36	36.12	54.09	57.30	49.69	68,20	-18.51	peak
5	11000,000	11.36	39.60	53.60	51.78	49.14	74.00	-24,86	peak
6	16500,000	14.69	39.93	52.90	50.46	52.18	68.20	-16.02	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions.forElectronic Documents and the state of the




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 80 of 573

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5580 TX RSE Note : 5G WIFI 11N20

oce	50	MILI	The second	ACCTO.	8.00		1.4774		
			419.19	Preamp			30.000	-	
	Freq	Loss	Factor	Factor	Leve1	Leve1	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1	1242.068	3.24	24.28	52.69	55.09	29.92	68.20	-38.28	peak
2	1687.347	4,17	24.98	52.95	56.31	32,51	74.00	-41.49	peak
3	4279.589	7.48	29.90	52.89	57,66	42,15	74.00	-31.85	peak
4	8764.146	10.25	36.12	54.06	56.99	49.30	68,20	-18.90	peak
5	11160,000	11.44	39.63	53.67	52,22	49.62	74.00	-24.38	peak
6	16740.000	14,50	40.74	52.75	50.00	52.49	68.20	-15.71	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not excended parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection regort & certificate, please contact us at telephone. (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 81 of 573

Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL

Job No : 00438AT Mode : 5580 TX RSE Note : 5G WIFI 11N20

Cable Ant Preamp Read Limit Over Loss Factor Factor Level Level Line Limit Remark Freq dB dB/m dB dBuV dBuV/m dBuV/m 1 1300.858 3.37 24.25 52.73 54.63 29.52 74.00 -44.48 peak 2 1653.550 4.10 24.91 52.94 56.50 32.57 68.20 -35.63 peak 4291.977 7.48 29.92 52.89 57.71 42.22 74.00 -31.78 peak 3 8840.473 10.41 36.12 54.11 57.07 49.49 68.20 -18.71 peak 5 11160.000 11.44 39.63 53.67 51.92 49.32 74.00 -24.68 peak 6 16740.000 14.50 40.74 52.75 50.16 52.65 68.20 -15.55 peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Termd-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:*To check the authericity of testing impaction reports.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 82 of 573

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5700 TX RSE Note : 5G WIFI 11N20

Ore		MITT							
		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Leve1	Leve1	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1297,103	3.36	24.25	52.73	55.11	29.99	68.20	-38.21	peak
2	1574.265	3.93	24.73	52.89	56,63	32,40	74.00	-41.60	peak
3	4341.886	7.48	29.99	52.91	57.24	41.80	74.00	-32.20	peak
4	8814.957	10.36	36.12	54.09	57.23	49.62	68.20	-18.58	peak
5	11400.000	11.55	39.68	53.76	53,25	50.72	74.00	-23,28	peak
6	17100.000	14.34	42,14	52,54	48.30	52,24	68.20	-15.96	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not excended parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection regort & certificate, please contact us at telephone. (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 83 of 573

Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL

Job No : 00438AT

Mode : 5700 TX RSE Note : 5G WIFI 11N20

Vote	: 5G	MILI	111/20						
		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Leve1	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1300.858	3.37	24.25	52.73	55.18	30.07	74.00	-43.93	peak
2	1677.621	4.15	24.96	52.95	56.63	32.79	74.00	-41.21	peak
3	4193.872	7.48	29.78	52.86	58.13	42.53	74.00	-31.47	peak
4	8713.630	10.14	36.13	54.04	56.79	49.02	68.20	-19,18	peak
5	11400.000	11.55	39.68	53.76	53.83	51,30	74.00	-22.70	peak
6	17100.000	14,34	42.14	52,54	48.97	52,91	68,20	-15,29	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of lits intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfully and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing finance transactions are contained as a feature of the sample of the




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 84 of 573

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT Mode : 5500 TX RSE

Note : 5G WIFI 11AX20

loce	Freq	Cable	19.11	Preamp Factor			Limit Line		
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1300.858	3.37	24.25	52.73	54.49	29.38	74.00	-44.62	peak
2	1682.477	4,16	24.97	52.95	56.73	32.91	74,00	-41.09	peak
3	4417.841	7.47	30.09	52.93	57.37	42.00	68.20	-26.20	peak
4	8764.146	10.25	36,12	54.06	57.03	49.34	68,20	-18,86	peak
5	11000.000	11.36	39.60	53.60	52.36	49.72	74.00	-24.28	peak
6	16500,000	14.69	39.93	52.90	50.13	51.85	68.20	-16,35	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.pxp. and for electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sind responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration right gradients of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 85 of 573

Test Mode: 03; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No : 00438AT Mode : 5500 TX RSE

Note : 5G WIFI 11AX20

ote	Freq	Cable	447	Preamp Factor			Limit Line		
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1129.072	2.98	24.23	52.61	54.95	29.55	74.00	-44.45	peak
2	1653.550	4.10	24.91	52.94	56.24	32,31	68.20	-35.89	peak
3	4469.214	7.47	30.16	52.95	56.99	41.67	68.20	-26.53	peak
4	8789.516	10.30	36,12	54.08	56.53	48,87	68,20	-19,33	peak
5	11000.000	11.36	39.60	53.60	52.55	49.91	74.00	-24.09	peak
6	16500,000	14.69	39.93	52,90	50.53	52,25	68.20	-15.95	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Terms-and-Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not excended parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration riggery or faislification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection regort & certificate, please contact us at telephone. (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 86 of 573

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5580 TX RSE Note : 5G WIFI 11AX20

ote	Freq	Cable		Preamp Factor			Limit Line	14.74	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1152.148	3.03	24.26	52.62	54.74	29.41	74.00	-44.59	peak
2	1648,778	4.09	24.90	52.93	56.26	32,32	68,20	-35.88	peak
3	4206.011	7.48	29.80	52.87	57.83	42.24	74.00	-31.76	peak
4	8764.146	10.25	36.12	54.06	57.12	49,43	68,20	-18.77	peak
5	11160.000	11.44	39.63	53.67	52,57	49.97	74.00	-24.03	peak
6	16740,000	14.50	40.74	52.75	50.76	53,25	68,20	-14.95	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.pxp and for electronic forms subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-e-Document.spx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration for progrey or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention To check the authentic of the testing improvement exertificate, please contactus at telephone (88-75) 83071443




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 87 of 573

Test Mode: 03; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL

Job No : 00438AT

Mode : 5580 TX RSE Note : 5G WIFI 11AX20

ote	: 56	MILI	11AX20						
		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Leve1	Leve1	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	7
1	1185.936	3.12	24.29	52.65	54.85	29.61	74.00	-44.39	peak
2	1663,137	4.12	24.93	52.94	56.77	32,88	74.00	-41.12	peak
3	4062.629	7.49	29.59	52.82	57.18	41.44	74.00	-32.56	peak
4	8789,516	10.30	36.12	54.08	56.88	49.22	68,20	-18.98	peak
5	11160.000	11.44	39.63	53.67	52.35	49.75	74.00	-24.25	peak
6	16740.000	14.50	40.74	52.75	50.45	52,94	68,20	-15.26	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of lits intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfully and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing finance transactions are contained as a feature of the sample of the




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 88 of 573

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT Mode : 5700 TX RSE

Note : 5G WIFI 11AX20

oce	1, 000	Cable		Preamp			Limit	14.14.4	
	Freq	Loss	Factor	Factor	Leve1	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1	1231.345	3.22	24.28	52.68	54.67	29,49	74.00	-44.51	peak
2	1667.951	4.13	24.94	52.94	56,96	33.09	74,00	-40,91	peak
3	4329.354	7.48	29.97	52.91	57.37	41.91	74.00	-32.09	peak
4	8789,516	10.30	36.12	54.08	56.53	48.87	68.20	-19.33	peak
5	11400.000	11.55	39.68	53.76	53,93	51.40	74.00	-22.60	peak
6	17100,000	14.34	42.14	52,54	48.79	52,73	68,20	-15.47	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx.and, for electronic Documents a thitp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excertate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the faw. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 3d days only.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 89 of 573

Test Mode: 03; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



: chamber Site

Condition: 3m VERTICAL

Job No : 00438AT

Mode : 5700 TX RSE

Note : 5G WIFI 11AX20

OLL	, , , , ,	MATET	TIMAZO						
	Freq			Preamp Factor			Limit Line	14.15	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1	1245.663	3.25	24.28	52.69	54.62	29.46	68.20	-38.74	peak
2	1574.265	3,93	24.73	52.89	56.34	32.11	74.00	-41.89	peak
3	4254.921	7.48	29.87	52.88	57.25	41.72	74.00	-32.28	peak
4	8814.957	10,36	36.12	54,09	56.46	48.85	68.20	-19,35	peak
5	11400.000	11.55	39.68	53.76	53.17	50.64	74.00	-23.36	peak
6	17100,000	14.34	42.14	52,54	48.31	52.25	68.20	-15.95	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/terms-and-Conditions.agx; and, for electronic Documents at http://www.sgs.com/en/terms-and-Conditions/terms-e-Document aspx. Attention is drawn to the limitation of liability, Indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Lines otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing impaction report & certificates, please contact us at telephone (86-755) 83071443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 90 of 573

Test Mode: 04; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5745 TX RSE Note : 5G WIFI 11A

AOFE		MILI	TIM						
	Freq	Cable Loss		Preamp Factor	Read Level		Limit Line	10.10	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1	1300.858	3.37	24.25	52.73	54.75	29.64	74.00	-44.36	peak
2	1672.779	4.14	24.95	52.95	56,66	32,80	74,00	-41.20	peak
3	4329.354	7.48	29.97	52.91	57.34	41.88	74.00	-32.12	peak
4	8713.630	10.14	36.13	54.04	56.72	48.95	68,20	-19.25	peak
5	11490.000	11.60	39.70	53.80	52.85	50.35	74.00	-23.65	peak
6	17235.000	14.39	42,87	52,46	47.91	52.71	68,20	-15.49	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Termd-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerted parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 3d days only.

Attention. To check the abstraction of cleaning impaction report a certification, places contact us at deephone. (66-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 91 of 573

Test Mode: 04; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No : 00438AT Mode : 5745 TX RSE

: 5G WIFI 11A Note Cable Ant Preamp Read Limit Over Loss Factor Factor Level Level Line Limit Remark Freq dB dB/m dB dBuV dBuV/m dBuV/m 1 1145.507 3.02 24.25 52.62 55.44 30.09 74.00 -43.91 peak 2 1587.975 3.96 24.77 52.90 57.06 32.89 74.00 -41.11 peak 4495.125 7.47 30.19 52.96 57.91 42.61 68.20 -25.59 peak 3 8866.062 10.47 36.11 54.12 56.60 49.06 68.20 -19.14 peak 39.70 53.80 53.06 50.56 74.00 -23.44 peak 5 11490.000 11.60 6 17235.000 14,39 42,87 52,46 47.86 52,66 68,20 -15,54 peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.for Electronio Documents at http://www.ags.com/en/Terms-and-Conditions.for Electronio Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-and-Conditions.for Electronio Document as parts.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Elness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:*Document is autherticity of testing impaction regord & erriticites.** please conditions and the results and the proof of the sample(s) tested and such sample(s) are retained for 30 days only.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 92 of 573

Test Mode: 04; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5785 TX RSE Note : 5G WIFI 11A

ore	. ,50	MILI		Assesse	D		1.65.64	October 1	
	Freq			Preamp Factor			Limit Line	100	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1234.909	3.23	24.28	52.68	54.97	29.80	74.00	-44.20	peak
2	1672.779	4.14	24.95	52.95	56.47	32,61	74,00	-41.39	peak
3	4392.376	7.47	30.06	52.93	57.54	42,14	74.00	-31.86	peak
4	8866.062	10.47	36,11	54.12	56.48	48.94	68,20	-19,26	peak
5	11570.000	11.60	39.72	53.83	52.80	50.29	74.00	-23.71	peak
6	17355,000	14,44	43.52	52,38	47.42	53,00	68.20	-15.20	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions.forElectronic Documents and the state of the




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 93 of 573

Test Mode: 04; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:middle



: chamber Site

1

3

Condition: 3m VERTICAL

Job No : 00438AT Mode : 5785 TX RSE : 5G WIFI 11A Note

Cable Ant Preamp Read Limit Over Loss Factor Factor Level Level Line Limit Remark Freq dB dB/m dB dBuV dBuV/m dBuV/m 1132.340 2.99 24.24 52.61 55.33 29.95 74.00 -44.05 peak 2 1667.951 4.13 24.94 52.94 56.48 32.61 74.00 -41.39 peak 4430.628 7.47 30.11 52.94 57.48 42.12 68.20 -26.08 peak 8738.852 10.19 36.12 54.05 56.95 49.21 68.20 -18.99 peak 5 11570.000 11.60 39.72 53.83 53.28 50.77 74.00 -23.23 peak

6 17355,000 14.44 43.52 52.38 46.57 52.15 68.20 -16.05 peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Termd-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:*To check the authericity of testing impaction reports.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 94 of 573

Test Mode: 04; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5825 TX RSE Note : 5G WIFI 11A

: 5G	WIFI	11A						
	Cable	Ant	Preamp	Read		Limit	Over	
Freq	Loss	Factor	Factor	Leve1	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1293.359	3.36	24.25	52.72	55.42	30.31	68.20	-37.89	peak
1663,137	4.12	24.93	52,94	56.69	32,80	74,00	-41.20	peak
4341.886	7,48	29.99	52.91	57.71	42.27	74.00	-31.73	peak
8764.146	10.25	36.12	54.06	56.82	49.13	68,20	-19.07	peak
11650.000	11.60	39.73	53.86	53,59	51.06	74.00	-22.94	peak
17475,000	14,48	44,16	52,31	46,72	53.05	68,20	-15.15	peak
	Freq MHz 1293.359 1663.137 4341.886 8764.146 11650.000	MHz dB 1293.359 3.36 1663.137 4.12 4341.886 7.48 8764.146 10.25 11650.000 11.60	Cable Ant Loss Factor MHz dB dB/m 1293.359 3.36 24.25 1663.137 4.12 24.93 4341.886 7.48 29.99 8764.146 10.25 36.12 11650.000 11.60 39.73	Cable Ant Preamp Loss Factor Factor MHz dB dB/m dB 1293.359 3.36 24.25 52.72 1663.137 4.12 24.93 52.94 4341.886 7.48 29.99 52.91 8764.146 10.25 36.12 54.06 11650.000 11.60 39.73 53.86	Cable Ant Preamp Read Loss Factor Factor Level MHz dB dB/m dB dBuV 1293.359 3.36 24.25 52.72 55.42 1663.137 4.12 24.93 52.94 56.69 4341.886 7.48 29.99 52.91 57.71 8764.146 10.25 36.12 54.06 56.82 11650.000 11.60 39.73 53.86 53.59	Cable Ant Preamp Read Freq Loss Factor Factor Level Level MHz dB dB/m dB dBuV dBuV/m 1293.359 3.36 24.25 52.72 55.42 30.31 1663.137 4.12 24.93 52.94 56.69 32.80 4341.886 7.48 29.99 52.91 57.71 42.27 8764.146 10.25 36.12 54.06 56.82 49.13 11650.000 11.60 39.73 53.86 53.59 51.06	Cable Ant Preamp Read Limit Freq Loss Factor Factor Level Level Line MHz dB dB/m dB dBuV dBuV/m dBuV/m 1293.359 3.36 24.25 52.72 55.42 30.31 68.20 1663.137 4.12 24.93 52.94 56.69 32.80 74.00 4341.886 7.48 29.99 52.91 57.71 42.27 74.00 8764.146 10.25 36.12 54.06 56.82 49.13 68.20 11650.000 11.60 39.73 53.86 53.59 51.06 74.00	Cable Ant Preamp Read Limit Over Freq Loss Factor Factor Level Level Line Limit MHz dB dB/m dB dBuV dBuV/m dBuV/m dB 1293.359 3.36 24.25 52.72 55.42 30.31 68.20 -37.89 1663.137 4.12 24.93 52.94 56.69 32.80 74.00 -41.20 4341.886 7.48 29.99 52.91 57.71 42.27 74.00 -31.73 8764.146 10.25 36.12 54.06 56.82 49.13 68.20 -19.07 11650.000 11.60 39.73 53.86 53.59 51.06 74.00 -22.94



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions.forElectronic Documents and the state of the




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 95 of 573

Test Mode: 04; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

Job No : 00438AT Mode : 5825 TX RSE Note : 5G WIFI 11A

MOLE	. 50	MILI	TIA						
		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Leve1	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1	1242.068	3.24	24.28	52,69	55.63	30.46	68.20	-37.74	peak
2	1653,550	4.10	24.91	52,94	56,35	32,42	68,20	-35.78	peak
3	4279.589	7.48	29.90	52.89	57.67	42,16	74.00	-31.84	peak
4	8764.146	10.25	36.12	54.06	56.73	49.04	68,20	-19,16	peak
5	11650.000	11.60	39.73	53.86	53.46	50.93	74.00	-23.07	peak
6	17475.000	14.48	44.16	52.31	45.91	52,24	68.20	-15.96	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of lits intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention:*To check the authenticity of testing /impaction regord & certificate, please center us at telephone; (88-755) 307/1443




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 96 of 573

Test Mode: 04; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5745 TX RSE Note : 5G WIFI 11N20

Ore		MILT	TTIME						
	Freq			Preamp Factor			Limit Line	14.14.4	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1135.617	2,99	24.24	52.61	54.48	29.10	74.00	-44.90	peak
2	1569.721	3.92	24.71	52.89	56.90	32,64	74.00	-41,36	peak
3	4329.354	7.48	29.97	52.91	57.62	42.16	74.00	-31.84	peak
4	8688.480	10.08	36.13	54.02	57.15	49,34	68,20	-18.86	peak
5	11490.000	11.60	39.70	53.80	53,35	50.85	74.00	-23.15	peak
6	17235,000	14.39	42.87	52.46	47.52	52.32	68.20	-15.88	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.for Electronio Documents at http://www.ags.com/en/Terms-and-Conditions.for Electronio Documents at http://www.ags.com/en/Termd-Conditions/Terms-a-Document.agsx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 3d days only.

Attention To check the assistantial of testing finaspection report a certificate, places contact us at deephone (66-75) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 97 of 573

Test Mode: 04; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No : 00438AT Mode : 5745 TX RSE

Note : 5G WIFI 11N20

OLL		MATIT	171150						
	Freq			Preamp Factor			Limit	10 14 4	
	FILER	1033	Pactor	Factor	rever	rever	Line	LIMIL	I/ellia) X
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1122.563	2.96	24.23	52.60	55.62	30.21	74.00	-43.79	peak
2	1667.951	4,13	24.94	52,94	56.87	33,00	74.00	-41.00	peak
3	4430.628	7.47	30.11	52.94	58.02	42,66	68.20	-25.54	peak
4	8814,957	10.36	36.12	54.09	57.18	49.57	68,20	-18.63	peak
5	11490.000	11.60	39.70	53.80	54.02	51.52	74.00	-22.48	peak
6	17235.000	14.39	42.87	52,46	47.73	52,53	68.20	-15.67	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions, appx and, for electronic format documents as the subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-a-Document aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest sent of the law Liness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the sample of the sample (s) tested and such sample(s) are retained for 30 days only.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 98 of 573

Test Mode: 04; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5785 TX RSE Note : 5G WIFI 11N20

OFF		MILT	TTIME						
	Tood			Preamp Factor			Limit	1012	
	Freq	LOSS	Factor	FACTOR	rever	réver	Line	Limit	vellark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1238.483	3.24	24.28	52.69	54.94	29.77	74.00	-44.23	peak
2	1667.951	4.13	24.94	52.94	56.24	32.37	74,00	-41.63	peak
3	4316.859	7.48	29.95	52.90	58.09	42.62	74.00	-31.38	peak
4	8613.468	9.92	36.14	53.98	57.02	49,10	68,20	-19.10	peak
5	11570.000	11.60	39.72	53.83	53.71	51,20	74.00	-22.80	peak
6	17355,000	14,44	43.52	52.38	46.89	52.47	68,20	-15.73	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/terms-and-Conditions.agx; and, for electronic Documents at http://www.sgs.com/en/terms-and-Conditions/terms-a-Document says. Attention is drawn to the limitation of liability, Indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Lines otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the sample of the single proof as extrinceds, places contact us at telephone (86-755) 83071443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 99 of 573

Test Mode: 04; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL

Job No : 00438AT

Mode : 5785 TX RSE Note : 5G WIFI 11N20

OCC		MITT	TTIME						
		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Leve1	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	7
1	1145.507	3.02	24.25	52.62	55.65	30.30	74.00	-43.70	peak
2	1677.621	4.15	24.96	52,95	56.04	32.20	74.00	-41.80	peak
3	4430.628	7,47	30.11	52.94	57.17	41.81	68.20	-26.39	peak
4	8563.818	9.81	36.14	53.95	57.00	49,00	68,20	-19,20	peak
5	11570,000	11.60	39.72	53.83	53.47	50.96	74.00	-23.04	peak
6	17355,000	14,44	43.52	52.38	47.01	52.59	68,20	-15.61	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Co




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 100 of 573

Test Mode: 04; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5825 TX RSE Note : 5G WIFI 11N20

ote	Freq	1-2-1-6-4-4	Ant	Preamp Factor	Read Level		Limit Line	10.14	
	MHz	dB	dB/m	— dB	dBuV	dBuV/m	dBuV/m	dB	
1	1242.068	3,24	24.28	52.69	54.84	29.67	68.20	-38.53	peak
2	1578.822	3,94	24.74	52.90	56.56	32.34	74.00	-41,66	peak
3	4169.698	7.48	29.75	52.86	57,94	42.31	74.00	-31.69	peak
4	8789,516	10.30	36.12	54.08	57.05	49,39	68.20	-18.81	peak
5	11650.000	11.60	39.73	53.86	53.60	51.07	74.00	-22.93	peak
6	17475,000	14,48	44.16	52.31	46.22	52.55	68.20	-15.65	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Termd-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law. Holess otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:*To check the authenticity of testing impaction regord & extrictions.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 101 of 573

Test Mode: 04; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL Job No : 00438AT

Mode : 5825 TX RSE Note : 5G WIFI 11N20

Over Cable Ant Preamp Read Limit Loss Factor Factor Level Level Line Limit Remark Freq dBuV dBuV/m dBuV/m MHZ dB dB/m dB 1 1213.677 3.18 24.29 52.67 55.09 29.89 74.00 -44.11 peak 2 1677.621 4.15 24.96 52.95 56.03 32.19 74.00 -41.81 peak 4304,400 7.48 29.94 52.90 57.19 41.71 74.00 -32.29 peak 3 8738.852 10.19 36.12 54.05 57.00 49.26 68.20 -18.94 peak 5 11650.000 11.60 39.73 53.86 53.38 50.85 74.00 -23.15 peak 6 17475.000 14.48 44.16 52.31 46.56 52.89 68.20 -15.31 peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Co




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 102 of 573

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5745 TX RSE

Note : 5G WIFI 11AX20

		****	1111120	ALTERIO	3000		W 51-1 01-1	S/16-	
		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Leve1	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	7
1	1224.247	3.20	24.29	52.68	54.83	29.64	74.00	-44.36	peak
2	1672,779	4.14	24.95	52.95	56.24	32,38	74,00	-41.62	peak
3	4392,376	7.47	30.06	52.93	57.57	42.17	74.00	-31.83	peak
4	8663.404	10.03	36,13	54.01	56.97	49,12	68,20	-19.08	peak
5	11490,000	11.60	39.70	53.80	52.89	50.39	74.00	-23.61	peak
6	17235,000	14.39	42.87	52,46	47.25	52.05	68.20	-16.15	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions.forElectronic Documents and the state of the




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 103 of 573

Test Mode: 04; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No : 00438AT Mode : 5745 TX RSE

Note : 5G WIFI 11AX20

ore	50	Cable	Δnt	Preamp	Read		Limit	Over	
	Freq	The Land		Factor			Line	10.00	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	7
1	1300.858	3.37	24.25	52.73	55.09	29.98	74.00	-44.02	peak
2	1587.975	3.96	24.77	52.90	56.46	32,29	74,00	-41.71	peak
3	4405.090	7.47	30.07	52.93	58.01	42.62	68.20	-25.58	peak
4	8764.146	10.25	36,12	54.06	56.77	49.08	68,20	-19.12	peak
5	11490.000	11.60	39.70	53,80	53,32	50.82	74.00	-23.18	peak
6	17235.000	14,39	42,87	52.46	46.85	51.65	68.20	-16.55	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not excended parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection regort & certificate, please contact us at telephone. (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 104 of 573

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5785 TX RSE Note : 5G WIFI 11AC20

Cable Ant Preamp Read Limit Over Loss Factor Factor Level Level Line Limit Remark Freq dBuV dBuV/m dBuV/m dB dB/m dB 1 1278.492 3.32 24.26 52.71 54.85 29.72 68.20 -38.48 peak 2 1672.779 4.14 24.95 52.95 56.24 32.38 74.00 -41.62 peak 4193.872 7.48 29.78 52.86 57.28 41.68 74.00 -32.32 peak 3 8764.146 10.25 36.12 54.06 57.07 49.38 68.20 -18.82 peak 5 11570.000 11.60 39.72 53.83 52.91 50.40 74.00 -23.60 peak 6 17355,000 14.44 43.52 52.38 47.04 52.62 68.20 -15.58 peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.repx.and.forelectronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions.repx.and.forelectronic Documents at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 105 of 573

Test Mode: 04; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL

Job No : 00438AT Mode : 5785 TX RSE

Note : 5G WIFI 11AX20

OCC		MITT	TIMMZO						
		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Leve1	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	7
1	1220.714	3.20	24.29	52.67	54.98	29.80	74.00	-44.20	peak
2	1682,477	4.16	24.97	52.95	56.75	32.93	74.00	-41.07	peak
3	4482.150	7.47	30.18	52.95	57.63	42.33	68.20	-25.87	peak
4	8764.146	10.25	36.12	54.06	56.88	49.19	68,20	-19.01	peak
5	11570.000	11.60	39.72	53.83	52.98	50.47	74,00	-23.53	peak
6	17355,000	14,44	43.52	52.38	46.81	52,39	68,20	-15.81	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not excended parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection regort & certificate, please contact us at telephone. (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 106 of 573

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5825 TX RSE

Note : 5G WIFI 11AX20

AOFE	. 30	MILI	TIMAZO						
	Freq			Preamp Factor			Limit Line		
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	7
1	1203.199	3.16	24.30	52.66	54.84	29.64	74.00	-44.36	peak
2	1658.337	4.11	24.92	52.94	57.22	33.31	68.20	-34,89	peak
3	4456.315	7.47	30.14	52.95	57.17	41.83	68.20	-26.37	peak
4	8663.404	10.03	36.13	54.01	57.28	49,43	68,20	-18,77	peak
5	11650,000	11.60	39.73	53.86	53.63	51,10	74.00	-22.90	peak
6	17475,000	14,48	44.16	52.31	46.20	52.53	68.20	-15.67	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Termd-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerted parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 3d days only.

Attention. To check the abstraction of cleaning impaction report a certification, places contact us at deephone. (66-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 107 of 573

Test Mode: 04; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

Job No : 00438AT Mode : 5825 TX RSE

Note : 5G WIFI 11AX20

ote	: 56	MTFT	11AX20						
		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Leve1	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1282.193	3,33	24.26	52.72	54.86	29.73	68.20	-38.47	peak
2	1687.347	4.17	24.98	52.95	56.35	32.55	74.00	-41.45	peak
3	4456.315	7.47	30.14	52.95	57.46	42.12	68.20	-26.08	peak
4	8764.146	10.25	36,12	54.06	56.72	49,03	68.20	-19.17	peak
5	11650.000	11.60	39.73	53.86	53,51	50.98	74.00	-23.02	peak
6	17475,000	14,48	44.16	52,31	46.00	52.33	68.20	-15,87	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Terms-and-Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not excended parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration riggery or faislification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection regort & certificate, please contact us at telephone. (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 108 of 573

7.9 Radiated Emissions which fall in the restricted bands

Test Requirement 47 CFR Part 15, Subpart C 15.209 & Subpart E 15.407(b)

Test Method: KDB 789033 D02 II G

Measurement Distance: 3m

Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)		
0.009-0.490	2400/F(kHz)	300		
0.490-1.705	24000/F(kHz)	30		
1.705-30.0	30	30		
30-88	100	3		
88-216	150	3		
216-960	200	3		
Above 960	500	3		

- *(1) For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
- (2) For transmitters operating in the 5.25-5.35 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
- (3) For transmitters operating in the 5.47-5.725 GHz band: All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of −27 dBm/MHz.
- (4) For transmitters operating in the 5.725-5.85 GHz band:
- (i) All emissions shall be limited to a level of −27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.

7.9.1 E.U.T. Operation

Operating Environment:



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration riggery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention To check the authenticity of testing inspection regort & certificate, please contact us at telephone (86-755) 83071443, applic Clients and the content of the co



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 109 of 573

Temperature: 22.4 °C Humidity: 55.6 % RH Atmospheric Pressure: 1020 mbar

7.9.2 Test Mode Description

7.9.2 Test N	7.9.2 Test Mode Description										
Pre-scan / Final test	Mode Code	Description									
Final test	01	TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80), data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW20); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW80), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.									
Final test	02	TX mode (U-NII-2A)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80), data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW20); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW20); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW80), data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW80), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.									
Final test	03	TX mode (U-NII-2C)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW40), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.									
Final test	04	TX mode (U-NII-3)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80);									



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone (86-755) 8307 1443, or email: CND Doccheck@ss.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 110 of 573

IEEE 802.11ax(HEW40); data rate @ MCS0 is the worst case of IEEE 802.11ax(HEW80), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.

7.9.3 Test Setup Diagram





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Termd-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 111 of 573

7.9.4 Measurement Procedure and Data

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
- h. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- j. Repeat above procedures until all frequencies measured was complete.

Remark: Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor






SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 112 of 573

Test Mode: 01; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5180 Band edge

: 5G WIFI 11A

	Freq	Cable Loss		Preamp Factor	Read Level		Limit Line		Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5114.777	8,29	31.69	31.77	55.74	63.95	74.00	-10.05	peak
2	5149.980	8.29	31.77	31.82	53.79	62.03	74.00	-11.97	peak
3 .	5180.000	8.29	31.85	31.86	95.68	103.96	68.20	35.76	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.pxp and for electronic forms subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-e-Document.spx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration for progrey or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention To check the authentic of the testing improvement exertificate, please contactus at telephone (88-75) 83071443

Fuyong lab. Xirilong Technic Park, Fenglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 113 of 573

Test Mode: 01; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

1 2 3

Mode : 5180 Band edge

: 5G WIFI 11A

	Freq	Cable Loss		Preamp Factor	Read Level		Limit Line	70.00	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1	5124.122	8.29	31.71	31.78	43.45	51.67	54.00	-2.33	Average
	5149,980	8.29	31.77	31.82	42.80	51,04	54.00	-2,96	Average
	5180.000	8.29	31,85	31.86	85.04	93,32	SELECT	LLLED	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Termd-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law. Holess otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:*To check the authenticity of testing impaction regord & extrictions.

|Fuyorg|lab. Xinlorg|TechnoPark, Farglarg| Road, Fuyorg| Subdistict, Bao'an, Sherizhier, Chira 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 114 of 573

Test Mode: 01; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00438AT

Mode : 5180 Band edge

: 5G WIFI 11A

	Freq	Cable Loss	Ant Factor	Preamp Factor			Limit Line	100000	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1	5135.278	8.29	31.74	31.80	55.46	63.69	74.00	-10.31	Peak
2	5149.980	8.29	31.77	31.82	55.32	63,56	74.00	-10,44	Peak
3	. 5180.000	8.29	31,85	31.86	102.62	110.90	68.20	42,70	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions of Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Documents. The Company Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limitst Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content cappearance of this document is unlawfull and offenders may be prosecuted to the fullest stent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing impaction report & certificate, please contact us at telephone (86-755) 8307 144

Fuyong sbt. Xinlong Technic Park, Fengtang Road, Fuyong Subdistrict, Bao'an, Sherzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 115 of 573

Test Mode: 01; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL Job No : 00438AT

Mode : 5180 Band edge

: 5G WIFI 11A

	Freq	Cable Loss		Preamp Factor	Read Level		Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1	5102.873	8.29	31.66	31.75	43.64	51.84	54.00	-2.16	Average
2	5149.980	8.29	31.77	31,82	43.11	51.35	54.00	-2.65	Average
3	5180.000	8.29	31.85	31.86	91.21	99.49	Liver	111143	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.for Electronio Documents at http://www.ags.com/en/Terms-and-Conditions.for Electronio Documents at http://www.ags.com/en/Termd-Conditions/Terms-a-Document.agsx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Liness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:*Document is authorized testing inspection regord & extrictions.**

| Fuyong lair. Xinlong TechnolPark, Fangtang Road, Fuyong Subdistrid, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 28710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 28710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 116 of 573

Test Mode: 01; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5240 Band edge

: 5G WIFI 11A

	Freq	Cable Freq Loss F		Preamp Factor	Read Level		Limit Line		Remark
2	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	T
1.	5240,000	8,29	31.99	31,94	96,34	104.68	68.20	36.48	peak
2	5350.020	8.28	32,25	32,10	53,68	62,11	74,00	-11.89	peak
3	5358,724	8.28	32.27	32.11	54,96	63.40	74.00	-10.60	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/

|Fuyorg|lab. Xinlorg|TechnoPark, Farglarg| Road, Fuyorg| Subdistict, Bao'an, Sherizhier, Chira 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 117 of 573

Test Mode: 01; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5240 Band edge

: 5G WIFI 11A

	Freq	Cable Loss		Preamp Factor	Read Level		Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1	5240.000	8.29	31.99	31.94	85.37	93.71		44446	Average
2	5350,020	8.28	32.25	32,10	42,55	50.98	54.00	-3.02	Average
3	5356.738	8.28	32.27	32.11	42.85	51.29	54.00	-2.71	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents, subject to Terms and Conditions for Electronio Documents at http://www.sgs.com/en/Terms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention.To check the authenticity of testing impaction report & extricate, please contact us at telephone (88-755) \$307/14-3.

| Fuyong lair. Xinlong TechnolPark, Fangtang Road, Fuyong Subdistrid, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 28710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 28710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 118 of 573

Test Mode: 01; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL Job No : 00438AT

Mode : 5240 Band edge

: 5G WIFI 11A

Cable Ant Preamp Read Limit Over
Freq Loss Factor Factor Level Level Line Limit Remark

MHz dB dB/m dB dBuV dBuV/m dBuV/m dB

1 . 5240.000 8.29 31.99 31.94 101.80 110.14 68.20 41.94 Peak
2 5350.020 8.28 32.25 32.10 53.74 62.17 74.00 -11.83 Peak
3 5353.479 8.28 32.26 32.10 55.08 63.52 74.00 -10.48 Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Co

|Fuyorg|lab. Xinlorg|TechnoPark, Farglarg| Road, Fuyorg| Subdistict, Bao'an, Sherizhier, Chira 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 119 of 573

Test Mode: 01; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL Job No : 00438AT

Mode : 5240 Band edge

: 5G WIFI 11A

	Freq	Cable Loss		Preamp Factor	Read Level		Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1	5240.000	8,29	31.99	31.94	90.83	99.17	and	-	Average
2	5350,020	8.28	32.25	32,10	42,59	51.02	54.00	-2.98	Average
3	5357.873	8.28	32.27	32.11	43.14	51,58	54.00	-2,42	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of lits intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfully and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing finance and such sample(s) are retained for 30 days only.

| Fuyorg lab. Xinlong TechnicPark, Fanglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 120 of 573

Test Mode: 01; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5180 Band edge

: 5G WIFI 11N20

	Freq			Preamp Factor	Read Level		Limit Line		
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	7
1	5126.510	8.29	31.71	31.78	54.90	63.12	74.00	-10.88	peak
2	5149.980	8.29	31.77	31,82	53.97	62,21	74.00	-11.79	peak
3 .	5180.000	8.29	31,85	31.86	90.09	98.37	68,20	30,17	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents, subject to Terms and Conditions for Electronio Documents at http://www.sgs.com/en/Terms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention.To check the authenticity of testing impaction report & extricate, please contact us at telephone (88-755) \$307/14-3.

| Fuyong lair. Xinlong TechnolPark, Fangtang Road, Fuyong Subdistrid, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 28710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 28710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 121 of 573

Test Mode: 01; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5180 Band edge

: 5G WIFI 11N20

	Freq	Cable Loss		Preamp Factor	Read Level		Limit Line	Over Limit	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5118.453	8.29	31.69	31.77	42.91	51.12	54.00	-2.88	Average
2	5149.980	8.29	31.77	31.82	42,38	50,62	54.00	-3.38	Average
3	5180.000	8.29	31.85	31.86	79.51	87.79	44444	414440	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.for Electronio Documents at http://www.ags.com/en/Terms-and-Conditions.for Electronio Documents at http://www.ags.com/en/Termd-Conditions/Terms-a-Document.agsx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Liness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:*Document is authorized testing inspection regord & extrictions.**

|Fuyorg|lab. Xinlorg|TechnoPark, Farglarg| Road, Fuyorg| Subdistict, Bao'an, Sherizhier, Chira 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 122 of 573

Test Mode: 01; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00438AT

Mode : 5180 Band edge

: 5G WIFI 11N20

	Freq	Cable Loss		Preamp Factor	Read Level		Limit Line	41.00	Remark
- 5	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1	5111.898	8.29	31.68	31.76	55.50	63.71	74.00	-10.29	Peak
2	5149.980	8.29	31.77	31.82	53.87	62,11	74.00	-11.89	Peak
3 .	5180.000	8.29	31,85	31.86	97.52	105.80	68.20	37.60	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of lits intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfully and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing finance and such sample(s) are retained for 30 days only.

| Fuyorg lab. Xinlong TechnicPark, Fanglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 123 of 573

Test Mode: 01; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL Job No : 00438AT

Mode : 5180 Band edge

: 5G WIFI 11N20

	Freq	Cable Loss		Preamp Factor	Read Level		Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1	5116.863	8.29	31.69	31.77	43.24	51.45	54.00	-2.55	Average
2	5149.980	8.29	31.77	31,82	42.36	50.60	54.00	-3.40	Average
3	5180.000	8.29	31.85	31.86	85.93	94.21	44444	111110	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents, subject to Terms and Conditions for Electronio Documents at http://www.sgs.com/en/Terms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention.To check the authenticity of testing impaction report & extricate, please contact us at telephone (88-755) \$307/14-3.

Fuyong lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 124 of 573

Test Mode: 01; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5240 Band edge

: 5G WIFI 11N20

	Freq		411	Preamp Factor	Read Level		Limit Line		
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 ,	5240,000	8.29	31.99	31,94	91.82	100.16	68.20	31.96	peak
2	5350,020	8.28	32.25	32,10	52.89	61.32	74,00	-12.68	peak
3	5351.495	8,28	32.26	32.10	54.76	63.20	74.00	-10.80	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of lits intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention:*To check the authenticity of testing /impaction regord & certificate, please center us at telephone; (88-755) 307/1443

| Fujorg lab. Xinlong TechnoPark, Ferglang Road, Fujorg Subdistrict, Bao'an, Shenzhen, Chira 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
中国・深圳・宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 125 of 573

Test Mode: 01; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5240 Band edge

: 5G WIFI 11N20

	Freq	Cable Loss		Preamp Factor	Read Level		Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5240,000	8.29	31.99	31,94	80.12	88.46		44446	Average
2	5350,020	8.28	32,25	32,10	42,48	50.91	54.00	-3.09	Average
3	5350,362	8.28	32.25	32.10	42.65	51.08	54.00	-2.92	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

AttentionTo check the authenticity of testing inspection report & certificate, please confecture at telephone (86-755) 8307/1443

| Fuyong lair. Xinlong TechnolPark, Fangtang Road, Fuyong Subdistrid, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 28710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 28710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 126 of 573

Test Mode: 01; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL Job No : 00438AT

Mode : 5240 Band edge

: 5G WIFI 11N20

	Freq	Cable Loss		Preamp Factor	Read Level		Limit Line	1017	Remark
>	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1.	5240,000	8.29	31.99	31.94	96.51	104.85	68.20	36.65	Peak
2	5350,020	8.28	32.25	32,10	53.37	61.80	74,00	-12.20	Peak
3	5353.195	8,28	32.26	32.10	54.22	62,66	74.00	-11.34	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/rems-and-Conditions.aspx.and, for electronic Documents at http://www.sgs.com/en/rems-and-Conditions/rems-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of list intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention.To check the authenticity of testing /impaction regord & extrincince, place contact us at telephone (85-755) \$3071443.

| Fujorg lab. Xinlong TechnoPark, Ferglang Road, Fujorg Subdistrict, Bao'an, Shenzhen, Chira 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
中国・深圳・宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 127 of 573

Test Mode: 01; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL Job No : 00438AT

Mode : 5240 Band edge

: 5G WIFI 11N20

	Freq	Cable	the second	Preamp Factor	Read Level		Limit Line	Over Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	5240.000	8.29	31.99	31.94	85.44	93.78		-	Average	
2	5350,020	8.28	32.25	32,10	42,53	50.96	54.00	-3.04	Average	
3	5356.455	8,28	32.27	32.11	42,56	51.00	54.00	-3.00	Average	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.pxp. and for electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sind responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration right gradients of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Fuyong lab. Xirilong Technic Park, Fenglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 128 of 573

Test Mode: 01; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5190 Band edge

: 5G WIFI 11N40

	Freq	Cable Loss		Preamp Factor	Read Level		Limit Line	14174	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	7
1	5129.620	8.29	31.72	31.79	54.67	62.89	74.00	-11,11	peak
2	5149.980	8.29	31.77	31,82	54,04	62.28	74,00	-11.72	peak
3 .	5190.000	8.29	31.87	31.87	86,31	94.60	68,20	26,40	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents, subject to Terms and Conditions for Electronio Documents at http://www.sgs.com/en/Terms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention.To check the authenticity of testing impaction report & extricate, please contact us at telephone (88-755) \$307/14-3.

Fuyong lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 129 of 573

Test Mode: 01; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5190 Band edge

: 5G WIFI 11N40

	Freq	Cable Loss		Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1	5114.253	8.29	31.68	31.77	42.88	51.08	54.00	-2.92	Average
2	5149.980	8.29	31.77	31.82	42,20	50.44	54.00	-3.56	Average
3	5190.000	8.29	31.87	31.87	71,94	80.23	44444	111110	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents, subject to Terms and Conditions for Electronio Documents at http://www.sgs.com/en/Terms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention.To check the authenticity of testing impaction report & extricate, please contact us at telephone (88-755) \$307/14-3.

Fuyong lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 130 of 573

Test Mode: 01; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL Job No : 00438AT

Mode : 5190 Band edge

: 5G WIFI 11N40

	Freq	Cable Loss		Preamp Factor	Read Level		Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1	5121.156	8.29	31.70	31.78	55.13	63.34	74.00	-10.66	Peak
2	5149.980	8.29	31.77	31,82	53.05	61,29	74.00	-12,71	Peak
3 .	5190.000	8.29	31.87	31.87	93.89	102.18	68.20	33.98	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.pxp. and for electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sind responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration right gradients of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Fuyong lab. Xirilong Technic Park, Fenglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 131 of 573

Test Mode: 01; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL Job No : 00438AT

Mode : 5190 Band edge

: 5G WIFI 11N40

	Freq	Cable Loss		Preamp Factor	Read Level		Limit Line	14174	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1	5102.373	8,29	31.66	31.75	42.84	51.04	54.00	-2.96	Average
2	5149.980	8.29	31.77	31,82	42.29	50.53	54.00	-3.47	Average
3	5190,000	8.29	31.87	31.87	78.06	86.35	14444	41414	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/

| Fuyorg lab. Xinlong TechnicPark, Fanglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 132 of 573

Test Mode: 01; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5230 Band edge

: 5G WIFI 11N40

	Freq	Cable Loss		Preamp Factor	Read Level		Limit Line		
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 .	5230.000	8,29	31.97	31.93	86.42	94.75	68.20	26.55	peak
2	5350,020	8.28	32.25	32.10	53,80	62,23	74,00	-11.77	peak
3	5353.993	8.28	32.26	32.10	54.12	62.56	74.00	-11.44	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents, subject to Terms and Conditions for Electronio Documents at http://www.sgs.com/en/Terms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention.To check the authenticity of testing impaction report & extricate, please contact us at telephone (88-755) \$307/14-3.

| Fujorg lab. Xinlong TechnoPark, Ferglang Road, Fujorg Subdistrict, Bao'an, Shenzhen, Chira 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
中国・深圳・宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 133 of 573

Test Mode: 01; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5230 Band edge

: 5G WIFI 11N40

	Freq	Cable Loss		Preamp Factor	Read Level		Limit Line	4.44	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5230,000	8.29	31.97	31.93	73.47	81.80		511110	Average
2	5350,020	8.28	32.25	32,10	42.32	50.75	54.00	-3,25	Average
3	5354.642	8,28	32.26	32.10	42.54	50.98	54.00	-3.02	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents, subject to Terms and Conditions for Electronio Documents at http://www.sgs.com/en/Terms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention.To check the authenticity of testing impaction report & extricate, please contact us at telephone (88-755) \$307/14-3.

Fuyong sbt. Xinlong Technic Park, Fengtang Road, Fuyong Subdistrict, Bao'an, Sherzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 134 of 573

Test Mode: 01; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

Job No : 00438AT Mode : 5230 Band edge

: 5G WIFI 11N40

		Freq	Cable Loss		Preamp Factor	Read Level		Limit Line		Remark
	-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1		5230,000	8.29	31.97	31.93	93.09	101.42	68.20	33.22	Peak
2		5350.020	8.28	32.25	32.10	54.03	62,46	74,00	-11,54	Peak
3		5353,993	8,28	32.26	32.10	54.29	62.73	74.00	-11.27	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents, subject to Terms and Conditions for Electronio Documents at http://www.sgs.com/en/Terms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention.To check the authenticity of testing impaction report & extricate, please contact us at telephone (88-755) \$307/14-3.

Fuyong lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 135 of 573

Test Mode: 01; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL Job No : 00438AT

Mode : 5230 Band edge

: 5G WIFI 11N40

	Freq	Cable Loss		Preamp Factor	Read Level		Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1	5230,000	8.29	31.97	31.93	78.76	87.09	2444		Average
2	5350,020	8.28	32.25	32,10	42,39	50.82	54.00	-3.18	Average
3	5355.292	8.28	32.26	32.10	42.50	50.94	54.00	-3.06	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents, subject to Terms and Conditions for Electronio Documents at http://www.sgs.com/en/Terms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention.To check the authenticity of testing impaction report & extricate, please contact us at telephone (88-755) \$307/14-3.

Fuyong sbt. Xinlong Technic Park, Fengtang Road, Fuyong Subdistrict, Bao'an, Sherzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 136 of 573

Test Mode: 01; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5210 Band edge

: 5G WIFI 11AC80

		Freq			Preamp Factor	Read Level		Limit Line	100	Remark
	*	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	1
1		5136.903	8,29	31.74	31.80	55.23	63.46	74.00	-10.54	peak
2		5210,000	8.29	31.92	31.90	91.69	100.00	68,20	31.80	peak
3		5354.406	8.28	32.26	32.10	54,47	62.91	74.00	-11.09	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents, subject to Terms and Conditions for Electronio Documents at http://www.sgs.com/en/Terms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention.To check the authenticity of testing impaction report & extricate, please contact us at telephone (88-755) \$307/14-3.

|Fuyorg|lab. Xinlorg|TechnoPark, Farglarg| Road, Fuyorg| Subdistict, Bao'an, Sherizhier, Chira 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 137 of 573

Test Mode: 01; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5210 Band edge

: 5G WIFI 11AC80

	Freq	Cable Loss		Preamp Factor	Read Level		Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1	5107.105	8,29	31.67	31.76	42.86	51.06	54.00	-2.94	Average
2	5210,000	8.29	31.92	31.90	73,30	81,61	*****	erreis.	Average
3	5359,467	8.28	32.27	32.11	42,55	50,99	54.00	-3.01	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

AttentionTo check the authenticity of testing inspection report & certificate, please confecture at telephone (86-755) 8307/1443

| Fuyong lair. Xinlong TechnolPark, Fangtang Road, Fuyong Subdistrid, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 28710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 28710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 138 of 573

Test Mode: 01; Polarity: Vertical; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



Site : chamber Condition: 3m VERTICAL

Job No : 00438AT

Mode : 5210 Band edge

: 5G WIFI 11AC80

		Freq			Preamp Factor	Read Level		Limit Line	100	
	3	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1		5149.947	8.29	31.77	31.82	55.13	63.37	74.00	-10.63	Peak
2	1	5210,000	8.29	31.92	31.90	94.68	102,99	68,20	34,79	Peak
3		5358,667	8.28	32.27	32.11	54.20	62,64	74.00	-11.36	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of lits intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfully and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing finance and such sample(s) are retained for 30 days only.

Fuyong lab. Xirilong Technic Park, Fenglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 139 of 573

Test Mode: 01; Polarity: Vertical; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



Site : chamber Condition: 3m VERTICAL

Job No : 00438AT

Mode : 5210 Band edge

: 5G WIFI 11AC80

	Freq	Cable Loss	and a	Preamp Factor	Read Level		Limit Line	4.6	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5145.851	8.29	31.76	31.81	43,27	51.51	54.00	-2,49	Average
2	5210,000	8.29	31.92	31.90	75,49	83.80	*****	*****	Average
3	5356.004	8.28	32.27	32.11	42.57	51.01	54,00	-2,99	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents, subject to Terms and Conditions for Electronio Documents at http://www.sgs.com/en/Terms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention.To check the authenticity of testing impaction report & extricate, please contact us at telephone (88-755) \$307/14-3.

| Fuyong lair. Xinlong TechnolPark, Fangtang Road, Fuyong Subdistrid, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 28710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 28710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 140 of 573

Test Mode: 02; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5260 Band edge

: 5G WIFI 11A

	Freq	Cable Loss		Preamp Factor	Read Level		Limit Line	1414	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1	5113.639	8,29	31.68	31.77	54.94	63.14	74.00	-10.86	peak
2	5149.980	8.29	31.77	31.82	53.21	61.45	74.00	-12,55	peak
3 .	5260.000	8.28	32.04	31.97	95.01	103.36	68.20	35.16	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents, subject to Terms and Conditions for Electronio Documents at http://www.sgs.com/en/Terms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention.To check the authenticity of testing impaction report & extricate, please contact us at telephone (88-755) \$307/14-3.

| Fuyorg lab. Xinlong TechnicPark, Fanglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 141 of 573

Test Mode: 02; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5260 Band edge

: 5G WIFI 11A

	Freq	Cable Loss		Preamp Factor	Read Level		Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1	5110.979	8.29	31.68	31.76	42.85	51.06	54.00	-2.94	Average
2	5149.980	8.29	31.77	31,82	42.12	50.36	54.00	-3,64	Average
3	5260.000	8.28	32.04	31.97	84.29	92,64	44444	144440	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.pxp and, for electronic forms and comments, subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Fuyong sbt. Xinlong Technic Park, Fengtang Road, Fuyong Subdistrict, Bao'an, Sherzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 142 of 573

Test Mode: 02; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00438AT

Mode : 5260 Band edge

: 5G WIFI 11A

	Freq	Cable Loss		Preamp Factor			Limit Line		
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5109.916	8,29	31.67	31.76	54.80	63.00	74.00	-11.00	Peak
2	5149.980	8.29	31.77	31.82	53,12	61.36	74,00	-12,64	Peak
3 ,	5260.000	8.28	32.04	31.97	101.15	109.50	68.20	41.30	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents, subject to Terms and Conditions for Electronio Documents at http://www.sgs.com/en/Terms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention.To check the authenticity of testing impaction report & extricate, please contact us at telephone (88-755) \$307/14-3.

Fuyong lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 143 of 573

Test Mode: 02; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL Job No : 00438AT

Mode : 5260 Band edge

: 5G WIFI 11A

	Freq	Cable Loss		Preamp Factor	Read Level		Limit Line	14174	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5120.206	8.29	31.70	31,77	43.08	51.30	54.00	-2.70	Average
2	5149.980	8.29	31.77	31.82	42.25	50.49	54.00	-3.51	Average
3	5260.000	8.28	32.04	31.97	90.16	98.51	464664	44440	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions detection format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sort esponsibility is to its Client and this document does not exported parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unleavitul and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Alternion: To check the sublem of the sample(s) tested and such sample(s) are retained for 30 days only.

Fuyong lab. Xnirong TechnoPark, Fenglang Road, Fuyong Subdistrick, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道畜龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 144 of 573

Test Mode: 02; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5320 Band edge

: 5G WIFI 11A

	Freq	Cable Loss		Preamp Factor	Read Level		Limit Line	Over Limit	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	1
1	, 5320,000	8.28	32.18	32,06	96,40	104.80	68.20	36.60	peak
2	5350,020	8.28	32.25	32.10	54.37	62,80	74,00	-11.20	peak
3	5395.056	8.28	32.36	32.16	54.90	63.38	74.00	-10.62	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of lits intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfully and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing finance and such sample(s) are retained for 30 days only.

| Fuyorg lab. Xinlong TechnicPark, Fanglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043803

Page: 145 of 573

Test Mode: 02; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 5320 Band edge

: 5G WIFI 11A

	Freq	Cable Loss		Preamp Factor	Read Level		Limit Line	1017.01	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5320.000	8.28	32.18	32,06	85.51	93.91	min	44446	Average
2	5350,020	8.28	32.25	32,10	42,56	50.99	54.00	-3.01	Average
3	5397,578	8.28	32.36	32.16	42.85	51.33	54.00	-2.67	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of lits intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention:*To check the authenticity of testing /impaction regord & certificate, please center us at telephone; (88-755) 307/1443

|Fuyorg|lab. Xinlorg|TechnoPark, Farglarg| Road, Fuyorg| Subdistict, Bao'an, Sherizhier, Chira 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com