











Mode	7																																																																																					
	Band Edge																																																																																					
	2400-2483.5_802.11n_HT20_CH01_2412MHz																																																																																					
ANT	1																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>68.61</td><td>74.00</td><td>-5.39</td><td>60.48</td><td>31.83</td><td>7.16</td><td>36.86</td><td>6.00</td><td>157 287 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.82	68.61	74.00	-5.39	60.48	31.83	7.16	36.86	6.00	157 287 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>111.28</td><td>-----</td><td>-----</td><td>102.97</td><td>31.96</td><td>7.21</td><td>36.86</td><td>6.00</td><td>157 287 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	111.28	-----	-----	102.97	31.96	7.21	36.86	6.00	157 287 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	2389.82	68.61	74.00	-5.39	60.48	31.83	7.16	36.86	6.00	157 287 PEAK																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	2412.00	111.28	-----	-----	102.97	31.96	7.21	36.86	6.00	157 287 PEAK																																																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>52.96</td><td>54.00</td><td>-1.04</td><td>44.83</td><td>31.83</td><td>7.16</td><td>36.86</td><td>6.00</td><td>157 287 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.95	52.96	54.00	-1.04	44.83	31.83	7.16	36.86	6.00	157 287 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>101.53</td><td>-----</td><td>-----</td><td>93.22</td><td>31.96</td><td>7.21</td><td>36.86</td><td>6.00</td><td>157 287 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	101.53	-----	-----	93.22	31.96	7.21	36.86	6.00	157 287 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	2389.95	52.96	54.00	-1.04	44.83	31.83	7.16	36.86	6.00	157 287 AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	2412.00	101.53	-----	-----	93.22	31.96	7.21	36.86	6.00	157 287 AVERAGE																																																																												





		7																																																																																															
Mode		Harmonic																																																																																															
		2400-2483.5_802.11n HT20_CH01_2412MHz																																																																																															
ANT		1																																																																																															
Pol.		Horizontal																																																																																															
Peak Avg																																																																																																	
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3216.00	46.37	79.17	-32.80	68.12	33.10	8.35	63.20	0.00	--	--	Peak	2	4824.00	51.86	74.00	-22.14	71.00	34.05	10.29	63.48	0.00	195	7	PEAK	3	4824.00	40.43	54.00	-13.57	59.56	34.06	10.29	63.48	0.00	195	7	AVERAGE	4	7236.00	54.18	79.17	-24.99	69.55	35.60	12.66	63.63	0.00	--	--	Peak	5	9648.00	49.40	79.17	-29.77	59.97	36.80	14.81	62.18	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	3216.00	46.37	79.17	-32.80	68.12	33.10	8.35	63.20	0.00	--	--	Peak																																																																																					
2	4824.00	51.86	74.00	-22.14	71.00	34.05	10.29	63.48	0.00	195	7	PEAK																																																																																					
3	4824.00	40.43	54.00	-13.57	59.56	34.06	10.29	63.48	0.00	195	7	AVERAGE																																																																																					
4	7236.00	54.18	79.17	-24.99	69.55	35.60	12.66	63.63	0.00	--	--	Peak																																																																																					
5	9648.00	49.40	79.17	-29.77	59.97	36.80	14.81	62.18	0.00	--	--	Peak																																																																																					
		Vertical																																																																																															
																																																																																																	
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3216.00	43.17	80.82	-37.65	64.92	33.10	8.35	63.20	0.00	--	--	Peak	2	4824.00	51.58	74.00	-22.42	70.72	34.05	10.29	63.48	0.00	347	26	PEAK	3	4824.00	40.70	54.00	-13.30	59.04	34.05	10.29	63.48	0.00	347	26	AVERAGE	4	7236.00	55.14	80.82	-25.68	70.51	35.60	12.66	63.63	0.00	--	--	Peak	5	9648.00	46.28	80.82	-34.54	56.85	36.80	14.81	62.18	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	3216.00	43.17	80.82	-37.65	64.92	33.10	8.35	63.20	0.00	--	--	Peak																																																																																					
2	4824.00	51.58	74.00	-22.42	70.72	34.05	10.29	63.48	0.00	347	26	PEAK																																																																																					
3	4824.00	40.70	54.00	-13.30	59.04	34.05	10.29	63.48	0.00	347	26	AVERAGE																																																																																					
4	7236.00	55.14	80.82	-25.68	70.51	35.60	12.66	63.63	0.00	--	--	Peak																																																																																					
5	9648.00	46.28	80.82	-34.54	56.85	36.80	14.81	62.18	0.00	--	--	Peak																																																																																					





Mode	7	
	18-25G	
	2400-2483.5_802.11n HT20_CH01_2412MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg		







Mode	7																																																																																																																																																																																																												
	LF																																																																																																																																																																																																												
	2400-2483.5_802.11n HT20_CH01_2412MHz																																																																																																																																																																																																												
ANT	1																																																																																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																																																																																						
QP																																																																																																																																																																																																													
	<table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>31.94</td><td>20.43</td><td>-19.57</td><td>40.00</td><td>27.68</td><td>24.40</td><td>0.52</td><td>32.17</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>174.53</td><td>21.25</td><td>-22.25</td><td>43.50</td><td>36.21</td><td>15.24</td><td>1.92</td><td>32.12</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>218.42</td><td>26.71</td><td>-16.79</td><td>43.50</td><td>41.61</td><td>15.14</td><td>2.12</td><td>32.16</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>563.50</td><td>25.62</td><td>-20.38</td><td>46.00</td><td>27.80</td><td>26.68</td><td>3.45</td><td>32.31</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>806.97</td><td>29.09</td><td>-16.91</td><td>46.00</td><td>28.04</td><td>28.77</td><td>4.13</td><td>31.85</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6 p</td><td>927.25</td><td>31.43</td><td>-14.57</td><td>46.00</td><td>28.17</td><td>29.94</td><td>4.43</td><td>31.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	31.94	20.43	-19.57	40.00	27.68	24.40	0.52	32.17	---	---	Peak	2	174.53	21.25	-22.25	43.50	36.21	15.24	1.92	32.12	---	---	Peak	3	218.42	26.71	-16.79	43.50	41.61	15.14	2.12	32.16	---	---	Peak	4	563.50	25.62	-20.38	46.00	27.80	26.68	3.45	32.31	---	---	Peak	5	806.97	29.09	-16.91	46.00	28.04	28.77	4.13	31.85	---	---	Peak	6 p	927.25	31.43	-14.57	46.00	28.17	29.94	4.43	31.11	---	---	Peak	<table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>36.79</td><td>28.94</td><td>-11.06</td><td>40.00</td><td>39.09</td><td>21.46</td><td>0.58</td><td>32.19</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 p</td><td>46.49</td><td>31.22</td><td>-8.78</td><td>40.00</td><td>46.41</td><td>16.20</td><td>0.72</td><td>32.11</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>96.93</td><td>21.86</td><td>-21.64</td><td>43.50</td><td>36.87</td><td>15.64</td><td>1.42</td><td>32.07</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>173.56</td><td>27.21</td><td>-16.29</td><td>43.50</td><td>42.13</td><td>15.29</td><td>1.91</td><td>32.12</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>198.78</td><td>26.49</td><td>-17.01</td><td>43.50</td><td>41.63</td><td>14.99</td><td>2.06</td><td>32.19</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>894.27</td><td>31.03</td><td>-14.97</td><td>46.00</td><td>28.95</td><td>29.04</td><td>4.36</td><td>31.32</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	36.79	28.94	-11.06	40.00	39.09	21.46	0.58	32.19	---	---	Peak	2 p	46.49	31.22	-8.78	40.00	46.41	16.20	0.72	32.11	---	---	Peak	3	96.93	21.86	-21.64	43.50	36.87	15.64	1.42	32.07	---	---	Peak	4	173.56	27.21	-16.29	43.50	42.13	15.29	1.91	32.12	---	---	Peak	5	198.78	26.49	-17.01	43.50	41.63	14.99	2.06	32.19	---	---	Peak	6	894.27	31.03	-14.97	46.00	28.95	29.04	4.36	31.32	---	---
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																																						
Freq	Level	Line	Level Factor	Loss Factor																																																																																																																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																																																																																																					
1	31.94	20.43	-19.57	40.00	27.68	24.40	0.52	32.17	---	---	Peak																																																																																																																																																																																																		
2	174.53	21.25	-22.25	43.50	36.21	15.24	1.92	32.12	---	---	Peak																																																																																																																																																																																																		
3	218.42	26.71	-16.79	43.50	41.61	15.14	2.12	32.16	---	---	Peak																																																																																																																																																																																																		
4	563.50	25.62	-20.38	46.00	27.80	26.68	3.45	32.31	---	---	Peak																																																																																																																																																																																																		
5	806.97	29.09	-16.91	46.00	28.04	28.77	4.13	31.85	---	---	Peak																																																																																																																																																																																																		
6 p	927.25	31.43	-14.57	46.00	28.17	29.94	4.43	31.11	---	---	Peak																																																																																																																																																																																																		
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																																						
Freq	Level	Line	Level Factor	Loss Factor																																																																																																																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																																																																																																					
1	36.79	28.94	-11.06	40.00	39.09	21.46	0.58	32.19	---	---	Peak																																																																																																																																																																																																		
2 p	46.49	31.22	-8.78	40.00	46.41	16.20	0.72	32.11	---	---	Peak																																																																																																																																																																																																		
3	96.93	21.86	-21.64	43.50	36.87	15.64	1.42	32.07	---	---	Peak																																																																																																																																																																																																		
4	173.56	27.21	-16.29	43.50	42.13	15.29	1.91	32.12	---	---	Peak																																																																																																																																																																																																		
5	198.78	26.49	-17.01	43.50	41.63	14.99	2.06	32.19	---	---	Peak																																																																																																																																																																																																		
6	894.27	31.03	-14.97	46.00	28.95	29.04	4.36	31.32	---	---	Peak																																																																																																																																																																																																		







Mode	8																																																																																																																
	Harmonic																																																																																																																
	2400-2483.5_802.11n_HT20_CH06_2437MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Horizontal																																																																																																																
Peak Avg																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>3249.00</td><td>45.86</td><td>80.81</td><td>-34.95</td><td>67.79</td><td>32.91</td><td>8.41</td><td>63.25</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>44.81</td><td>74.00</td><td>-29.19</td><td>64.00</td><td>33.95</td><td>10.34</td><td>63.48</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7311.00</td><td>55.21</td><td>74.00</td><td>-18.79</td><td>70.50</td><td>35.60</td><td>12.78</td><td>63.67</td><td>0.00</td><td>178</td><td>35</td><td>PEAK</td></tr><tr><td>4</td><td>7311.00</td><td>41.76</td><td>54.00</td><td>-12.24</td><td>57.05</td><td>35.60</td><td>12.78</td><td>63.67</td><td>0.00</td><td>178</td><td>35</td><td>AVERAGE</td></tr><tr><td>5</td><td>9748.50</td><td>47.89</td><td>80.81</td><td>-32.92</td><td>58.30</td><td>36.95</td><td>14.86</td><td>62.22</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	3249.00	45.86	80.81	-34.95	67.79	32.91	8.41	63.25	0.00	--	--	Peak	2	4874.00	44.81	74.00	-29.19	64.00	33.95	10.34	63.48	0.00	--	--	PEAK	3	7311.00	55.21	74.00	-18.79	70.50	35.60	12.78	63.67	0.00	178	35	PEAK	4	7311.00	41.76	54.00	-12.24	57.05	35.60	12.78	63.67	0.00	178	35	AVERAGE	5	9748.50	47.89	80.81	-32.92	58.30	36.95	14.86	62.22	0.00	--	--
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																						
1	3249.00	45.86	80.81	-34.95	67.79	32.91	8.41	63.25	0.00	--	--	Peak																																																																																																					
2	4874.00	44.81	74.00	-29.19	64.00	33.95	10.34	63.48	0.00	--	--	PEAK																																																																																																					
3	7311.00	55.21	74.00	-18.79	70.50	35.60	12.78	63.67	0.00	178	35	PEAK																																																																																																					
4	7311.00	41.76	54.00	-12.24	57.05	35.60	12.78	63.67	0.00	178	35	AVERAGE																																																																																																					
5	9748.50	47.89	80.81	-32.92	58.30	36.95	14.86	62.22	0.00	--	--	Peak																																																																																																					
Peak Avg																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>3249.00</td><td>44.93</td><td>80.36</td><td>-35.43</td><td>66.86</td><td>32.91</td><td>8.41</td><td>63.25</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>43.10</td><td>74.00</td><td>-30.90</td><td>62.29</td><td>33.95</td><td>10.34</td><td>63.48</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7311.00</td><td>55.57</td><td>74.00</td><td>-18.43</td><td>70.86</td><td>35.60</td><td>12.78</td><td>63.67</td><td>0.00</td><td>100</td><td>346</td><td>PEAK</td></tr><tr><td>4</td><td>7311.00</td><td>41.79</td><td>54.00</td><td>-12.21</td><td>57.09</td><td>35.60</td><td>12.77</td><td>63.67</td><td>0.00</td><td>100</td><td>346</td><td>AVERAGE</td></tr><tr><td>5</td><td>9748.50</td><td>46.51</td><td>80.36</td><td>-33.85</td><td>56.92</td><td>36.95</td><td>14.86</td><td>62.22</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	3249.00	44.93	80.36	-35.43	66.86	32.91	8.41	63.25	0.00	--	--	Peak	2	4874.00	43.10	74.00	-30.90	62.29	33.95	10.34	63.48	0.00	--	--	PEAK	3	7311.00	55.57	74.00	-18.43	70.86	35.60	12.78	63.67	0.00	100	346	PEAK	4	7311.00	41.79	54.00	-12.21	57.09	35.60	12.77	63.67	0.00	100	346	AVERAGE	5	9748.50	46.51	80.36	-33.85	56.92	36.95	14.86	62.22	0.00	--	--
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																						
1	3249.00	44.93	80.36	-35.43	66.86	32.91	8.41	63.25	0.00	--	--	Peak																																																																																																					
2	4874.00	43.10	74.00	-30.90	62.29	33.95	10.34	63.48	0.00	--	--	PEAK																																																																																																					
3	7311.00	55.57	74.00	-18.43	70.86	35.60	12.78	63.67	0.00	100	346	PEAK																																																																																																					
4	7311.00	41.79	54.00	-12.21	57.09	35.60	12.77	63.67	0.00	100	346	AVERAGE																																																																																																					
5	9748.50	46.51	80.36	-33.85	56.92	36.95	14.86	62.22	0.00	--	--	Peak																																																																																																					



Mode	9																																																																																																																		
	Band Edge																																																																																																																		
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																																																																		
ANT	1																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>67.83</td><td>74.00</td><td>-6.17</td><td>59.12</td><td>32.23</td><td>7.33</td><td>36.85</td><td>6.00</td><td>100</td><td>346</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.56	67.83	74.00	-6.17	59.12	32.23	7.33	36.85	6.00	100	346	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>107.34</td><td>-----</td><td>-----</td><td>98.73</td><td>32.16</td><td>7.30</td><td>36.85</td><td>6.00</td><td>100</td><td>346</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	107.34	-----	-----	98.73	32.16	7.30	36.85	6.00	100	346
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	2483.56	67.83	74.00	-6.17	59.12	32.23	7.33	36.85	6.00	100	346	PEAK																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	2462.00	107.34	-----	-----	98.73	32.16	7.30	36.85	6.00	100	346	PEAK																																																																																																							
Avg																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>50.13</td><td>54.00</td><td>-3.87</td><td>41.42</td><td>32.23</td><td>7.33</td><td>36.85</td><td>6.00</td><td>100</td><td>346</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.50	50.13	54.00	-3.87	41.42	32.23	7.33	36.85	6.00	100	346	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>98.17</td><td>-----</td><td>-----</td><td>89.56</td><td>32.16</td><td>7.30</td><td>36.85</td><td>6.00</td><td>100</td><td>346</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	98.17	-----	-----	89.56	32.16	7.30	36.85	6.00	100	346
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	2483.50	50.13	54.00	-3.87	41.42	32.23	7.33	36.85	6.00	100	346	AVERAGE																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	2462.00	98.17	-----	-----	89.56	32.16	7.30	36.85	6.00	100	346	AVERAGE																																																																																																							



Mode	9																																																																																															
	Band Edge																																																																																															
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																																															
ANT	1																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>70.94</td><td>74.00</td><td>-3.06</td><td>62.23</td><td>32.23</td><td>7.33</td><td>36.85</td><td>6.00</td><td>100</td><td>295 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	70.94	74.00	-3.06	62.23	32.23	7.33	36.85	6.00	100	295 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>109.33</td><td>-----</td><td>-----</td><td>100.71</td><td>32.17</td><td>7.30</td><td>36.85</td><td>6.00</td><td>100</td><td>295 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	109.33	-----	-----	100.71	32.17	7.30	36.85	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2483.62	70.94	74.00	-3.06	62.23	32.23	7.33	36.85	6.00	100	295 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2462.00	109.33	-----	-----	100.71	32.17	7.30	36.85	6.00	100	295 PEAK																																																																																					
Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>52.92</td><td>54.00</td><td>-1.08</td><td>44.21</td><td>32.23</td><td>7.33</td><td>36.85</td><td>6.00</td><td>100</td><td>295 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	52.92	54.00	-1.08	44.21	32.23	7.33	36.85	6.00	100	295 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>100.11</td><td>-----</td><td>-----</td><td>91.52</td><td>32.15</td><td>7.29</td><td>36.85</td><td>6.00</td><td>100</td><td>295 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	100.11	-----	-----	91.52	32.15	7.29	36.85	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2483.50	52.92	54.00	-1.08	44.21	32.23	7.33	36.85	6.00	100	295 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2462.00	100.11	-----	-----	91.52	32.15	7.29	36.85	6.00	100	295 AVERAGE																																																																																					




Mode	9																																																																																																																																																																																																																																																		
	Harmonic																																																																																																																																																																																																																																																		
	2400-2483.5_802.11n_HT20_CH11_2462MHz																																																																																																																																																																																																																																																		
ANT	1																																																																																																																																																																																																																																																		
Pol.	Horizontal												Vertical																																																																																																																																																																																																																																						
Peak Avg																																																																																																																																																																																																																																																			
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>3283.50</td><td>47.35</td><td>78.79</td><td>-31.44</td><td>69.48</td><td>32.70</td><td>8.48</td><td>63.31</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4924.00</td><td>41.86</td><td>74.00</td><td>-32.14</td><td>61.02</td><td>33.92</td><td>10.40</td><td>63.48</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7386.00</td><td>53.36</td><td>74.00</td><td>-20.64</td><td>68.60</td><td>35.60</td><td>12.88</td><td>63.72</td><td>0.00</td><td>234</td><td>38</td><td>38</td><td>PEAK</td></tr><tr><td>4</td><td>7386.00</td><td>40.37</td><td>54.00</td><td>-13.63</td><td>55.61</td><td>35.60</td><td>12.88</td><td>63.72</td><td>0.00</td><td>234</td><td>38</td><td>324</td><td>AVERAGE</td></tr><tr><td>5</td><td>9847.50</td><td>49.33</td><td>78.79</td><td>-29.46</td><td>59.62</td><td>37.05</td><td>14.92</td><td>62.26</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>																									Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	3283.50	47.35	78.79	-31.44	69.48	32.70	8.48	63.31	0.00	--	--	--	Peak	2	4924.00	41.86	74.00	-32.14	61.02	33.92	10.40	63.48	0.00	--	--	--	PEAK	3	7386.00	53.36	74.00	-20.64	68.60	35.60	12.88	63.72	0.00	234	38	38	PEAK	4	7386.00	40.37	54.00	-13.63	55.61	35.60	12.88	63.72	0.00	234	38	324	AVERAGE	5	9847.50	49.33	78.79	-29.46	59.62	37.05	14.92	62.26	0.00	--	--	--	Peak	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>3283.50</td><td>45.75</td><td>80.99</td><td>-35.24</td><td>67.88</td><td>32.70</td><td>8.48</td><td>63.31</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4924.00</td><td>41.97</td><td>74.00</td><td>-32.03</td><td>61.13</td><td>33.92</td><td>10.40</td><td>63.48</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7386.00</td><td>54.13</td><td>74.00</td><td>-19.87</td><td>69.37</td><td>35.60</td><td>12.88</td><td>63.72</td><td>0.00</td><td>121</td><td>324</td><td>324</td><td>PEAK</td></tr><tr><td>4</td><td>7386.00</td><td>40.55</td><td>54.00</td><td>-13.45</td><td>55.79</td><td>35.60</td><td>12.88</td><td>63.72</td><td>0.00</td><td>121</td><td>324</td><td>324</td><td>AVERAGE</td></tr><tr><td>5</td><td>9847.50</td><td>46.65</td><td>80.99</td><td>-34.34</td><td>56.94</td><td>37.05</td><td>14.92</td><td>62.26</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>																									Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	3283.50	45.75	80.99	-35.24	67.88	32.70	8.48	63.31	0.00	--	--	--	Peak	2	4924.00	41.97	74.00	-32.03	61.13	33.92	10.40	63.48	0.00	--	--	--	PEAK	3	7386.00	54.13	74.00	-19.87	69.37	35.60	12.88	63.72	0.00	121	324	324	PEAK	4	7386.00	40.55	54.00	-13.45	55.79	35.60	12.88	63.72	0.00	121	324	324	AVERAGE	5	9847.50	46.65	80.99	-34.34	56.94	37.05	14.92	62.26	0.00	--	--	--
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																							
1	3283.50	47.35	78.79	-31.44	69.48	32.70	8.48	63.31	0.00	--	--	--	Peak																																																																																																																																																																																																																																						
2	4924.00	41.86	74.00	-32.14	61.02	33.92	10.40	63.48	0.00	--	--	--	PEAK																																																																																																																																																																																																																																						
3	7386.00	53.36	74.00	-20.64	68.60	35.60	12.88	63.72	0.00	234	38	38	PEAK																																																																																																																																																																																																																																						
4	7386.00	40.37	54.00	-13.63	55.61	35.60	12.88	63.72	0.00	234	38	324	AVERAGE																																																																																																																																																																																																																																						
5	9847.50	49.33	78.79	-29.46	59.62	37.05	14.92	62.26	0.00	--	--	--	Peak																																																																																																																																																																																																																																						
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																							
1	3283.50	45.75	80.99	-35.24	67.88	32.70	8.48	63.31	0.00	--	--	--	Peak																																																																																																																																																																																																																																						
2	4924.00	41.97	74.00	-32.03	61.13	33.92	10.40	63.48	0.00	--	--	--	PEAK																																																																																																																																																																																																																																						
3	7386.00	54.13	74.00	-19.87	69.37	35.60	12.88	63.72	0.00	121	324	324	PEAK																																																																																																																																																																																																																																						
4	7386.00	40.55	54.00	-13.45	55.79	35.60	12.88	63.72	0.00	121	324	324	AVERAGE																																																																																																																																																																																																																																						
5	9847.50	46.65	80.99	-34.34	56.94	37.05	14.92	62.26	0.00	--	--	--	Peak																																																																																																																																																																																																																																						

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	100	-	-	10Hz
802.11g	100	-	-	10Hz
802.11n HT20	100	-	-	10Hz

802.11b





802.11g



802.11n HT20

