Report No.: XEWM2306000327RG02

Rev.: 01 Page: 1 of 10

TEST REPORT

Application No.: XEWM2306000327RG **Applicant:** Fibocom Wireless Inc

Address of Applicant: 1101, Tower A, Building 6, Shenzhen International Innovation Valley, Dashi

1st Rd, Nanshan, Shenzhen, China

Manufacturer: Fibocom Wireless Inc

Address of Manufacturer: 1101, Tower A, Building 6, Shenzhen International Innovation Valley, Dashi

1st Rd, Nanshan, Shenzhen, China

EUT Description: LTE Module

Model No.: FM101R-GL

Trade Mark: Fibocom

FCC ID: ZMOFM101RGL
Standards: 47 CFR Part 2.1091

FCC KDB 447498 D01 v06

 Date of Receipt:
 2023/06/25

 Date of Issue:
 2023/07/20

Test Result: PASS*

Authorized Signature:

Peter Tan Regulatory Technical Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/T

1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengolong New Town, Xi'an, Shazarui, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86–29) 6282 7885 t (86–29) 6282 7885

^{*} In the configuration tested, the EUT complied with the standards specified above.



Report No.: XEWM2306000327RG02

Rev.: 01 Page: 2 of 10

1 Version

| Revision Record | | | | | | | |
|--------------------------------------|--|------------|--|----------|--|--|--|
| Version Chapter Date Modifier Remark | | | | | | | |
| 01 | | 2023/07/20 | | Original | | | |

| Prepared By | (Leah Chen) / Test Engineer | | |
|-------------|-----------------------------|--|--|
| Checked By | Andy Yao /Reviewer | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for relectronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or aspearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results to the law to the subject of the sample(s) tested and such sample(s) are retained for 30 days only.

or email: CAL Doccheck@sus.com
Or Doccheck@sus.com
Or Doccheck@sus.com

or email: CNLOCECTECK@SGs.COM ||FightD,Buiding (Marghong Orang-Sore Park No.137, Keyaar 3rd Read, Fengoing New Town, Xra, Steami, Chine 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮第: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2306000327RG02

Rev.: 01 Page: 3 of 10

Contents

| 1 \ | Version | 2 |
|-----|--|---|
| 2 (| General Information | 4 |
| | 1 Client Information2 Test Facility | |
| 2.3 | General Description of EUT | 5 |
| 3 F | RF Exposure Evaluation | 7 |
| | 1 RF Exposure Compliance Requirement | |
| | 3.1.1 Limits | |
| | 3.1.2 Test Procedure | |
| 3 | 3.1.3 EUT RF Exposure Evaluation | 8 |
| | 3.1.4 Exposure calculations for multiple sources | |

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sas.com/en/Terms-and-Conditions for relectronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sas.com/en/Terms-and-Conditions/Terms-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or fallification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amail: CAD Doccheck@ass.com

or email: <u>CNLOccheck@sgs.com</u> ||FightlD,Buiding (,Karghung Orang-Soerne Path, k013 (,Keyan 3rd Road, Fergotog New Town, Xian, Stearni, Clina 710086 |中国・西安・沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮第: 710086

t (86–29) 6282 7885 t (86–29) 6282 7885



Report No.: XEWM2306000327RG02

Rev.: 01 Page: 4 of 10

2 General Information

2.1 Client Information

| Applicant: | Fibocom Wireless Inc | | | |
|--------------------------|---|--|--|--|
| Address of Applicant: | 1101, Tower A, Building 6, Shenzhen International Innovation Valley, Dashi 1st Rd, Nanshan, Shenzhen, China | | | |
| Manufacturer: | Fibocom Wireless Inc | | | |
| Address of Manufacturer: | 1101, Tower A, Building 6, Shenzhen International Innovation Valley, Dashi 1st Rd, Nanshan, Shenzhen, China | | | |

2.2 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

A2LA (Certificate No. 4854.01)

SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 4854.01.

Innovation, Science and Economic Development Canada

SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0095.

IC#: 25613.

• FCC –Designation Number: CN1337

SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd. has been recognized as an accredited testing

laboratory.

Designation Number: CN1337.

Test Firm Registration Number: 917410





Report No.: XEWM2306000327RG02

Rev.: 01 Page: 5 of 10

2.3 General Description of EUT

| EUT Description: | LTE Module | | | | | | | | |
|-------------------|--------------------|--------------------------------|----------------|------|--|--|--|--|--|
| Model No.: | FM101R-GL | FM101R-GL | | | | | | | |
| Trade Mark: | Fibocom | Fibocom | | | | | | | |
| Hardware Version: | V1.4 | | | | | | | | |
| Software Version: | 19502.0000.00.11.0 | 19502.0000.00.11.01.06 | | | | | | | |
| Antenna Type: | Monopole Antenna, | Monopole Antenna, PIFA Antenna | | | | | | | |
| | Monopole Antenna: | | | | | | | | |
| | WCDMA Band II: | 4dBi | WCDMA Band IV: | 3dBi | | | | | |
| | WCDMA Band V: | 3dBi | | | | | | | |
| | LTE Band 2: | 4dBi | LTE Band 4: | 3dBi | | | | | |
| | LTE Band 5: | 3dBi | LTE Band 7: | 4dBi | | | | | |
| | LTE Band 12: | 3dBi | LTE Band 13: | 3dBi | | | | | |
| | LTE Band 14: | 3dBi | LTE Band 17: | 3dBi | | | | | |
| | LTE Band 25: | 4dBi | LTE Band 26: | 3dBi | | | | | |
| | LTE Band 30: | 1dBi | LTE Band 38: | 4dBi | | | | | |
| | LTE Band 41: | 4dBi | LTE Band 48: | 1dBi | | | | | |
| | LTE Band 66: | 3dBi | LTE Band 71: | 3dBi | | | | | |
| | LTE CA_5B: | 3dBi | LTE CA_7C: | 4dBi | | | | | |
| Antenna Gain: | LTE CA_38C: | 4dBi | LTE CA_41C: | 4dBi | | | | | |
| Antenna Gam. | PIFA Antenna: | | | | | | | | |
| | WCDMA Band II: | 4dBi | WCDMA Band IV: | 3dBi | | | | | |
| | WCDMA Band V: | 3dBi | | | | | | | |
| | LTE Band 2: | 4dBi | LTE Band 4: | 3dBi | | | | | |
| | LTE Band 5: | 3dBi | LTE Band 7: | 4dBi | | | | | |
| | LTE Band 12: | 3dBi | LTE Band 13: | 3dBi | | | | | |
| | LTE Band 14: | 3dBi | LTE Band 17: | 3dBi | | | | | |
| | LTE Band 25: | 4dBi | LTE Band 26: | 3dBi | | | | | |
| | LTE Band 30: | 1dBi | LTE Band 38: | 4dBi | | | | | |
| | LTE Band 41: | 4dBi | LTE Band 48: | 1dBi | | | | | |
| | LTE Band 66: | 3dBi | LTE Band 71: | 3dBi | | | | | |
| | LTE CA_5B: | 3dBi | LTE CA_7C: | 4dBi | | | | | |
| | LTE CA_38C: | 4dBi | LTE CA_41C: | 4dBi | | | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and for electronic Foremat and Conditions for electronic Foremat and Conditions and Conditions for the Company's Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or fallification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAD Doccheck@sus.com

1/F, Unit D, Buding 1, Kanghong Change Science Park, No. 137, Keyuan 3rd Read, Fengadong New Town, Xi'an, Shearwi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿檀方科技园1号楼D单元1层 邮编: 710086

t (86–29) 6282 7885 t (86–29) 6282 7885



Report No.: XEWM2306000327RG02

Rev.: 01 Page: 6 of 10

Note:

The antenna gain are derived from the gain information report provided by the manufacturer.

Remark:

1. The Antenna Type (Monopole Antenna) will be tested.

2.As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetcronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document satistical information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction force more contained the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or flatisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-lest extent of the law. Unless otherwise stated the Actention. To check the authenticity of testing inspection report & certificate, please contact us at telephone: (85-755)83071443, or email: CND Doccheck@ss.com

1/F, Unit D, Bullding 1, Kanghong Change Science Park, No.137, Keyuan 3rd Road, Fengotong New Town, Xian, Shazarvi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86–29) 6282 7885 t (86–29) 6282 7885



Report No.: XEWM2306000327RG02

Rev.: 01 Page: 7 of 10

3 RF Exposure Evaluation

3.1 RF Exposure Compliance Requirement

3.1.1 Limits

| Frequency range (MHz) | | | | Averaging time (minutes) |
|--------------------------|--------------------------|--------------------------|-----------|--------------------------|
| | (A) Limits for Occup | oational/Controlled Expo | sures | |
| 0.3-3.0 | 614 | 1.63 | *(100) | 6 |
| 3.0-30 | 1842/f | 4.89/f | *(900/f2) | 6 |
| 30-300 | 61.4 | 0.163 | 1.0 | 6 |
| 300-1500 | 1 | 1 | f/300 | 6 |
| 1500-100,000 | 1 | 1 | 5 | 6 |
| | (B) Limits for General P | opulation/Uncontrolled | Exposure | |
| 0.3-1.34 | 614 | 1.63 | *(100) | 30 |
| 1.34-30 | 824/f | 2.19/f | *(180/f2) | 30 |
| 30-300 | 27.5 | 0.073 | 0.2 | 30 |
| 300-1500 | / | 1 | f/1500 | 30 |
| 1500-100,000 | 1 | 1 | 1.0 | 30 |

F=frequency in MHz

RF exposure compliance will need to be determined with respect to 1.1307(c) and (d) of the FCC rules. The emissions should be within the limits at 300kHz in Table 1 of 1.1310(use the 300kHz limits for 150kHz:614V/m,1.63A/m).

Friis Formula

Friis transmission formula: Pd = (Pout*G)/(4* Pi * R²)

Where

Pd = power density in mW/cm2

Pout = output power to antenna in mW

G = gain of antenna in linear scale

Pi = 3.1416

R = distance between observation point and center of the radiator in cm

Pd id the limit of MPE, 1 mW/cm2. If we know the maximum gain of the antenna and the total power input to the antenna, through the calculation, we will know the distance r where the MPE limit is reached.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Flectronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its interviton only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or amali: CMD. Doccheck@sas.com

1/F, Unit D, Bullding 1, Kanghong Change Science Park, No.137, Keyuan 3rd Road, Fengotong New Town, Xian, Shazarvi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86–29) 6282 7885 t (86–29) 6282 7885

⁼Plane-wave equivalent power density



Report No.: XEWM2306000327RG02

Rev.: 01 Page: 8 of 10

3.1.2 Test Procedure

Software provided by client enabled the EUT to transmit data at lowest, middle and highest channel individually

3.1.3 EUT RF Exposure Evaluation

Output Power Into Antenna & RF Exposure Evaluation Distance:

This confirmed that the device comply with MPE limit.

| Operating Band | Frequency (MHz) | Antenna Gain (dBi) | Max Conducted Power (dBm) | EIRP(ERP) (dBm) | EIRP(ERP) Limit (dBm) | Power Density at R = 20 cm (mW/cm2) | Limit (mW/cm2) | Gain according to EIRP(ERP) (dBi) | Gain according to Pd (dBi) | Max Gain Allowed (dBi) | conclusion |
|--------------------------|--------------------|--------------------------|------------------------------------|--------------------|-----------------------------|-------------------------------------|-------------------|--|----------------------------------|------------------------------|------------|
| WCDMA Band II | 1852.4 | 4.00 | 24.50 | 28.50 | 33.00 | 0.1408 | 1.0000 | 8.50 | 12.51 | 8.50 | Pass |
| WCDMA BandIV | 1712.4 | 3.00 | 24.50 | 27.50 | 30.00 | 0.1119 | 1.0000 | 5.50 | 12.51 | 5.50 | Pass |
| WCDMA BandV | 828.4 | 3.00 | 24.50 | 25.35 | 38.45 | 0.1119 | 0.5523 | 16.10 | 9.93 | 9.93 | Pass |
| LTE Band 2 | 1850.7 | 4.00 | 24.00 | 28.00 | 33.00 | 0.1255 | 1.0000 | 9.00 | 13.01 | 9.00 | Pass |
| LTE Band 4 | 1710.7 | 3.00 | 24.00 | 27.00 | 30.00 | 0.0997 | 1.0000 | 6.00 | 13.01 | 6.00 | Pass |
| LTE/CA Band 5 | 824.7 | 3.00 | 25.00 | 25.85 | 38.45 | 0.1255 | 0.5498 | 15.60 | 9.41 | 9.41 | Pass |
| LTE/CA Band 7 | 2502.5 | 4.00 | 24.00 | 28.00 | 33.00 | 0.1255 | 1.0000 | 9.00 | 13.01 | 9.00 | Pass |
| LTE Band 12 | 699.7 | 3.00 | 25.00 | 25.85 | 34.77 | 0.1255 | 0.4665 | 11.92 | 8.70 | 8.70 | Pass |
| LTE Band 13 | 779.5 | 3.00 | 25.00 | 25.85 | 34.77 | 0.1255 | 0.5197 | 11.92 | 9.16 | 9.16 | Pass |
| LTE Band 14 | 790.5 | 3.00 | 25.00 | 25.85 | 34.77 | 0.1255 | 0.5270 | 11.92 | 9.23 | 9.23 | Pass |
| LTE Band 17 | 706.5 | 3.00 | 25.00 | 25.85 | 34.77 | 0.1255 | 0.4710 | 11.92 | 8.74 | 8.74 | Pass |
| LTE Band 25 | 1850.7 | 4.00 | 24.00 | 28.00 | 33.00 | 0.1255 | 1.0000 | 9.00 | 13.01 | 9.00 | Pass |
| LTE Band 26 (814-824) | 814.7 | 3.00 | 25.00 | 25.85 | NA | 0.1255 | 0.5431 | NA | 9.36 | 9.36 | Pass |
| LTE Band 26 (824-849) | 824.7 | 3.00 | 25.00 | 25.85 | 38.45 | 0.1255 | 0.5498 | 15.60 | 9.41 | 9.41 | Pass |
| LTE Band 30 | 2307.5 | 1.00 | 23.00 | 24.00 | 24.00 | 0.0500 | 1.0000 | 1.00 | 14.01 | 1.00 | Pass |
| LTE/CA Band 38 | 2572.5 | 4.00 | 24.00 | 28.00 | 33.00 | 0.1255 | 1.0000 | 9.00 | 13.01 | 9.00 | Pass |
| LTE/CA Band 41 | 2498.5 | 4.00 | 24.00 | 28.00 | 33.00 | 0.1255 | 1.0000 | 9.00 | 13.01 | 9.00 | Pass |
| LTE Band 48 | 3552.5 | 1.00 | 22.00 | 23.00 | 23.00 | 0.0397 | 1.0000 | 1.00 | 15.01 | 1.00 | Pass |
| LTE Band 66 | 1710.7 | 3.00 | 24.00 | 27.00 | 30.00 | 0.0997 | 1.0000 | 6.00 | 13.01 | 6.00 | Pass |
| LTE Band 71 | 665.5 | 3.00 | 25.00 | 25.85 | 34.77 | 0.1255 | 0.4437 | 11.92 | 8.48 | 8.48 | Pass |
| Bluetooth | 2402.0 | 5.00 | 23.00 | 28.00 | NA | 0.1255 | 1.0000 | NA | NA | NA | NA |
| WLAN2.4GHz | 2412.0 | 5.00 | 23.00 | 28.00 | NA | 0.1255 | 1.0000 | NA | NA | NA | NA |
| WLAN5GHz | 5180.0 | 5.00 | 23.00 | 28.00 | NA | 0.1255 | 1.0000 | NA | NA | NA | NA |
| | | | | | | | | | | | |

Note

- 1. This MPE analysis is applicable to any collocated transmitters with transmit power for WLAN is less than or equal to 28dBm and for Bluetooth is less than or equal to 28dBm.
- 2. A maximum antenna gain of 5dBi for WLAN/BT has been assumed for all collocated antennas. This confirmed that the device comply with MPE limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Terms-and-conditions for the responsibility of the state of t



Report No.: XEWM2306000327RG02

Rev.: 01 Page: 9 of 10

Due to the EUT support CA

$$\sum_{i=1}^{n} \frac{S_{E_{i}}(dutyfactor)}{MPE_{E_{i}}} < 1$$

Both LTE and NR/LTE band can transmit simultaneously, the formula of the calculated the MPE is: NOTE The corresponding MEs must be expressed in terms of power density in the above summation Therefore, the worst-case(CA_5B) situation is 0.228+0.228=0.456,which is less than "1", this confirmed that the device comply with MPE limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Terms-and-conditions for the responsibility of the state of t

1/F, Unit D, Bullding 1, Kanghong Change Science Park, No.137, Keyuan 3rd Road, Fengotong New Town, Xian, Shazarvi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2306000327RG02

Rev.: 01

Page: 10 of 10

3.1.4 Exposure calculations for multiple sources

When a number of sources at different frequencies, and/or broadband sources, contribute to the total exposure, it becomes necessary to weigh each contribution relative to the MPE in accordance with the provisions of Table(A) and Table(B). To comply with the MPE, the fraction of the MPE in terms of E2, H2 (or power density) incurred within each frequency interval should be determined and the sum of all such fractions should not exceed unity.

In order to ensure compliance with the MPE for a controlled environment, the sum of the ratios of the power density to the corresponding MPE should not exceed unity. That is

$$\sum_{i=1}^{n} \frac{S_i}{MPE_i} \leq 1$$

The product also has multiple transmitters The Simultaneous Transmission Possibilities are as below:

| Simultaneous Tx Combination | Configuration | |
|--------------------------------|--|--|
| 1 | WWAN + WiFi 2.4G + WiFi 5G + Bluetooth | |

| No. | Mode | Power Density (mW/cm²) | MPE Limit (mW/cm²) | Result Ratio | Total Ratio | Limit | Result |
|-----|-------------|---------------------------|-----------------------|--------------|----------------|--------|--------|
| | LTE Band 71 | 0.1255 | 0.4437 | 0.2828 | | | Pass |
| 1 - | Bluetooth | 0.1255 | 1.0000 | 0.1255 | 0.6593 1.00 | 1.0000 | |
| | WiFi 2.4G | 0.1255 | 1.0000 | 0.1255 | 0.0093 | 1.0000 | |
| | WiFi 5G | 0.1255 | 1.0000 | 0.1255 | | | |

Note: Considering the WWAN module collocation with the WLAN and Bluetooth transmitter of the EIRP performance listed in the table above, the aggregated (power density /limit) is smaller than 1, and MPE of 3 collocated transmitters is compliant.

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Canditions of Service printed overlead, available on request or accessible at http://www.sgs.com/en/Terms and-Conditions_sgsx_and, for electronic foremat documents, at <a href="http://www.sgs.com/en/Terms.and-Conditions_ferses-bocument_aspx_and-to-property-bocument_as