


Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	20.81	16.90
40	5200	22.60	16.90
48	5240	24.35	17.00

CH36




Date: 29.JAN.2021 14:15:37

CH40
26 dB Bandwidth




Date: 29.JAN.2021 14:17:02

CH48




Date: 29.JAN.2021 14:18:39


99 % Emission Bandwidth



Date: 29.JAN.2021 14:14:54



Date: 29.JAN.2021 14:16:17




Date: 29.JAN.2021 14:18:01

Test Mode	UNII-1_TX N (HT20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	21.79	17.80
40	5200	20.60	17.80
48	5240	25.09	17.90

CH36




Date: 29.JAN.2021 14:35:45

CH40
26 dB Bandwidth




Date: 29.JAN.2021 14:37:08

CH48




Date: 29.JAN.2021 14:38:31


99 % Emission Bandwidth



Date: 29.JAN.2021 14:35:01



Date: 29.JAN.2021 14:36:23




Date: 29.JAN.2021 14:37:54


Test Mode	UNII-1_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	40.30	36.60
46	5230	41.19	36.80

CH38




Date: 29.JAN.2021 14:56:19


CH46
26 dB Bandwidth


Date: 29.JAN.2021 14:58:04

99 % Emission Bandwidth



Date: 29.JAN.2021 14:55:23




Date: 29.JAN.2021 14:57:01

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	26.30	17.10
60	5300	27.05	17.20
64	5320	28.00	17.20

CH52




Date: 29.JAN.2021 14:19:58

CH60
26 dB Bandwidth




Date: 29.JAN.2021 14:21:27

CH64




Date: 29.JAN.2021 14:22:41


99 % Emission Bandwidth



Date: 29.JAN.2021 14:19:22



Date: 29.JAN.2021 14:20:53




Date: 29.JAN.2021 14:22:07

Test Mode	UNII-2A_TX N (HT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	23.20	17.90
60	5300	27.45	18.00
64	5320	24.49	18.00

CH52




Date: 29.JAN.2021 14:40:08

CH60
26 dB Bandwidth




Date: 29.JAN.2021 14:41:20

CH64




Date: 29.JAN.2021 14:42:42


99 % Emission Bandwidth



Date: 29.JAN.2021 14:39:23



Date: 29.JAN.2021 14:40:47




Date: 29.JAN.2021 14:42:01


Test Mode	UNII-2A_TX N (HT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
54	5270	45.70	36.60
62	5310	42.20	37.00

CH54




Date: 29.JAN.2021 15:02:12


CH62
26 dB Bandwidth


Date: 29.JAN.2021 15:04:11

99 % Emission Bandwidth



Date: 29.JAN.2021 15:01:22




Date: 29.JAN.2021 15:02:57

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	23.60	17.00
116	5580	31.30	17.70
140	5700	31.55	17.70

CH100




Date: 29.JAN.2021 14:24:07

CH116
26 dB Bandwidth




Date: 29.JAN.2021 14:25:25

CH140




Date: 29.JAN.2021 14:29:49


99 % Emission Bandwidth



Date: 29.JAN.2021 14:23:22



Date: 29.JAN.2021 14:24:48




Date: 29.JAN.2021 14:29:20

Test Mode	UNII-2C_TX N (HT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	21.59	17.80
116	5580	27.55	18.10
140	5700	29.55	18.30

CH100




Date: 29.JAN.2021 14:47:24

CH116
26 dB Bandwidth




Date: 29.JAN.2021 14:48:47

CH140




Date: 29.JAN.2021 14:49:56


99 % Emission Bandwidth



Date: 29.JAN.2021 14:46:38



Date: 29.JAN.2021 14:48:09




Date: 29.JAN.2021 14:49:25

Test Mode	UNII-2C_TX N (HT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
102	5510	40.19	36.40
110	5550	41.20	36.80
134	5670	55.59	37.20

CH102




Date: 29.JAN.2021 15:05:58

CH110
26 dB Bandwidth




Date: 29.JAN.2021 15:07:42

CH134




Date: 29.JAN.2021 15:10:12


99 % Emission Bandwidth



Date: 29.JAN.2021 15:04:59



Date: 29.JAN.2021 15:06:40




Date: 29.JAN.2021 15:08:26


Test Mode UNII-3_TX A Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	16.45	16.70	500	Complies
157	5785	16.45	16.70	500	Complies
165	5825	16.50	16.80	500	Complies

CH149




Date: 29.JAN.2021 14:31:13

CH157
26 dB Bandwidth



Date: 29.JAN.2021 14:32:50

CH165




Date: 29.JAN.2021 14:34:14


99 % Emission Bandwidth



Date: 29.JAN.2021 14:30:28



Date: 29.JAN.2021 14:32:04




Date: 29.JAN.2021 14:33:29

Test Mode	UNII-3_TX N (HT40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	36.19	36.40	500	Complies
159	5795	35.40	36.40	500	Complies

CH151




Date: 29.JAN.2021 15:11:55

CH159
26 dB Bandwidth




Date: 29.JAN.2021 15:13:40

99 % Emission Bandwidth



Date: 29.JAN.2021 15:10:55



Date: 29.JAN.2021 15:12:37

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.74	0.00	13.74	24.00	0.25	Complies
40	5200	13.78	0.00	13.78	24.00	0.25	Complies
48	5240	13.82	0.00	13.82	24.00	0.25	Complies

Test Mode	UNII-1_TX N (HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.78	0.00	12.78	24.00	0.25	Complies
40	5200	12.88	0.00	12.88	24.00	0.25	Complies
48	5240	13.04	0.00	13.04	24.00	0.25	Complies

Test Mode	UNII-1_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.94	0.00	12.94	24.00	0.25	Complies
46	5230	12.86	0.00	12.86	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.64	0.00	13.64	24.00	0.25	Complies
60	5300	13.75	0.00	13.75	24.00	0.25	Complies
64	5320	13.81	0.00	13.81	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.74	0.00	12.74	24.00	0.25	Complies
60	5300	12.57	0.00	12.57	24.00	0.25	Complies
64	5320	12.92	0.00	12.92	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	12.89	0.00	12.89	24.00	0.25	Complies
62	5310	11.53	0.00	11.53	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.74	0.00	13.74	24.00	0.25	Complies
116	5580	13.76	0.00	13.76	24.00	0.25	Complies
140	5700	13.88	0.00	13.88	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.91	0.00	12.91	24.00	0.25	Complies
116	5580	12.87	0.00	12.87	24.00	0.25	Complies
140	5700	12.72	0.00	12.72	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.63	0.00	12.63	24.00	0.25	Complies
110	5550	12.61	0.00	12.61	24.00	0.25	Complies
134	5670	12.72	0.00	12.72	24.00	0.25	Complies

Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.82	0.00	13.82	30.00	1.00	Complies
157	5785	13.86	0.00	13.86	30.00	1.00	Complies
165	5825	13.71	0.00	13.71	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.78	0.00	13.78	30.00	1.00	Complies
157	5785	13.83	0.00	13.83	30.00	1.00	Complies
165	5825	13.97	0.00	13.97	30.00	1.00	Complies


Test Mode	UNII-3_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	12.61	0.00	12.61	30.00	1.00	Complies
159	5795	12.73	0.00	12.73	30.00	1.00	Complies


APPENDIX G - POWER SPECTRAL DENSITY

Test Mode UNII-1_TX A Mode


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.75	0.00	3.75	11.00	Complies
40	5200	4.02	0.00	4.02	11.00	Complies
48	5240	3.85	0.00	3.85	11.00	Complies



Date: 29.JAN.2021 14:15:52




Date: 29.JAN.2021 14:17:16




Date: 29.JAN.2021 14:18:53

Test Mode UNII-1_TX N (HT20) Mode


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.83	0.00	3.83	11.00	Complies
40	5200	3.80	0.00	3.80	11.00	Complies
48	5240	3.97	0.00	3.97	11.00	Complies



Date: 29.JAN.2021 14:36:00




Date: 29.JAN.2021 14:37:22




Date: 29.JAN.2021 14:38:46

Test Mode	UNII-1_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.85	0.00	1.85	11.00	Complies
46	5230	1.74	0.00	1.74	11.00	Complies




Date: 29.JAN.2021 14:56:40




Date: 29.JAN.2021 14:58:25

Test Mode UNII-2A_TX A Mode


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.71	0.00	5.71	11.00	Complies
60	5300	5.41	0.00	5.41	11.00	Complies
64	5320	5.74	0.00	5.74	11.00	Complies



Date: 29.JAN.2021 14:20:12




Date: 29.JAN.2021 14:21:41




Date: 29.JAN.2021 14:22:55

Test Mode UNII-2A_TX N (HT20) Mode


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.33	0.00	4.33	11.00	Complies
60	5300	4.31	0.00	4.31	11.00	Complies
64	5320	4.50	0.00	4.50	11.00	Complies



Date: 29.JAN.2021 14:40:23




Date: 29.JAN.2021 14:41:34




Date: 29.JAN.2021 14:46:11

Test Mode	UNII-2A_TX N (HT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.58	0.00	1.58	11.00	Complies
62	5310	1.62	0.00	1.62	11.00	Complies




Date: 29.JAN.2021 15:02:33




Date: 29.JAN.2021 15:04:32

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.12	0.00	6.12	11.00	Complies
116	5580	6.12	0.00	6.12	11.00	Complies
140	5700	5.47	0.00	5.47	11.00	Complies



Date: 29.JAN.2021 14:24:21




Date: 29.JAN.2021 14:25:39




Date: 29.JAN.2021 14:30:04

Test Mode	UNII-2C_TX N (HT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.67	0.00	4.67	11.00	Complies
116	5580	4.52	0.00	4.52	11.00	Complies
140	5700	4.53	0.00	4.53	11.00	Complies



Date: 29.JAN.2021 14:47:39



Date: 29.JAN.2021 14:49:01




Date: 29.JAN.2021 14:50:10

Test Mode UNII-2C_TX N (HT40) Mode


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.52	0.00	1.52	11.00	Complies
110	5550	1.50	0.00	1.50	11.00	Complies
134	5670	1.76	0.00	1.76	11.00	Complies

CH102




Date: 29.JAN.2021 15:06:19

CH110



Date: 29.JAN.2021 15:08:02

CH134




Date: 29.JAN.2021 15:10:33


Test Mode UNII-3_TX A Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-2.08	0.00	-2.08	30.00	Complies
157	5785	-2.13	0.00	-2.13	30.00	Complies
165	5825	-2.20	0.00	-2.20	30.00	Complies


Note: The value measured with RBW=100kHz is to be added with $10\log(500\text{ kHz}/100\text{ kHz})$ which is +7 dB. The offset value is +13dB, during the test, the offset has added 7 dB.



Date: 29.JAN.2021 14:31:28



Date: 29.JAN.2021 14:33:04




Date: 29.JAN.2021 14:34:28


Test Mode UNII-3_TX N (HT20) Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-2.42	0.00	-2.42	30.00	Complies
157	5785	-1.93	0.00	-1.93	30.00	Complies
165	5825	-2.13	0.00	-2.13	30.00	Complies


Note: The value measured with RBW=100kHz is to be added with $10\log(500\text{ kHz}/100\text{ kHz})$ which is +7 dB. The offset value is +13dB, during the test, the offset has added 7 dB.



Date: 29.JAN.2021 14:51:42



Date: 29.JAN.2021 14:53:19




Date: 29.JAN.2021 14:54:42


Test Mode	UNII-3_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-5.70	0.00	-5.70	30.00	Complies
159	5795	-5.86	0.00	-5.86	30.00	Complies

Note: The value measured with RBW=100kHz is to be added with $10\log(500\text{ kHz}/100\text{ kHz})$ which is +7 dB. The offset value is +13dB, during the test, the offset has added 7 dB.



Date: 29.JAN.2021 15:12:16



Date: 29.JAN.2021 15:14:01

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
138	5180.0100
120	5180.0104
102	5180.0112
Maximum Deviation (MHz)	0.0112
Maximum Deviation (ppm)	2.1622

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
0	5180.0104
10	5180.0104
20	5180.0100
30	5180.0104
40	5180.0104
45	5180.0104
Maximum Deviation (MHz)	0.0104
Maximum Deviation (ppm)	2.0077

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
138	5260.0108
120	5260.0116
102	5260.0120
Maximum Deviation (MHz)	0.0120
Maximum Deviation (ppm)	2.2814

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5260.0000
0	5260.0116
10	5260.0104
20	5260.0100
30	5260.0104
40	5260.0104
45	5260.0104
Maximum Deviation (MHz)	0.0116
Maximum Deviation (ppm)	2.2053

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
138	5500.0108
120	5500.0116
102	5500.0120
Maximum Deviation (MHz)	0.0120
Maximum Deviation (ppm)	2.1818

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5500.0000
0	5500.0100
10	5500.0100
20	5500.0102
30	5500.0096
40	5500.0104
45	5500.0104
Maximum Deviation (MHz)	0.0104
Maximum Deviation (ppm)	1.8909

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
138	5745.0100
120	5745.0104
102	5745.0102
Maximum Deviation (MHz)	0.0104
Maximum Deviation (ppm)	1.8103

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5745.0100
10	5745.0103
20	5745.0104
30	5745.0092
40	5745.0105
45	5745.0104
Maximum Deviation (MHz)	0.0105
Maximum Deviation (ppm)	1.8277

End of Test Report