






Mode:802.11n HT20 Frequency:5220MHz Ant:Chain1




Mode:802.11n HT20 Frequency:5240MHz Ant:Chain1


Test Mode: 802.11n HT40




Mode:802.11n HT40 Frequency:5190MHz Ant:Chain0



Mode:802.11n HT40 Frequency:5230MHz Ant:Chain0



Mode:802.11n HT40 Frequency:5190MHz Ant:Chain1



Mode:802.11n HT40 Frequency:5230MHz Ant:Chain1

Transmitter Power Spectral Density


Offset 11dB = Attenuator + Temporary antenna connector loss + Cable loss

Test Mode	Antenna	Tones	5180MHz		5220MHz		5240MHz	
			Correction Factor(dB)	Power Density (dBm/MHz)	Correction Factor(dB)	Power Density (dBm/MHz)	Correction Factor(dB)	Power Density (dBm/MHz)
802.11a	Chain0	NA	0	4.649	0	4.823	0	4.915
802.11a	Chain1	NA	0	5.194	0	4.856	0	4.977


Test Mode	Antenna	Tones	5180MHz		5220MHz		5240MHz	
			Correction Factor(dB)	Power Density (dBm/MHz)	Correction Factor(dB)	Power Density (dBm/MHz)	Correction Factor(dB)	Power Density (dBm/MHz)
802.11n HT20	Chain0	NA	0	0.405	0	0.717	0	-0.720
802.11n HT20	Chain1	NA	0	4.110	0	4.289	0	4.345

Test Mode	Antenna	Tones	5190MHz		---		5230MHz	
			Correction Factor(dB)	Power Density (dBm/MHz)	Correction Factor(dB)	Power Density (dBm/MHz)	Correction Factor(dB)	Power Density (dBm/MHz)
802.11n HT40	Chain0	NA	0.16	0.603	---	---	0.16	1.653
802.11n HT40	Chain1	NA	0.16	2.572	---	---	0.16	2.667

Test Mode: 802.11a



Test Mode: 802.11n HT20



Test Mode: 802.11n HT40

