



802.11n HT20
CH 165 (Horizontal) Peak

 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5621.50	58.76	15.25	43.51	68.20	-9.44	101	161	Peak	Horizontal	
2	5683.50	58.48	14.90	43.58	93.03	-34.55	101	161	Peak	Horizontal	
3	5714.50	58.77	15.09	43.68	109.26	-50.49	101	161	Peak	Horizontal	
4	5724.00	57.18	13.49	43.69	119.92	-62.74	101	161	Peak	Horizontal	
5	5825.00	116.03	72.21	43.82	122.20	-6.17	101	161	Peak	Horizontal	
6	5850.00	76.11	32.22	43.89	122.20	-46.09	101	161	Peak	Horizontal	
7	5859.00	72.38	28.46	43.92	109.68	-37.30	101	161	Peak	Horizontal	
8	5916.50	59.70	15.58	44.12	74.47	-14.77	101	161	Peak	Horizontal	
9	5929.00	59.71	15.53	44.18	68.20	-8.49	101	161	Peak	Horizontal	

CH 165 (Vertical) Peak

 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5595.00	58.58	15.01	43.57	68.20	-9.62	395	112	Peak	Vertical	
2	5665.50	58.49	14.99	43.50	79.70	-21.21	395	112	Peak	Vertical	
3	5718.50	57.91	14.23	43.68	110.38	-52.47	395	112	Peak	Vertical	
4	5724.50	57.88	14.19	43.69	121.06	-63.18	395	112	Peak	Vertical	
5	5825.00	114.07	70.25	43.82	122.20	-8.13	395	112	Peak	Vertical	
6	5850.00	70.95	27.06	43.89	122.20	-51.25	395	112	Peak	Vertical	
7	5855.00	64.76	20.85	43.91	110.00	-46.04	395	112	Peak	Vertical	
8	5910.50	59.25	15.17	44.08	78.90	-19.65	395	112	Peak	Vertical	
9	5927.00	59.58	15.41	44.17	68.20	-8.62	395	112	Peak	Vertical	

802.11n HT20

CH 165 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 * 5825.00	105.48	61.66	43.82	54.00	51.48	101	161	Average	Horizontal	




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 * 5825.00	104.09	60.27	43.82	54.00	50.09	395	112	Average	Vertical	

802.11n HT40
CH 151 (Horizontal) Peak
CH 151 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5627.50	58.36	14.87	43.49	68.20	-9.84	114	163	Peak	Horizontal	
2	5690.50	68.40	24.75	43.65	104.09	-35.69	114	163	Peak	Horizontal	
3	5720.00	85.78	42.10	43.68	118.80	-25.02	114	163	Peak	Horizontal	
4	5723.50	87.43	43.75	43.68	118.78	-31.35	114	163	Peak	Horizontal	
5	5755.00	115.69	71.98	43.71	122.20	-6.51	114	163	Peak	Horizontal	
6	5850.00	61.41	17.52	43.89	122.20	-60.79	114	163	Peak	Horizontal	
7	5859.50	59.95	16.03	43.92	109.54	-49.59	114	163	Peak	Horizontal	
8	5876.00	58.64	14.68	43.96	104.46	-45.82	114	163	Peak	Horizontal	
9	5956.00	58.99	14.71	44.28	68.20	-9.21	114	163	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5601.00	59.35	15.77	43.58	68.20	-8.85	348	110	Peak	Vertical	
2	5699.00	62.91	19.25	43.66	104.46	-41.55	348	110	Peak	Vertical	
3	5719.50	80.87	37.19	43.68	118.66	-29.79	348	110	Peak	Vertical	
4	5723.00	83.07	39.39	43.68	117.64	-34.57	348	110	Peak	Vertical	
5	5755.00	113.75	70.04	43.71	122.20	-8.45	348	110	Peak	Vertical	
6	5851.50	58.03	14.14	43.89	118.78	-60.75	348	110	Peak	Vertical	
7	5865.00	58.79	14.85	43.94	108.00	-49.21	348	110	Peak	Vertical	
8	5923.50	59.16	15.02	44.14	69.31	-10.15	348	110	Peak	Vertical	
9	5966.50	59.37	15.08	44.29	68.20	-8.83	348	110	Peak	Vertical	


802.11n HT40

CH 151 (Horizontal) Average

CH 151 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 * 5755.00	105.42	61.71	43.71	54.00	51.42	114	163	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 * 5755.00	103.69	59.98	43.71	54.00	49.69	348	110	Average	Vertical	

802.11n HT40

CH 159 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5467.00	58.92	15.32	43.60	68.20	-9.28	102	162	Peak	Horizontal	
2	5700.00	58.80	15.14	43.66	105.20	-46.40	102	162	Peak	Horizontal	
3	5720.00	61.59	17.91	43.68	110.80	-49.21	102	162	Peak	Horizontal	
4	5724.50	63.29	19.60	43.69	121.06	-57.77	102	162	Peak	Horizontal	
5	5795.00	116.00	72.25	43.75	122.20	-6.20	102	162	Peak	Horizontal	
6	5851.50	72.20	28.31	43.89	118.78	-46.58	102	162	Peak	Horizontal	
7	5856.00	69.88	25.97	43.91	119.52	-40.64	102	162	Peak	Horizontal	
8	5879.50	64.10	20.12	43.98	101.86	-37.76	102	162	Peak	Horizontal	
9	5935.00	59.09	14.89	44.20	68.20	-9.11	102	162	Peak	Horizontal	

CH 159 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5462.00	58.48	14.84	43.64	68.20	-9.72	364	110	Peak	Vertical	
2	5678.50	58.64	15.08	43.56	89.33	-30.69	364	110	Peak	Vertical	
3	5717.50	58.64	14.96	43.68	110.10	-51.46	364	110	Peak	Vertical	
4	5725.00	58.78	15.09	43.69	122.20	-63.42	364	110	Peak	Vertical	
5	5795.00	114.61	70.86	43.75	122.20	-7.59	364	110	Peak	Vertical	
6	5851.50	67.74	23.85	43.89	118.78	-51.04	364	110	Peak	Vertical	
7	5855.00	64.83	20.92	43.91	118.80	-45.97	364	110	Peak	Vertical	
8	5885.00	60.45	16.46	43.99	97.77	-37.32	364	110	Peak	Vertical	
9	5951.00	59.77	15.49	44.28	68.20	-8.43	364	110	Peak	Vertical	


802.11n HT40

CH 159 (Horizontal) Average

CH 159 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 *	5795.00	105.92	62.17	43.75	54.00	51.92	102	162 Average	Horizontal	




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 *	5795.00	104.17	60.42	43.75	54.00	50.17	364	110 Average	Vertical	

802.11ac VHT80
CH 155 (Horizontal) Peak

 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5625.00	62.92	19.42	43.50	68.20	-5.28	100	161	Peak	Horizontal	
2	5686.50	81.60	38.00	43.60	95.24	-13.64	100	161	Peak	Horizontal	
3	5718.50	86.45	42.77	43.68	110.38	-23.93	100	161	Peak	Horizontal	
4	5725.00	87.43	43.74	43.69	122.20	-34.77	100	161	Peak	Horizontal	
5	5775.00	113.29	69.56	43.73	122.20	-8.91	100	161	Peak	Horizontal	
6	5852.00	83.81	39.92	43.89	117.64	-33.83	100	161	Peak	Horizontal	
7	5856.00	82.31	38.40	43.91	110.52	-28.21	100	161	Peak	Horizontal	
8	5877.00	74.27	30.30	43.97	103.71	-29.44	100	161	Peak	Horizontal	
9	5927.50	65.32	21.15	44.17	68.20	-2.88	100	161	Peak	Horizontal	

CH 155 (Vertical) Peak

 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5631.50	63.64	20.16	43.48	68.20	-4.56	348	110	Peak	Vertical	
2	5691.00	73.52	29.00	43.62	98.56	-25.04	348	110	Peak	Vertical	
3	5713.50	81.77	38.09	43.68	108.98	-27.21	348	110	Peak	Vertical	
4	5725.00	82.39	38.70	43.69	122.20	-39.81	348	110	Peak	Vertical	
5	5775.00	111.36	67.63	43.73	122.20	-10.84	348	110	Peak	Vertical	
6	5852.00	78.55	34.66	43.89	117.64	-39.09	348	110	Peak	Vertical	
7	5856.00	76.50	32.59	43.91	110.38	-33.88	348	110	Peak	Vertical	
8	5876.50	69.75	25.78	43.97	104.09	-34.34	348	110	Peak	Vertical	
9	5928.00	61.47	17.30	44.17	68.20	-6.73	348	110	Peak	Vertical	

802.11ac VHT80

CH 155 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 * 5775.00	103.34	59.61	43.73	54.00	49.34	100	161	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 * 5775.00	101.66	57.93	43.73	54.00	47.66	348	110	Average	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz
U-NII-1


802.11a

CH 36 (Horizontal)


CH 36 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10400.00	50.19	0.87	49.32	60.20	-18.01	180	29 Peak	Horizontal	
2	15600.00	52.28	48.56	3.72	54.00	-1.72	188	249 Average	Horizontal	
3	15600.00	67.13	63.41	3.72	74.00	-6.87	188	249 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10400.00	47.61	51.13	-3.32	60.20	-20.39	380	30 Peak	Vertical	
2	15600.00	53.51	49.79	3.72	54.00	-0.49	118	270 Average	Vertical	
3	15600.00	64.41	60.69	3.72	74.00	-9.59	118	270 Peak	Vertical	


802.11a

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10480.00	53.64	56.78	-3.14	68.20	-14.56	180	56 Peak	Horizontal	
2	15720.00	50.98	46.78	4.20	54.00	-3.02	187	310 Average	Horizontal	
3	15720.00	66.01	61.81	4.20	74.00	-7.99	187	310 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10480.00	48.34	51.48	-3.14	68.20	-19.86	380	23 Peak	Vertical	
2	15720.00	53.69	49.49	4.20	54.00	-0.31	117	270 Average	Vertical	
3	15720.00	68.34	64.14	4.20	74.00	-5.66	117	270 Peak	Vertical	


802.11n HT20

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10360.00	48.71	52.08	-3.37	68.20	-19.49	100	64	Peak	Horizontal	
2	15540.00	49.54	45.73	3.81	54.00	-4.46	119	306	Average	Horizontal	
3	15540.00	65.07	61.26	3.81	74.00	-8.93	119	306	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10360.00	49.22	52.59	-3.37	68.20	-18.98	100	317	Peak	Vertical	
2	15540.00	51.12	47.31	3.81	54.00	-2.88	121	269	Average	Vertical	
3	15540.00	66.85	63.04	3.81	74.00	-7.15	121	269	Peak	Vertical	


802.11n HT20

CH 40 (Horizontal)


CH 40 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT20

CH 48 (Horizontal)


CH 48 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT40

CH 38 (Horizontal)

CH 38 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10380.00	45.01	48.36	-3.35	68.20	-23.19	180	61	Peak	Horizontal	
2 15570.00	46.22	42.46	3.76	54.00	-7.78	123	244	Average	Horizontal	
3 15570.00	57.77	54.01	3.76	74.00	-16.23	123	244	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10380.00	44.75	48.10	-3.35	68.20	-23.45	180	119	Peak	Vertical	
2 15570.00	45.67	41.91	3.76	54.00	-8.33	119	304	Average	Vertical	
3 15570.00	57.95	54.19	3.76	74.00	-16.05	119	304	Peak	Vertical	


802.11n HT40

CH 46 (Horizontal)


CH 46 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ac VHT80

CH 42 (Horizontal)

CH 42 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10420.00	43.23	46.51	-3.28	68.20	-24.97	200	226	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10420.00	44.06	47.34	-3.28	68.20	-24.14	200	13	Peak	Vertical	

U-NII-2A


802.11a

CH 52 (Horizontal)

CH 52 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10520.00	50.97	54.04	-3.07	68.20	-17.23	100	304 Peak	Horizontal	
2	15780.00	51.75	47.47	4.28	54.00	-2.25	114	306 Average	Horizontal	
3	15780.00	67.11	62.83	4.28	74.00	-6.89	114	306 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10520.00	48.35	51.42	-3.07	68.20	-19.85	400	280 Peak	Vertical	
2	15780.00	53.39	49.11	4.28	54.00	-0.61	119	265 Average	Vertical	
3	15780.00	69.28	65.00	4.28	74.00	-4.72	119	265 Peak	Vertical	


802.11a

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10600.00	39.97	42.04	-2.97	54.00	-14.93	104	301 Average	Horizontal	
2	10600.00	53.67	56.64	-2.97	74.00	-20.33	104	301 Peak	Horizontal	
3 !	15900.00	52.04	47.58	4.46	54.00	-1.96	112	304 Average	Horizontal	
4	15900.00	66.94	62.48	4.46	74.00	-7.06	112	304 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10600.00	39.86	42.83	-2.97	54.00	-14.14	128	86 Average	Vertical	
2	10600.00	54.74	57.71	-2.97	74.00	-19.26	128	86 Peak	Vertical	
3 !	15900.00	53.64	49.18	4.46	54.00	-0.36	127	267 Average	Vertical	
4 !	15900.00	68.80	64.34	4.46	74.00	-5.20	127	267 Peak	Vertical	


802.11a

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10640.00	39.93	42.77	-2.84	54.00	-14.07	180	284 Average	Horizontal	
2	10640.00	53.59	56.43	-2.84	74.00	-20.41	180	284 Peak	Horizontal	
3	15960.00	51.60	46.99	4.61	54.00	-2.40	117	301 Average	Horizontal	
4	15960.00	66.92	62.31	4.61	74.00	-7.08	117	301 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10640.00	39.57	42.41	-2.84	54.00	-14.43	121	91 Average	Vertical	
2	10640.00	52.88	55.72	-2.84	74.00	-21.12	121	91 Peak	Vertical	
3	15960.00	53.36	48.75	4.61	54.00	-0.64	123	260 Average	Vertical	
4	15960.00	68.93	64.32	4.61	74.00	-5.07	123	260 Peak	Vertical	


802.11n HT20

CH 52 (Horizontal)


CH 52 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT20

CH 60 (Horizontal)


CH 60 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT20

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10640.00	48.25	43.09	-2.84	54.00	-13.75	110	274	Average	Horizontal	
2	10640.00	53.52	56.36	-2.84	74.00	-20.48	110	274	Peak	Horizontal	
3 !	15960.00	52.82	48.21	4.61	54.00	-1.18	120	316	Average	Horizontal	
4 !	15960.00	68.11	63.50	4.61	74.00	-5.89	120	316	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10640.00	48.67	43.51	-2.84	54.00	-13.33	121	89	Average	Vertical	
2	10640.00	54.12	56.96	-2.84	74.00	-19.88	121	89	Peak	Vertical	
3 !	15960.00	53.90	49.29	4.61	54.00	-0.10	124	271	Average	Vertical	
4 !	15960.00	69.43	64.82	4.61	74.00	-4.57	124	271	Peak	Vertical	


802.11n HT40

CH 54 (Horizontal)


CH 54 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT40

CH 62 (Horizontal)


CH 62 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ac VHT80

CH 58 (Horizontal)

CH 58 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	15870.00	44.77	40.35	4.42	54.00	-9.23	118	308	Average	Horizontal	
2	15870.00	55.79	51.37	4.42	74.00	-18.21	118	308	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	15870.00	45.61	41.19	4.42	54.00	-8.39	124	265	Average	Vertical	
2	15870.00	58.51	54.09	4.42	74.00	-15.49	124	265	Peak	Vertical	

U-NII-2C


802.11a

CH 100 (Horizontal)

CH 100 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	43.65	45.91	-2.26	54.00	-10.35	111	55	Average	Horizontal	
2	11000.00	57.18	59.44	-2.26	74.00	-16.82	111	55	Peak	Horizontal	
3 !	16500.00	67.07	68.58	6.49	68.20	-1.13	160	102	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	42.76	45.02	-2.26	54.00	-11.24	120	303	Average	Vertical	
2	11000.00	56.97	59.23	-2.26	74.00	-17.03	120	303	Peak	Vertical	
3 !	16500.00	67.44	68.95	6.49	68.20	-0.76	130	279	Peak	Vertical	


802.11a

CH 116 (Horizontal)

CH 116 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	45.68	47.58	-1.90	54.00	-8.32	116	56	Average	Horizontal	
2	11160.00	59.32	61.22	-1.90	74.00	-14.68	116	56	Peak	Horizontal	
3	16740.00	67.04	68.23	6.81	68.20	-1.16	156	289	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	44.49	46.39	-1.90	54.00	-9.51	186	248	Average	Vertical	
2	11160.00	58.11	60.01	-1.90	74.00	-15.89	186	248	Peak	Vertical	
3	16740.00	67.45	68.64	6.81	68.20	-0.75	200	196	Peak	Vertical	


802.11a

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	45.01	46.39	-1.38	54.00	-8.99	113	47	Average	Horizontal	
2	11400.00	58.88	60.26	-1.38	74.00	-15.12	113	47	Peak	Horizontal	
3	17100.00	66.91	68.09	6.82	68.20	-1.29	120	295	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	46.21	47.59	-1.38	54.00	-7.79	180	243	Average	Vertical	
2	11400.00	60.36	61.74	-1.38	74.00	-13.64	180	243	Peak	Vertical	
3	17100.00	67.68	68.86	6.82	68.20	-0.52	120	295	Peak	Vertical	


802.11a

CH 144 (Horizontal)

CH 144 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11440.00	45.59	46.93	-1.34	54.00	-8.41	117	311	Average	Horizontal		
2	11440.00	59.50	60.84	-1.34	74.00	-14.50	117	311	Peak	Horizontal		
3	17160.00	67.44	68.72	6.72	68.20	-0.76	100	296	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11440.00	43.53	44.87	-1.34	54.00	-10.47	132	290	Average	Vertical		
2	11440.00	57.29	58.63	-1.34	74.00	-16.71	132	290	Peak	Vertical		
3	17160.00	67.93	61.21	6.72	68.20	-0.27	122	254	Peak	Vertical		


802.11n HT20

CH 100 (Horizontal)

CH 100 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	41.69	43.95	-2.26	54.00	-12.31	187	48	Average	Horizontal	
2	11000.00	55.63	57.89	-2.26	74.00	-18.37	187	48	Peak	Horizontal	
3	16500.00	67.04	68.55	6.49	68.20	-1.16	180	271	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	40.93	43.19	-2.26	54.00	-13.87	187	244	Average	Vertical	
2	11000.00	53.86	56.12	-2.26	74.00	-20.14	187	244	Peak	Vertical	
3	16500.00	67.69	61.20	6.49	68.20	-0.51	300	248	Peak	Vertical	

802.11n HT20

CH 116 (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	43.30	45.10	-1.90	54.00	-10.80	117	48	Average	Horizontal	
2	11160.00	56.71	58.61	-1.90	74.00	-17.29	117	48	Peak	Horizontal	
3	16740.00	66.96	68.15	6.81	68.20	-1.24	100	84	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	42.71	44.61	-1.90	54.00	-11.29	101	244	Average	Vertical	
2	11160.00	56.02	57.92	-1.90	74.00	-17.98	101	244	Peak	Vertical	
3	16740.00	67.49	68.68	6.81	68.20	-0.71	100	273	Peak	Vertical	


802.11n HT20

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	43.74	45.12	-1.38	54.00	-10.26	114	47	Average	Horizontal	
2	11400.00	56.78	58.16	-1.38	74.00	-17.22	114	47	Peak	Horizontal	
3 !	17100.00	66.99	68.17	6.82	68.20	-1.21	119	85	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	43.47	44.85	-1.38	54.00	-10.53	116	242	Average	Vertical	
2	11400.00	56.40	57.78	-1.38	74.00	-17.60	116	242	Peak	Vertical	
3 !	17100.00	67.72	68.90	6.82	68.20	-0.48	121	251	Peak	Vertical	


802.11n HT20

CH 144 (Horizontal)

CH 144 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11440.00	45.55	46.89	-1.34	54.00	-8.45	116	233	Average	Horizontal	
2	11440.00	58.57	59.91	-1.34	74.00	-15.43	116	233	Peak	Horizontal	
3 !	17160.00	67.14	68.42	6.72	68.20	-1.06	100	295	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11440.00	43.43	44.77	-1.34	54.00	-10.57	115	38	Average	Vertical	
2	11440.00	56.54	57.88	-1.34	74.00	-17.46	115	38	Peak	Vertical	
3 !	17160.00	67.82	61.10	6.72	68.20	-0.38	115	257	Peak	Vertical	


802.11n HT40

CH 102 (Horizontal)

CH 102 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11820.00	39.01	41.23	-2.22	54.00	-14.99	109	39	Average	Horizontal	
2	11920.00	51.74	53.96	-2.22	74.00	-22.26	109	39	Peak	Horizontal	
3	16530.00	62.59	56.15	6.44	68.20	-5.61	100	247	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11820.00	36.88	39.10	-2.22	54.00	-17.12	101	245	Average	Vertical	
2	11920.00	51.47	53.69	-2.22	74.00	-22.53	101	245	Peak	Vertical	
3	16530.00	63.28	56.84	6.44	68.20	-4.92	100	274	Peak	Vertical	


802.11n HT40

CH 110 (Horizontal)

CH 110 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11100.00	39.63	41.67	-2.04	54.00	-14.37	109	49	Average	Horizontal	
2	11100.00	53.52	55.56	-2.04	74.00	-20.48	109	49	Peak	Horizontal	
3	16650.00	62.76	56.24	6.52	68.20	-5.44	100	273	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11100.00	39.06	41.10	-2.04	54.00	-14.94	102	245	Average	Vertical	
2	11100.00	52.44	54.48	-2.04	74.00	-21.56	102	245	Peak	Vertical	
3	16650.00	63.08	56.56	6.52	68.20	-5.12	100	329	Peak	Vertical	


802.11n HT40

CH 134 (Horizontal)

CH 134 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11340.00	41.81	43.33	-1.52	54.00	-12.19	185	48	Average	Horizontal	
2	11340.00	55.10	56.62	-1.52	74.00	-18.90	195	48	Peak	Horizontal	
3	17010.00	62.63	55.84	6.79	68.20	-5.57	100	78	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11340.00	40.35	41.87	-1.52	54.00	-13.65	183	241	Average	Vertical	
2	11340.00	53.38	54.90	-1.52	74.00	-20.62	183	241	Peak	Vertical	
3	17010.00	63.29	56.50	6.79	68.20	-4.91	100	278	Peak	Vertical	