


Quick Start Guide

Smart Wireless Battery Camera





Model: E938


Welcome


Thank you for choosing our smart camera. Getting started is easy.


What' s Included

Security Camera


Mounting Bracket (Optional)

USB Cable


Wall Mount Screw Sets

Quick Start Guide

Product Details




Lens
Microphone
Indicator light
Light sensor
PIR



On/off button
SD Card Slot
USB Charging Port
Sync Button(Reset)
Mounting Hole

1. Connection Preparation

Bring the camera and phone within 1 to 3 feet (30 to 100 centimeters) of the router.




Camera30cm~100cmSmartphone

Note: Make sure smart phone is connected with your wireless router. Please note the camera is only working under 2.4G Wi-Fi, not support 5G Wi-Fi.

2. Get the APP and Account

For the best experience, please download the "Tuya smart" APP to your smartphone from App Store or Google Play, store or you can also scan the QR code below, the APP icon will be displayed after installed successfully.




Tuya SmartTuya Smart

Get it on Google playAvailable on the App Store

Launch the app from your smartphone and click the Sign Up button. Follow the on-screen instructions.


3. Insert the Micro SD card

Insert the Micro SD card gently on the side edge of camera.




4. Connect the power to the camera

Connect the power to the camera by Micro USB Power Adapter.(DC 5V/2A)




5. Set up your camera

- Press the Reset button for above 5 seconds, then release the button to reset the camera, then the LED light will blink quickly.
- Click "Add Device" or "+" on the right corner to add device; Then click" Security&Sensor" to select" Smart Camera"
- Follow the App's instructions and input the right wifi password; Point the QR code to the camera lens for 15-20cm ; Click"HEARD THE BEEP" when you heard "dingding". After processing,it will pair successfully.
- The blue light is on, camera is ready for viewing.



Press the Reset button for above 5 seconds

Blue LED blinks




6. Place or Mount Your Camera

You can place your camera on a shelf or other flat surface, or you can mount it to the wall.


To mount your camera to the wall:

- Fasten the mounting screw into the wall, and then mount the camera from the screw.
- If you' re mounting the camera to drywall, be sure the plastic drywall anchors that are provided.



You' re done!

Congratulations! Your camera is set up and ready to go.




Appendix: Camera LED Guide

| NO. | LED Status | Camera Status |
|-----|-------------------------------------|---------------------------|
| 1 | Red LED on | System starting up |
| 2 | Red LED blinks quickly | Standby for configuration |
| 3 | Blue LED blinks quickly | Network pairing |
| 4 | Blue LED on | Camera online |
| 5 | Red and blue LED blinks alternately | OTA upgrade |

FCC Statement

1. This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:
(1) This device may not cause harmful interference.
(2) This device must accept any interference received, including interference that may cause undesired operation.
2. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.
Note: This equipment has been tested and found to comply with the limits for a class B digital device pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.
This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:
• Reorient or relocate the receiving antenna.
• Increase the separation between the equipment and receiver.
• Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
• Consult the dealer or an experienced radio/TV technician for help.
This equipment should be installed and operated with a minimum distance of 20 cm between the radiator and your body.



CE FCC RoHS

All trademarks are used for reference purposes only.
Thanks again for choosing our smart camera!
Make life safe in your hands!
Boost security mobility in your smartphone!

2023.02.07

钟处勤