























Appendix E: 6dB Bandwidth


Band	Bandwidth (MHz)	Type	Channel	6dB bandwith (MHz)		Result
				Antenna 0	Antenna 1	
IV	20	802.11ac	CH _L	17.64	17.64	Pass
			CH _M	17.64	17.64	
			CH _H	17.64	17.64	
		802.11n	CH _L	17.64	17.61	Pass
			CH _M	17.61	17.64	
			CH _H	17.64	17.64	
		802.11a	CH _L	16.38	16.38	Pass
			CH _M	16.38	16.41	
			CH _H	16.38	16.38	
	40	802.11ac	CH _L	35.46	35.46	Pass
			CH _H	35.88	36.18	
		802.11n	CH _L	35.39	35.39	Pass
			CH _H	35.39	35.39	
	80	802.11ac	CH _M	76.08	75.48	Pass





































Appendix F: Band edge




































































Appendix G: Frequency stability**Voltage VS Frequency stability**

Band: I				Test Frequency: 5180.00MHz		
Temperature (°C)	Voltage (V)	Frequency Deviation (Hz)		Frequency Deviation (ppm)		Result
		Antenna 0	Antenna 1	Antenna 0	Antenna 1	
T _N	V _L	-14000	14000	-2.70270	2.70270	PASS
T _N	V _N	-15000	15000	-2.89575	2.89575	PASS
T _N	V _H	-15000	15000	-2.89575	2.89575	PASS

Band: IV				Test Frequency: 5745.00MHz		
Temperature (°C)	Voltage (V)	Frequency Deviation (Hz)		Frequency Deviation (ppm)		Result
		Antenna 0	Antenna 1	Antenna 0	Antenna 1	
T _N	V _L	-29000	29000	-5.04787	5.04787	PASS
T _N	V _N	-30000	30000	-5.22193	5.22193	PASS
T _N	V _H	-29000	29000	-5.04787	5.04787	PASS

Temperature VS Frequency stability

Band: I				Test Frequency: 5180.00MHz		
Voltage (V)	Temperature (°C)	Frequency Deviation (Hz)		Frequency Deviation (ppm)		Result
		Antenna 0	Antenna 1	Antenna 0	Antenna 1	
V _N	-20	-15000	15000	-2.89575	2.89575	PASS
V _N	-10	-15000	15000	-2.89575	2.89575	PASS
V _N	0	-15000	15000	-2.89575	2.89575	PASS
V _N	10	-15000	15000	-2.89575	2.89575	PASS
V _N	20	-15000	15000	-2.89575	2.89575	PASS
V _N	30	-16000	16000	-3.08880	3.08880	PASS
V _N	40	-15000	15000	-2.89575	2.89575	PASS
V _N	50	-16000	16000	-3.08880	3.08880	PASS

Band: IV				Test Frequency: 5745.00MHz		
Voltage (V)	Temperature (°C)	Frequency Deviation (Hz)		Frequency Deviation (ppm)		Result
		Antenna 0	Antenna 1	Antenna 0	Antenna 1	
V _N	-20	-30000	30000	-5.22193	5.22193	PASS
V _N	-10	-30000	30000	-5.22193	5.22193	PASS
V _N	0	-30000	30000	-5.22193	5.22193	PASS
V _N	10	-30000	30000	-5.22193	5.22193	PASS
V _N	20	-30000	30000	-5.22193	5.22193	PASS
V _N	30	-30000	30000	-5.22193	5.22193	PASS
V _N	40	-30000	30000	-5.22193	5.22193	PASS
V _N	50	-31000	31000	-5.39600	5.39600	PASS

-----End of Report-----