





EXHIBIT C - EUT INTERNAL PHOTOGRAPHS













2GBT ANT



BT ANT







maxwest
UNO M6 PLUS

WARNING:
DANGERS SUCH AS
OVERHEATING,
FIRING OR EXPLOSION
MAYBE APPEAR

- Dump into fire,
heat or crash
- Battery terminal is
immersed into water
or touched with metal
such as necklace

CAUTION

- Only compatible
with original charger
- Storage at room
temperature 0-40 °C
- Consumable store

Type: 3.7V Li-ion
Maximum charge
voltage: 4.2V

Capacity:
600mAh
2.22Wh

S/N: MXUNOM6PLUS190316111
EXECUTIVE STANDARD: GB/T 18287-2000



maxwest
UNO M6 PLUS

Type: 3.7V Li-ion
Maximum charge
voltage: 4.2V

Capacity:
600mAh
2.22Wh

WARNING:
DANGERS SUCH AS
OVERHEATING,
FIRING OR EXPLOSION
MAYBE APPEAR

- Dump into fire,
heat or crash
- Battery terminal is
immersed into water
or touched with metal
such as necklace

CAUTION

- Only compatible
with original charger
- Storage at room
temperature 0-40 °C
- Consumable store

S/N: MXUNOM6PLUS190316111
EXECUTIVE STANDARD: GB/T 18287-2000