




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>




10.4. TEST RESULT

Group A

Emission within the band for 514.56MHz at low power



Emission within the band for 514.56MHz at middle power



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd


Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



Emission within the band for 514.56MHz at High power



Emission within the band for 533.83MHz at low power




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



Emission within the band for 533.83MHz at middle power



Emission within the band for 533.83MHz at High power




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



Emission within the band for 553.51MHz at low power



Emission within the band for 553.51MHz at middle power




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



Emission within the band for 553.51MHz at High power



Note:

- 1.The manufacturer declared that the channel bandwidth is 200KHz.
- 2.The carrier power is the ref level, and the factor had been edited in the “Input Correction” of the Spectrum Analyzer.


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/




Group B

Emission within the band for 556.51MHz at low power



Emission within the band for 556.51MHz at middle power




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Emission within the band for 556.51MHz at High power



Emission within the band for 575.78MHz at low power




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



Emission within the band for 575.78MHz at middle power



Emission within the band for 575.78MHz at High power




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



Emission within the band for 595.46MHz at low power



Emission within the band for 595.46MHz at middle power




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



Emission within the band for 595.46MHz at High power



Note:

1. The manufacturer declared that the channel bandwidth is 200KHz.
2. The carrier power is the ref level, and the factor had been edited in the "Input Correction" of the Spectrum Analyzer.


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



Emission outside the band 30-1000MHz

EUT:	UHF Wireless Microphone System	Model Name:	UwMic9 TX-XLR9
Temperature:	25°C	Relative Humidity:	60%
Pressure:	986 Pa	Test Voltage:	Normal
Test Mode:	Mode 1	Polarization:	Horizontal



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	36.7900	-95.03	-60.18	-36.00	24.18	34.85	18	Horizontal
2	48.4300	-94.26	-60.39	-54.00	6.39	33.87	232	Horizontal
3	52.3100	-93.48	-60.49	-54.00	6.49	32.99	84	Horizontal
4	66.8600	-94.45	-65.18	-54.00	11.18	29.27	101	Horizontal
5	318.0900	-81.63	-49.22	-36.00	13.22	32.41	191	Horizontal
6	515.0000	-30.10	3.16			33.86	199	Horizontal
7	612.9700	-97.49	-57.60	-54.00	3.60	39.89	340	Horizontal


RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



EUT:	UHF Wireless Microphone System	Model Name:	UwMic9 TX-XLR9
Temperature:	25℃	Relative Humidity:	60%
Pressure:	986 Pa	Test Voltage:	Normal
Test Mode:	Mode 1	Polarization:	Vertical



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	36.7900	-93.41	-66.47	-36.00	30.47	26.94	220	Vertical
2	52.3100	-91.00	-60.83	-54.00	6.83	30.17	262	Vertical
3	82.3800	-95.72	-67.19	-36.00	31.19	28.53	302	Vertical
4	119.2400	-100.75	-67.85	-54.00	13.85	32.90	334	Vertical
5	318.0900	-94.87	-63.21	-36.00	27.21	31.66	262	Vertical
6	515.0000	-37.58	-0.84			36.74	278	Vertical
7	705.1200	-99.97	-59.40	-54.00	5.40	40.57	350	Vertical


RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



EUT:	UHF Wireless Microphone System	Model Name:	UwMic9 TX-XLR9
Temperature:	25°C	Relative Humidity:	60%
Pressure:	986 Pa	Test Voltage:	Normal
Test Mode:	Mode 2	Polarization:	Horizontal



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	36.4300	-93.54	-59.67	-54.00	5.67	33.87	289	Horizontal
2	48.3100	-92.37	-59.38	-54.00	5.38	32.99	75	Horizontal
3	52.8600	-95.90	-66.63	-54.00	12.63	29.27	1	Horizontal
4	66.8400	-95.13	-67.81	-54.00	13.81	27.32	355	Horizontal
5	292.8700	-91.91	-59.38	-36.00	23.38	32.53	190	Horizontal
6	515.0000	-30.09	3.12			33.21	248	Horizontal
7	610.7800	-95.04	-60.80	-36.00	24.80	34.24	1	Horizontal


RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



EUT:	UHF Wireless Microphone System	Model Name:	UwMic9 TX-XLR9
Temperature:	25°C	Relative Humidity:	60%
Pressure:	986 Pa	Test Voltage:	Normal
Test Mode:	Mode 2	Polarization:	Vertical



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	36.7900	-93.87	-66.93	-36.00	30.93	26.94	103	Vertical
2	52.3100	-91.93	-61.76	-54.00	7.76	30.17	342	Vertical
3	66.8600	-95.77	-66.78	-54.00	12.78	28.99	178	Vertical
4	125.0600	-100.94	-67.56	-54.00	13.56	33.38	325	Vertical
5	318.0900	-91.77	-60.11	-36.00	24.11	31.66	95	Vertical
6	515.0000	-30.11	2.63			32.74	284	Vertical
7	736.1600	-98.91	-57.75	-54.00	3.75	41.16	267	Vertical


RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



EUT:	UHF Wireless Microphone System	Model Name:	UwMic9 TX-XLR9
Temperature:	25℃	Relative Humidity:	60%
Pressure:	986 Pa	Test Voltage:	Normal
Test Mode:	Mode 3	Polarization:	Horizontal



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	268.6200	-97.28	-64.38	-36.00	28.38	32.90	189	Horizontal
2	292.8700	-92.97	-60.44	-36.00	24.44	32.53	189	Horizontal
3	318.0900	-79.21	-46.80	-36.00	10.80	32.41	181	Horizontal
4	342.3400	-88.52	-55.52	-36.00	19.52	33.00	360	Horizontal
5	392.7800	-96.43	-62.19	-36.00	26.19	34.24	360	Horizontal
6	417.0300	-94.51	-59.76	-36.00	23.76	34.75	173	Horizontal
7	515.0000	-30.07	2.79			32.86	322	Horizontal


RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



EUT:	UHF Wireless Microphone System	Model Name:	UwMic9 TX-XLR9
Temperature:	25°C	Relative Humidity:	60%
Pressure:	986 Pa	Test Voltage:	Normal
Test Mode:	Mode 3	Polarization:	Vertical



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	36.7900	-93.36	-66.42	-36.00	30.42	26.94	62	Vertical
2	48.4300	-93.41	-63.86	-54.00	9.86	29.55	334	Vertical
3	52.3100	-91.26	-61.09	-54.00	7.09	30.17	242	Vertical
4	79.4700	-96.26	-67.66	-36.00	31.66	28.60	0	Vertical
5	144.4600	-97.86	-63.78	-36.00	27.78	34.08	0	Vertical
6	318.0900	-92.66	-61.00	-36.00	25.00	31.66	102	Vertical
7	515.0000	-30.21	2.53			32.74	267	Vertical


RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



EUT:	UHF Wireless Microphone System	Model Name:	UwMic9 TX-XLR9
Temperature:	25℃	Relative Humidity:	60%
Pressure:	986 Pa	Test Voltage:	Normal
Test Mode:	Mode 4	Polarization:	Horizontal



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	48.4300	-94.25	-60.38	-54.00	6.38	33.87	304	Horizontal
2	52.3100	-92.42	-59.43	-54.00	5.43	32.99	164	Horizontal
3	299.6600	-94.11	-62.12	-36.00	26.12	31.99	189	Horizontal
4	337.4900	-85.57	-52.69	-36.00	16.69	32.88	198	Horizontal
5	392.7800	-93.05	-58.81	-36.00	22.81	34.24	360	Horizontal
6	533.4300	-30.12	3.39			33.51	198	Horizontal
7	722.5800	-98.23	-57.36	-54.00	3.36	40.87	222	Horizontal


RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



EUT:	UHF Wireless Microphone System	Model Name:	UwMic9 TX-XLR9
Temperature:	25℃	Relative Humidity:	60%
Pressure:	986 Pa	Test Voltage:	Normal
Test Mode:	Mode 4	Polarization:	Vertical



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	36.7900	-94.25	-67.31	-36.00	31.31	26.94	60	Vertical
2	52.3100	-92.27	-62.10	-54.00	8.10	30.17	176	Vertical
3	66.8600	-95.27	-66.28	-54.00	12.28	28.99	359	Vertical
4	139.6100	-101.50	-67.14	-36.00	31.14	34.36	317	Vertical
5	337.4900	-97.36	-64.91	-36.00	28.91	32.45	102	Vertical
6	533.4300	-37.36	-0.19			37.17	276	Vertical
7	831.2200	-99.53	-56.87	-54.00	2.87	42.66	342	Vertical


RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



EUT:	UHF Wireless Microphone System	Model Name:	UwMic9 TX-XLR9
Temperature:	25°C	Relative Humidity:	60%
Pressure:	986 Pa	Test Voltage:	Normal
Test Mode:	Mode 5	Polarization:	Horizontal



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	52.3100	-91.46	-58.47	-54.00	4.47	32.99	225	Horizontal
2	66.8600	-96.93	-67.66	-54.00	13.66	29.27	291	Horizontal
3	288.9900	-91.04	-58.20	-36.00	22.20	32.84	192	Horizontal
4	337.4900	-94.12	-61.24	-36.00	25.24	32.88	26	Horizontal
5	408.3000	-96.70	-62.12	-36.00	26.12	34.58	10	Horizontal
6	553.8000	-30.08	3.14			33.22	349	Horizontal
7	791.4500	-100.18	-57.04	-54.00	3.04	43.14	225	Horizontal


RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



EUT:	UHF Wireless Microphone System	Model Name:	UwMic9 TX-XLR9
Temperature:	25℃	Relative Humidity:	60%
Pressure:	986 Pa	Test Voltage:	Normal
Test Mode:	Mode 5	Polarization:	Vertical



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	52.3100	-91.31	-61.14	-54.00	7.14	30.17	276	Vertical
2	148.3400	-100.62	-66.81	-36.00	30.81	33.81	201	Vertical
3	233.7000	-99.87	-71.23	-36.00	35.23	28.64	342	Vertical
4	553.8000	-38.35	-0.71			37.64	317	Vertical
5	662.4400	-99.96	-60.15	-54.00	6.15	39.81	259	Vertical
6	741.0100	-100.62	-59.37	-54.00	5.37	41.25	234	Vertical
7	964.1100	-100.88	-56.92	-36.00	20.92	43.96	69	Vertical


RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



EUT:	UHF Wireless Microphone System	Model Name:	UwMic9 TX-XLR9
Temperature:	25℃	Relative Humidity:	60%
Pressure:	986 Pa	Test Voltage:	Normal
Test Mode:	Mode 6	Polarization:	Horizontal



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	48.4300	-93.02	-59.15	-54.00	5.15	33.87	116	Horizontal
2	52.3100	-91.57	-58.58	-54.00	4.58	32.99	274	Horizontal
3	66.8600	-95.34	-66.07	-54.00	12.07	29.27	360	Horizontal
4	196.8400	-94.03	-66.71	-54.00	12.71	27.32	191	Horizontal
5	337.4900	-84.61	-51.73	-36.00	15.73	32.88	216	Horizontal
6	533.4300	-30.07	3.44			33.51	282	Horizontal
7	913.6700	-91.14	-47.90	-36.00	11.90	43.24	342	Horizontal


RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



EUT:	UHF Wireless Microphone System	Model Name:	UwMic9 TX-XLR9
Temperature:	25℃	Relative Humidity:	60%
Pressure:	986 Pa	Test Voltage:	Normal
Test Mode:	Mode 6	Polarization:	Vertical



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	52.3100	-91.80	-61.63	-54.00	7.63	30.17	44	Vertical
2	56.1900	-95.21	-64.43	-54.00	10.43	30.78	192	Vertical
3	134.7600	-101.46	-67.42	-54.00	13.42	34.04	44	Vertical
4	337.4900	-96.95	-64.50	-36.00	28.50	32.45	301	Vertical
5	533.4300	-30.07	3.10			33.17	283	Vertical
6	810.8500	-100.46	-57.99	-54.00	3.99	42.47	127	Vertical
7	913.6700	-91.56	-48.11	-36.00	12.11	43.45	69	Vertical


RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



EUT:	UHF Wireless Microphone System	Model Name:	UwMic9 TX-XLR9
Temperature:	25℃	Relative Humidity:	60%
Pressure:	986 Pa	Test Voltage:	Normal
Test Mode:	Mode 7	Polarization:	Horizontal



— Limit * Final Test — Horizontal

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	52.3100	-91.46	-58.47	-54.00	4.47	32.99	225	Horizontal
2	66.8600	-96.93	-67.66	-54.00	13.66	29.27	291	Horizontal
3	288.9900	-91.04	-58.20	-36.00	22.20	32.84	192	Horizontal
4	337.4900	-94.12	-61.24	-36.00	25.24	32.88	26	Horizontal
5	408.3000	-96.70	-62.12	-36.00	26.12	34.58	10	Horizontal
6	553.8000	-30.08	3.14			33.22	349	Horizontal
7	791.4500	-100.18	-57.04	-54.00	3.04	43.14	225	Horizontal


RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



EUT:	UHF Wireless Microphone System	Model Name:	UwMic9 TX-XLR9
Temperature:	25°C	Relative Humidity:	60%
Pressure:	986 Pa	Test Voltage:	Normal
Test Mode:	Mode 7	Polarization:	Vertical



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	52.3100	-91.31	-61.14	-54.00	7.14	30.17	276	Vertical
2	148.3400	-100.62	-66.81	-36.00	30.81	33.81	201	Vertical
3	233.7000	-99.87	-71.23	-36.00	35.23	28.64	342	Vertical
4	553.8000	-38.35	-0.71			37.64	317	Vertical
5	662.4400	-99.96	-60.15	-54.00	6.15	39.81	259	Vertical
6	741.0100	-100.62	-59.37	-54.00	5.37	41.25	234	Vertical
7	964.1100	-100.88	-56.92	-36.00	20.92	43.96	69	Vertical


RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



EUT:	UHF Wireless Microphone System	Model Name:	UwMic9 TX-XLR9
Temperature:	25℃	Relative Humidity:	60%
Pressure:	986 Pa	Test Voltage:	Normal
Test Mode:	Mode 8	Polarization:	Horizontal



— Limit * Final Test — Horizontal

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	48.4300	-93.28	-59.41	-54.00	5.41	33.87	18	Horizontal
2	52.3100	-91.98	-58.99	-54.00	4.99	32.99	340	Horizontal
3	66.8600	-94.08	-64.81	-54.00	10.81	29.27	176	Horizontal
4	127.9700	-89.47	-62.41	-54.00	8.41	27.06	283	Horizontal
5	288.9900	-93.03	-60.19	-36.00	24.19	32.84	192	Horizontal
6	553.8000	-30.05	3.17			33.22	208	Horizontal
7	856.4400	-99.59	-56.44	-54.00	2.44	43.15	10	Horizontal


RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



EUT:	UHF Wireless Microphone System	Model Name:	UwMic9 TX-XLR9
Temperature:	25℃	Relative Humidity:	60%
Pressure:	986 Pa	Test Voltage:	Normal
Test Mode:	Mode 8	Polarization:	Vertical



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	52.3100	-90.80	-60.63	-54.00	6.63	30.17	146	Vertical
2	149.3100	-100.62	-66.87	-36.00	30.87	33.75	98	Vertical
3	335.5500	-100.81	-68.44	-36.00	32.44	32.37	130	Vertical
4	553.8000	-30.68	2.96			33.64	276	Vertical
5	638.1900	-100.14	-60.76	-54.00	6.76	39.38	196	Vertical
6	790.4800	-100.02	-57.83	-54.00	3.83	42.19	146	Vertical
7	954.4100	-100.25	-56.39	-36.00	20.39	43.86	89	Vertical


RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



EUT:	UHF Wireless Microphone System	Model Name:	UwMic9 TX-XLR9
Temperature:	25℃	Relative Humidity:	60%
Pressure:	986 Pa	Test Voltage:	Normal
Test Mode:	Mode 9	Polarization:	Horizontal



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	48.4300	-93.05	-59.18	-54.00	5.18	33.87	360	Horizontal
2	52.3100	-91.75	-58.76	-54.00	4.76	32.99	108	Horizontal
3	66.8600	-93.34	-64.07	-54.00	10.07	29.27	306	Horizontal
4	96.9300	-96.65	-71.94	-54.00	17.94	24.71	241	Horizontal
5	337.4900	-93.81	-60.93	-36.00	24.93	32.88	208	Horizontal
6	482.0200	-96.84	-60.85	-54.00	6.85	35.99	199	Horizontal
7	553.8000	-30.05	3.17			33.22	75	Horizontal


RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



EUT:	UHF Wireless Microphone System	Model Name:	UwMic9 TX-XLR9
Temperature:	25°C	Relative Humidity:	60%
Pressure:	986 Pa	Test Voltage:	Normal
Test Mode:	Mode 9	Polarization:	Vertical



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	52.3100	-92.59	-62.42	-54.00	8.42	30.17	29	Vertical
2	79.4700	-96.18	-67.58	-36.00	31.58	28.60	95	Vertical
3	141.5500	-98.81	-64.53	-36.00	28.53	34.28	261	Vertical
4	384.0500	-100.87	-66.53	-36.00	30.53	34.34	20	Vertical
5	553.8000	-30.44	2.20			32.64	277	Vertical
6	674.0800	-100.32	-60.31	-54.00	6.31	40.01	236	Vertical
7	859.3500	-100.47	-57.54	-54.00	3.54	42.93	0	Vertical


RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



EUT:	UHF Wireless Microphone System	Model Name:	UwMic9 TX-XLR9
Temperature:	25℃	Relative Humidity:	60%
Pressure:	986 Pa	Test Voltage:	Normal
Test Mode:	Mode 10	Polarization:	Horizontal



— Limit * Final Test — Horizontal

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	52.3100	-91.36	-58.37	-54.00	4.37	32.99	222	Horizontal
2	66.8600	-94.26	-64.99	-54.00	10.99	29.27	165	Horizontal
3	78.5000	-96.85	-69.84	-36.00	33.84	27.01	345	Horizontal
4	191.9900	-97.25	-69.29	-54.00	15.29	27.96	25	Horizontal
5	312.2700	-95.46	-63.20	-36.00	27.20	32.26	360	Horizontal
6	403.4500	-90.30	-55.81	-36.00	19.81	34.49	25	Horizontal
7	595.5100	-30.03	0.66			30.69	206	Horizontal


RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



EUT:	UHF Wireless Microphone System	Model Name:	UwMic9 TX-XLR9
Temperature:	25℃	Relative Humidity:	60%
Pressure:	986 Pa	Test Voltage:	Normal
Test Mode:	Mode 10	Polarization:	Vertical



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	52.3100	-91.02	-60.85	-54.00	6.85	30.17	194	Vertical
2	66.8600	-95.22	-66.23	-54.00	12.23	28.99	309	Vertical
3	82.3800	-95.40	-66.87	-36.00	30.87	28.53	218	Vertical
4	152.2200	-100.92	-67.37	-36.00	31.37	33.55	120	Vertical
5	544.1000	-100.09	-62.68	-54.00	8.68	37.41	54	Vertical
6	595.5100	-36.63	1.98			38.61	300	Vertical
7	825.4000	-100.10	-57.49	-54.00	3.49	42.61	202	Vertical


RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



EUT:	UHF Wireless Microphone System	Model Name:	UwMic9 TX-XLR9
Temperature:	25℃	Relative Humidity:	60%
Pressure:	986 Pa	Test Voltage:	Normal
Test Mode:	Mode 11	Polarization:	Horizontal



— Limit * Final Test — Horizontal

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	48.4300	-94.16	-60.29	-54.00	6.29	33.87	184	Horizontal
2	66.8600	-94.88	-65.61	-54.00	11.61	29.27	325	Horizontal
3	191.9900	-93.57	-65.61	-54.00	11.61	27.96	209	Horizontal
4	403.4500	-83.85	-49.36	-36.00	13.36	34.49	360	Horizontal
5	427.7000	-94.66	-59.71	-36.00	23.71	34.95	360	Horizontal
6	523.7300	-96.64	-59.47	-54.00	5.47	37.17	209	Horizontal
7	595.5100	-30.05	0.64			30.69	292	Horizontal


RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



EUT:	UHF Wireless Microphone System	Model Name:	UwMic9 TX-XLR9
Temperature:	25°C	Relative Humidity:	60%
Pressure:	986 Pa	Test Voltage:	Normal
Test Mode:	Mode 11	Polarization:	Vertical



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	52.3100	-91.74	-61.57	-54.00	7.57	30.17	145	Vertical
2	66.8600	-95.81	-66.82	-54.00	12.82	28.99	161	Vertical
3	146.4000	-101.19	-67.24	-36.00	31.24	33.95	0	Vertical
4	403.4500	-97.11	-62.07	-36.00	26.07	35.04	62	Vertical
5	595.5100	-32.20	1.41			33.61	302	Vertical
6	662.4400	-99.52	-59.71	-54.00	5.71	39.81	95	Vertical
7	910.7600	-95.67	-52.25	-36.00	16.25	43.42	0	Vertical


RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



EUT:	UHF Wireless Microphone System	Model Name:	UwMic9 TX-XLR9
Temperature:	25℃	Relative Humidity:	60%
Pressure:	986 Pa	Test Voltage:	Normal
Test Mode:	Mode 12	Polarization:	Horizontal



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	48.4300	-92.89	-59.02	-54.00	5.02	33.87	149	Horizontal
2	52.3100	-92.22	-59.23	-54.00	5.23	32.99	50	Horizontal
3	66.8600	-95.10	-65.83	-54.00	11.83	29.27	50	Horizontal
4	354.9500	-94.57	-61.26	-36.00	25.26	33.31	224	Horizontal
5	403.4500	-82.00	-47.51	-36.00	11.51	34.49	18	Horizontal
6	427.7000	-93.25	-58.30	-36.00	22.30	34.95	1	Horizontal
7	595.5100	-30.03	3.66			33.69	174	Horizontal


RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



EUT:	UHF Wireless Microphone System	Model Name:	UwMic9 TX-XLR9
Temperature:	25℃	Relative Humidity:	60%
Pressure:	986 Pa	Test Voltage:	Normal
Test Mode:	Mode 12	Polarization:	Vertical



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	52.3100	-91.00	-60.83	-54.00	6.83	30.17	302	Vertical
2	66.8600	-95.39	-66.40	-54.00	12.40	28.99	343	Vertical
3	141.5500	-100.27	-65.99	-36.00	29.99	34.28	0	Vertical
4	403.4500	-95.86	-60.82	-36.00	24.82	35.04	146	Vertical
5	595.5100	-32.46	3.15			35.61	302	Vertical
6	665.3500	-100.15	-60.29	-54.00	6.29	39.86	171	Vertical
7	953.4400	-100.68	-56.82	-36.00	20.82	43.86	335	Vertical


RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



EUT:	UHF Wireless Microphone System	Model Name:	UwMic9 TX-XLR9
Temperature:	25℃	Relative Humidity:	60%
Pressure:	986 Pa	Test Voltage:	Normal
Test Mode:	Mode 13	Polarization:	Horizontal



— Limit * Final Test — Horizontal

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	52.3100	-91.44	-58.45	-54.00	4.45	32.99	258	Horizontal
2	56.1900	-96.61	-64.73	-54.00	10.73	31.88	360	Horizontal
3	66.8600	-95.01	-65.74	-54.00	11.74	29.27	26	Horizontal
4	93.0500	-96.70	-71.89	-54.00	17.89	24.81	325	Horizontal
5	329.7300	-91.82	-59.13	-36.00	23.13	32.69	10	Horizontal
6	392.7800	-91.72	-57.48	-36.00	21.48	34.24	35	Horizontal
7	576.1100	-30.03	2.98			33.01	200	Horizontal


RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



EUT:	UHF Wireless Microphone System	Model Name:	UwMic9 TX-XLR9
Temperature:	25°C	Relative Humidity:	60%
Pressure:	986 Pa	Test Voltage:	Normal
Test Mode:	Mode 13	Polarization:	Vertical



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	52.3100	-92.49	-62.32	-54.00	8.32	30.17	8	Vertical
2	79.4700	-97.07	-68.47	-36.00	32.47	28.60	216	Vertical
3	146.4000	-100.41	-66.46	-36.00	30.46	33.95	290	Vertical
4	412.1800	-100.47	-65.31	-36.00	29.31	35.16	342	Vertical
5	576.1100	-38.01	0.15			38.16	307	Vertical
6	721.6100	-100.44	-59.56	-54.00	5.56	40.88	24	Vertical
7	905.9100	-100.46	-57.09	-36.00	21.09	43.37	132	Vertical


RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



EUT:	UHF Wireless Microphone System	Model Name:	UwMic9 TX-XLR9
Temperature:	25℃	Relative Humidity:	60%
Pressure:	986 Pa	Test Voltage:	Normal
Test Mode:	Mode 14	Polarization:	Horizontal



— Limit * Final Test — Horizontal

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	48.4300	-93.38	-59.51	-54.00	5.51	33.87	251	Horizontal
2	52.3100	-92.76	-59.77	-54.00	5.77	32.99	110	Horizontal
3	66.8600	-94.23	-64.96	-54.00	10.96	29.27	243	Horizontal
4	294.8100	-94.77	-62.40	-36.00	26.40	32.37	201	Horizontal
5	392.7800	-95.27	-61.03	-36.00	25.03	34.24	201	Horizontal
6	502.3900	-96.03	-59.62	-54.00	5.62	36.41	217	Horizontal
7	576.1100	-30.06	2.95			33.01	209	Horizontal


RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



EUT:	UHF Wireless Microphone System	Model Name:	UwMic9 TX-XLR9
Temperature:	25℃	Relative Humidity:	60%
Pressure:	986 Pa	Test Voltage:	Normal
Test Mode:	Mode 14	Polarization:	Vertical



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	52.3100	-91.22	-61.05	-54.00	7.05	30.17	127	Vertical
2	141.5500	-99.51	-65.23	-36.00	29.23	34.28	20	Vertical
3	274.4400	-101.67	-71.30	-36.00	35.30	30.37	252	Vertical
4	550.8900	-96.94	-59.37	-54.00	5.37	37.57	277	Vertical
5	576.1100	-31.10	2.06			33.16	310	Vertical
6	721.6100	-100.71	-59.83	-54.00	5.83	40.88	351	Vertical
7	913.6700	-90.14	-46.69	-36.00	10.69	43.45	160	Vertical


RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



EUT:	UHF Wireless Microphone System	Model Name:	UwMic9 TX-XLR9
Temperature:	25℃	Relative Humidity:	60%
Pressure:	986 Pa	Test Voltage:	Normal
Test Mode:	Mode 15	Polarization:	Horizontal



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	48.4300	-93.71	-59.84	-54.00	5.84	33.87	66	Horizontal
2	52.3100	-91.50	-58.51	-54.00	4.51	32.99	205	Horizontal
3	82.3800	-94.67	-68.38	-36.00	32.38	26.29	221	Horizontal
4	354.9500	-92.56	-59.25	-36.00	23.25	33.31	189	Horizontal
5	452.9200	-95.58	-60.15	-36.00	24.15	35.43	352	Horizontal
6	502.3900	-95.74	-59.33	-54.00	5.33	36.41	213	Horizontal
7	576.1100	-30.06	2.95			33.01	312	Horizontal

RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/

