

Appendix C: Test Results of Radiation Spurious Emissions & Mains Conducted Emission

<CDD>

Band Edges, 5.46GHz ~ 7.250GHz

U-NII 5


802.11ax HE20

CH01 (Horizontal) Peak

CH01 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5769.31	57.30	13.54	43.76	88.20	-30.90	101	316	Peak	Horizontal	
2 *	5955.00	108.00	63.69	44.31	88.20	19.80	101	316	Peak	Horizontal	
3	7232.10	59.06	13.60	45.46	88.20	-29.14	101	316	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5924.68	69.75	16.54	44.21	88.20	-27.45	100	121	Peak	Vertical	
2 *	5955.00	112.20	67.89	44.31	88.20	24.00	100	121	Peak	Vertical	
3	7229.59	59.13	13.67	45.46	88.20	-29.07	100	121	Peak	Vertical	


802.11ax HE20

CH01 (Horizontal) RMS

CH01 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5799.83	48.12	4.27	43.85	68.20	-20.08	101	316 RMS	Horizontal		
2 *	5995.08	98.07	53.76	44.31	68.20	29.87	101	316 RMS	Horizontal		
3	7248.57	49.10	3.62	45.48	68.20	-19.10	101	316 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5874.92	49.37	5.31	44.06	68.20	-18.83	100	121 RMS	Vertical		
2 *	5995.08	103.18	58.87	44.31	68.20	34.98	100	121 RMS	Vertical		
3	7230.67	49.91	4.45	45.46	68.20	-18.29	100	121 RMS	Vertical		


802.11ax HE20

CH45 (Horizontal) Peak

CH45 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5920.03	57.90	13.71	44.19	88.20	-30.30	124	328 Peak		Horizontal		
2 *	6175.00	102.74	57.85	44.89	88.20	14.54	124	328 Peak		Horizontal		
3	7154.41	59.51	14.10	45.41	88.20	-28.69	124	328 Peak		Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5782.92	58.12	14.31	43.81	88.20	-30.88	100	101 Peak		Vertical		
2 *	6175.00	107.39	62.50	44.89	88.20	19.19	100	101 Peak		Vertical		
3	7219.21	59.41	13.95	45.46	88.20	-26.79	100	101 Peak		Vertical		


802.11ax HE20

CH45 (Horizontal) RMS

CH45 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5911.00	47.77	3.60	44.17	68.20	-20.43	124	328 RMS		Horizontal		
2 *	6175.00	93.00	48.91	44.09	68.20	25.00	124	328 RMS		Horizontal		
3	7246.42	49.87	4.40	45.47	68.20	-18.33	124	328 RMS		Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5908.22	47.65	3.49	44.16	68.20	-20.55	100	101 RMS		Vertical		
2 *	6175.00	95.33	54.44	44.09	68.20	33.13	100	101 RMS		Vertical		
3	7245.35	50.00	4.53	45.47	68.20	-18.20	100	101 RMS		Vertical		


802.11ax HE20

CH93 (Horizontal) Peak

CH93 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5631.48	57.59	14.18	43.41	88.20	-30.61	100	76	Peak	Horizontal	
2 *	6415.00	107.88	63.11	44.77	88.20	19.68	100	76	Peak	Horizontal	
3	7137.59	60.53	15.11	45.42	88.20	-27.67	100	76	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5549.91	58.03	14.62	43.41	88.20	-30.17	100	210	Peak	Vertical	
2 *	6415.00	114.71	69.94	44.77	88.20	26.51	100	210	Peak	Vertical	
3	7241.77	60.45	14.98	45.47	88.20	-27.75	100	210	Peak	Vertical	


802.11ax HE20

CH93 (Horizontal) RMS

CH93 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5915.81	47.74	3.56	44.18	68.20	-20.46	100	76	RMS	Horizontal		
2 *	6415.00	99.34	54.57	44.77	68.20	31.14	100	76	RMS	Horizontal		
3	7236.75	50.11	4.64	45.47	68.20	-18.09	100	76	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5878.14	47.88	3.88	44.00	68.20	-20.32	100	210	RMS	Vertical		
2 *	6415.00	105.53	61.76	44.77	68.20	38.33	100	210	RMS	Vertical		
3	7228.16	50.90	5.44	45.46	68.20	-17.30	100	210	RMS	Vertical		


802.11ax HE20

CH03 (Horizontal) Peak

CH03 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5923.25	65.90	21.70	44.20	88.20	-22.30	100	312 Peak	Horizontal		
2	5905.00	103.79	59.41	44.38	88.20	15.59	100	312 Peak	Horizontal		
3	7204.53	59.15	13.70	45.45	88.20	-29.05	100	312 Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5924.68	67.81	23.60	44.21	88.20	-20.39	100	122 Peak	Vertical		
2	5905.00	107.92	63.54	44.38	88.20	19.72	100	122 Peak	Vertical		
3	7212.05	59.46	14.01	45.45	88.20	-28.74	100	122 Peak	Vertical		


802.11ax HE40

CH03 (Horizontal) RMS

CH03 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5921.10	50.73	6.54	44.19	68.20	-17.47	100	312 RMS	Horizontal		
2 *	5905.00	94.79	50.41	44.38	68.20	26.59	100	312 RMS	Horizontal		
3	7248.93	49.24	3.76	45.48	68.20	-18.96	100	312 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5921.10	52.65	8.46	44.19	68.20	-15.55	100	122 RMS	Vertical		
2 *	5905.00	99.09	55.31	44.38	68.20	31.09	100	122 RMS	Vertical		
3	7216.71	50.35	4.90	45.45	68.20	-17.85	100	122 RMS	Vertical		


802.11ax HE40

CH43 (Horizontal) Peak

CH43 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5856.66	57.88	13.87	44.01	88.20	-30.32	123	329 Peak	Horizontal		
2 *	6105.00	104.27	59.57	44.90	88.20	16.07	123	329 Peak	Horizontal		
3	7158.35	59.38	13.97	45.41	88.20	-28.82	123	329 Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5913.59	57.18	13.00	44.18	88.20	-31.02	100	106 Peak	Vertical		
2 *	6105.00	105.82	63.92	44.90	88.20	20.62	100	106 Peak	Vertical		
3	7235.32	59.07	13.60	45.47	88.20	-29.13	100	106 Peak	Vertical		


802.11ax HE40

CH43 (Horizontal) RMS

CH43 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5912.15	47.78	3.61	44.17	68.20	-20.42	123	329 RMS	Horizontal		
2 *	6105.00	95.50	50.60	44.90	68.20	27.30	123	329 RMS	Horizontal		
3	7228.52	50.26	4.80	45.46	68.20	-17.94	123	329 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5878.98	47.90	3.85	44.05	68.20	-20.30	100	106 RMS	Vertical		
2 *	6105.00	95.77	54.87	44.90	68.20	31.57	100	106 RMS	Vertical		
3	7228.52	50.14	4.68	45.46	68.20	-18.06	100	106 RMS	Vertical		


802.11ax HE40

CH91 (Horizontal) Peak

CH91 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5655.83	57.65	14.28	43.45	88.20	-30.55	100	76	Peak	Horizontal	
2 *	6405.00	106.73	61.94	44.79	88.20	18.53	100	76	Peak	Horizontal	
3	7233.89	59.30	13.83	45.47	88.20	-28.90	100	76	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5913.84	57.48	13.38	44.10	88.20	-30.72	100	210	Peak	Vertical	
2 *	6405.00	114.88	70.09	44.79	88.20	26.68	100	210	Peak	Vertical	
3	7230.31	59.31	13.85	45.46	88.20	-28.89	100	210	Peak	Vertical	


802.11ax HE40

CH91 (Horizontal) RMS

CH91 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5859.17	48.89	4.87	44.02	68.20	-20.11	100	76 RMS	Horizontal	
2 *	6405.00	98.39	53.60	44.79	68.20	30.19	100	76 RMS	Horizontal	
3	7233.53	49.90	4.43	45.47	68.20	-18.30	100	76 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5896.76	48.10	3.98	44.12	68.20	-20.10	100	210 RMS	Vertical	
2 *	6405.00	105.59	60.80	44.79	68.20	37.39	100	210 RMS	Vertical	
3	7217.78	49.77	4.32	45.45	68.20	-18.43	100	210 RMS	Vertical	


802.11ax HE80

CH07 (Horizontal) Peak

CH07 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5915.73	64.53	20.35	44.18	88.20	-23.67	100		316 Peak	Horizontal	
2 *	5905.00	105.43	60.91	44.52	88.20	17.23	100		316 Peak	Horizontal	
3	7244.63	60.71	15.24	45.47	88.20	-27.49	100		316 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5921.46	68.51	24.32	44.19	88.20	-19.69	100		206 Peak	Vertical	
2 *	5905.00	109.07	64.55	44.52	88.20	20.87	100		206 Peak	Vertical	
3	7248.21	59.00	13.52	45.48	88.20	-29.20	100		206 Peak	Vertical	


802.11ax HE80

CH07 (Horizontal) RMS

CH07 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5923.25	52.43	8.23	44.20	68.20	-15.77	100	316 RMS	Horizontal		
2 *	5985.00	93.84	49.35	44.49	68.20	25.64	100	316 RMS	Horizontal		
3	7233.53	47.94	2.47	45.47	68.20	-20.26	100	316 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5923.27	57.54	13.33	44.21	68.20	-10.66	100	206 RMS	Vertical		
2 *	5985.00	98.72	54.25	44.47	68.20	30.52	100	206 RMS	Vertical		
3	7234.96	48.14	2.67	45.47	68.20	-20.06	100	206 RMS	Vertical		


802.11ax HE80

CH39 (Horizontal) Peak

CH39 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5818.12	59.41	15.53	43.88	88.20	-28.79	100	329 Peak	Horizontal		
2 *	6145.00	106.10	61.19	44.91	88.20	17.90	100	329 Peak	Horizontal		
3	7228.52	60.66	15.20	45.46	88.20	-27.54	100	329 Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5907.14	58.93	14.78	44.15	88.20	-29.27	100	205 Peak	Vertical		
2 *	6145.00	111.87	66.96	44.91	88.20	23.67	100	205 Peak	Vertical		
3	7249.64	58.97	13.49	45.48	88.20	-29.23	100	205 Peak	Vertical		


802.11ax HE80

CH39 (Horizontal) RMS

CH39 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5794.01	50.06	6.23	43.83	68.20	-18.14	100	329 RMS	Horizontal		
2 *	6145.00	94.40	49.48	44.92	68.20	26.20	100	329 RMS	Horizontal		
3	7248.57	47.92	2.44	45.48	68.20	-20.28	100	329 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5862.39	45.70	2.68	44.02	68.20	-21.50	100	205 RMS	Vertical		
2 *	6145.00	99.91	55.03	44.88	68.20	31.71	100	205 RMS	Vertical		
3	7217.42	47.72	2.27	45.45	68.20	-20.48	100	205 RMS	Vertical		


802.11ax HE80

CH87 (Horizontal) Peak

CH87 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5667.64	57.88	14.37	43.51	88.20	-30.32	100	101	Peak	Horizontal		
2 *	6385.00	110.38	65.60	44.78	88.20	22.18	100	101	Peak	Horizontal		
3	7188.07	60.73	15.30	45.43	88.20	-27.47	100	101	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5900.70	59.19	15.05	44.14	88.20	-29.01	100	105	Peak	Vertical		
2 *	6385.00	110.03	65.25	44.78	88.20	21.83	100	105	Peak	Vertical		
3	7228.52	58.15	12.69	45.46	88.20	-30.05	100	105	Peak	Vertical		


802.11ax HE80

CH87 (Horizontal) RMS

CH87 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5996.78	47.90	3.75	44.15	68.20	-20.30	100	101	RMS	Horizontal	
2 *	6395.00	101.76	56.98	44.78	68.20	33.56	100	101	RMS	Horizontal	
3	7239.62	49.32	3.85	45.47	68.20	-18.88	100	101	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5918.68	48.17	3.98	44.19	68.20	-20.03	100	105	RMS	Vertical	
2 *	6395.00	100.77	55.99	44.78	68.20	32.57	100	105	RMS	Vertical	
3	7233.53	49.21	3.74	45.47	68.20	-18.99	100	105	RMS	Vertical	


802.11ax HE160

CH15 (Horizontal) Peak

CH15 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5891.39	69.05	77.18	-8.13	88.20	-19.15	100	322	Peak	Horizontal		
2 *	6025.00	102.57	110.24	-7.67	88.20	14.37	100	322	Peak	Horizontal		
3	7182.70	64.32	71.65	-7.33	88.20	-23.88	100	322	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5902.49	73.37	81.48	-8.11	88.20	-14.83	100	114	Peak	Vertical		
2 *	6025.00	108.00	116.55	-7.67	88.20	20.08	100	114	Peak	Vertical		
3	7136.16	63.78	71.00	-7.30	88.20	-24.50	100	114	Peak	Vertical		


802.11ax HE160

CH15 (Horizontal) RMS

CH15 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5907.14	68.62	68.72	-8.10	68.20	-7.58	100	322	RMS	Horizontal		
2 *	6025.00	93.30	100.97	-7.67	68.20	25.10	100	322	RMS	Horizontal		
3	7246.06	55.49	62.82	-7.33	68.20	-12.71	100	322	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5903.56	65.29	73.39	-8.10	68.20	-2.91	100	114	RMS	Vertical		
2 *	6025.00	99.07	106.74	-7.67	68.20	38.67	100	114	RMS	Vertical		
3	7242.12	55.83	63.16	-7.33	68.20	-12.37	100	114	RMS	Vertical		


802.11ax HE160

CH47 (Horizontal) Peak

CH47 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5763.94	64.79	73.22	-8.43	88.20	-23.41	100	320	Peak	Horizontal		
2 *	6105.00	102.25	109.75	-7.50	88.20	14.05	100	320	Peak	Horizontal		
3	7188.78	64.67	72.00	-7.33	88.20	-23.53	100	320	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5910.36	64.92	73.02	-8.10	88.20	-23.28	100	104	Peak	Vertical		
2 *	6105.00	110.01	118.33	-7.52	88.20	22.01	100	104	Peak	Vertical		
3	7203.10	65.42	72.75	-7.33	88.20	-22.78	100	104	Peak	Vertical		


802.11ax HE160

CH47 (Horizontal) RMS

CH47 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5849.58	55.64	63.87	-8.23	68.20	-12.56	100	320 RMS	Horizontal		
2 *	6185.00	93.87	101.95	-7.48	68.20	25.67	100	320 RMS	Horizontal		
3	7182.70	55.84	63.17	-7.33	68.20	-12.36	100	320 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5839.53	56.10	64.38	-8.28	68.20	-12.10	100	104 RMS	Vertical		
2 *	6185.00	99.76	107.28	-7.52	68.20	31.56	100	104 RMS	Vertical		
3	7177.68	55.88	63.21	-7.33	68.20	-12.32	100	104 RMS	Vertical		


802.11ax HE160

CH79 (Horizontal) Peak

CH79 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5893.96	64.60	72.73	-8.13	88.20	-23.60		254	349	Peak	Horizontal	
2 *	6345.00	103.97	111.98	-7.73	88.20	15.57		254	349	Peak	Horizontal	
3	7138.07	64.42	71.71	-7.29	88.20	-23.78		254	349	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5891.53	64.79	73.14	-8.35	88.20	-23.41		100	77	Peak	Vertical	
2 *	6345.00	107.11	114.84	-7.73	88.20	16.91		100	77	Peak	Vertical	
3	7218.14	64.84	72.17	-7.33	88.20	-23.36		100	77	Peak	Vertical	


802.11ax HE160

CH79 (Horizontal) RMS

CH79 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5838.17	56.19	64.47	-8.28	68.20	-12.01	254	349 RMS	Horizontal		
2	6345.08	84.64	102.37	-7.73	68.20	26.44	254	349 RMS	Horizontal		
3	7143.32	55.52	62.84	-7.32	68.20	-12.68	254	349 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5889.41	55.56	63.89	-8.33	68.20	-12.64	100	77 RMS	Vertical		
2	6345.08	88.17	105.98	-7.73	68.20	29.97	100	77 RMS	Vertical		
3	7222.43	55.66	62.99	-7.33	68.20	-12.54	100	77 RMS	Vertical		

U-NII 6


802.11ax HE20

CH97 (Horizontal) Peak

CH97 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5842.70	57.92	13.84	43.98	88.20	-30.28	100	71	Peak	Horizontal		
2 *	6435.00	107.70	62.95	44.75	88.20	19.50	100	71	Peak	Horizontal		
3	7249.28	58.95	13.47	45.48	88.20	-29.25	100	71	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5805.83	58.20	14.34	43.86	88.20	-30.00	100	123	Peak	Vertical		
2 *	6435.00	114.57	69.82	44.75	88.20	26.37	100	123	Peak	Vertical		
3	7234.96	58.67	13.20	45.47	88.20	-29.53	100	123	Peak	Vertical		


802.11ax HE20

CH97 (Horizontal) RMS

CH97 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5847.36	48.86	4.88	43.98	68.20	-20.14	100	71 RMS	Horizontal		
2 *	6435.00	108.71	55.96	44.75	68.20	32.51	100	71 RMS	Horizontal		
3	7214.56	49.09	3.64	45.45	68.20	-19.11	100	71 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5848.07	48.86	4.87	43.99	68.20	-20.14	100	123 RMS	Vertical		
2 *	6435.00	108.88	61.33	44.75	68.20	37.88	100	123 RMS	Vertical		
3	7239.62	49.39	3.92	45.47	68.20	-18.81	100	123 RMS	Vertical		


802.11ax HE20

CH105 (Horizontal) Peak

CH105 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5894.04	58.15	14.29	43.86	88.20	-30.05	110	335	Peak	Horizontal		
2 *	6475.00	106.62	61.83	44.79	88.20	18.42	110	335	Peak	Horizontal		
3	7211.69	58.22	12.77	45.45	88.20	-29.98	110	335	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5834.83	57.49	13.54	43.95	88.20	-30.71	100	69	Peak	Vertical		
2 *	6475.00	115.55	70.76	44.79	88.20	27.35	100	69	Peak	Vertical		
3	7282.74	59.17	13.73	45.44	88.20	-29.03	100	69	Peak	Vertical		


802.11ax HE20

CH105 (Horizontal) RMS

CH105 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5835.90	47.66	3.71	43.95	68.20	-20.54		110	335	RMS	Horizontal	
2 *	6475.00	98.31	53.52	44.79	68.20	30.11		110	335	RMS	Horizontal	
3	7218.50	50.09	4.63	45.46	68.20	-18.11		110	335	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5916.45	48.37	4.19	44.18	68.20	-19.83		100	69	RMS	Vertical	
2 *	6475.00	107.33	62.54	44.79	68.20	39.13		100	69	RMS	Vertical	
3	7233.89	49.31	3.84	45.47	68.20	-18.89		100	69	RMS	Vertical	


802.11ax HE20

CH113 (Horizontal) Peak

CH113 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5857.74	57.87	13.85	44.02	88.20	-30.33	104	334	Peak	Horizontal	
2 *	6515.00	107.92	63.05	44.87	88.20	19.72	104	334	Peak	Horizontal	
3	7237.83	59.64	14.17	45.47	88.20	-28.56	104	334	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5819.43	58.06	14.15	43.91	88.20	-30.14	103	70	Peak	Vertical	
2 *	6515.00	114.39	69.43	44.96	88.20	26.19	103	70	Peak	Vertical	
3	7207.76	58.61	13.16	45.45	88.20	-29.59	103	70	Peak	Vertical	


802.11ax HE20

CH113 (Horizontal) RMS

CH113 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5861.32	47.72	3.76	44.82	68.20	-20.48	184	334	RMS	Horizontal	
2 *	6515.00	98.46	53.59	44.87	68.20	30.26	184	334	RMS	Horizontal	
3	7249.64	50.27	4.79	45.48	68.20	-17.93	184	334	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5831.86	47.83	3.89	43.94	68.20	-20.37	183	70	RMS	Vertical	
2 *	6515.00	106.36	61.69	44.67	68.20	38.16	183	70	RMS	Vertical	
3	7247.49	49.23	3.75	45.48	68.20	-18.97	183	70	RMS	Vertical	


802.11ax HE40

CH99 (Horizontal) Peak

CH99 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5924.56	58.01	13.80	44.21	88.20	-30.19	100	75 Peak	Horizontal	
2 *	6445.00	110.93	66.20	44.73	88.20	22.73	100	75 Peak	Horizontal	
3	7226.06	59.46	14.00	45.46	88.20	-28.74	100	75 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5856.31	58.56	14.55	44.01	88.20	-29.64	100	114 Peak	Vertical	
2 *	6445.00	120.74	76.01	44.73	88.20	32.54	100	114 Peak	Vertical	
3	7218.55	59.72	14.26	45.46	88.20	-28.48	100	114 Peak	Vertical	


802.11ax HE40

CH99 (Horizontal) RMS

CH99 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5992.77	46.66	2.51	44.15	68.20	-21.54	100	75	RMS	Horizontal	
2 *	6445.00	100.00	55.27	44.73	68.20	31.80	100	75	RMS	Horizontal	
3	7220.34	48.10	2.64	45.46	68.20	-20.10	100	75	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5893.83	47.06	2.94	44.12	68.20	-21.14	100	114	RMS	Vertical	
2 *	6445.00	100.75	64.81	44.74	68.20	40.55	100	114	RMS	Vertical	
3	7236.42	49.42	3.95	45.47	68.20	-18.78	100	114	RMS	Vertical	


802.11ax HE40

CH107 (Horizontal) Peak

CH107 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5848.79	58.94	14.95	43.99	88.20	-29.26	232	347	Peak	Horizontal		
2 *	6485.08	114.65	69.83	44.82	88.20	26.45	232	347	Peak	Horizontal		
3	7249.64	61.14	15.66	45.48	88.20	-27.06	232	347	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5858.18	59.32	15.38	44.02	88.20	-28.88	100	70	Peak	Vertical		
2 *	6485.08	118.52	73.70	44.82	88.20	30.32	100	70	Peak	Vertical		
3	7246.42	60.41	14.94	45.47	88.20	-27.79	100	70	Peak	Vertical		


802.11ax HE40

CH107 (Horizontal) RMS

CH107 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5918.01	46.63	2.47	44.16	68.20	-21.57	232	347	RMS	Horizontal	
2 *	6405.00	102.99	58.87	44.82	68.20	34.69	232	347	RMS	Horizontal	
3	7239.62	48.05	2.58	45.47	68.20	-20.15	232	347	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5875.64	46.59	2.53	44.06	68.20	-21.61	100	70	RMS	Vertical	
2 *	6405.00	107.99	63.16	44.81	68.20	39.79	100	70	RMS	Vertical	
3	7244.63	48.21	2.74	45.47	68.20	-19.99	100	70	RMS	Vertical	


802.11ax HE40

CH115 (Horizontal) Peak

CH115 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5867.05	58.30	14.26	44.04	88.20	-29.90	223	335	Peak	Horizontal	
2 *	6525.00	112.10	67.22	44.88	88.20	23.90	223	335	Peak	Horizontal	
3	7235.68	59.00	13.53	45.47	88.20	-29.20	223	335	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5905.71	58.29	14.14	44.15	88.20	-29.91	100	72	Peak	Vertical	
2 *	6525.00	120.17	75.29	44.88	88.20	31.97	100	72	Peak	Vertical	
3	7161.22	59.99	14.58	45.41	88.20	-28.21	100	72	Peak	Vertical	


802.11ax HE40

CH115 (Horizontal) RMS

CH115 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5988.34	46.48	-2.34	44.14	68.28	-21.72	223	335 RMS	Horizontal	
2 *	6525.00	101.24	56.36	44.88	68.28	33.04	223	335 RMS	Horizontal	
3	7228.52	47.92	-2.46	45.46	68.28	-28.28	223	335 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5852.01	46.56	-2.57	43.99	68.28	-21.64	100	72 RMS	Vertical	
2 *	6525.00	108.47	63.59	44.88	68.28	49.27	100	72 RMS	Vertical	
3	7228.64	48.16	-2.70	45.46	68.28	-28.04	100	72 RMS	Vertical	


802.11ax HE80

CH103 (Horizontal) Peak

CH103 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5867.76	57.73	13.68	44.05	88.20	-30.47	100	76	Peak	Horizontal	
2 *	6495.00	105.74	58.97	44.77	88.20	15.54	100	76	Peak	Horizontal	
3	7236.40	58.51	13.04	45.47	88.20	-29.69	100	76	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5883.16	58.93	14.84	44.09	88.20	-29.27	100	133	Peak	Vertical	
2 *	6495.00	110.36	65.59	44.77	88.20	22.16	100	133	Peak	Vertical	
3	7241.41	58.91	13.44	45.47	88.20	-29.29	100	133	Peak	Vertical	


802.11ax HE80

CH103 (Horizontal) RMS

CH103 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5886.02	47.81	3.72	44.09	68.20	-20.39	100	76	RMS	Horizontal	
2 *	6405.00	94.43	49.66	44.77	68.20	26.23	100	76	RMS	Horizontal	
3	7247.49	49.98	4.50	45.48	68.20	-18.22	100	76	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5910.01	48.00	3.84	44.16	68.20	-20.20	100	133	RMS	Vertical	
2 *	6405.00	102.35	57.58	44.77	68.20	34.15	100	133	RMS	Vertical	
3	7226.73	50.18	4.72	45.46	68.20	-18.02	100	133	RMS	Vertical	


802.11ax HE80

CH119 (Horizontal) Peak

CH119 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5911.88	57.59	13.42	44.17	88.20	-30.61	147	338	Peak	Horizontal	
2 *	6545.00	105.39	58.58	44.89	88.20	15.19	147	338	Peak	Horizontal	
3	7222.43	57.76	12.30	45.46	88.20	-30.44	147	338	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5818.36	58.29	14.38	43.91	88.20	-29.91	100	99	Peak	Vertical	
2 *	6545.00	105.13	63.24	44.89	88.20	19.93	100	99	Peak	Vertical	
3	7226.73	58.55	13.09	45.46	88.20	-29.65	100	99	Peak	Vertical	


802.11ax HE80

CH119 (Horizontal) RMS

CH119 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5899.67	47.78	3.67	44.11	68.20	-20.42	147	338 RMS	Horizontal		
2 *	6545.00	99.43	48.94	44.89	68.20	25.23	147	338 RMS	Horizontal		
3	7223.15	48.89	3.43	45.46	68.20	-19.31	147	338 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5899.62	47.79	3.66	44.13	68.20	-20.41	100	99 RMS	Vertical		
2 *	6545.00	99.08	54.19	44.89	68.20	30.88	100	99 RMS	Vertical		
3	7237.11	48.88	3.33	45.47	68.20	-19.40	100	99 RMS	Vertical		


802.11ax HE160

CH111 (Horizontal) Peak

CH111 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5797.59	65.98	74.33	-8.35	88.20	-22.22	133	335	Peak	Horizontal	
2 *	6505.00	101.59	109.29	-7.70	88.20	15.09	133	335	Peak	Horizontal	
3	7224.22	65.14	72.47	-7.33	88.20	-23.06	133	335	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5857.02	64.52	72.74	-8.22	88.20	-23.68	100	72	Peak	Vertical	
2 *	6505.00	100.27	115.97	-7.70	88.20	28.07	100	72	Peak	Vertical	
3	7206.68	64.76	72.09	-7.33	88.20	-23.44	100	72	Peak	Vertical	


802.11ax HE160

CH111 (Horizontal) RMS

CH111 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5835.98	55.57	63.84	-8.27	68.20	-12.63	133	335	RMS	Horizontal	
2	6505.00	92.34	100.94	-7.70	68.20	24.14	133	335	RMS	Horizontal	
3	7225.30	55.46	62.79	-7.33	68.20	-12.74	133	335	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5792.94	55.58	63.95	-8.37	68.20	-12.62	100	72	RMS	Vertical	
2	6505.00	99.82	107.52	-7.70	68.20	33.62	100	72	RMS	Vertical	
3	7231.74	55.55	62.88	-7.33	68.20	-12.65	100	72	RMS	Vertical	

U-NII 7


802.11ax HE20

CH117 (Horizontal) Peak

CH117 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5848.43	58.32	14.33	43.99	88.20	-29.88	122	334	Peak	Horizontal	
2	6535.00	106.70	63.82	44.88	88.20	28.50	122	334	Peak	Horizontal	
3	7196.66	58.63	13.19	45.44	88.20	-29.57	122	334	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5921.82	58.29	14.10	44.19	88.20	-29.91	100	71	Peak	Vertical	
2	6535.00	115.31	70.43	44.88	88.20	27.11	100	71	Peak	Vertical	
3	7233.89	58.28	12.81	45.47	88.20	-29.92	100	71	Peak	Vertical	


802.11ax HE20

CH117 (Horizontal) RMS

CH117 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5856.66	47.75	3.74	44.01	68.20	-20.45	122	334	RMS	Horizontal	
2 *	6535.00	99.92	55.04	44.88	68.20	31.72	122	334	RMS	Horizontal	
3	7234.61	50.28	4.81	45.47	68.20	-17.92	122	334	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5913.59	47.86	3.68	44.18	68.20	-20.34	100	71	RMS	Vertical	
2 *	6535.00	106.26	61.38	44.88	68.20	38.06	100	71	RMS	Vertical	
3	7241.77	49.28	3.81	45.47	68.20	-18.92	100	71	RMS	Vertical	


802.11ax HE20

CH149 (Horizontal) Peak

CH149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5912.15	57.66	13.49	44.17	88.20	-30.54		213	342	Peak	Horizontal	
2 *	6695.00	104.79	59.89	44.90	88.20	16.59		213	342	Peak	Horizontal	
3	7247.14	57.99	12.51	45.48	88.20	-30.21		213	342	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5924.33	57.93	13.72	44.21	88.20	-30.27		100	74	Peak	Vertical	
2 *	6695.00	112.24	67.34	44.90	88.20	24.04		100	74	Peak	Vertical	
3	7226.37	59.52	14.06	45.46	88.20	-28.68		100	74	Peak	Vertical	


802.11ax HE20

CH149 (Horizontal) RMS

CH149 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5823.37	47.84	3.92	43.92	68.20	-20.36	213	342 RMS	Horizontal		
2	6695.00	96.78	51.88	44.90	68.20	28.58	213	342 RMS	Horizontal		
3	7229.24	49.37	3.91	45.46	68.20	-18.83	213	342 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5856.66	47.66	3.65	44.01	68.20	-20.54	100	74 RMS	Vertical		
2	6695.00	102.59	57.69	44.90	68.20	34.39	100	74 RMS	Vertical		
3	7243.91	49.97	4.50	45.47	68.20	-18.23	100	74 RMS	Vertical		


802.11ax HE20

CH181 (Horizontal) Peak

CH181 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5907.14	58.10	13.95	44.15	88.20	-30.10	234	345	Peak	Horizontal		
2 *	6855.00	109.42	64.31	45.11	88.20	21.22	234	345	Peak	Horizontal		
3	7238.90	58.40	12.93	45.47	88.20	-29.80	234	345	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5909.29	58.08	13.92	44.16	88.20	-30.12	100	70	Peak	Vertical		
2 *	6855.00	116.69	71.58	45.11	88.20	28.49	100	70	Peak	Vertical		
3	7247.49	58.81	13.33	45.48	88.20	-29.39	100	70	Peak	Vertical		


802.11ax HE20

CH181 (Horizontal) RMS

CH181 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5878.06	47.75	3.67	44.08	68.20	-20.45		234	345 RMS	Horizontal		
2 *	6855.00	100.02	54.91	45.11	68.20	31.82		234	345 RMS	Horizontal		
3	7248.93	49.28	3.80	45.48	68.20	-18.92		234	345 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5824.00	47.79	3.87	43.92	68.20	-20.41		100	70 RMS	Vertical		
2 *	6855.00	100.72	63.61	45.11	68.20	48.52		100	70 RMS	Vertical		
3	7242.48	49.41	3.94	45.47	68.20	-18.79		100	70 RMS	Vertical		


802.11ax HE20

CH185 (Horizontal) Peak

CH185 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	Freq	Level		Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5749.26	65.43	73.98	-8.47	88.20	-22.77	249	355 Peak	Horizontal	
2 *	6875.00	111.20	118.64	-7.44	88.20	23.00	249	355 Peak	Horizontal	
3	7176.97	65.10	72.43	-7.33	88.20	-23.10	249	355 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	Freq	Level		Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5476.11	64.73	73.50	-8.77	88.20	-23.47	100	75 Peak	Vertical	
2 *	6875.00	116.96	124.40	-7.44	88.20	28.76	100	75 Peak	Vertical	
3	7127.92	64.02	71.31	-7.29	88.20	-24.18	100	75 Peak	Vertical	


802.11ax HE20

CH185 (Horizontal) RMS

CH185 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5851.65	54.17	62.40	-8.23	68.20	-14.03		249	355	RMS	Horizontal	
2 *	6875.00	100.73	100.17	-7.44	68.20	32.53	249	355	RMS		Horizontal	
3	7206.32	53.98	61.31	-7.33	68.20	-14.22		249	355	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5802.61	54.10	62.44	-8.34	68.20	-14.10		100	75	RMS	Vertical	
2 *	6875.00	100.42	115.86	-7.44	68.20	40.22	100	75	RMS		Vertical	
3	7204.53	54.10	61.43	-7.33	68.20	-14.10		100	75	RMS	Vertical	


802.11ax HE40

CH123 (Horizontal) Peak

CH123 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5768.00	58.71	14.97	43.74	88.20	-29.49	220	335	Peak	Horizontal		
2 *	6565.00	119.08	68.21	44.87	88.20	24.88	220	335	Peak	Horizontal		
3	7258.00	58.78	13.30	45.48	74.00	-15.22	220	335	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5782.20	58.81	15.02	43.79	88.20	-29.39	100	72	Peak	Vertical		
2 *	6565.00	119.76	74.89	44.87	88.20	31.56	100	72	Peak	Vertical		
3	7222.43	59.91	14.45	45.46	88.20	-28.29	100	72	Peak	Vertical		


802.11ax HE40

CH123 (Horizontal) RMS

CH123 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5859.89	46.87	2.85	44.02	68.20	-21.33	220	335 RMS	Horizontal		
2 *	6565.00	101.78	56.91	44.87	68.20	33.58	220	335 RMS	Horizontal		
3	7245.79	49.03	3.56	45.47	68.20	-19.17	220	335 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5909.65	46.56	2.40	44.16	68.20	-21.64	100	72 RMS	Vertical		
2 *	6565.00	107.99	63.12	44.87	68.20	39.79	100	72 RMS	Vertical		
3	7235.32	48.02	2.55	45.47	68.20	-20.18	100	72 RMS	Vertical		


802.11ax HE40

CH155 (Horizontal) Peak

CH155 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5821.58	58.68	14.77	43.91	88.20	-29.52	280	346	Peak	Horizontal		
2 *	6725.00	111.24	66.38	44.86	88.20	23.04	280	346	Peak	Horizontal		
3	7226.64	59.25	13.79	45.46	88.20	-28.95	280	346	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5872.42	58.45	14.40	44.05	88.20	-29.75	100	73	Peak	Vertical		
2 *	6725.00	116.36	71.50	44.86	88.20	28.16	100	73	Peak	Vertical		
3	7216.71	59.48	13.95	45.45	88.20	-28.80	100	73	Peak	Vertical		


802.11ax HE40

CH155 (Horizontal) RMS

CH155 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5868.12	46.43	2.38	44.05	68.20	-21.77	280	346	RMS	Horizontal	
2 *	6725.00	99.97	55.11	44.86	68.20	31.77	280	346	RMS	Horizontal	
3	7246.06	47.90	2.43	45.47	68.20	-20.30	280	346	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5923.97	46.65	2.44	44.21	68.20	-21.55	100	73	RMS	Vertical	
2 *	6725.00	106.21	61.35	44.86	68.20	38.01	100	73	RMS	Vertical	
3	7217.42	48.94	3.49	45.45	68.20	-19.26	100	73	RMS	Vertical	


802.11ax HE40

CH179 (Horizontal) Peak

CH179 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5876.71	59.09	15.02	44.07	88.20	-29.11	233	345	Peak	Horizontal		
2	6845.00	112.79	67.71	45.08	88.20	24.59	233	345	Peak	Horizontal		
3	7242.84	60.16	14.63	45.47	88.20	-28.10	233	345	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5568.47	58.54	15.13	43.41	88.20	-29.66	100	71	Peak	Vertical		
2	6845.00	119.09	74.01	45.08	88.20	30.89	100	71	Peak	Vertical		
3	7173.03	58.52	13.10	45.42	88.20	-29.68	100	71	Peak	Vertical		


802.11ax HE40

CH179 (Horizontal) RMS

CH179 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5873.13	46.74	2.68	44.06	68.20	-21.46		233	345	RMS	Horizontal	
2 *	6845.00	100.17	55.09	45.08	68.20	31.97		233	345	RMS	Horizontal	
3	7237.11	48.32	2.85	45.47	68.20	-19.88		233	345	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5920.03	46.62	2.43	44.19	68.20	-21.58		100	71	RMS	Vertical	
2 *	6845.00	100.15	63.10	45.05	68.20	31.95		100	71	RMS	Vertical	
3	7216.71	48.02	2.57	45.45	68.20	-20.18		100	71	RMS	Vertical	


802.11ax HE40

CH187 (Horizontal) Peak

CH187 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	Freq	Level		Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5888.69	59.53	15.65	43.88	88.20	-28.67	215	348 Peak	Horizontal	
2 *	6885.00	109.08	63.89	45.19	88.20	20.88	215	348 Peak	Horizontal	
3	7288.11	60.29	14.84	45.45	88.20	-27.91	215	348 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	Freq	Level		Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5794.01	58.58	14.75	43.83	88.20	-29.62	100	71 Peak	Vertical	
2 *	6885.00	116.82	70.63	45.19	88.20	27.62	100	71 Peak	Vertical	
3	7126.85	59.21	13.77	45.44	88.20	-28.99	100	71 Peak	Vertical	


802.11ax HE40

CH187 (Horizontal) RMS

CH187 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5890.82	47.83	3.98	43.85	68.20	-20.37		215	348	RMS	Horizontal	
2 *	6885.00	97.69	52.50	45.19	68.20	29.49		215	348	RMS	Horizontal	
3	7234.96	47.93	2.46	45.47	68.20	-20.27		215	348	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5892.82	46.73	2.61	44.12	68.20	-21.47		100	71	RMS	Vertical	
2 *	6885.00	105.36	60.17	45.19	68.20	37.16		100	71	RMS	Vertical	
3	7219.93	48.28	2.82	45.46	68.20	-19.92		100	71	RMS	Vertical	


802.11ax HE80

CH135 (Horizontal) Peak

CH135 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5836.26	57.94	13.99	43.95	88.20	-30.26	124	337	Peak	Horizontal		
2 *	6625.00	104.60	59.71	44.89	88.20	16.40	124	337	Peak	Horizontal		
3	7202.03	58.83	13.39	45.44	88.20	-29.37	124	337	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5896.76	58.13	14.01	44.12	88.20	-30.07	100	74	Peak	Vertical		
2 *	6625.00	100.60	64.71	44.89	88.20	21.40	100	74	Peak	Vertical		
3	7198.81	60.09	14.65	45.44	88.20	-28.11	100	74	Peak	Vertical		


802.11ax HE80

CH135 (Horizontal) RMS

CH135 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5918.24	47.76	3.57	44.19	68.20	-20.44		124	337	RMS	Horizontal	
2 *	6625.00	94.30	49.41	44.89	68.20	26.10		124	337	RMS	Horizontal	
3	7213.84	49.60	4.15	45.45	68.20	-18.60		124	337	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5846.64	47.79	3.81	43.98	68.20	-20.41		100	74	RMS	Vertical	
2 *	6625.00	99.80	54.91	44.89	68.20	31.60		100	74	RMS	Vertical	
3	7221.36	48.95	3.49	45.46	68.20	-19.25		100	74	RMS	Vertical	


802.11ax HE80

CH151 (Horizontal) Peak

CH151 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5764.30	59.12	15.37	43.75	88.20	-29.08	230	336	Peak	Horizontal	
2	6705.00	104.07	59.18	44.89	88.20	15.87	230	336	Peak	Horizontal	
3	7206.32	58.42	12.97	45.45	88.20	-29.78	230	336	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5572.41	57.96	14.54	43.42	88.20	-30.24	103	77	Peak	Vertical	
2	6705.00	111.33	66.44	44.89	88.20	23.13	103	77	Peak	Vertical	
3	7247.85	58.55	13.07	45.48	88.20	-29.65	103	77	Peak	Vertical	


802.11ax HE80

CH151 (Horizontal) RMS

CH151 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5877.79	48.01	3.93	44.08	68.20	-20.19	230	336	RMS	Horizontal	
2 *	6705.00	95.50	50.69	44.89	68.20	27.30	230	336	RMS	Horizontal	
3	7234.96	49.18	3.71	45.47	68.20	-19.02	230	336	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5900.57	47.67	3.51	44.16	68.20	-20.53	103	77	RMS	Vertical	
2 *	6705.00	101.85	56.99	44.89	68.20	33.68	103	77	RMS	Vertical	
3	7227.45	49.11	3.65	45.46	68.20	-19.09	103	77	RMS	Vertical	


802.11ax HE80

CH167 (Horizontal) Peak

CH167 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5924.33	57.70	13.49	44.21	88.20	-30.50	215	336	Peak	Horizontal	
2 *	6785.00	109.95	59.03	44.92	88.20	15.75	215	336	Peak	Horizontal	
3	7177.33	57.95	12.52	45.43	88.20	-30.25	215	336	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5768.95	58.68	14.84	43.76	88.20	-29.60	100	77	Peak	Vertical	
2 *	6785.00	111.17	66.25	44.92	88.20	22.97	100	77	Peak	Vertical	
3	7246.06	58.38	12.91	45.47	88.20	-29.82	100	77	Peak	Vertical	


802.11ax HE80

CH167 (Horizontal) RMS

CH167 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5897.48	48.09	3.97	44.12	68.20	-20.11		215	336	RMS	Horizontal	
2 *	6785.00	95.93	51.01	44.92	68.20	27.73		215	336	RMS	Horizontal	
3	7236.04	49.12	3.65	45.47	68.20	-19.08		215	336	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5788.64	48.03	4.21	43.82	68.20	-20.17		100	77	RMS	Vertical	
2 *	6785.00	102.03	57.11	44.92	68.20	33.83		100	77	RMS	Vertical	
3	7207.04	48.94	3.49	45.45	68.20	-19.26		100	77	RMS	Vertical	


802.11ax HE80

CH183 (Horizontal) Peak

CH183 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5891.03	57.99	13.88	44.11	88.20	-30.21		216	337	Peak	Horizontal	
2 *	6865.00	102.62	57.48	45.14	88.20	14.42		216	337	Peak	Horizontal	
3	7237.47	57.79	12.32	45.47	88.20	-30.41		216	337	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5854.52	57.41	13.40	44.01	88.20	-30.79		100	71	Peak	Vertical	
2 *	6865.00	111.23	66.09	45.14	88.20	23.03		100	71	Peak	Vertical	
3	7229.24	54.33	8.87	45.46	88.20	-33.87		100	71	Peak	Vertical	


802.11ax HE80

CH183 (Horizontal) RMS

CH183 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5914.30	47.90	3.72	44.18	68.20	-20.30		216	337	RMS	Horizontal	
2 *	6865.00	93.29	48.15	45.14	68.20	25.09		216	337	RMS	Horizontal	
3	7233.17	48.10	2.63	45.47	68.20	-20.10		216	337	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5820.86	47.70	3.79	43.91	68.20	-20.50		100	71	RMS	Vertical	
2 *	6865.00	101.96	56.82	45.14	68.20	33.76		100	71	RMS	Vertical	
3	7213.84	45.73	0.28	45.45	68.20	-22.47		100	71	RMS	Vertical	


802.11ax HE160

CH143 (Horizontal) Peak

CH143 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5769.36	65.14	73.59	-8.45	88.20	-23.06		232	335	Peak	Horizontal	
2 *	6665.00	103.43	111.07	-7.64	88.20	15.23		232	335	Peak	Horizontal	
3	7219.57	65.87	73.20	-7.33	88.20	-22.33		232	335	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5809.41	65.56	73.89	-8.33	88.20	-22.64		100	76	Peak	Vertical	
2 *	6665.00	110.98	118.62	-7.64	88.20	22.78		100	76	Peak	Vertical	
3	7202.39	65.49	72.82	-7.33	88.20	-22.71		100	76	Peak	Vertical	


802.11ax HE160

CH143 (Horizontal) RMS

CH143 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5895.11	55.87	64.21	-8.34	68.20	-12.33	232	335	RMS	Horizontal		
2 *	6665.00	99.12	100.76	-7.64	68.20	24.92	232	335	RMS	Horizontal		
3	7196.30	55.50	62.83	-7.33	68.20	-12.70	232	335	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5869.91	56.02	64.20	-8.18	68.20	-12.18	100	76	RMS	Vertical		
2 *	6665.00	99.77	107.41	-7.64	68.20	31.57	100	76	RMS	Vertical		
3	7231.38	55.87	63.20	-7.33	68.20	-12.33	100	76	RMS	Vertical		


802.11ax HE160

CH175 (Horizontal) Peak

CH175 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5893.68	65.26	73.60	-8.34	88.20	-22.94	283	350	Peak	Horizontal		
2 *	6825.00	102.55	110.13	-7.58	88.20	14.35	283	350	Peak	Horizontal		
3	7191.65	65.60	72.93	-7.33	88.20	-22.60	283	350	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5790.31	65.73	74.08	-8.35	88.20	-22.47	100	76	Peak	Vertical		
2 *	6825.00	100.71	116.29	-7.58	88.20	28.09	100	76	Peak	Vertical		
3	7140.09	64.23	71.54	-7.31	88.20	-23.97	100	76	Peak	Vertical		


802.11ax HE160

CH175 (Horizontal) RMS

CH175 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5837.33	56.04	64.30	-8.26	68.20	-12.16		283	350 RMS	Horizontal		
2 *	6825.00	92.02	100.40	-7.58	68.20	24.62		283	350 RMS	Horizontal		
3	7223.51	55.72	63.05	-7.33	68.20	-12.48		283	350 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5770.39	56.02	64.44	-8.42	68.20	-12.18		100	76 RMS	Vertical		
2 *	6825.00	100.24	107.82	-7.58	68.20	32.04		100	76 RMS	Vertical		
3	7212.41	56.18	63.51	-7.33	68.20	-12.02		100	76 RMS	Vertical		

U-NII 8

802.11ax HE20

CH189 (Horizontal) Peak

CH189 (Vertical) Peak




802.11ax HE20

CH189 (Horizontal) RMS

CH189 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5781.48	49.44	5.65	43.79	68.20	-18.76		220	351	RMS	Horizontal	
2 *	6895.00	98.64	53.42	45.22	68.20	30.44		220	351	RMS	Horizontal	
3	7242.12	49.21	3.74	45.47	68.20	-18.99		220	351	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5900.57	48.48	4.24	44.16	68.20	-19.88		100	84	RMS	Vertical	
2 *	6895.00	107.61	62.39	45.22	68.20	39.41		100	84	RMS	Vertical	
3	7244.63	49.67	4.20	45.47	68.20	-18.53		100	84	RMS	Vertical	


802.11ax HE20

CH209 (Horizontal) Peak

CH209 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5823.73	65.35	73.64	-8.29	88.20	-22.85		260	354	Peak	Horizontal	
2 *	6995.00	118.56	117.89	-7.24	88.20	22.36		260	354	Peak	Horizontal	
3	7226.37	65.26	72.59	-7.33	88.20	-22.94		260	354	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5843.06	65.12	73.37	-8.25	88.20	-23.08		100	102	Peak	Vertical	
2 *	6995.00	118.35	125.59	-7.24	88.20	38.15		100	102	Peak	Vertical	
3	7226.29	64.88	72.13	-7.33	88.20	-23.40		100	102	Peak	Vertical	


802.11ax HE20

CH209 (Horizontal) RMS

CH209 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5887.98	53.24	61.56	-8.32	88.20	-34.96		260	354	RMS	Horizontal	
2 *	6995.00	99.62	106.87	-7.25	68.20	31.42	260	354	RMS	Horizontal		
3	7244.99	53.38	60.71	-7.33	88.20	-34.82		260	354	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5813.35	53.27	61.59	-8.32	68.20	-14.93		100	102	RMS	Vertical	
2 *	6995.00	106.92	114.16	-7.24	68.20	38.72	100	102	RMS	Vertical		
3	7246.42	53.28	60.61	-7.33	68.20	-14.92		100	102	RMS	Vertical	


802.11ax HE20

CH233 (Horizontal) Peak

CH233 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5825.52	65.29	73.59	-8.30	88.20	-22.91		262	352 Peak	Horizontal		
2	7115.00	87.34	94.69	-7.26	88.20	-0.86		262	352 Peak	Horizontal		
3	7233.89	65.57	72.90	-7.33	88.20	-22.63		262	352 Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5494.01	64.89	73.65	-8.76	88.20	-23.31		100	123 Peak	Vertical		
2	7115.00	95.36	102.62	-7.26	88.20	7.16		100	123 Peak	Vertical		
3	7125.42	73.17	80.45	-7.28	88.20	-15.03		100	123 Peak	Vertical		