


802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)


CSE NdB

2437MHz

25/06/2019



Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43574G	9.45	-20.55	1.96623G	-53.79	2.3995G	-41.54	2.48452G	-47.69	17.23718G	-42.19	2

802.11ac VHT20_Nss1,(MCS0)_1TX(Port2)


CSE NdB

2462MHz

25/06/2019



Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43574G	9.45	-20.55	2.19457G	-53.46	2.3978G	-52.17	2.48352G	-38.93	24.9129G	-42.24	2

802.11ac VHT20_Nss1,(MCS0)_2TX

2412MHz

CSE NdB

25/06/2019




802.11ac VHT20_Nss1,(MCS0)_2TX

2437MHz

CSE NdB

25/06/2019




802.11ac VHT20_Nss1,(MCS0)_2TX


2462MHz

CSE NdB

25/06/2019



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43574G	9.32	-20.68	2.30758G	-53.72	2.39418G	-53.16	2.48384G	-43.00	17.57152G	-41.92	1
2.43574G	9.32	-20.68	2.16049G	-54.74	2.39906G	-52.49	2.48424G	-42.05	24.85952G	-41.56	2

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)


2422MHz

CSE NdB

25/06/2019



Port 1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44071G	4.59	-25.41	2.30082G	-47.45	2.39976G	-28.69	2.54154G	-44.43	23.32568G	-42.28	1

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)


CSE NdB

2437MHz

25/06/2019



Port1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44071G	4.59	-25.41	2.30884G	-54.50	2.39952G	-35.23	2.4845G	-38.73	24.55127G	-41.80	1

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)


CSE NdB

2452MHz

25/06/2019



Port1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44071G	4.59	-25.41	2.02888G	-54.99	2.39572G	-44.69	2.48498G	-37.44	15.14196G	-42.33	1

802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)


CSE NdB

2422MHz

25/06/2019



Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43198G	4.43	-25.57	2.10989G	-53.17	2.39988G	-32.91	2.50074G	-50.55	23.29202G	-41.54	2

802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)


CSE NdB

2437MHz

25/06/2019



Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43198G	4.43	-25.57	2.30855G	-53.32	2.39924G	-33.92	2.4857G	-38.73	24.13099G	-42.17	2

802.11ac VHT40_Nss1,(MCS0)_1TX(Port2)


CSE NdB

2452MHz

25/06/2019



Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43198G	4.43	-25.57	2.1451G	-54.44	2.39452G	-48.29	2.48574G	-36.55	16.49657G	-42.20	2

802.11ac VHT40_Nss1,(MCS0)_2TX


CSE NdB

2422MHz

25/06/2019



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.45198G	3.74	-26.26	2.30912G	-55.01	2.39972G	-35.10	2.5425G	-46.41	16.21891G	-41.59	1
2.45198G	3.74	-26.26	2.30769G	-54.02	2.39972G	-33.40	2.48546G	-50.42	23.30324G	-42.15	2

802.11ac VHT40_Nss1,(MCS0)_2TX

2437MHz

CSE NdB

25/06/2019




802.11ac VHT40_Nss1,(MCS0)_2TX

2452MHz

CSE NdB

25/06/2019




802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


CSE NdB

2412MHz

25/06/2019



Port1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44196G	9.33	-20.67	2.30379G	-54.53	2.39976G	-25.06	2.4965G	-50.79	16.29317G	-41.90	1

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


CSE NdB

2437MHz

25/06/2019



Port1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44196G	9.33	-20.67	2.30845G	-53.38	2.39668G	-37.06	2.48378G	-45.02	24.33132G	-41.83	1

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


CSE NdB

2462MHz

25/06/2019



Port 1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44196G	9.33	-20.67	2.30583G	-55.29	2.39448G	-52.61	2.48402G	-37.55	23.42665G	-41.46	1

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


CSE NdB

2412MHz

25/06/2019



Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43574G	9.22	-20.78	2.10021G	-54.87	2.3999G	-27.00	2.48382G	-50.54	24.65723G	-41.85	2

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


CSE NdB

2437MHz

25/06/2019



Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43574G	9.22	-20.78	2.30059G	-53.95	2.39742G	-39.62	2.48536G	-45.59	16.21169G	-41.36	2

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


CSE NdB

2462MHz

25/06/2019



Port 2




RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43574G	9.22	-20.78	2.30845G	-55.03	2.39384G	-52.97	2.4841G	-36.78	23.24683G	-42.51	2

802.11ax HEW20_Nss1,(MCS0)_2TX

CSE NdB


2412MHz



802.11ax HEW20_Nss1,(MCS0)_2TX

CSE NdB

2437MHz




802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz

CSE NdB

25/06/2019



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.442G	9.91	-20.09	2.01574G	-55.01	2.39146G	-51.83	2.48442G	-39.01	16.87194G	-41.17	1
2.442G	9.91	-20.09	2.30408G	-53.02	2.39622G	-52.35	2.48444G	-36.37	23.25526G	-41.62	2

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2422MHz

CSE NdB

25/06/2019



Port 1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43449G	4.30	-25.70	2.30311G	-47.22	2.39936G	-28.06	2.4875G	-44.52	23.28361G	-41.41	1

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


CSE NdB

2437MHz

25/06/2019



Port1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43449G	4.30	-25.70	908.79M	-55.10	2.39904G	-33.06	2.48458G	-37.45	23.4014G	-41.13	1

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


CSE NdB

2452MHz

25/06/2019



Port1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43449G	4.30	-25.70	2.30683G	-53.89	2.3976G	-42.78	2.48746G	-34.93	23.27519G	-42.18	1

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


CSE NdB

2422MHz

25/06/2019



Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43198G	4.35	-25.65	2.19663G	-54.65	2.39752G	-32.20	2.48698G	-48.32	16.84714G	-42.08	2

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


CSE NdB

2437MHz

25/06/2019



Port 2




RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43198G	4.35	-25.65	2.01314G	-53.58	2.39816G	-32.00	2.48462G	-36.95	16.88921G	-41.41	2

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

CSE NdB


2452MHz



802.11ax HEW40_Nss1,(MCS0)_2TX

CSE NdB


2422MHz



802.11ax HEW40_Nss1,(MCS0)_2TX

CSE NdB


2437MHz



802.11ax HEW40_Nss1,(MCS0)_2TX

CSE NdB

2452MHz



**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_2TX	Pass	2.43599G	9.72	-20.28	2.30321G	-50.77	2.39938G	-30.20	2.48682G	-47.77	15.33791G	-38.05	1
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	Pass	2.42497G	8.46	-21.54	1.94644G	-50.99	2.39864G	-48.41	2.48362G	-31.19	24.41104G	-37.77	1
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	2.43649G	9.39	-20.61	2.15846G	-49.04	2.39994G	-29.11	2.49866G	-48.47	23.48846G	-37.00	1
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	2.42852G	8.26	-21.74	2.14625G	-51.09	2.39104G	-48.38	2.49014G	-31.53	24.84575G	-37.78	2


Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11ac VHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43599G	9.72	-20.28	2.30321G	-50.77	2.39938G	-30.20	2.48682G	-47.77	15.33791G	-38.05	1
2412MHz	Pass	2.43599G	9.72	-20.28	2.1238G	-50.10	2.3999G	-33.48	2.49108G	-48.26	16.72584G	-37.68	2
2437MHz	Pass	2.43599G	9.72	-20.28	2.19224G	-50.46	2.39832G	-47.98	2.48828G	-47.30	16.90003G	-37.41	1
2437MHz	Pass	2.43599G	9.72	-20.28	1.98807G	-51.13	2.39416G	-48.52	2.50072G	-47.94	24.93257G	-37.41	2
2462MHz	Pass	2.43599G	9.72	-20.28	1.97905G	-51.06	2.39658G	-49.78	2.48416G	-41.45	23.39855G	-37.49	1
2462MHz	Pass	2.43599G	9.72	-20.28	2.30408G	-51.22	2.39718G	-48.89	2.48764G	-43.96	24.86514G	-37.98	2
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.42497G	8.46	-21.54	2.30397G	-50.54	2.39996G	-35.63	2.51674G	-47.81	23.42103G	-37.63	1
2422MHz	Pass	2.42497G	8.46	-21.54	2.19834G	-50.95	2.39976G	-37.49	2.51262G	-47.65	23.13216G	-37.26	2
2437MHz	Pass	2.42497G	8.46	-21.54	2.13136G	-50.16	2.3996G	-44.75	2.48486G	-47.58	16.42084G	-37.69	1
2437MHz	Pass	2.42497G	8.46	-21.54	2.15741G	-50.61	2.392G	-34.55	2.5047G	-44.04	24.40263G	-37.60	2
2452MHz	Pass	2.42497G	8.46	-21.54	1.94644G	-50.99	2.39864G	-48.41	2.48362G	-31.19	24.41104G	-37.77	1
2452MHz	Pass	2.42497G	8.46	-21.54	2.01056G	-51.09	2.3902G	-42.21	2.48902G	-37.63	16.36756G	-37.60	2
802.11ac HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43649G	9.39	-20.61	2.15846G	-49.04	2.39994G	-29.11	2.49866G	-48.47	23.48846G	-37.00	1
2412MHz	Pass	2.43649G	9.39	-20.61	2.07865G	-50.98	2.39984G	-31.91	2.48978G	-47.86	15.02886G	-36.98	2
2437MHz	Pass	2.43649G	9.39	-20.61	2.04458G	-51.01	2.3911G	-48.02	2.49436G	-48.03	23.43788G	-36.91	1
2437MHz	Pass	2.43649G	9.39	-20.61	2.00671G	-51.43	2.39086G	-48.76	2.50192G	-47.42	24.1768G	-38.24	2
2462MHz	Pass	2.43649G	9.39	-20.61	2.09758G	-49.92	2.397G	-49.18	2.48616G	-43.67	16.77641G	-38.43	1
2462MHz	Pass	2.43649G	9.39	-20.61	2.15962G	-50.97	2.39798G	-49.80	2.48386G	-44.84	24.37347G	-37.84	2
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.42852G	8.26	-21.74	2.15741G	-51.05	2.39992G	-38.33	2.49274G	-47.27	24.49518G	-37.53	1
2422MHz	Pass	2.42852G	8.26	-21.74	2.12163G	-50.92	2.39988G	-37.93	2.50286G	-47.38	23.14618G	-38.50	2
2437MHz	Pass	2.42852G	8.26	-21.74	2.12421G	-50.99	2.3982G	-34.44	2.48358G	-39.68	24.46713G	-37.87	1
2437MHz	Pass	2.42852G	8.26	-21.74	2.30741G	-50.53	2.39952G	-36.61	2.48994G	-44.33	23.4042G	-38.34	2
2452MHz	Pass	2.42852G	8.26	-21.74	2.1617G	-50.60	2.39796G	-47.87	2.48774G	-36.37	17.31269G	-37.76	1
2452MHz	Pass	2.42852G	8.26	-21.74	2.14625G	-51.09	2.39104G	-48.38	2.49014G	-31.53	24.84575G	-37.78	2

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

2412MHz


CSE NdB



802.11ac VHT20-BF_Nss1,(MCS0)_2TX

2437MHz


CSE NdB



802.11ac VHT20-BF_Nss1,(MCS0)_2TX

CSE NdB


2462MHz



802.11ac VHT40-BF_Nss1,(MCS0)_2TX

CSE NdB


2422MHz



802.11ac VHT40-BF_Nss1,(MCS0)_2TX

CSE NdB


2437MHz



802.11ac VHT40-BF_Nss1,(MCS0)_2TX

CSE NdB


2452MHz



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

CSE NdB


2412MHz



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

CSE NdB


2437MHz



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

CSE NdB


2462MHz



802.11ax HEW40-BF_Nss1,(MCS0)_2TX

CSE NdB


2422MHz



802.11ax HEW40-BF_Nss1,(MCS0)_2TX

CSE NdB


2437MHz



802.11ax HEW40-BF_Nss1,(MCS0)_2TX

CSE NdB

2452MHz



**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	2.41098G	10.57	-19.43	1.76556G	-54.20	2.39952G	-36.05	2.49646G	-49.01	15.31544G	-39.34	1
802.11g_Nss1,(6Mbps)_1TX	Pass	2.442G	7.41	-22.59	1.84012G	-54.57	2.39952G	-25.60	2.49598G	-49.19	15.33511G	-40.34	1
802.11ac_VHT20_Nss1,(MCS0)_1TX	Pass	2.442G	7.48	-22.52	2.30991G	-55.46	2.39886G	-25.64	2.499G	-49.69	15.10472G	-40.54	1
802.11ac_VHT40_Nss1,(MCS0)_1TX	Pass	2.442G	1.85	-28.15	2.04978G	-55.25	2.39952G	-31.52	2.5017G	-51.37	15.32426G	-40.55	1

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.41098G	10.57	-19.43	1.76556G	-54.20	2.39952G	-36.05	2.49646G	-49.01	15.31544G	-39.34	1
2437MHz	Pass	2.41098G	10.57	-19.43	1.62459G	-51.84	2.39124G	-50.91	2.49024G	-48.51	24.4409G	-40.43	1
2462MHz	Pass	2.41098G	10.57	-19.43	1.64149G	-48.53	2.39522G	-50.56	2.48352G	-48.09	23.41541G	-39.91	1
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.442G	7.41	-22.59	1.84012G	-54.57	2.39952G	-25.60	2.49598G	-49.19	15.33511G	-40.34	1
2437MHz	Pass	2.442G	7.41	-22.59	2.1436G	-54.41	2.39052G	-49.23	2.492G	-46.89	15.31263G	-40.12	1
2462MHz	Pass	2.442G	7.41	-22.59	1.8841G	-55.03	2.39984G	-50.98	2.4836G	-34.28	16.3606G	-39.25	1
802.11ac VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.442G	7.48	-22.52	2.30991G	-55.46	2.39886G	-25.64	2.499G	-49.69	15.10472G	-40.54	1
2437MHz	Pass	2.442G	7.48	-22.52	1.76003G	-54.55	2.39324G	-47.86	2.48508G	-48.54	23.51936G	-40.65	1
2462MHz	Pass	2.442G	7.48	-22.52	1.97701G	-54.07	2.3995G	-50.53	2.48352G	-35.28	15.10191G	-40.49	1
802.11ac VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.442G	1.85	-28.15	2.04978G	-55.25	2.39952G	-31.52	2.5017G	-51.37	15.32426G	-40.55	1
2437MHz	Pass	2.442G	1.85	-28.15	2.11562G	-54.60	2.39956G	-32.01	2.48386G	-39.18	15.31304G	-39.87	1
2452MHz	Pass	2.442G	1.85	-28.15	2.30712G	-54.84	2.3958G	-52.26	2.4845G	-35.65	24.39141G	-40.37	1

802.11b_Nss1,(1Mbps)_1TX


CSE NdB

2412MHz

28/06/2019



Port1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.41098G	10.57	-19.43	1.76556G	-54.20	2.39952G	-36.05	2.49646G	-49.01	15.31544G	-39.34	1

802.11b_Nss1,(1Mbps)_1TX


CSE NdB

2437MHz

28/06/2019



Port1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.41098G	10.57	-19.43	1.62459G	-51.84	2.39124G	-50.91	2.49024G	-48.51	24.4409G	-40.43	1



802.11b_Nss1,(1Mbps)_1TX

2462MHz

CSE NdB

28/06/2019

Port1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.41098G	10.57	-19.43	1.64149G	-48.53	2.39522G	-50.56	2.48352G	-48.09	23.41541G	-39.91	1



802.11g_Nss1,(6Mbps)_1TX

2412MHz

CSE NdB

28/06/2019

Port1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.442G	7.41	-22.59	1.84012G	-54.57	2.39952G	-25.60	2.49598G	-49.19	15.33511G	-40.34	1

802.11g_Nss1,(6Mbps)_1TX


CSE NdB

2437MHz

28/06/2019



Port1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.442G	7.41	-22.59	2.1436G	-54.41	2.39052G	-49.23	2.492G	-46.89	15.31263G	-40.12	1

802.11g_Nss1,(6Mbps)_1TX


CSE NdB

2462MHz

28/06/2019



Port1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.442G	7.41	-22.59	1.8841G	-55.03	2.39984G	-50.98	2.4836G	-34.28	16.3606G	-39.25	1

802.11ac VHT20_Nss1,(MCS0)_1TX


CSE NdB

2412MHz

28/06/2019



Port1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.442G	7.48	-22.52	2.30991G	-55.46	2.39886G	-25.64	2.499G	-49.69	15.10472G	-40.54	1

802.11ac VHT20_Nss1,(MCS0)_1TX


CSE NdB

2437MHz

28/06/2019



Port1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.442G	7.48	-22.52	1.76003G	-54.55	2.39324G	-47.86	2.48508G	-48.54	23.51936G	-40.65	1



802.11ac VHT20_Nss1,(MCS0)_1TX

2462MHz

CSE NdB

28/06/2019

Port1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.442G	7.48	-22.52	1.97701G	-54.07	2.3995G	-50.53	2.48352G	-35.28	15.10191G	-40.49	1



802.11ac VHT40_Nss1,(MCS0)_1TX

2422MHz

CSE NdB

28/06/2019

Port1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.442G	1.85	-28.15	2.04978G	-55.25	2.39952G	-31.52	2.5017G	-51.37	15.32426G	-40.55	1

802.11ac VHT40_Nss1,(MCS0)_1TX


CSE NdB

2437MHz

28/06/2019



Port1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.442G	1.85	-28.15	2.11562G	-54.60	2.39956G	-32.01	2.48386G	-39.18	15.31304G	-39.87	1

802.11ac VHT40_Nss1,(MCS0)_1TX


CSE NdB

2452MHz

28/06/2019



Port1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.442G	1.85	-28.15	2.30712G	-54.84	2.39956G	-52.26	2.4845G	-35.65	24.39141G	-40.37	1



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	43.58M	35.23	40.00	-4.77	-11.29	3	Vertical	360	1.00	-


**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	43.58M	35.23	40.00	-4.77	-11.29	3	Vertical	360	1.00	-
2437MHz	Pass	PK	90.14M	27.29	43.50	-16.21	-12.55	3	Vertical	360	1.00	-
2437MHz	Pass	PK	212.36M	25.24	43.50	-18.26	-10.54	3	Vertical	360	1.00	-
2437MHz	Pass	PK	375.32M	29.60	46.00	-16.40	-4.48	3	Vertical	360	1.00	-
2437MHz	Pass	PK	425.76M	28.97	46.00	-17.03	-2.88	3	Vertical	360	1.00	-
2437MHz	Pass	PK	551.86M	28.77	46.00	-17.23	-1.06	3	Vertical	360	1.00	-
2437MHz	Pass	PK	37.76M	32.90	40.00	-7.10	-8.64	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	127M	27.60	43.50	-15.90	-8.96	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	214.3M	27.79	43.50	-15.71	-10.54	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	375.32M	32.41	46.00	-13.59	-4.48	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	499.48M	31.48	46.00	-14.52	-2.38	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	625.58M	30.31	46.00	-15.69	-0.43	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	41.64M	29.78	40.00	-10.22	-19.06	3	Vertical	360	1.00	-
2437MHz	Pass	PK	127M	26.94	43.50	-16.56	-18.98	3	Vertical	360	1.00	-
2437MHz	Pass	PK	175.5M	26.46	43.50	-17.04	-20.94	3	Vertical	360	1.00	-
2437MHz	Pass	PK	303.54M	30.11	46.00	-15.89	-16.60	3	Vertical	360	1.00	-
2437MHz	Pass	PK	355.92M	27.82	46.00	-18.18	-15.24	3	Vertical	360	1.00	-
2437MHz	Pass	PK	769.14M	30.22	46.00	-15.78	-7.77	3	Vertical	360	1.00	-
2437MHz	Pass	PK	41.64M	26.77	40.00	-13.23	-19.06	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	144.46M	24.95	43.50	-18.55	-19.15	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	208.48M	27.99	43.50	-15.51	-20.93	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	303.54M	28.48	46.00	-17.52	-16.60	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	355.92M	25.81	46.00	-20.19	-15.24	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	769.14M	29.16	46.00	-16.84	-7.77	3	Horizontal	0	1.00	-

802.11ax HEW40_Nss1,(MCS0)_2TX

24/06/2019

2437MHz_Adapter




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	43.58M	35.23	40.00	-4.77	-11.29	3	Vertical	360	1.00	-	46.52	15.83	0.72	27.84
PK	90.14M	27.29	43.50	-16.21	-12.55	3	Vertical	360	1.00	-	39.84	13.84	1.39	27.78
PK	212.36M	25.24	43.50	-18.26	-10.54	3	Vertical	360	1.00	-	35.78	14.33	2.48	27.35
PK	375.32M	29.60	46.00	-16.40	-4.48	3	Vertical	360	1.00	-	34.08	20.03	3.15	27.66
PK	425.76M	28.97	46.00	-17.03	-2.88	3	Vertical	360	1.00	-	31.85	21.88	3.21	27.97
PK	551.86M	28.77	46.00	-17.23	-1.06	3	Vertical	360	1.00	-	29.83	23.76	3.59	28.41

802.11ax HEW40_Nss1,(MCS0)_2TX

24/06/2019

2437MHz_Adapter




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	37.76M	32.90	40.00	-7.10	-8.64	3	Horizontal	0	1.00	-	41.54	18.67	0.57	27.88
PK	127M	27.60	43.50	-15.90	-8.96	3	Horizontal	0	1.00	-	36.56	17.02	1.69	27.67
PK	214.3M	27.79	43.50	-15.71	-10.54	3	Horizontal	0	1.00	-	38.33	14.31	2.49	27.34
PK	375.32M	32.41	46.00	-13.59	-4.48	3	Horizontal	0	1.00	-	36.89	20.03	3.15	27.66
PK	499.48M	31.48	46.00	-14.52	-2.38	3	Horizontal	0	1.00	-	33.86	22.69	3.31	28.38
PK	625.58M	30.31	46.00	-15.69	-0.43	3	Horizontal	0	1.00	-	30.74	24.24	3.74	28.41

802.11ax HEW40_Nss1,(MCS0)_2TX

28/06/2019

2437MHz_PoE




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	41.64M	29.78	40.00	-10.22	-19.06	3	Vertical	360	1.00	-	48.84	17.63	0.55	37.24
PK	127M	26.94	43.50	-16.56	-18.98	3	Vertical	360	1.00	-	45.92	16.77	0.91	36.66
PK	175.5M	26.46	43.50	-17.04	-20.94	3	Vertical	360	1.00	-	47.40	14.42	1.10	36.46
PK	303.54M	30.11	46.00	-15.89	-16.60	3	Vertical	360	1.00	-	46.71	18.43	1.45	36.48
PK	355.92M	27.82	46.00	-18.18	-15.24	3	Vertical	360	1.00	-	43.06	19.74	1.59	36.57
PK	769.14M	30.22	46.00	-15.78	-7.77	3	Vertical	360	1.00	-	37.99	27.30	2.39	37.46

802.11ax HEW40_Nss1,(MCS0)_2TX

28/06/2019

2437MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	41.64M	26.77	40.00	-13.23	-19.06	3	Horizontal	0	1.00	-	45.83	17.63	0.55	37.24
PK	144.46M	24.95	43.50	-18.55	-19.15	3	Horizontal	0	1.00	-	44.10	16.47	0.97	36.59
PK	208.48M	27.99	43.50	-15.51	-20.93	3	Horizontal	0	1.00	-	48.92	14.24	1.20	36.37
PK	303.54M	28.48	46.00	-17.52	-16.60	3	Horizontal	0	1.00	-	45.08	18.43	1.45	36.48
PK	355.92M	25.81	46.00	-20.19	-15.24	3	Horizontal	0	1.00	-	41.05	19.74	1.59	36.57
PK	769.14M	29.16	46.00	-16.84	-7.77	3	Horizontal	0	1.00	-	36.93	27.30	2.39	37.46

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX(Port1)	Pass	AV	2.4918G	45.91	54.00	-8.09	31.58	3	Horizontal	40	1.50	-
802.11b_Nss1,(1Mbps)_1TX(Port2)	Pass	AV	2.381G	45.77	54.00	-8.23	31.59	3	Horizontal	288	1.50	-
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	2.4886G	45.71	54.00	-8.29	31.57	3	Vertical	317	2.41	-
802.11g_Nss1,(6Mbps)_1TX(Port1)	Pass	AV	2.39G	53.43	54.00	-0.57	31.56	3	Horizontal	31	1.50	-
802.11g_Nss1,(6Mbps)_1TX(Port2)	Pass	AV	2.4835G	53.51	54.00	-0.49	31.58	3	Vertical	5	1.86	-
802.11g_Nss1,(6Mbps)_2TX	Pass	AV	2.39G	53.24	54.00	-0.76	31.56	3	Vertical	342	1.50	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)	Pass	AV	2.39G	53.65	54.00	-0.35	31.56	3	Horizontal	52	1.22	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	AV	2.39G	53.54	54.00	-0.46	31.56	3	Vertical	339	1.04	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	2.3896G	53.80	54.00	-0.20	31.56	3	Horizontal	47	1.98	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)	Pass	PK	2.4835G	73.72	74.00	-0.28	31.58	3	Horizontal	40	1.76	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	AV	2.39G	53.85	54.00	-0.15	31.56	3	Vertical	23	1.97	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	2.4844G	73.70	74.00	-0.30	31.58	3	Vertical	351	1.87	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11b_Nss1,(1Mbps)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3874G	45.36	54.00	-8.64	31.57	3	Vertical	44	1.50	-
2412MHz	Pass	AV	2.411G	102.40	Inf	-Inf	31.54	3	Vertical	44	1.50	-
2412MHz	Pass	PK	2.3794G	56.92	74.00	-17.08	31.58	3	Vertical	44	1.50	-
2412MHz	Pass	PK	2.4128G	104.20	Inf	-Inf	31.54	3	Vertical	44	1.50	-
2412MHz	Pass	AV	2.3862G	45.43	54.00	-8.57	31.57	3	Horizontal	35	1.28	-
2412MHz	Pass	AV	2.413G	104.83	Inf	-Inf	31.54	3	Horizontal	35	1.28	-
2412MHz	Pass	PK	2.3792G	57.19	74.00	-16.81	31.58	3	Horizontal	35	1.28	-
2412MHz	Pass	PK	2.4128G	106.75	Inf	-Inf	31.54	3	Horizontal	35	1.28	-
2412MHz	Pass	AV	4.82407G	40.66	54.00	-13.34	-3.92	3	Vertical	360	2.99	-
2412MHz	Pass	PK	4.82327G	51.20	74.00	-22.80	-3.92	3	Vertical	360	2.99	-
2412MHz	Pass	AV	4.824G	34.30	54.00	-19.70	-3.92	3	Horizontal	29	2.99	-
2412MHz	Pass	PK	4.82382G	44.46	74.00	-29.54	-3.92	3	Horizontal	29	2.99	-
2437MHz	Pass	AV	2.3518G	45.12	54.00	-8.88	31.65	3	Vertical	327	2.94	-
2437MHz	Pass	AV	2.4362G	105.47	Inf	-Inf	31.55	3	Vertical	327	2.94	-
2437MHz	Pass	AV	2.4842G	45.39	54.00	-8.61	31.58	3	Vertical	327	2.94	-
2437MHz	Pass	PK	2.3602G	56.97	74.00	-17.03	31.64	3	Vertical	327	2.94	-
2437MHz	Pass	PK	2.4362G	107.53	Inf	-Inf	31.55	3	Vertical	327	2.94	-
2437MHz	Pass	PK	2.4894G	57.63	74.00	-16.37	31.57	3	Vertical	327	2.94	-
2437MHz	Pass	AV	2.3542G	45.28	54.00	-8.72	31.65	3	Horizontal	39	1.49	-
2437MHz	Pass	AV	2.4362G	105.00	Inf	-Inf	31.55	3	Horizontal	39	1.49	-
2437MHz	Pass	AV	2.4862G	45.49	54.00	-8.51	31.57	3	Horizontal	39	1.49	-
2437MHz	Pass	PK	2.3774G	56.80	74.00	-17.20	31.59	3	Horizontal	39	1.49	-
2437MHz	Pass	PK	2.4362G	107.05	Inf	-Inf	31.55	3	Horizontal	39	1.49	-
2437MHz	Pass	PK	2.4962G	57.10	74.00	-16.90	31.57	3	Horizontal	39	1.49	-
2437MHz	Pass	AV	4.87388G	32.46	54.00	-21.54	-3.91	3	Vertical	9	2.99	-
2437MHz	Pass	PK	4.87426G	43.36	74.00	-30.64	-3.91	3	Vertical	9	2.99	-
2437MHz	Pass	AV	4.87401G	33.84	54.00	-20.16	-3.91	3	Horizontal	319	1.64	-
2437MHz	Pass	PK	4.87379G	43.50	74.00	-30.50	-3.91	3	Horizontal	319	1.64	-
2462MHz	Pass	AV	2.4628G	104.52	Inf	-Inf	31.57	3	Vertical	327	2.08	-
2462MHz	Pass	AV	2.4844G	45.89	54.00	-8.11	31.58	3	Vertical	327	2.08	-
2462MHz	Pass	PK	2.4628G	106.37	Inf	-Inf	31.57	3	Vertical	327	2.08	-
2462MHz	Pass	PK	2.4994G	57.22	74.00	-16.78	31.58	3	Vertical	327	2.08	-
2462MHz	Pass	AV	2.4612G	104.35	Inf	-Inf	31.56	3	Horizontal	40	1.50	-
2462MHz	Pass	AV	2.4918G	45.91	54.00	-8.09	31.58	3	Horizontal	40	1.50	-
2462MHz	Pass	PK	2.4628G	106.46	Inf	-Inf	31.57	3	Horizontal	40	1.50	-
2462MHz	Pass	PK	2.4962G	57.62	74.00	-16.38	31.57	3	Horizontal	40	1.50	-
2462MHz	Pass	AV	4.92404G	32.48	54.00	-21.52	-3.79	3	Vertical	351	2.79	-
2462MHz	Pass	PK	4.92392G	43.18	74.00	-30.82	-3.79	3	Vertical	351	2.79	-
2462MHz	Pass	AV	4.92391G	33.20	54.00	-20.80	-3.79	3	Horizontal	316	2.08	-
2462MHz	Pass	PK	4.9234G	43.48	74.00	-30.52	-3.80	3	Horizontal	316	2.08	-
802.11b_Nss1,(1Mbps)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.386G	45.21	54.00	-8.79	31.57	3	Vertical	12	1.04	-
2412MHz	Pass	AV	2.4112G	104.93	Inf	-Inf	31.54	3	Vertical	12	1.04	-
2412MHz	Pass	PK	2.389G	57.41	74.00	-16.59	31.56	3	Vertical	12	1.04	-
2412MHz	Pass	PK	2.4128G	106.92	Inf	-Inf	31.54	3	Vertical	12	1.04	-
2412MHz	Pass	AV	2.3644G	45.23	54.00	-8.77	31.62	3	Horizontal	289	1.56	-
2412MHz	Pass	AV	2.4112G	103.72	Inf	-Inf	31.54	3	Horizontal	289	1.56	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2412MHz	Pass	PK	2.3714G	57.05	74.00	-16.95	31.60	3	Horizontal	289	1.56	-
2412MHz	Pass	PK	2.4128G	105.61	Inf	-Inf	31.54	3	Horizontal	289	1.56	-
2412MHz	Pass	AV	4.82412G	33.70	54.00	-20.30	-3.92	3	Vertical	2	2.97	-
2412MHz	Pass	PK	4.82402G	43.60	74.00	-30.40	-3.92	3	Vertical	2	2.97	-
2412MHz	Pass	AV	4.82397G	33.92	54.00	-20.08	-3.92	3	Horizontal	22	1.49	-
2412MHz	Pass	PK	4.82614G	44.07	74.00	-29.93	-3.92	3	Horizontal	22	1.49	-
2437MHz	Pass	AV	2.3374G	45.45	54.00	-8.55	31.69	3	Vertical	17	2.97	-
2437MHz	Pass	AV	2.4362G	106.60	Inf	-Inf	31.55	3	Vertical	17	2.97	-
2437MHz	Pass	AV	2.4998G	45.47	54.00	-8.53	31.58	3	Vertical	17	2.97	-
2437MHz	Pass	PK	2.3558G	57.24	74.00	-16.76	31.65	3	Vertical	17	2.97	-
2437MHz	Pass	PK	2.4362G	108.59	Inf	-Inf	31.55	3	Vertical	17	2.97	-
2437MHz	Pass	PK	2.4958G	56.86	74.00	-17.14	31.57	3	Vertical	17	2.97	-
2437MHz	Pass	AV	2.381G	45.77	54.00	-8.23	31.59	3	Horizontal	288	1.50	-
2437MHz	Pass	AV	2.4362G	103.09	Inf	-Inf	31.55	3	Horizontal	288	1.50	-
2437MHz	Pass	AV	2.4902G	45.45	54.00	-8.55	31.58	3	Horizontal	288	1.50	-
2437MHz	Pass	PK	2.3378G	56.66	74.00	-17.34	31.69	3	Horizontal	288	1.50	-
2437MHz	Pass	PK	2.4378G	105.08	Inf	-Inf	31.55	3	Horizontal	288	1.50	-
2437MHz	Pass	PK	2.4926G	56.68	74.00	-17.32	31.58	3	Horizontal	288	1.50	-
2437MHz	Pass	AV	4.87385G	32.07	54.00	-21.93	-3.91	3	Vertical	2	2.97	-
2437MHz	Pass	PK	4.87289G	43.11	74.00	-30.89	-3.91	3	Vertical	2	2.97	-
2437MHz	Pass	AV	4.87399G	33.51	54.00	-20.49	-3.91	3	Horizontal	305	1.90	-
2437MHz	Pass	PK	4.87627G	43.53	74.00	-30.47	-3.90	3	Horizontal	305	1.90	-
2462MHz	Pass	AV	2.4612G	105.64	Inf	-Inf	31.56	3	Vertical	4	1.87	-
2462MHz	Pass	AV	2.4844G	45.61	54.00	-8.39	31.58	3	Vertical	4	1.87	-
2462MHz	Pass	PK	2.4628G	107.65	Inf	-Inf	31.57	3	Vertical	4	1.87	-
2462MHz	Pass	PK	2.4974G	57.79	74.00	-16.21	31.58	3	Vertical	4	1.87	-
2462MHz	Pass	AV	2.4628G	103.41	Inf	-Inf	31.57	3	Horizontal	318	1.99	-
2462MHz	Pass	AV	2.4964G	45.61	54.00	-8.39	31.57	3	Horizontal	318	1.99	-
2462MHz	Pass	PK	2.4628G	105.43	Inf	-Inf	31.57	3	Horizontal	318	1.99	-
2462MHz	Pass	PK	2.4902G	57.10	74.00	-16.90	31.58	3	Horizontal	318	1.99	-
2462MHz	Pass	AV	4.92407G	31.95	54.00	-22.05	-3.79	3	Vertical	171	1.00	-
2462MHz	Pass	PK	4.92258G	42.78	74.00	-31.22	-3.80	3	Vertical	171	1.00	-
2462MHz	Pass	AV	4.92398G	33.08	54.00	-20.92	-3.79	3	Horizontal	309	1.91	-
2462MHz	Pass	PK	4.92372G	43.08	74.00	-30.92	-3.80	3	Horizontal	309	1.91	-
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3804G	45.32	54.00	-8.68	31.59	3	Vertical	296	1.96	-
2412MHz	Pass	AV	2.4112G	105.15	Inf	-Inf	31.54	3	Vertical	296	1.96	-
2412MHz	Pass	PK	2.3816G	56.72	74.00	-17.28	31.58	3	Vertical	296	1.96	-
2412MHz	Pass	PK	2.411G	107.07	Inf	-Inf	31.54	3	Vertical	296	1.96	-
2412MHz	Pass	AV	2.3872G	45.68	54.00	-8.32	31.57	3	Horizontal	64	1.33	-
2412MHz	Pass	AV	2.413G	108.64	Inf	-Inf	31.54	3	Horizontal	64	1.33	-
2412MHz	Pass	PK	2.3896G	57.13	74.00	-16.87	31.56	3	Horizontal	64	1.33	-
2412MHz	Pass	PK	2.4128G	110.38	Inf	-Inf	31.54	3	Horizontal	64	1.33	-
2412MHz	Pass	AV	4.82396G	34.27	54.00	-19.73	-3.92	3	Vertical	357	2.99	-
2412MHz	Pass	PK	4.82417G	44.40	74.00	-29.60	-3.92	3	Vertical	357	2.99	-
2412MHz	Pass	AV	4.8241G	34.27	54.00	-19.73	-3.92	3	Horizontal	35	2.95	-
2412MHz	Pass	PK	4.824G	44.76	74.00	-29.24	-3.92	3	Horizontal	35	2.95	-
2437MHz	Pass	AV	2.3646G	45.34	54.00	-8.66	31.62	3	Vertical	321	1.92	-
2437MHz	Pass	AV	2.4378G	105.66	Inf	-Inf	31.55	3	Vertical	321	1.92	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	AV	2.4842G	45.54	54.00	-8.46	31.58	3	Vertical	321	1.92	-
2437MHz	Pass	PK	2.3586G	57.07	74.00	-16.93	31.64	3	Vertical	321	1.92	-
2437MHz	Pass	PK	2.4378G	107.64	Inf	-Inf	31.55	3	Vertical	321	1.92	-
2437MHz	Pass	PK	2.497G	56.66	74.00	-17.34	31.58	3	Vertical	321	1.92	-
2437MHz	Pass	AV	2.3786G	45.27	54.00	-8.73	31.59	3	Horizontal	34	1.50	-
2437MHz	Pass	AV	2.4362G	108.72	Inf	-Inf	31.55	3	Horizontal	34	1.50	-
2437MHz	Pass	AV	2.4934G	45.42	54.00	-8.58	31.58	3	Horizontal	34	1.50	-
2437MHz	Pass	PK	2.371G	56.93	74.00	-17.07	31.61	3	Horizontal	34	1.50	-
2437MHz	Pass	PK	2.4362G	110.60	Inf	-Inf	31.55	3	Horizontal	34	1.50	-
2437MHz	Pass	PK	2.4854G	56.63	74.00	-17.37	31.57	3	Horizontal	34	1.50	-
2437MHz	Pass	AV	4.87399G	34.48	54.00	-19.52	-3.91	3	Vertical	175	1.32	-
2437MHz	Pass	PK	4.87411G	44.37	74.00	-29.63	-3.91	3	Vertical	175	1.32	-
2437MHz	Pass	AV	4.87397G	36.43	54.00	-17.57	-3.91	3	Horizontal	37	1.50	-
2437MHz	Pass	PK	4.87401G	45.47	74.00	-28.53	-3.91	3	Horizontal	37	1.50	-
2462MHz	Pass	AV	2.4612G	105.85	Inf	-Inf	31.56	3	Vertical	317	2.41	-
2462MHz	Pass	AV	2.4886G	45.71	54.00	-8.29	31.57	3	Vertical	317	2.41	-
2462MHz	Pass	PK	2.4612G	107.85	Inf	-Inf	31.56	3	Vertical	317	2.41	-
2462MHz	Pass	PK	2.4876G	57.00	74.00	-17.00	31.57	3	Vertical	317	2.41	-
2462MHz	Pass	AV	2.4612G	108.42	Inf	-Inf	31.56	3	Horizontal	65	1.50	-
2462MHz	Pass	AV	2.484G	45.70	54.00	-8.30	31.58	3	Horizontal	65	1.50	-
2462MHz	Pass	PK	2.4628G	110.38	Inf	-Inf	31.57	3	Horizontal	65	1.50	-
2462MHz	Pass	PK	2.488G	58.50	74.00	-15.50	31.57	3	Horizontal	65	1.50	-
2462MHz	Pass	AV	4.92388G	32.83	54.00	-21.17	-3.79	3	Vertical	169	1.01	-
2462MHz	Pass	PK	4.92372G	43.65	74.00	-30.35	-3.80	3	Vertical	169	1.01	-
2462MHz	Pass	AV	4.92391G	35.06	54.00	-18.94	-3.79	3	Horizontal	35	1.43	-
2462MHz	Pass	PK	4.92396G	44.94	74.00	-29.06	-3.79	3	Horizontal	35	1.43	-
802.11g_Nss1_(6Mbps)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	52.55	54.00	-1.45	31.56	3	Vertical	45	1.45	-
2412MHz	Pass	AV	2.4152G	95.47	Inf	-Inf	31.54	3	Vertical	45	1.45	-
2412MHz	Pass	PK	2.39G	66.35	74.00	-7.65	31.56	3	Vertical	45	1.45	-
2412MHz	Pass	PK	2.4138G	105.07	Inf	-Inf	31.54	3	Vertical	45	1.45	-
2412MHz	Pass	AV	2.39G	53.24	54.00	-0.76	31.56	3	Horizontal	37	1.29	-
2412MHz	Pass	AV	2.4152G	97.59	Inf	-Inf	31.54	3	Horizontal	37	1.29	-
2412MHz	Pass	PK	2.39G	67.02	74.00	-6.98	31.56	3	Horizontal	37	1.29	-
2412MHz	Pass	PK	2.4138G	107.16	Inf	-Inf	31.54	3	Horizontal	37	1.29	-
2412MHz	Pass	AV	4.82395G	32.13	54.00	-21.87	-3.92	3	Vertical	5	2.93	-
2412MHz	Pass	PK	4.8238G	43.72	74.00	-30.28	-3.92	3	Vertical	5	2.93	-
2412MHz	Pass	AV	4.82393G	31.59	54.00	-22.41	-3.92	3	Horizontal	67	2.87	-
2412MHz	Pass	PK	4.82249G	43.79	74.00	-30.21	-3.92	3	Horizontal	67	2.87	-
2417MHz	Pass	AV	2.3898G	53.24	54.00	-0.76	31.56	3	Vertical	328	2.99	-
2417MHz	Pass	AV	2.4196G	100.34	Inf	-Inf	31.54	3	Vertical	328	2.99	-
2417MHz	Pass	PK	2.3894G	69.40	74.00	-4.60	31.56	3	Vertical	328	2.99	-
2417MHz	Pass	PK	2.4212G	110.35	Inf	-Inf	31.54	3	Vertical	328	2.99	-
2417MHz	Pass	AV	2.39G	53.43	54.00	-0.57	31.56	3	Horizontal	31	1.50	-
2417MHz	Pass	AV	2.4194G	99.15	Inf	-Inf	31.54	3	Horizontal	31	1.50	-
2417MHz	Pass	PK	2.3898G	69.24	74.00	-4.76	31.56	3	Horizontal	31	1.50	-
2417MHz	Pass	PK	2.4224G	108.46	Inf	-Inf	31.55	3	Horizontal	31	1.50	-
2437MHz	Pass	AV	2.3874G	44.72	54.00	-9.28	31.57	3	Vertical	347	1.91	-
2437MHz	Pass	AV	2.4402G	98.47	Inf	-Inf	31.55	3	Vertical	347	1.91	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	AV	2.4835G	46.26	54.00	-7.74	31.58	3	Vertical	347	1.91	-
2437MHz	Pass	PK	2.339G	57.02	74.00	-16.98	31.68	3	Vertical	347	1.91	-
2437MHz	Pass	PK	2.4394G	107.23	Inf	-Inf	31.55	3	Vertical	347	1.91	-
2437MHz	Pass	PK	2.4846G	58.10	74.00	-15.90	31.58	3	Vertical	347	1.91	-
2437MHz	Pass	AV	2.3862G	45.01	54.00	-8.99	31.57	3	Horizontal	39	1.10	-
2437MHz	Pass	AV	2.4394G	99.50	Inf	-Inf	31.55	3	Horizontal	39	1.10	-
2437MHz	Pass	AV	2.4838G	45.91	54.00	-8.09	31.58	3	Horizontal	39	1.10	-
2437MHz	Pass	PK	2.3482G	57.33	74.00	-16.67	31.67	3	Horizontal	39	1.10	-
2437MHz	Pass	PK	2.441G	108.48	Inf	-Inf	31.55	3	Horizontal	39	1.10	-
2437MHz	Pass	PK	2.4898G	59.18	74.00	-14.82	31.58	3	Horizontal	39	1.10	-
2437MHz	Pass	AV	4.87399G	31.60	54.00	-22.40	-3.91	3	Vertical	176	1.32	-
2437MHz	Pass	PK	4.87407G	43.16	74.00	-30.84	-3.91	3	Vertical	176	1.32	-
2437MHz	Pass	AV	4.87404G	31.41	54.00	-22.59	-3.91	3	Horizontal	41	2.97	-
2437MHz	Pass	PK	4.8739G	43.57	74.00	-30.43	-3.91	3	Horizontal	41	2.97	-
2457MHz	Pass	AV	2.4538G	97.69	Inf	-Inf	31.56	3	Vertical	338	1.47	-
2457MHz	Pass	AV	2.4842G	52.30	54.00	-1.70	31.58	3	Vertical	338	1.47	-
2457MHz	Pass	PK	2.4536G	107.72	Inf	-Inf	31.56	3	Vertical	338	1.47	-
2457MHz	Pass	PK	2.4848G	68.34	74.00	-5.66	31.58	3	Vertical	338	1.47	-
2457MHz	Pass	AV	2.4596G	98.50	Inf	-Inf	31.56	3	Horizontal	45	1.93	-
2457MHz	Pass	AV	2.4835G	53.25	54.00	-0.75	31.58	3	Horizontal	45	1.93	-
2457MHz	Pass	PK	2.4584G	107.68	Inf	-Inf	31.56	3	Horizontal	45	1.93	-
2457MHz	Pass	PK	2.4846G	69.08	74.00	-4.92	31.58	3	Horizontal	45	1.93	-
2462MHz	Pass	AV	2.4652G	96.84	Inf	-Inf	31.56	3	Vertical	336	1.86	-
2462MHz	Pass	AV	2.4835G	52.42	54.00	-1.58	31.58	3	Vertical	336	1.86	-
2462MHz	Pass	PK	2.463G	106.39	Inf	-Inf	31.57	3	Vertical	336	1.86	-
2462MHz	Pass	PK	2.4835G	66.95	74.00	-7.05	31.58	3	Vertical	336	1.86	-
2462MHz	Pass	AV	2.4644G	97.96	Inf	-Inf	31.57	3	Horizontal	41	1.49	-
2462MHz	Pass	AV	2.4835G	53.13	54.00	-0.87	31.58	3	Horizontal	41	1.49	-
2462MHz	Pass	PK	2.46G	106.62	Inf	-Inf	31.56	3	Horizontal	41	1.49	-
2462MHz	Pass	PK	2.4836G	66.88	74.00	-7.12	31.58	3	Horizontal	41	1.49	-
2462MHz	Pass	AV	4.92381G	30.56	54.00	-23.44	-3.79	3	Vertical	354	2.69	-
2462MHz	Pass	PK	4.92283G	43.02	74.00	-30.98	-3.80	3	Vertical	354	2.69	-
2462MHz	Pass	AV	4.924G	30.56	54.00	-23.44	-3.79	3	Horizontal	13	1.50	-
2462MHz	Pass	PK	4.92367G	43.25	74.00	-30.75	-3.80	3	Horizontal	13	1.50	-
802.11g_Nss1,(6Mbps)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	52.67	54.00	-1.33	31.56	3	Vertical	27	1.98	-
2412MHz	Pass	AV	2.4142G	97.40	Inf	-Inf	31.54	3	Vertical	27	1.98	-
2412MHz	Pass	PK	2.39G	65.91	74.00	-8.09	31.56	3	Vertical	27	1.98	-
2412MHz	Pass	PK	2.412G	107.41	Inf	-Inf	31.54	3	Vertical	27	1.98	-
2412MHz	Pass	AV	2.39G	51.10	54.00	-2.90	31.56	3	Horizontal	284	1.78	-
2412MHz	Pass	AV	2.4152G	95.78	Inf	-Inf	31.54	3	Horizontal	284	1.78	-
2412MHz	Pass	PK	2.3892G	64.05	74.00	-9.95	31.56	3	Horizontal	284	1.78	-
2412MHz	Pass	PK	2.4158G	105.59	Inf	-Inf	31.54	3	Horizontal	284	1.78	-
2412MHz	Pass	AV	4.82398G	32.08	54.00	-21.92	-3.92	3	Vertical	359	2.93	-
2412MHz	Pass	PK	4.82158G	43.80	74.00	-30.20	-3.93	3	Vertical	359	2.93	-
2412MHz	Pass	AV	4.8238G	32.25	54.00	-21.75	-3.92	3	Horizontal	29	1.40	-
2412MHz	Pass	PK	4.82301G	43.69	74.00	-30.31	-3.92	3	Horizontal	29	1.40	-
2417MHz	Pass	AV	2.39G	53.18	54.00	-0.82	31.56	3	Vertical	343	1.05	-
2417MHz	Pass	AV	2.4196G	99.36	Inf	-Inf	31.54	3	Vertical	343	1.05	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2417MHz	Pass	PK	2.3896G	68.71	74.00	-5.29	31.56	3	Vertical	343	1.05	-
2417MHz	Pass	PK	2.413G	108.69	Inf	-Inf	31.54	3	Vertical	343	1.05	-
2417MHz	Pass	AV	2.39G	52.00	54.00	-2.00	31.56	3	Horizontal	318	1.98	-
2417MHz	Pass	AV	2.419G	99.99	Inf	-Inf	31.54	3	Horizontal	318	1.98	-
2417MHz	Pass	PK	2.3896G	68.21	74.00	-5.79	31.56	3	Horizontal	318	1.98	-
2417MHz	Pass	PK	2.4182G	109.83	Inf	-Inf	31.54	3	Horizontal	318	1.98	-
2437MHz	Pass	AV	2.3898G	45.63	54.00	-8.37	31.56	3	Vertical	14	2.99	-
2437MHz	Pass	AV	2.4338G	101.34	Inf	-Inf	31.55	3	Vertical	14	2.99	-
2437MHz	Pass	AV	2.4835G	45.94	54.00	-8.06	31.58	3	Vertical	14	2.99	-
2437MHz	Pass	PK	2.3894G	58.18	74.00	-15.82	31.56	3	Vertical	14	2.99	-
2437MHz	Pass	PK	2.4398G	111.10	Inf	-Inf	31.55	3	Vertical	14	2.99	-
2437MHz	Pass	PK	2.485G	59.21	74.00	-14.79	31.58	3	Vertical	14	2.99	-
2437MHz	Pass	AV	2.387G	44.60	54.00	-9.40	31.57	3	Horizontal	284	1.51	-
2437MHz	Pass	AV	2.4402G	97.81	Inf	-Inf	31.55	3	Horizontal	284	1.51	-
2437MHz	Pass	AV	2.4835G	45.17	54.00	-8.83	31.58	3	Horizontal	284	1.51	-
2437MHz	Pass	PK	2.3798G	57.78	74.00	-16.22	31.58	3	Horizontal	284	1.51	-
2437MHz	Pass	PK	2.437G	107.38	Inf	-Inf	31.55	3	Horizontal	284	1.51	-
2437MHz	Pass	PK	2.4862G	57.43	74.00	-16.57	31.57	3	Horizontal	284	1.51	-
2437MHz	Pass	AV	4.87399G	30.85	54.00	-23.15	-3.91	3	Vertical	174	1.33	-
2437MHz	Pass	PK	4.87334G	43.73	74.00	-30.27	-3.91	3	Vertical	174	1.33	-
2437MHz	Pass	AV	4.87396G	33.00	54.00	-21.00	-3.91	3	Horizontal	35	1.01	-
2437MHz	Pass	PK	4.87408G	43.85	74.00	-30.15	-3.91	3	Horizontal	35	1.01	-
2457MHz	Pass	AV	2.4596G	99.43	Inf	-Inf	31.56	3	Vertical	5	1.86	-
2457MHz	Pass	AV	2.4835G	53.51	54.00	-0.49	31.58	3	Vertical	5	1.86	-
2457MHz	Pass	PK	2.4542G	108.66	Inf	-Inf	31.56	3	Vertical	5	1.86	-
2457MHz	Pass	PK	2.4842G	67.85	74.00	-6.15	31.58	3	Vertical	5	1.86	-
2457MHz	Pass	AV	2.4602G	98.66	Inf	-Inf	31.56	3	Horizontal	301	2.99	-
2457MHz	Pass	AV	2.4835G	52.06	54.00	-1.94	31.58	3	Horizontal	301	2.99	-
2457MHz	Pass	PK	2.4584G	107.99	Inf	-Inf	31.56	3	Horizontal	301	2.99	-
2457MHz	Pass	PK	2.4844G	66.54	74.00	-7.46	31.58	3	Horizontal	301	2.99	-
2462MHz	Pass	AV	2.4652G	97.84	Inf	-Inf	31.56	3	Vertical	351	1.87	-
2462MHz	Pass	AV	2.4835G	53.42	54.00	-0.58	31.58	3	Vertical	351	1.87	-
2462MHz	Pass	PK	2.4634G	107.67	Inf	-Inf	31.57	3	Vertical	351	1.87	-
2462MHz	Pass	PK	2.4835G	68.01	74.00	-5.99	31.58	3	Vertical	351	1.87	-
2462MHz	Pass	AV	2.4644G	96.17	Inf	-Inf	31.57	3	Horizontal	315	1.96	-
2462MHz	Pass	AV	2.4835G	51.83	54.00	-2.17	31.58	3	Horizontal	315	1.96	-
2462MHz	Pass	PK	2.4644G	105.89	Inf	-Inf	31.57	3	Horizontal	315	1.96	-
2462MHz	Pass	PK	2.4835G	66.35	74.00	-7.65	31.58	3	Horizontal	315	1.96	-
2462MHz	Pass	AV	4.92407G	30.06	54.00	-23.94	-3.79	3	Vertical	334	1.50	-
2462MHz	Pass	PK	4.92454G	42.76	74.00	-31.24	-3.79	3	Vertical	334	1.50	-
2462MHz	Pass	AV	4.92397G	30.34	54.00	-23.66	-3.79	3	Horizontal	6	1.05	-
2462MHz	Pass	PK	4.92499G	42.51	74.00	-31.49	-3.79	3	Horizontal	6	1.05	-
802.11g_Nss1_(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3898G	52.54	54.00	-1.46	31.56	3	Vertical	356	2.99	-
2412MHz	Pass	AV	2.4146G	101.84	Inf	-Inf	31.55	3	Vertical	356	2.99	-
2412MHz	Pass	PK	2.39G	69.05	74.00	-4.95	31.56	3	Vertical	356	2.99	-
2412MHz	Pass	PK	2.4146G	110.73	Inf	-Inf	31.55	3	Vertical	356	2.99	-
2412MHz	Pass	AV	2.3878G	48.83	54.00	-5.17	31.57	3	Horizontal	63	1.50	-
2412MHz	Pass	AV	2.4172G	98.74	Inf	-Inf	31.54	3	Horizontal	63	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2412MHz	Pass	PK	2.3876G	63.04	74.00	-10.96	31.57	3	Horizontal	63	1.50	-
2412MHz	Pass	PK	2.4072G	107.69	Inf	-Inf	31.53	3	Horizontal	63	1.50	-
2412MHz	Pass	AV	4.82231G	30.65	54.00	-23.35	-3.93	3	Vertical	203	2.12	-
2412MHz	Pass	PK	4.82398G	43.69	74.00	-30.31	-3.92	3	Vertical	203	2.12	-
2412MHz	Pass	AV	4.82192G	30.50	54.00	-23.50	-3.93	3	Horizontal	295	2.05	-
2412MHz	Pass	PK	4.82211G	43.58	74.00	-30.42	-3.93	3	Horizontal	295	2.05	-
2417MHz	Pass	AV	2.39G	53.24	54.00	-0.76	31.56	3	Vertical	342	1.50	-
2417MHz	Pass	AV	2.4204G	101.35	Inf	-Inf	31.54	3	Vertical	342	1.50	-
2417MHz	Pass	PK	2.3896G	66.34	74.00	-7.66	31.56	3	Vertical	342	1.50	-
2417MHz	Pass	PK	2.42G	109.67	Inf	-Inf	31.54	3	Vertical	342	1.50	-
2417MHz	Pass	AV	2.3882G	50.91	54.00	-3.09	31.57	3	Horizontal	57	2.17	-
2417MHz	Pass	AV	2.4178G	102.25	Inf	-Inf	31.54	3	Horizontal	57	2.17	-
2417MHz	Pass	PK	2.3888G	66.64	74.00	-7.36	31.56	3	Horizontal	57	2.17	-
2417MHz	Pass	PK	2.418G	111.13	Inf	-Inf	31.54	3	Horizontal	57	2.17	-
2437MHz	Pass	AV	2.389G	46.04	54.00	-7.96	31.56	3	Vertical	0	2.95	-
2437MHz	Pass	AV	2.439G	105.71	Inf	-Inf	31.55	3	Vertical	0	2.95	-
2437MHz	Pass	AV	2.4842G	46.87	54.00	-7.13	31.58	3	Vertical	0	2.95	-
2437MHz	Pass	PK	2.3826G	58.05	74.00	-15.95	31.58	3	Vertical	0	2.95	-
2437MHz	Pass	PK	2.4346G	114.89	Inf	-Inf	31.55	3	Vertical	0	2.95	-
2437MHz	Pass	PK	2.4846G	60.43	74.00	-13.57	31.58	3	Vertical	0	2.95	-
2437MHz	Pass	AV	2.3886G	45.74	54.00	-8.26	31.57	3	Horizontal	35	1.50	-
2437MHz	Pass	AV	2.4382G	103.27	Inf	-Inf	31.55	3	Horizontal	35	1.50	-
2437MHz	Pass	AV	2.4835G	46.75	54.00	-7.25	31.58	3	Horizontal	35	1.50	-
2437MHz	Pass	PK	2.3886G	59.09	74.00	-14.91	31.57	3	Horizontal	35	1.50	-
2437MHz	Pass	PK	2.4378G	111.95	Inf	-Inf	31.55	3	Horizontal	35	1.50	-
2437MHz	Pass	PK	2.4838G	59.76	74.00	-14.24	31.58	3	Horizontal	35	1.50	-
2437MHz	Pass	AV	4.8689G	29.90	54.00	-24.10	-3.91	3	Vertical	304	1.68	-
2437MHz	Pass	PK	4.86266G	42.68	74.00	-31.32	-3.91	3	Vertical	304	1.68	-
2437MHz	Pass	AV	4.86632G	29.84	54.00	-24.16	-3.91	3	Horizontal	190	1.87	-
2437MHz	Pass	PK	4.87844G	42.51	74.00	-31.49	-3.90	3	Horizontal	190	1.87	-
2457MHz	Pass	AV	2.4596G	103.70	Inf	-Inf	31.56	3	Vertical	0	2.89	-
2457MHz	Pass	AV	2.484G	53.24	54.00	-0.76	31.58	3	Vertical	0	2.89	-
2457MHz	Pass	PK	2.4544G	112.91	Inf	-Inf	31.56	3	Vertical	0	2.89	-
2457MHz	Pass	PK	2.4846G	68.56	74.00	-5.44	31.58	3	Vertical	0	2.89	-
2457MHz	Pass	AV	2.4578G	101.33	Inf	-Inf	31.56	3	Horizontal	50	1.50	-
2457MHz	Pass	AV	2.4835G	51.12	54.00	-2.88	31.58	3	Horizontal	50	1.50	-
2457MHz	Pass	PK	2.4578G	110.81	Inf	-Inf	31.56	3	Horizontal	50	1.50	-
2457MHz	Pass	PK	2.4835G	66.82	74.00	-7.18	31.58	3	Horizontal	50	1.50	-
2462MHz	Pass	AV	2.4648G	102.15	Inf	-Inf	31.57	3	Vertical	348	1.86	-
2462MHz	Pass	AV	2.4846G	51.31	54.00	-2.69	31.58	3	Vertical	348	1.86	-
2462MHz	Pass	PK	2.4596G	111.54	Inf	-Inf	31.56	3	Vertical	348	1.86	-
2462MHz	Pass	PK	2.4862G	66.03	74.00	-7.97	31.57	3	Vertical	348	1.86	-
2462MHz	Pass	AV	2.4632G	100.15	Inf	-Inf	31.57	3	Horizontal	36	1.50	-
2462MHz	Pass	AV	2.4835G	51.06	54.00	-2.94	31.58	3	Horizontal	36	1.50	-
2462MHz	Pass	PK	2.463G	108.80	Inf	-Inf	31.57	3	Horizontal	36	1.50	-
2462MHz	Pass	PK	2.4835G	65.57	74.00	-8.43	31.58	3	Horizontal	36	1.50	-
2462MHz	Pass	AV	4.93618G	29.77	54.00	-24.23	-3.74	3	Vertical	257	2.01	-
2462MHz	Pass	PK	4.92814G	42.75	74.00	-31.25	-3.77	3	Vertical	257	2.01	-
2462MHz	Pass	AV	4.92376G	29.78	54.00	-24.22	-3.79	3	Horizontal	163	2.02	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2462MHz	Pass	PK	4.93882G	42.77	74.00	-31.23	-3.72	3	Horizontal	163	2.02	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	52.16	54.00	-1.84	31.56	3	Vertical	343	2.98	-
2412MHz	Pass	AV	2.4178G	95.71	Inf	-Inf	31.54	3	Vertical	343	2.98	-
2412MHz	Pass	PK	2.3886G	67.26	74.00	-6.74	31.57	3	Vertical	343	2.98	-
2412MHz	Pass	PK	2.418G	108.91	Inf	-Inf	31.54	3	Vertical	343	2.98	-
2412MHz	Pass	AV	2.39G	53.12	54.00	-0.88	31.56	3	Horizontal	35	1.33	-
2412MHz	Pass	AV	2.4088G	96.77	Inf	-Inf	31.54	3	Horizontal	35	1.33	-
2412MHz	Pass	PK	2.3888G	69.09	74.00	-4.91	31.56	3	Horizontal	35	1.33	-
2412MHz	Pass	PK	2.4136G	109.81	Inf	-Inf	31.54	3	Horizontal	35	1.33	-
2412MHz	Pass	AV	4.82244G	30.21	54.00	-23.79	-3.92	3	Vertical	228	2.98	-
2412MHz	Pass	PK	4.82469G	43.51	74.00	-30.49	-3.92	3	Vertical	228	2.98	-
2412MHz	Pass	AV	4.82399G	30.62	54.00	-23.38	-3.92	3	Horizontal	18	2.98	-
2412MHz	Pass	PK	4.82376G	43.70	74.00	-30.30	-3.92	3	Horizontal	18	2.98	-
2417MHz	Pass	AV	2.39G	53.14	54.00	-0.86	31.56	3	Vertical	343	2.96	-
2417MHz	Pass	AV	2.4208G	97.25	Inf	-Inf	31.54	3	Vertical	343	2.96	-
2417MHz	Pass	PK	2.3866G	66.92	74.00	-7.08	31.56	3	Vertical	343	2.96	-
2417MHz	Pass	PK	2.4236G	110.48	Inf	-Inf	31.55	3	Vertical	343	2.96	-
2417MHz	Pass	AV	2.39G	53.65	54.00	-0.35	31.56	3	Horizontal	52	1.22	-
2417MHz	Pass	AV	2.4212G	97.80	Inf	-Inf	31.54	3	Horizontal	52	1.22	-
2417MHz	Pass	PK	2.388G	67.93	74.00	-6.07	31.57	3	Horizontal	52	1.22	-
2417MHz	Pass	PK	2.4186G	110.77	Inf	-Inf	31.54	3	Horizontal	52	1.22	-
2437MHz	Pass	AV	2.3898G	45.44	54.00	-8.56	31.56	3	Vertical	360	2.96	-
2437MHz	Pass	AV	2.4358G	99.72	Inf	-Inf	31.55	3	Vertical	360	2.96	-
2437MHz	Pass	AV	2.4835G	45.63	54.00	-8.37	31.58	3	Vertical	360	2.96	-
2437MHz	Pass	PK	2.3898G	58.62	74.00	-15.38	31.56	3	Vertical	360	2.96	-
2437MHz	Pass	PK	2.4322G	112.64	Inf	-Inf	31.55	3	Vertical	360	2.96	-
2437MHz	Pass	PK	2.4846G	58.40	74.00	-15.60	31.58	3	Vertical	360	2.96	-
2437MHz	Pass	AV	2.3898G	45.54	54.00	-8.46	31.56	3	Horizontal	39	1.50	-
2437MHz	Pass	AV	2.4346G	100.05	Inf	-Inf	31.55	3	Horizontal	39	1.50	-
2437MHz	Pass	AV	2.4838G	46.54	54.00	-7.46	31.58	3	Horizontal	39	1.50	-
2437MHz	Pass	PK	2.3898G	61.07	74.00	-12.93	31.56	3	Horizontal	39	1.50	-
2437MHz	Pass	PK	2.4318G	112.56	Inf	-Inf	31.55	3	Horizontal	39	1.50	-
2437MHz	Pass	PK	2.4838G	60.72	74.00	-13.28	31.58	3	Horizontal	39	1.50	-
2437MHz	Pass	AV	4.87419G	29.59	54.00	-24.41	-3.91	3	Vertical	339	2.83	-
2437MHz	Pass	PK	4.87338G	42.65	74.00	-31.35	-3.91	3	Vertical	339	2.83	-
2437MHz	Pass	AV	4.8741G	29.83	54.00	-24.17	-3.91	3	Horizontal	9	1.36	-
2437MHz	Pass	PK	4.87398G	42.99	74.00	-31.01	-3.91	3	Horizontal	9	1.36	-
2457MHz	Pass	AV	2.4546G	96.76	Inf	-Inf	31.56	3	Vertical	338	1.50	-
2457MHz	Pass	AV	2.4835G	53.49	54.00	-0.51	31.58	3	Vertical	338	1.50	-
2457MHz	Pass	PK	2.45G	109.41	Inf	-Inf	31.56	3	Vertical	338	1.50	-
2457MHz	Pass	PK	2.4836G	69.34	74.00	-4.66	31.58	3	Vertical	338	1.50	-
2457MHz	Pass	AV	2.4616G	96.12	Inf	-Inf	31.56	3	Horizontal	48	1.04	-
2457MHz	Pass	AV	2.4835G	53.62	54.00	-0.38	31.58	3	Horizontal	48	1.04	-
2457MHz	Pass	PK	2.4622G	109.09	Inf	-Inf	31.56	3	Horizontal	48	1.04	-
2457MHz	Pass	PK	2.4835G	67.45	74.00	-6.55	31.58	3	Horizontal	48	1.04	-
2462MHz	Pass	AV	2.464G	96.04	Inf	-Inf	31.57	3	Vertical	336	2.08	-
2462MHz	Pass	AV	2.4835G	51.46	54.00	-2.54	31.58	3	Vertical	336	2.08	-
2462MHz	Pass	PK	2.4596G	109.23	Inf	-Inf	31.56	3	Vertical	336	2.08	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2462MHz	Pass	PK	2.4835G	68.58	74.00	-5.42	31.58	3	Vertical	336	2.08	-
2462MHz	Pass	AV	2.4642G	97.16	Inf	-Inf	31.57	3	Horizontal	49	1.50	-
2462MHz	Pass	AV	2.4835G	53.15	54.00	-0.85	31.58	3	Horizontal	49	1.50	-
2462MHz	Pass	PK	2.4668G	109.86	Inf	-Inf	31.56	3	Horizontal	49	1.50	-
2462MHz	Pass	PK	2.4848G	69.98	74.00	-4.02	31.58	3	Horizontal	49	1.50	-
2462MHz	Pass	AV	4.92256G	29.36	54.00	-24.64	-3.80	3	Vertical	247	2.35	-
2462MHz	Pass	PK	4.91872G	42.83	74.00	-31.17	-3.81	3	Vertical	247	2.35	-
2462MHz	Pass	AV	4.92214G	29.30	54.00	-24.70	-3.80	3	Horizontal	97	1.22	-
2462MHz	Pass	PK	4.93354G	42.23	74.00	-31.77	-3.75	3	Horizontal	97	1.22	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	52.29	54.00	-1.71	31.56	3	Vertical	23	1.98	-
2412MHz	Pass	AV	2.4132G	96.48	Inf	-Inf	31.54	3	Vertical	23	1.98	-
2412MHz	Pass	PK	2.3898G	69.13	74.00	-4.87	31.56	3	Vertical	23	1.98	-
2412MHz	Pass	PK	2.4094G	109.56	Inf	-Inf	31.54	3	Vertical	23	1.98	-
2412MHz	Pass	AV	2.3898G	50.07	54.00	-3.93	31.56	3	Horizontal	285	1.78	-
2412MHz	Pass	AV	2.4148G	94.26	Inf	-Inf	31.55	3	Horizontal	285	1.78	-
2412MHz	Pass	PK	2.389G	64.77	74.00	-9.23	31.56	3	Horizontal	285	1.78	-
2412MHz	Pass	PK	2.416G	106.81	Inf	-Inf	31.54	3	Horizontal	285	1.78	-
2412MHz	Pass	AV	4.81002G	30.27	54.00	-23.73	-3.93	3	Vertical	338	1.07	-
2412MHz	Pass	PK	4.82274G	43.31	74.00	-30.69	-3.92	3	Vertical	338	1.07	-
2412MHz	Pass	AV	4.81032G	30.14	54.00	-23.86	-3.93	3	Horizontal	107	2.01	-
2412MHz	Pass	PK	4.8153G	43.59	74.00	-30.41	-3.93	3	Horizontal	107	2.01	-
2417MHz	Pass	AV	2.39G	53.54	54.00	-0.46	31.56	3	Vertical	339	1.04	-
2417MHz	Pass	AV	2.4154G	97.07	Inf	-Inf	31.54	3	Vertical	339	1.04	-
2417MHz	Pass	PK	2.3894G	69.26	74.00	-4.74	31.56	3	Vertical	339	1.04	-
2417MHz	Pass	PK	2.4216G	109.72	Inf	-Inf	31.55	3	Vertical	339	1.04	-
2417MHz	Pass	AV	2.39G	52.38	54.00	-1.62	31.56	3	Horizontal	305	1.60	-
2417MHz	Pass	AV	2.4134G	96.12	Inf	-Inf	31.54	3	Horizontal	305	1.60	-
2417MHz	Pass	PK	2.39G	66.08	74.00	-7.92	31.56	3	Horizontal	305	1.60	-
2417MHz	Pass	PK	2.419G	109.16	Inf	-Inf	31.54	3	Horizontal	305	1.60	-
2437MHz	Pass	AV	2.3898G	46.13	54.00	-7.87	31.56	3	Vertical	12	2.99	-
2437MHz	Pass	AV	2.4342G	100.71	Inf	-Inf	31.55	3	Vertical	12	2.99	-
2437MHz	Pass	AV	2.4842G	46.29	54.00	-7.71	31.58	3	Vertical	12	2.99	-
2437MHz	Pass	PK	2.3898G	63.07	74.00	-10.93	31.56	3	Vertical	12	2.99	-
2437MHz	Pass	PK	2.4362G	113.14	Inf	-Inf	31.55	3	Vertical	12	2.99	-
2437MHz	Pass	PK	2.4842G	59.81	74.00	-14.19	31.58	3	Vertical	12	2.99	-
2437MHz	Pass	AV	2.3866G	44.02	54.00	-9.98	31.56	3	Horizontal	65	1.49	-
2437MHz	Pass	AV	2.4406G	96.80	Inf	-Inf	31.55	3	Horizontal	65	1.49	-
2437MHz	Pass	AV	2.4835G	45.42	54.00	-8.58	31.58	3	Horizontal	65	1.49	-
2437MHz	Pass	PK	2.3818G	56.74	74.00	-17.26	31.58	3	Horizontal	65	1.49	-
2437MHz	Pass	PK	2.4418G	109.31	Inf	-Inf	31.56	3	Horizontal	65	1.49	-
2437MHz	Pass	PK	2.4878G	58.21	74.00	-15.79	31.57	3	Horizontal	65	1.49	-
2437MHz	Pass	AV	4.874G	29.76	54.00	-24.24	-3.91	3	Vertical	11	1.66	-
2437MHz	Pass	PK	4.87436G	42.41	74.00	-31.59	-3.91	3	Vertical	11	1.66	-
2437MHz	Pass	AV	4.87394G	29.74	54.00	-24.26	-3.91	3	Horizontal	333	1.43	-
2437MHz	Pass	PK	4.87424G	42.56	74.00	-31.44	-3.91	3	Horizontal	333	1.43	-
2457MHz	Pass	AV	2.4554G	98.48	Inf	-Inf	31.55	3	Vertical	358	2.64	-
2457MHz	Pass	AV	2.4835G	53.10	54.00	-0.90	31.58	3	Vertical	358	2.64	-
2457MHz	Pass	PK	2.4564G	111.01	Inf	-Inf	31.56	3	Vertical	358	2.64	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2457MHz	Pass	PK	2.484G	67.02	74.00	-6.98	31.58	3	Vertical	358	2.64	-
2457MHz	Pass	AV	2.4548G	94.58	Inf	-Inf	31.56	3	Horizontal	56	1.50	-
2457MHz	Pass	AV	2.4835G	49.69	54.00	-4.31	31.58	3	Horizontal	56	1.50	-
2457MHz	Pass	PK	2.4532G	107.51	Inf	-Inf	31.56	3	Horizontal	56	1.50	-
2457MHz	Pass	PK	2.4836G	63.53	74.00	-10.47	31.58	3	Horizontal	56	1.50	-
2462MHz	Pass	AV	2.4636G	96.86	Inf	-Inf	31.57	3	Vertical	347	1.86	-
2462MHz	Pass	AV	2.4835G	53.17	54.00	-0.83	31.58	3	Vertical	347	1.86	-
2462MHz	Pass	PK	2.4676G	109.62	Inf	-Inf	31.56	3	Vertical	347	1.86	-
2462MHz	Pass	PK	2.4835G	71.25	74.00	-2.75	31.58	3	Vertical	347	1.86	-
2462MHz	Pass	AV	2.4636G	94.94	Inf	-Inf	31.57	3	Horizontal	314	1.98	-
2462MHz	Pass	AV	2.4835G	50.90	54.00	-3.10	31.58	3	Horizontal	314	1.98	-
2462MHz	Pass	PK	2.464G	107.63	Inf	-Inf	31.57	3	Horizontal	314	1.98	-
2462MHz	Pass	PK	2.485G	65.18	74.00	-8.82	31.58	3	Horizontal	314	1.98	-
2462MHz	Pass	AV	4.91878G	29.36	54.00	-24.64	-3.80	3	Vertical	191	2.24	-
2462MHz	Pass	PK	4.91962G	42.97	74.00	-31.03	-3.80	3	Vertical	191	2.24	-
2462MHz	Pass	AV	4.92112G	29.30	54.00	-24.70	-3.80	3	Horizontal	349	1.30	-
2462MHz	Pass	PK	4.92688G	42.83	74.00	-31.17	-3.78	3	Horizontal	349	1.30	-
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.388G	53.44	54.00	-0.56	31.57	3	Vertical	356	2.99	-
2412MHz	Pass	AV	2.417G	101.52	Inf	-Inf	31.54	3	Vertical	356	2.99	-
2412MHz	Pass	PK	2.3896G	69.44	74.00	-4.56	31.56	3	Vertical	356	2.99	-
2412MHz	Pass	PK	2.417G	114.11	Inf	-Inf	31.54	3	Vertical	356	2.99	-
2412MHz	Pass	AV	2.39G	51.52	54.00	-2.48	31.56	3	Horizontal	63	1.50	-
2412MHz	Pass	AV	2.413G	98.86	Inf	-Inf	31.54	3	Horizontal	63	1.50	-
2412MHz	Pass	PK	2.3898G	65.93	74.00	-8.07	31.56	3	Horizontal	63	1.50	-
2412MHz	Pass	PK	2.4132G	111.56	Inf	-Inf	31.54	3	Horizontal	63	1.50	-
2412MHz	Pass	AV	4.80918G	30.22	54.00	-23.78	-3.94	3	Vertical	174	1.42	-
2412MHz	Pass	PK	4.82154G	43.08	74.00	-30.92	-3.93	3	Vertical	174	1.42	-
2412MHz	Pass	AV	4.80966G	30.23	54.00	-23.77	-3.93	3	Horizontal	110	1.49	-
2412MHz	Pass	PK	4.81416G	43.79	74.00	-30.21	-3.93	3	Horizontal	110	1.49	-
2417MHz	Pass	AV	2.39G	52.31	54.00	-1.69	31.56	3	Vertical	349	2.99	-
2417MHz	Pass	AV	2.4226G	102.48	Inf	-Inf	31.55	3	Vertical	349	2.99	-
2417MHz	Pass	PK	2.3832G	66.46	74.00	-7.54	31.58	3	Vertical	349	2.99	-
2417MHz	Pass	PK	2.422G	115.98	Inf	-Inf	31.55	3	Vertical	349	2.99	-
2417MHz	Pass	AV	2.3896G	53.80	54.00	-0.20	31.56	3	Horizontal	47	1.98	-
2417MHz	Pass	AV	2.4186G	101.72	Inf	-Inf	31.54	3	Horizontal	47	1.98	-
2417MHz	Pass	PK	2.3878G	70.49	74.00	-3.51	31.57	3	Horizontal	47	1.98	-
2417MHz	Pass	PK	2.4188G	114.88	Inf	-Inf	31.54	3	Horizontal	47	1.98	-
2437MHz	Pass	AV	2.3898G	46.42	54.00	-7.58	31.56	3	Vertical	358	2.97	-
2437MHz	Pass	AV	2.4414G	104.47	Inf	-Inf	31.55	3	Vertical	358	2.97	-
2437MHz	Pass	AV	2.4835G	47.49	54.00	-6.51	31.58	3	Vertical	358	2.97	-
2437MHz	Pass	PK	2.3894G	61.33	74.00	-12.67	31.56	3	Vertical	358	2.97	-
2437MHz	Pass	PK	2.4406G	116.68	Inf	-Inf	31.55	3	Vertical	358	2.97	-
2437MHz	Pass	PK	2.4835G	59.78	74.00	-14.22	31.58	3	Vertical	358	2.97	-
2437MHz	Pass	AV	2.3898G	46.29	54.00	-7.71	31.56	3	Horizontal	32	1.50	-
2437MHz	Pass	AV	2.439G	102.75	Inf	-Inf	31.55	3	Horizontal	32	1.50	-
2437MHz	Pass	AV	2.487G	46.20	54.00	-7.80	31.57	3	Horizontal	32	1.50	-
2437MHz	Pass	PK	2.3886G	60.52	74.00	-13.48	31.57	3	Horizontal	32	1.50	-
2437MHz	Pass	PK	2.4386G	115.08	Inf	-Inf	31.55	3	Horizontal	32	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	PK	2.489G	59.50	74.00	-14.50	31.57	3	Horizontal	32	1.50	-
2437MHz	Pass	AV	4.87389G	29.51	54.00	-24.49	-3.91	3	Vertical	199	1.78	-
2437MHz	Pass	PK	4.87336G	42.50	74.00	-31.50	-3.91	3	Vertical	199	1.78	-
2437MHz	Pass	AV	4.87403G	30.04	54.00	-23.96	-3.91	3	Horizontal	215	2.11	-
2437MHz	Pass	PK	4.87352G	43.28	74.00	-30.72	-3.91	3	Horizontal	215	2.11	-
2457MHz	Pass	AV	2.4538G	100.40	Inf	-Inf	31.56	3	Vertical	333	1.50	-
2457MHz	Pass	AV	2.4835G	53.51	54.00	-0.49	31.58	3	Vertical	333	1.50	-
2457MHz	Pass	PK	2.4548G	113.26	Inf	-Inf	31.56	3	Vertical	333	1.50	-
2457MHz	Pass	PK	2.484G	69.47	74.00	-4.53	31.58	3	Vertical	333	1.50	-
2457MHz	Pass	AV	2.4582G	99.60	Inf	-Inf	31.56	3	Horizontal	53	1.50	-
2457MHz	Pass	AV	2.4874G	49.29	54.00	-4.71	31.57	3	Horizontal	53	1.50	-
2457MHz	Pass	PK	2.4584G	112.23	Inf	-Inf	31.56	3	Horizontal	53	1.50	-
2457MHz	Pass	PK	2.4886G	66.12	74.00	-7.88	31.57	3	Horizontal	53	1.50	-
2462MHz	Pass	AV	2.4674G	101.27	Inf	-Inf	31.56	3	Vertical	346	1.87	-
2462MHz	Pass	AV	2.486G	51.87	54.00	-2.13	31.57	3	Vertical	346	1.87	-
2462MHz	Pass	PK	2.4668G	114.40	Inf	-Inf	31.56	3	Vertical	346	1.87	-
2462MHz	Pass	PK	2.4872G	71.99	74.00	-2.01	31.57	3	Vertical	346	1.87	-
2462MHz	Pass	AV	2.4642G	99.90	Inf	-Inf	31.57	3	Horizontal	34	1.50	-
2462MHz	Pass	AV	2.4835G	52.92	54.00	-1.08	31.58	3	Horizontal	34	1.50	-
2462MHz	Pass	PK	2.4642G	112.37	Inf	-Inf	31.57	3	Horizontal	34	1.50	-
2462MHz	Pass	PK	2.4835G	71.35	74.00	-2.65	31.58	3	Horizontal	34	1.50	-
2462MHz	Pass	AV	4.91518G	29.34	54.00	-24.66	-3.82	3	Vertical	239	1.10	-
2462MHz	Pass	PK	4.9177G	42.55	74.00	-31.45	-3.81	3	Vertical	239	1.10	-
2462MHz	Pass	AV	4.9219G	29.35	54.00	-24.65	-3.80	3	Horizontal	93	1.01	-
2462MHz	Pass	PK	4.92016G	42.49	74.00	-31.51	-3.80	3	Horizontal	93	1.01	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.3892G	52.86	54.00	-1.14	31.56	3	Vertical	336	2.94	-
2422MHz	Pass	AV	2.4232G	94.69	Inf	-Inf	31.55	3	Vertical	336	2.94	-
2422MHz	Pass	AV	2.4835G	45.66	54.00	-8.34	31.58	3	Vertical	336	2.94	-
2422MHz	Pass	PK	2.3864G	71.28	74.00	-2.72	31.56	3	Vertical	336	2.94	-
2422MHz	Pass	PK	2.4232G	107.68	Inf	-Inf	31.55	3	Vertical	336	2.94	-
2422MHz	Pass	PK	2.4872G	57.93	74.00	-16.07	31.57	3	Vertical	336	2.94	-
2422MHz	Pass	AV	2.3892G	53.31	54.00	-0.69	31.56	3	Horizontal	36	1.26	-
2422MHz	Pass	AV	2.4232G	94.58	Inf	-Inf	31.55	3	Horizontal	36	1.26	-
2422MHz	Pass	AV	2.4848G	46.62	54.00	-7.38	31.58	3	Horizontal	36	1.26	-
2422MHz	Pass	PK	2.3892G	71.20	74.00	-2.80	31.56	3	Horizontal	36	1.26	-
2422MHz	Pass	PK	2.43G	106.79	Inf	-Inf	31.55	3	Horizontal	36	1.26	-
2422MHz	Pass	PK	2.4864G	60.23	74.00	-13.77	31.57	3	Horizontal	36	1.26	-
2422MHz	Pass	AV	4.83122G	36.90	54.00	-17.10	2.63	3	Vertical	9	2.44	-
2422MHz	Pass	PK	4.83986G	49.80	74.00	-24.20	2.64	3	Vertical	9	2.44	-
2422MHz	Pass	AV	4.83272G	30.10	54.00	-23.90	-3.93	3	Horizontal	199	2.21	-
2422MHz	Pass	PK	4.8353G	43.31	74.00	-30.69	-3.93	3	Horizontal	199	2.21	-
2437MHz	Pass	AV	2.3898G	50.31	54.00	-3.69	31.56	3	Vertical	357	2.96	-
2437MHz	Pass	AV	2.4358G	94.99	Inf	-Inf	31.55	3	Vertical	357	2.96	-
2437MHz	Pass	AV	2.4835G	49.33	54.00	-4.67	31.58	3	Vertical	357	2.96	-
2437MHz	Pass	PK	2.389G	64.85	74.00	-9.15	31.56	3	Vertical	357	2.96	-
2437MHz	Pass	PK	2.4338G	108.15	Inf	-Inf	31.55	3	Vertical	357	2.96	-
2437MHz	Pass	PK	2.4842G	62.92	74.00	-11.08	31.58	3	Vertical	357	2.96	-
2437MHz	Pass	AV	2.3898G	50.65	54.00	-3.35	31.56	3	Horizontal	41	1.71	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	AV	2.441G	95.00	Inf	-Inf	31.55	3	Horizontal	41	1.71	-
2437MHz	Pass	AV	2.4835G	52.37	54.00	-1.63	31.58	3	Horizontal	41	1.71	-
2437MHz	Pass	PK	2.389G	65.88	74.00	-8.12	31.56	3	Horizontal	41	1.71	-
2437MHz	Pass	PK	2.4402G	108.24	Inf	-Inf	31.55	3	Horizontal	41	1.71	-
2437MHz	Pass	PK	2.4835G	69.36	74.00	-4.64	31.58	3	Horizontal	41	1.71	-
2437MHz	Pass	AV	4.87406G	36.41	54.00	-17.59	2.66	3	Vertical	48	1.45	-
2437MHz	Pass	PK	4.86758G	49.56	74.00	-24.44	2.66	3	Vertical	48	1.45	-
2437MHz	Pass	AV	4.87406G	29.89	54.00	-24.11	-3.91	3	Horizontal	115	2.29	-
2437MHz	Pass	PK	4.8704G	42.89	74.00	-31.11	-3.91	3	Horizontal	115	2.29	-
2447MHz	Pass	AV	2.3886G	45.06	54.00	-8.94	31.57	3	Vertical	331	1.63	-
2447MHz	Pass	AV	2.4438G	93.37	Inf	-Inf	31.56	3	Vertical	331	1.63	-
2447MHz	Pass	AV	2.4835G	52.16	54.00	-1.84	31.58	3	Vertical	331	1.63	-
2447MHz	Pass	PK	2.3886G	60.22	74.00	-13.78	31.57	3	Vertical	331	1.63	-
2447MHz	Pass	PK	2.4478G	106.15	Inf	-Inf	31.55	3	Vertical	331	1.63	-
2447MHz	Pass	PK	2.4846G	68.28	74.00	-5.72	31.58	3	Vertical	331	1.63	-
2447MHz	Pass	AV	2.3894G	45.67	54.00	-8.33	31.56	3	Horizontal	39	2.18	-
2447MHz	Pass	AV	2.4446G	92.59	Inf	-Inf	31.56	3	Horizontal	39	2.18	-
2447MHz	Pass	AV	2.4838G	50.30	54.00	-3.70	31.58	3	Horizontal	39	2.18	-
2447MHz	Pass	PK	2.387G	58.50	74.00	-15.50	31.57	3	Horizontal	39	2.18	-
2447MHz	Pass	PK	2.4494G	105.14	Inf	-Inf	31.56	3	Horizontal	39	2.18	-
2447MHz	Pass	PK	2.4842G	67.61	74.00	-6.39	31.58	3	Horizontal	39	2.18	-
2452MHz	Pass	AV	2.3884G	44.53	54.00	-9.47	31.57	3	Vertical	344	2.89	-
2452MHz	Pass	AV	2.4548G	93.87	Inf	-Inf	31.56	3	Vertical	344	2.89	-
2452MHz	Pass	AV	2.484G	52.98	54.00	-1.02	31.58	3	Vertical	344	2.89	-
2452MHz	Pass	PK	2.3892G	59.07	74.00	-14.93	31.56	3	Vertical	344	2.89	-
2452MHz	Pass	PK	2.4628G	106.67	Inf	-Inf	31.57	3	Vertical	344	2.89	-
2452MHz	Pass	PK	2.484G	73.59	74.00	-0.41	31.58	3	Vertical	344	2.89	-
2452MHz	Pass	AV	2.3892G	45.20	54.00	-8.80	31.56	3	Horizontal	40	1.76	-
2452MHz	Pass	AV	2.4532G	94.20	Inf	-Inf	31.56	3	Horizontal	40	1.76	-
2452MHz	Pass	AV	2.4835G	53.45	54.00	-0.55	31.58	3	Horizontal	40	1.76	-
2452MHz	Pass	PK	2.3888G	57.84	74.00	-16.16	31.56	3	Horizontal	40	1.76	-
2452MHz	Pass	PK	2.4552G	106.92	Inf	-Inf	31.55	3	Horizontal	40	1.76	-
2452MHz	Pass	PK	2.4835G	73.72	74.00	-0.28	31.58	3	Horizontal	40	1.76	-
2452MHz	Pass	AV	4.91774G	35.92	54.00	-18.08	2.77	3	Vertical	163	2.48	-
2452MHz	Pass	PK	4.89764G	48.63	74.00	-25.37	2.68	3	Vertical	163	2.48	-
2452MHz	Pass	AV	4.91762G	29.26	54.00	-24.74	-3.81	3	Horizontal	354	1.66	-
2452MHz	Pass	PK	4.89554G	43.23	74.00	-30.77	-3.90	3	Horizontal	354	1.66	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.39G	53.85	54.00	-0.15	31.56	3	Vertical	23	1.97	-
2422MHz	Pass	AV	2.4148G	92.97	Inf	-Inf	31.55	3	Vertical	23	1.97	-
2422MHz	Pass	AV	2.4835G	45.21	54.00	-8.79	31.58	3	Vertical	23	1.97	-
2422MHz	Pass	PK	2.3872G	70.15	74.00	-3.85	31.57	3	Vertical	23	1.97	-
2422MHz	Pass	PK	2.414G	105.87	Inf	-Inf	31.54	3	Vertical	23	1.97	-
2422MHz	Pass	PK	2.4844G	57.82	74.00	-16.18	31.58	3	Vertical	23	1.97	-
2422MHz	Pass	AV	2.3896G	52.88	54.00	-1.12	31.56	3	Horizontal	316	2.01	-
2422MHz	Pass	AV	2.4208G	91.53	Inf	-Inf	31.54	3	Horizontal	316	2.01	-
2422MHz	Pass	AV	2.484G	44.93	54.00	-9.07	31.58	3	Horizontal	316	2.01	-
2422MHz	Pass	PK	2.3872G	68.56	74.00	-5.44	31.57	3	Horizontal	316	2.01	-
2422MHz	Pass	PK	2.4268G	104.09	Inf	-Inf	31.54	3	Horizontal	316	2.01	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2422MHz	Pass	PK	2.4884G	57.85	74.00	-16.15	31.57	3	Horizontal	316	2.01	-
2422MHz	Pass	AV	4.83044G	30.19	54.00	-23.81	-3.93	3	Vertical	164	1.01	-
2422MHz	Pass	PK	4.83362G	42.86	74.00	-31.14	-3.93	3	Vertical	164	1.01	-
2422MHz	Pass	AV	4.83044G	30.28	54.00	-23.72	-3.93	3	Horizontal	185	1.21	-
2422MHz	Pass	PK	4.83464G	43.20	74.00	-30.80	-3.93	3	Horizontal	185	1.21	-
2427MHz	Pass	AV	2.3894G	52.25	54.00	-1.75	31.56	3	Horizontal	5	2.99	-
2427MHz	Pass	AV	2.4234G	93.72	Inf	-Inf	31.55	3	Horizontal	5	2.99	-
2427MHz	Pass	AV	2.4835G	45.56	54.00	-8.44	31.58	3	Horizontal	5	2.99	-
2427MHz	Pass	PK	2.387G	67.36	74.00	-6.64	31.57	3	Horizontal	5	2.99	-
2427MHz	Pass	PK	2.4366G	107.70	Inf	-Inf	31.55	3	Horizontal	5	2.99	-
2427MHz	Pass	PK	2.4838G	59.52	74.00	-14.48	31.58	3	Horizontal	5	2.99	-
2427MHz	Pass	AV	2.3898G	48.39	54.00	-5.61	31.56	3	Horizontal	297	1.50	-
2427MHz	Pass	AV	2.4334G	90.28	Inf	-Inf	31.55	3	Horizontal	297	1.50	-
2427MHz	Pass	AV	2.4842G	44.90	54.00	-9.10	31.58	3	Horizontal	297	1.50	-
2427MHz	Pass	PK	2.3894G	63.15	74.00	-10.85	31.56	3	Horizontal	297	1.50	-
2427MHz	Pass	PK	2.4226G	103.27	Inf	-Inf	31.55	3	Horizontal	297	1.50	-
2427MHz	Pass	PK	2.4842G	57.46	74.00	-16.54	31.58	3	Horizontal	297	1.50	-
2437MHz	Pass	AV	2.3898G	48.86	54.00	-5.14	31.56	3	Vertical	335	1.42	-
2437MHz	Pass	AV	2.4438G	93.62	Inf	-Inf	31.56	3	Vertical	335	1.42	-
2437MHz	Pass	AV	2.4835G	53.13	54.00	-0.87	31.58	3	Vertical	335	1.42	-
2437MHz	Pass	PK	2.3886G	63.51	74.00	-10.49	31.57	3	Vertical	335	1.42	-
2437MHz	Pass	PK	2.4474G	106.03	Inf	-Inf	31.55	3	Vertical	335	1.42	-
2437MHz	Pass	PK	2.4835G	67.21	74.00	-6.79	31.58	3	Vertical	335	1.42	-
2437MHz	Pass	AV	2.3898G	49.25	54.00	-4.75	31.56	3	Horizontal	65	1.93	-
2437MHz	Pass	AV	2.435G	92.25	Inf	-Inf	31.56	3	Horizontal	65	1.93	-
2437MHz	Pass	AV	2.4835G	51.63	54.00	-2.37	31.58	3	Horizontal	65	1.93	-
2437MHz	Pass	PK	2.3898G	62.92	74.00	-11.08	31.56	3	Horizontal	65	1.93	-
2437MHz	Pass	PK	2.4438G	105.32	Inf	-Inf	31.56	3	Horizontal	65	1.93	-
2437MHz	Pass	PK	2.4838G	65.90	74.00	-8.10	31.58	3	Horizontal	65	1.93	-
2437MHz	Pass	AV	4.874G	29.90	54.00	-24.10	-3.91	3	Vertical	319	1.74	-
2437MHz	Pass	PK	4.87364G	42.83	74.00	-31.17	-3.91	3	Vertical	319	1.74	-
2437MHz	Pass	AV	4.87406G	29.96	54.00	-24.04	-3.91	3	Horizontal	22	1.93	-
2437MHz	Pass	PK	4.87334G	42.52	74.00	-31.48	-3.91	3	Horizontal	22	1.93	-
2447MHz	Pass	AV	2.3898G	44.95	54.00	-9.05	31.56	3	Vertical	360	1.62	-
2447MHz	Pass	AV	2.4442G	93.79	Inf	-Inf	31.56	3	Vertical	360	1.62	-
2447MHz	Pass	AV	2.4835G	53.77	54.00	-0.23	31.58	3	Vertical	360	1.62	-
2447MHz	Pass	PK	2.3842G	57.97	74.00	-16.03	31.57	3	Vertical	360	1.62	-
2447MHz	Pass	PK	2.4454G	106.05	Inf	-Inf	31.55	3	Vertical	360	1.62	-
2447MHz	Pass	PK	2.4835G	67.58	74.00	-6.42	31.58	3	Vertical	360	1.62	-
2447MHz	Pass	AV	2.3894G	43.92	54.00	-10.08	31.56	3	Horizontal	295	2.99	-
2447MHz	Pass	AV	2.4562G	92.17	Inf	-Inf	31.56	3	Horizontal	295	2.99	-
2447MHz	Pass	AV	2.4835G	51.77	54.00	-2.23	31.58	3	Horizontal	295	2.99	-
2447MHz	Pass	PK	2.351G	56.70	74.00	-17.30	31.66	3	Horizontal	295	2.99	-
2447MHz	Pass	PK	2.461G	105.08	Inf	-Inf	31.56	3	Horizontal	295	2.99	-
2447MHz	Pass	PK	2.4838G	68.45	74.00	-5.55	31.58	3	Horizontal	295	2.99	-
2452MHz	Pass	AV	2.3864G	44.32	54.00	-9.68	31.56	3	Vertical	0	1.87	-
2452MHz	Pass	AV	2.454G	93.50	Inf	-Inf	31.56	3	Vertical	0	1.87	-
2452MHz	Pass	AV	2.4835G	51.32	54.00	-2.68	31.58	3	Vertical	0	1.87	-
2452MHz	Pass	PK	2.3888G	57.06	74.00	-16.94	31.56	3	Vertical	0	1.87	-


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2452MHz	Pass	PK	2.4632G	106.56	Inf	-Inf	31.57	3	Vertical	0	1.87	-
2452MHz	Pass	PK	2.484G	72.67	74.00	-1.33	31.58	3	Vertical	0	1.87	-
2452MHz	Pass	AV	2.3548G	43.75	54.00	-10.25	31.65	3	Horizontal	65	1.50	-
2452MHz	Pass	AV	2.4548G	90.12	Inf	-Inf	31.56	3	Horizontal	65	1.50	-
2452MHz	Pass	AV	2.4848G	49.92	54.00	-4.08	31.58	3	Horizontal	65	1.50	-
2452MHz	Pass	PK	2.3584G	56.62	74.00	-17.38	31.64	3	Horizontal	65	1.50	-
2452MHz	Pass	PK	2.4532G	102.81	Inf	-Inf	31.56	3	Horizontal	65	1.50	-
2452MHz	Pass	PK	2.4852G	71.03	74.00	-2.97	31.57	3	Horizontal	65	1.50	-
2452MHz	Pass	AV	4.91702G	29.35	54.00	-24.65	-3.81	3	Vertical	119	1.75	-
2452MHz	Pass	PK	4.89506G	42.92	74.00	-31.08	-3.90	3	Vertical	119	1.75	-
2452MHz	Pass	AV	4.89212G	29.26	54.00	-24.74	-3.90	3	Horizontal	24	1.67	-
2452MHz	Pass	PK	4.91252G	43.34	74.00	-30.66	-3.84	3	Horizontal	24	1.67	-
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.3876G	53.60	54.00	-0.40	31.57	3	Vertical	359	2.95	-
2422MHz	Pass	AV	2.4264G	98.87	Inf	-Inf	31.54	3	Vertical	359	2.95	-
2422MHz	Pass	AV	2.4852G	46.17	54.00	-7.83	31.57	3	Vertical	359	2.95	-
2422MHz	Pass	PK	2.3868G	73.20	74.00	-0.80	31.56	3	Vertical	359	2.95	-
2422MHz	Pass	PK	2.4272G	111.00	Inf	-Inf	31.54	3	Vertical	359	2.95	-
2422MHz	Pass	PK	2.4852G	61.26	74.00	-12.74	31.57	3	Vertical	359	2.95	-
2422MHz	Pass	AV	2.3848G	50.31	54.00	-3.69	31.57	3	Horizontal	31	1.50	-
2422MHz	Pass	AV	2.4332G	96.60	Inf	-Inf	31.55	3	Horizontal	31	1.50	-
2422MHz	Pass	AV	2.4835G	45.99	54.00	-8.01	31.58	3	Horizontal	31	1.50	-
2422MHz	Pass	PK	2.3864G	65.87	74.00	-8.13	31.56	3	Horizontal	31	1.50	-
2422MHz	Pass	PK	2.4232G	108.80	Inf	-Inf	31.55	3	Horizontal	31	1.50	-
2422MHz	Pass	PK	2.484G	59.47	74.00	-14.53	31.58	3	Horizontal	31	1.50	-
2422MHz	Pass	AV	4.8323G	30.15	54.00	-23.85	-3.93	3	Vertical	93	1.35	-
2422MHz	Pass	PK	4.84502G	43.22	74.00	-30.78	-3.92	3	Vertical	93	1.35	-
2422MHz	Pass	AV	4.83074G	30.18	54.00	-23.82	-3.93	3	Horizontal	255	1.82	-
2422MHz	Pass	PK	4.85168G	43.43	74.00	-30.57	-3.91	3	Horizontal	255	1.82	-
2427MHz	Pass	AV	2.3846G	52.13	54.00	-1.87	31.57	3	Vertical	331	1.50	-
2427MHz	Pass	AV	2.4342G	97.01	Inf	-Inf	31.55	3	Vertical	331	1.50	-
2427MHz	Pass	AV	2.4838G	48.48	54.00	-5.52	31.58	3	Vertical	331	1.50	-
2427MHz	Pass	PK	2.3842G	67.49	74.00	-6.51	31.57	3	Vertical	331	1.50	-
2427MHz	Pass	PK	2.4338G	109.79	Inf	-Inf	31.55	3	Vertical	331	1.50	-
2427MHz	Pass	PK	2.4838G	63.15	74.00	-10.85	31.58	3	Vertical	331	1.50	-
2427MHz	Pass	AV	2.389G	52.73	54.00	-1.27	31.56	3	Horizontal	49	2.17	-
2427MHz	Pass	AV	2.4182G	97.54	Inf	-Inf	31.54	3	Horizontal	49	2.17	-
2427MHz	Pass	AV	2.4886G	46.45	54.00	-7.55	31.57	3	Horizontal	49	2.17	-
2427MHz	Pass	PK	2.3874G	69.14	74.00	-4.86	31.57	3	Horizontal	49	2.17	-
2427MHz	Pass	PK	2.4178G	109.99	Inf	-Inf	31.54	3	Horizontal	49	2.17	-
2427MHz	Pass	PK	2.4898G	59.60	74.00	-14.40	31.58	3	Horizontal	49	2.17	-
2437MHz	Pass	AV	2.3898G	50.76	54.00	-3.24	31.56	3	Vertical	357	2.97	-
2437MHz	Pass	AV	2.4414G	99.62	Inf	-Inf	31.55	3	Vertical	357	2.97	-
2437MHz	Pass	AV	2.4835G	51.64	54.00	-2.36	31.58	3	Vertical	357	2.97	-
2437MHz	Pass	PK	2.3894G	66.94	74.00	-7.06	31.56	3	Vertical	357	2.97	-
2437MHz	Pass	PK	2.4322G	112.41	Inf	-Inf	31.55	3	Vertical	357	2.97	-
2437MHz	Pass	PK	2.4838G	65.39	74.00	-8.61	31.58	3	Vertical	357	2.97	-
2437MHz	Pass	AV	2.3898G	49.86	54.00	-4.14	31.56	3	Horizontal	31	1.50	-
2437MHz	Pass	AV	2.4386G	97.69	Inf	-Inf	31.55	3	Horizontal	31	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	AV	2.4886G	49.66	54.00	-4.34	31.57	3	Horizontal	31	1.50	-
2437MHz	Pass	PK	2.3894G	64.93	74.00	-9.07	31.56	3	Horizontal	31	1.50	-
2437MHz	Pass	PK	2.4482G	110.13	Inf	-Inf	31.55	3	Horizontal	31	1.50	-
2437MHz	Pass	PK	2.4882G	64.59	74.00	-9.41	31.57	3	Horizontal	31	1.50	-
2437MHz	Pass	AV	4.87406G	29.91	54.00	-24.09	-3.91	3	Vertical	54	2.31	-
2437MHz	Pass	PK	4.8593G	42.80	74.00	-31.20	-3.91	3	Vertical	54	2.31	-
2437MHz	Pass	AV	4.87394G	29.89	54.00	-24.11	-3.91	3	Horizontal	218	1.19	-
2437MHz	Pass	PK	4.87418G	42.75	74.00	-31.25	-3.91	3	Horizontal	218	1.19	-
2447MHz	Pass	AV	2.3898G	45.35	54.00	-8.65	31.56	3	Vertical	357	2.63	-
2447MHz	Pass	AV	2.4522G	98.34	Inf	-Inf	31.56	3	Vertical	357	2.63	-
2447MHz	Pass	AV	2.4835G	53.18	54.00	-0.82	31.58	3	Vertical	357	2.63	-
2447MHz	Pass	PK	2.381G	58.56	74.00	-15.44	31.59	3	Vertical	357	2.63	-
2447MHz	Pass	PK	2.4514G	110.73	Inf	-Inf	31.56	3	Vertical	357	2.63	-
2447MHz	Pass	PK	2.4842G	70.68	74.00	-3.32	31.58	3	Vertical	357	2.63	-
2447MHz	Pass	AV	2.3886G	45.48	54.00	-8.52	31.57	3	Horizontal	49	1.49	-
2447MHz	Pass	AV	2.4482G	96.80	Inf	-Inf	31.55	3	Horizontal	49	1.49	-
2447MHz	Pass	AV	2.4878G	50.30	54.00	-3.70	31.57	3	Horizontal	49	1.49	-
2447MHz	Pass	PK	2.3882G	59.08	74.00	-14.92	31.57	3	Horizontal	49	1.49	-
2447MHz	Pass	PK	2.4578G	109.20	Inf	-Inf	31.56	3	Horizontal	49	1.49	-
2447MHz	Pass	PK	2.4874G	66.22	74.00	-7.78	31.57	3	Horizontal	49	1.49	-
2452MHz	Pass	AV	2.3884G	44.54	54.00	-9.46	31.57	3	Vertical	351	1.87	-
2452MHz	Pass	AV	2.4572G	97.66	Inf	-Inf	31.56	3	Vertical	351	1.87	-
2452MHz	Pass	AV	2.4872G	51.29	54.00	-2.71	31.57	3	Vertical	351	1.87	-
2452MHz	Pass	PK	2.3888G	57.62	74.00	-16.38	31.56	3	Vertical	351	1.87	-
2452MHz	Pass	PK	2.458G	110.67	Inf	-Inf	31.56	3	Vertical	351	1.87	-
2452MHz	Pass	PK	2.4844G	73.70	74.00	-0.30	31.58	3	Vertical	351	1.87	-
2452MHz	Pass	AV	2.3848G	44.26	54.00	-9.74	31.57	3	Horizontal	33	1.50	-
2452MHz	Pass	AV	2.4536G	96.19	Inf	-Inf	31.56	3	Horizontal	33	1.50	-
2452MHz	Pass	AV	2.4835G	50.83	54.00	-3.17	31.58	3	Horizontal	33	1.50	-
2452MHz	Pass	PK	2.3604G	57.51	74.00	-16.49	31.64	3	Horizontal	33	1.50	-
2452MHz	Pass	PK	2.4628G	108.60	Inf	-Inf	31.57	3	Horizontal	33	1.50	-
2452MHz	Pass	PK	2.4835G	70.74	74.00	-3.26	31.58	3	Horizontal	33	1.50	-
2452MHz	Pass	AV	4.91732G	29.28	54.00	-24.72	-3.81	3	Vertical	48	2.36	-
2452MHz	Pass	PK	4.91726G	42.54	74.00	-31.46	-3.81	3	Vertical	48	2.36	-
2452MHz	Pass	AV	4.88954G	29.33	54.00	-24.67	-3.89	3	Horizontal	8	1.32	-
2452MHz	Pass	PK	4.9109G	42.54	74.00	-31.46	-3.85	3	Horizontal	8	1.32	-

802.11b_Nss1,(1Mbps)_1TX(Port1)

21/06/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3874G	45.36	54.00	-8.64	31.57	3	Vertical	44	1.50	-	13.79	27.65	3.92	-
AV	2.411G	102.40	Inf	-Inf	31.54	3	Vertical	44	1.50	-	70.86	27.59	3.95	-
PK	2.3794G	56.92	74.00	-17.08	31.58	3	Vertical	44	1.50	-	25.34	27.68	3.90	-
PK	2.4128G	104.20	Inf	-Inf	31.54	3	Vertical	44	1.50	-	72.66	27.59	3.95	-

802.11b_Nss1,(1Mbps)_1TX(Port1)

21/06/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3862G	45.43	54.00	-8.57	31.57	3	Horizontal	35	1.28	-	13.86	27.66	3.91	-
AV	2.413G	104.83	Inf	-Inf	31.54	3	Horizontal	35	1.28	-	73.29	27.59	3.95	-
PK	2.3792G	57.19	74.00	-16.81	31.58	3	Horizontal	35	1.28	-	25.61	27.68	3.90	-
PK	2.4128G	106.75	Inf	-Inf	31.54	3	Horizontal	35	1.28	-	75.21	27.59	3.95	-

802.11b_Nss1,(1Mbps)_1TX(Port1)

21/06/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82407G	40.66	54.00	-13.34	-3.92	3	Vertical	360	2.99	-	44.58	31.10	6.53	41.55
PK	4.82327G	51.20	74.00	-22.80	-3.92	3	Vertical	360	2.99	-	55.12	31.10	6.53	41.55

802.11b_Nss1,(1Mbps)_1TX(Port1)

21/06/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.824G	34.30	54.00	-19.70	-3.92	3	Horizontal	29	2.99	-	38.22	31.10	6.53	41.55
PK	4.82382G	44.46	74.00	-29.54	-3.92	3	Horizontal	29	2.99	-	48.38	31.10	6.53	41.55

802.11b_Nss1,(1Mbps)_1TX(Port1)

21/06/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3518G	45.12	54.00	-8.88	31.65	3	Vertical	327	2.94	-	13.47	27.79	3.86	-
AV	2.4362G	105.47	Inf	-Inf	31.55	3	Vertical	327	2.94	-	73.92	27.56	3.99	-
AV	2.4842G	45.39	54.00	-8.61	31.58	3	Vertical	327	2.94	-	13.81	27.52	4.06	-
PK	2.3602G	56.97	74.00	-17.03	31.64	3	Vertical	327	2.94	-	25.33	27.76	3.88	-
PK	2.4362G	107.53	Inf	-Inf	31.55	3	Vertical	327	2.94	-	75.98	27.56	3.99	-
PK	2.4894G	57.63	74.00	-16.37	31.57	3	Vertical	327	2.94	-	26.06	27.51	4.06	-

802.11b_Nss1,(1Mbps)_1TX(Port1)

21/06/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3542G	45.28	54.00	-8.72	31.65	3	Horizontal	39	1.49	-	13.63	27.78	3.87	-
AV	2.4362G	105.00	Inf	-Inf	31.55	3	Horizontal	39	1.49	-	73.45	27.56	3.99	-
AV	2.4862G	45.49	54.00	-8.51	31.57	3	Horizontal	39	1.49	-	13.92	27.51	4.06	-
PK	2.3774G	56.80	74.00	-17.20	31.59	3	Horizontal	39	1.49	-	25.21	27.69	3.90	-
PK	2.4362G	107.05	Inf	-Inf	31.55	3	Horizontal	39	1.49	-	75.50	27.56	3.99	-
PK	2.4962G	57.10	74.00	-16.90	31.57	3	Horizontal	39	1.49	-	25.53	27.50	4.07	-

802.11b_Nss1,(1Mbps)_1TX(Port1)

21/06/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87388G	32.46	54.00	-21.54	-3.91	3	Vertical	9	2.99	-	36.37	31.10	6.56	41.57
PK	4.87426G	43.36	74.00	-30.64	-3.91	3	Vertical	9	2.99	-	47.27	31.10	6.56	41.57

802.11b_Nss1,(1Mbps)_1TX(Port1)

21/06/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87401G	33.84	54.00	-20.16	-3.91	3	Horizontal	319	1.64	-	37.75	31.10	6.56	41.57
PK	4.87379G	43.50	74.00	-30.50	-3.91	3	Horizontal	319	1.64	-	47.41	31.10	6.56	41.57

802.11b_Nss1,(1Mbps)_1TX(Port1)

21/06/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4628G	104.52	Inf	-Inf	31.57	3	Vertical	327	2.08	-	72.95	27.54	4.03	-
AV	2.4844G	45.89	54.00	-8.11	31.58	3	Vertical	327	2.08	-	14.31	27.52	4.06	-
PK	2.4628G	106.37	Inf	-Inf	31.57	3	Vertical	327	2.08	-	74.80	27.54	4.03	-
PK	2.4994G	57.22	74.00	-16.78	31.58	3	Vertical	327	2.08	-	25.64	27.50	4.08	-

802.11b_Nss1,(1Mbps)_1TX(Port1)

21/06/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBm/Hz)	Limit (dBm/Hz)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	2.4612G	104.35	Inf	-Inf	31.56	3	Horizontal	40	1.50	-	72.79	27.54	4.02	-
AV	2.4918G	45.91	54.00	-8.09	31.58	3	Horizontal	40	1.50	-	14.33	27.51	4.07	-
PK	2.4628G	106.46	Inf	-Inf	31.57	3	Horizontal	40	1.50	-	74.89	27.54	4.03	-
PK	2.4962G	57.62	74.00	-16.38	31.57	3	Horizontal	40	1.50	-	26.05	27.50	4.07	-

802.11b_Nss1,(1Mbps)_1TX(Port1)

21/06/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92404G	32.48	54.00	-21.52	-3.79	3	Vertical	351	2.79	-	36.27	31.20	6.60	41.59
PK	4.92392G	43.18	74.00	-30.82	-3.79	3	Vertical	351	2.79	-	46.97	31.20	6.60	41.59

802.11b_Nss1,(1Mbps)_1TX(Port1)

21/06/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92391G	33.20	54.00	-20.80	-3.79	3	Horizontal	316	2.08	-	36.99	31.20	6.60	41.59
PK	4.9234G	43.48	74.00	-30.52	-3.80	3	Horizontal	316	2.08	-	47.28	31.19	6.60	41.59

802.11b_Nss1,(1Mbps)_1TX(Port2)

21/06/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.386G	45.21	54.00	-8.79	31.57	3	Vertical	12	1.04	-	13.64	27.66	3.91	-
AV	2.4112G	104.93	Inf	-Inf	31.54	3	Vertical	12	1.04	-	73.39	27.59	3.95	-
PK	2.389G	57.41	74.00	-16.59	31.56	3	Vertical	12	1.04	-	25.85	27.64	3.92	-
PK	2.4128G	106.92	Inf	-Inf	31.54	3	Vertical	12	1.04	-	75.38	27.59	3.95	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

21/06/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3644G	45.23	54.00	-8.77	31.62	3	Horizontal	289	1.56	-	13.61	27.74	3.88	-
AV	2.4112G	103.72	Inf	-Inf	31.54	3	Horizontal	289	1.56	-	72.18	27.59	3.95	-
PK	2.3714G	57.05	74.00	-16.95	31.60	3	Horizontal	289	1.56	-	25.45	27.71	3.89	-
PK	2.4128G	105.61	Inf	-Inf	31.54	3	Horizontal	289	1.56	-	74.07	27.59	3.95	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

21/06/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82412G	33.70	54.00	-20.30	-3.92	3	Vertical	2	2.97	-	37.62	31.10	6.53	41.55
PK	4.82402G	43.60	74.00	-30.40	-3.92	3	Vertical	2	2.97	-	47.52	31.10	6.53	41.55

802.11b_Nss1,(1Mbps)_1TX(Port2)

21/06/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	4.82397G	33.92	54.00	-20.08	-3.92	3	Horizontal	22	1.49	-	37.84	31.10	6.53	41.55
PK	4.82614G	44.07	74.00	-29.93	-3.92	3	Horizontal	22	1.49	-	47.99	31.10	6.53	41.55

802.11b_Nss1,(1Mbps)_1TX(Port2)

21/06/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3374G	45.45	54.00	-8.55	31.69	3	Vertical	17	2.97	-	13.76	27.85	3.84	-
AV	2.4362G	106.60	Inf	-Inf	31.55	3	Vertical	17	2.97	-	75.05	27.56	3.99	-
AV	2.4998G	45.47	54.00	-8.53	31.58	3	Vertical	17	2.97	-	13.89	27.50	4.08	-
PK	2.3558G	57.24	74.00	-16.76	31.65	3	Vertical	17	2.97	-	25.59	27.78	3.87	-
PK	2.4362G	108.59	Inf	-Inf	31.55	3	Vertical	17	2.97	-	77.04	27.56	3.99	-
PK	2.4958G	56.86	74.00	-17.14	31.57	3	Vertical	17	2.97	-	25.29	27.50	4.07	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

21/06/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.381G	45.77	54.00	-8.23	31.59	3	Horizontal	288	1.50	-	14.18	27.68	3.91	-
AV	2.4362G	103.09	Inf	-Inf	31.55	3	Horizontal	288	1.50	-	71.54	27.56	3.99	-
AV	2.4902G	45.45	54.00	-8.55	31.58	3	Horizontal	288	1.50	-	13.87	27.51	4.07	-
PK	2.3378G	56.66	74.00	-17.34	31.69	3	Horizontal	288	1.50	-	24.97	27.85	3.84	-
PK	2.4378G	105.08	Inf	-Inf	31.55	3	Horizontal	288	1.50	-	73.53	27.56	3.99	-
PK	2.4926G	56.68	74.00	-17.32	31.58	3	Horizontal	288	1.50	-	25.10	27.51	4.07	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

21/06/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87385G	32.07	54.00	-21.93	-3.91	3	Vertical	2	2.97	-	35.98	31.10	6.56	41.57
PK	4.87289G	43.11	74.00	-30.89	-3.91	3	Vertical	2	2.97	-	47.02	31.10	6.56	41.57

802.11b_Nss1,(1Mbps)_1TX(Port2)

21/06/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87399G	33.51	54.00	-20.49	-3.91	3	Horizontal	305	1.90	-	37.42	31.10	6.56	41.57
PK	4.87627G	43.53	74.00	-30.47	-3.90	3	Horizontal	305	1.90	-	47.43	31.10	6.57	41.57

802.11b_Nss1,(1Mbps)_1TX(Port2)

21/06/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBm/Hz)	Limit (dBm/Hz)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm/Hz)	AF (dB)	CL (dB)	PA (dB)
AV	2.4612G	105.64	Inf	-Inf	31.56	3	Vertical	4	1.87	-	74.08	27.54	4.02	-
AV	2.4844G	45.61	54.00	-8.39	31.58	3	Vertical	4	1.87	-	14.03	27.52	4.06	-
PK	2.4628G	107.65	Inf	-Inf	31.57	3	Vertical	4	1.87	-	76.08	27.54	4.03	-
PK	2.4974G	57.79	74.00	-16.21	31.58	3	Vertical	4	1.87	-	26.21	27.50	4.08	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

21/06/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4628G	103.41	Inf	-Inf	31.57	3	Horizontal	318	1.99	-	71.84	27.54	4.03	-
AV	2.4964G	45.61	54.00	-8.39	31.57	3	Horizontal	318	1.99	-	14.04	27.50	4.07	-
PK	2.4628G	105.43	Inf	-Inf	31.57	3	Horizontal	318	1.99	-	73.86	27.54	4.03	-
PK	2.4902G	57.10	74.00	-16.90	31.58	3	Horizontal	318	1.99	-	25.52	27.51	4.07	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

21/06/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92407G	31.95	54.00	-22.05	-3.79	3	Vertical	171	1.00	-	35.74	31.20	6.60	41.59
PK	4.92258G	42.78	74.00	-31.22	-3.80	3	Vertical	171	1.00	-	46.58	31.19	6.60	41.59

802.11b_Nss1,(1Mbps)_1TX(Port2)

21/06/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92398G	33.08	54.00	-20.92	-3.79	3	Horizontal	309	1.91	-	36.87	31.20	6.60	41.59
PK	4.92372G	43.08	74.00	-30.92	-3.80	3	Horizontal	309	1.91	-	46.88	31.19	6.60	41.59

802.11b_Nss1,(1Mbps)_2TX

21/06/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3804G	45.32	54.00	-8.68	31.59	3	Vertical	296	1.96	-	13.73	27.68	3.91	-
AV	2.4112G	105.15	Inf	-Inf	31.54	3	Vertical	296	1.96	-	73.61	27.59	3.95	-
PK	2.3816G	56.72	74.00	-17.28	31.58	3	Vertical	296	1.96	-	25.14	27.67	3.91	-
PK	2.411G	107.07	Inf	-Inf	31.54	3	Vertical	296	1.96	-	75.53	27.59	3.95	-

802.11b_Nss1,(1Mbps)_2TX

21/06/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3872G	45.68	54.00	-8.32	31.57	3	Horizontal	64	1.33	-	14.11	27.65	3.92	-
AV	2.413G	108.64	Inf	-Inf	31.54	3	Horizontal	64	1.33	-	77.10	27.59	3.95	-
PK	2.3896G	57.13	74.00	-16.87	31.56	3	Horizontal	64	1.33	-	25.57	27.64	3.92	-
PK	2.4128G	110.38	Inf	-Inf	31.54	3	Horizontal	64	1.33	-	78.84	27.59	3.95	-

802.11b_Nss1,(1Mbps)_2TX

21/06/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82396G	34.27	54.00	-19.73	-3.92	3	Vertical	357	2.99	-	38.19	31.10	6.53	41.55
PK	4.82417G	44.40	74.00	-29.60	-3.92	3	Vertical	357	2.99	-	48.32	31.10	6.53	41.55

802.11b_Nss1,(1Mbps)_2TX

21/06/2019

2412MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.8241G	34.27	54.00	-19.73	-3.92	3	Horizontal	35	2.95	-	38.19	31.10	6.53	41.55
PK	4.824G	44.76	74.00	-29.24	-3.92	3	Horizontal	35	2.95	-	48.68	31.10	6.53	41.55

802.11b_Nss1,(1Mbps)_2TX

21/06/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3646G	45.34	54.00	-8.66	31.62	3	Vertical	321	1.92	-	13.72	27.74	3.88	-
AV	2.4378G	105.66	Inf	-Inf	31.55	3	Vertical	321	1.92	-	74.11	27.56	3.99	-
AV	2.4842G	45.54	54.00	-8.46	31.58	3	Vertical	321	1.92	-	13.96	27.52	4.06	-
PK	2.3586G	57.07	74.00	-16.93	31.64	3	Vertical	321	1.92	-	25.43	27.77	3.87	-
PK	2.4378G	107.64	Inf	-Inf	31.55	3	Vertical	321	1.92	-	76.09	27.56	3.99	-
PK	2.497G	56.66	74.00	-17.34	31.58	3	Vertical	321	1.92	-	25.08	27.50	4.08	-

802.11b_Nss1,(1Mbps)_2TX

21/06/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3786G	45.27	54.00	-8.73	31.59	3	Horizontal	34	1.50	-	13.68	27.69	3.90	-
AV	2.4362G	108.72	Inf	-Inf	31.55	3	Horizontal	34	1.50	-	77.17	27.56	3.99	-
AV	2.4934G	45.42	54.00	-8.58	31.58	3	Horizontal	34	1.50	-	13.84	27.51	4.07	-
PK	2.371G	56.93	74.00	-17.07	31.61	3	Horizontal	34	1.50	-	25.32	27.72	3.89	-
PK	2.4362G	110.60	Inf	-Inf	31.55	3	Horizontal	34	1.50	-	79.05	27.56	3.99	-
PK	2.4854G	56.63	74.00	-17.37	31.57	3	Horizontal	34	1.50	-	25.06	27.51	4.06	-

802.11b_Nss1,(1Mbps)_2TX

21/06/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87399G	34.48	54.00	-19.52	-3.91	3	Vertical	175	1.32	-	38.39	31.10	6.56	41.57
PK	4.87411G	44.37	74.00	-29.63	-3.91	3	Vertical	175	1.32	-	48.28	31.10	6.56	41.57

802.11b_Nss1,(1Mbps)_2TX

21/06/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87397G	36.43	54.00	-17.57	-3.91	3	Horizontal	37	1.50	-	40.34	31.10	6.56	41.57
PK	4.87401G	45.47	74.00	-28.53	-3.91	3	Horizontal	37	1.50	-	49.38	31.10	6.56	41.57

802.11b_Nss1,(1Mbps)_2TX

21/06/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4612G	105.85	Inf	-Inf	31.56	3	Vertical	317	2.41	-	74.29	27.54	4.02	-
AV	2.4886G	45.71	54.00	-8.29	31.57	3	Vertical	317	2.41	-	14.14	27.51	4.06	-
PK	2.4612G	107.85	Inf	-Inf	31.56	3	Vertical	317	2.41	-	76.29	27.54	4.02	-
PK	2.4876G	57.00	74.00	-17.00	31.57	3	Vertical	317	2.41	-	25.43	27.51	4.06	-

802.11b_Nss1,(1Mbps)_2TX

21/06/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4612G	108.42	Inf	-Inf	31.56	3	Horizontal	65	1.50	-	76.86	27.54	4.02	-
AV	2.484G	45.70	54.00	-8.30	31.58	3	Horizontal	65	1.50	-	14.12	27.52	4.06	-
PK	2.4628G	110.38	Inf	-Inf	31.57	3	Horizontal	65	1.50	-	78.81	27.54	4.03	-
PK	2.488G	58.50	74.00	-15.50	31.57	3	Horizontal	65	1.50	-	26.93	27.51	4.06	-

802.11b_Nss1,(1Mbps)_2TX

21/06/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92388G	32.83	54.00	-21.17	-3.79	3	Vertical	169	1.01	-	36.62	31.20	6.60	41.59
PK	4.92372G	43.65	74.00	-30.35	-3.80	3	Vertical	169	1.01	-	47.45	31.19	6.60	41.59

802.11b_Nss1,(1Mbps)_2TX

21/06/2019

2462MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92391G	35.06	54.00	-18.94	-3.79	3	Horizontal	35	1.43	-	38.85	31.20	6.60	41.59
PK	4.92396G	44.94	74.00	-29.06	-3.79	3	Horizontal	35	1.43	-	48.73	31.20	6.60	41.59

802.11g_Nss1,(6Mbps)_1TX(Port1)

21/06/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.55	54.00	-1.45	31.56	3	Vertical	45	1.45	-	20.99	27.64	3.92	-
AV	2.4152G	95.47	Inf	-Inf	31.54	3	Vertical	45	1.45	-	63.93	27.58	3.96	-
PK	2.39G	66.35	74.00	-7.65	31.56	3	Vertical	45	1.45	-	34.79	27.64	3.92	-
PK	2.4138G	105.07	Inf	-Inf	31.54	3	Vertical	45	1.45	-	73.53	27.59	3.95	-

802.11g_Nss1,(6Mbps)_1TX(Port1)

21/06/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.24	54.00	-0.76	31.56	3	Horizontal	37	1.29	-	21.68	27.64	3.92	-
AV	2.4152G	97.59	Inf	-Inf	31.54	3	Horizontal	37	1.29	-	66.05	27.58	3.96	-
PK	2.39G	67.02	74.00	-6.98	31.56	3	Horizontal	37	1.29	-	35.46	27.64	3.92	-
PK	2.4138G	107.16	Inf	-Inf	31.54	3	Horizontal	37	1.29	-	75.62	27.59	3.95	-

802.11g_Nss1,(6Mbps)_1TX(Port1)

21/06/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82395G	32.13	54.00	-21.87	-3.92	3	Vertical	5	2.93	-	36.05	31.10	6.53	41.55
PK	4.8238G	43.72	74.00	-30.28	-3.92	3	Vertical	5	2.93	-	47.64	31.10	6.53	41.55

802.11g_Nss1,(6Mbps)_1TX(Port1)

21/06/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82393G	31.59	54.00	-22.41	-3.92	3	Horizontal	67	2.87	-	35.51	31.10	6.53	41.55
PK	4.82249G	43.79	74.00	-30.21	-3.92	3	Horizontal	67	2.87	-	47.71	31.10	6.53	41.55

802.11g_Nss1,(6Mbps)_1TX(Port1)

21/06/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	53.24	54.00	-0.76	31.56	3	Vertical	328	2.99	-	21.68	27.64	3.92	-
AV	2.4196G	100.34	Inf	-Inf	31.54	3	Vertical	328	2.99	-	68.80	27.58	3.96	-
PK	2.3894G	69.40	74.00	-4.60	31.56	3	Vertical	328	2.99	-	37.84	27.64	3.92	-
PK	2.4212G	110.35	Inf	-Inf	31.54	3	Vertical	328	2.99	-	78.81	27.58	3.96	-

802.11g_Nss1,(6Mbps)_1TX(Port1)

21/06/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.43	54.00	-0.57	31.56	3	Horizontal	31	1.50	-	21.87	27.64	3.92	-
AV	2.4194G	99.15	Inf	-Inf	31.54	3	Horizontal	31	1.50	-	67.61	27.58	3.96	-
PK	2.3898G	69.24	74.00	-4.76	31.56	3	Horizontal	31	1.50	-	37.68	27.64	3.92	-
PK	2.4224G	108.46	Inf	-Inf	31.55	3	Horizontal	31	1.50	-	76.91	27.58	3.97	-

802.11g_Nss1,(6Mbps)_1TX(Port1)

21/06/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3874G	44.72	54.00	-9.28	31.57	3	Vertical	347	1.91	-	13.15	27.65	3.92	-
AV	2.4402G	98.47	Inf	-Inf	31.55	3	Vertical	347	1.91	-	66.92	27.56	3.99	-
AV	2.4835G	46.26	54.00	-7.74	31.58	3	Vertical	347	1.91	-	14.68	27.52	4.06	-
PK	2.339G	57.02	74.00	-16.98	31.68	3	Vertical	347	1.91	-	25.34	27.84	3.84	-
PK	2.4394G	107.23	Inf	-Inf	31.55	3	Vertical	347	1.91	-	75.68	27.56	3.99	-
PK	2.4846G	58.10	74.00	-15.90	31.58	3	Vertical	347	1.91	-	26.52	27.52	4.06	-

802.11g_Nss1,(6Mbps)_1TX(Port1)

21/06/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3862G	45.01	54.00	-8.99	31.57	3	Horizontal	39	1.10	-	13.44	27.66	3.91	-
AV	2.4394G	99.50	Inf	-Inf	31.55	3	Horizontal	39	1.10	-	67.95	27.56	3.99	-
AV	2.4838G	45.91	54.00	-8.09	31.58	3	Horizontal	39	1.10	-	14.33	27.52	4.06	-
PK	2.3482G	57.33	74.00	-16.67	31.67	3	Horizontal	39	1.10	-	25.66	27.81	3.86	-
PK	2.441G	108.48	Inf	-Inf	31.55	3	Horizontal	39	1.10	-	76.93	27.56	3.99	-
PK	2.4898G	59.18	74.00	-14.82	31.58	3	Horizontal	39	1.10	-	27.60	27.51	4.07	-

802.11g_Nss1,(6Mbps)_1TX(Port1)

21/06/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87399G	31.60	54.00	-22.40	-3.91	3	Vertical	176	1.32	-	35.51	31.10	6.56	41.57
PK	4.87407G	43.16	74.00	-30.84	-3.91	3	Vertical	176	1.32	-	47.07	31.10	6.56	41.57

802.11g_Nss1,(6Mbps)_1TX(Port1)

21/06/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87404G	31.41	54.00	-22.59	-3.91	3	Horizontal	41	2.97	-	35.32	31.10	6.56	41.57
PK	4.8739G	43.57	74.00	-30.43	-3.91	3	Horizontal	41	2.97	-	47.48	31.10	6.56	41.57

802.11g_Nss1,(6Mbps)_1TX(Port1)

21/06/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4538G	97.69	Inf	-Inf	31.56	3	Vertical	338	1.47	-	66.13	27.55	4.01	-
AV	2.4842G	52.30	54.00	-1.70	31.58	3	Vertical	338	1.47	-	20.72	27.52	4.06	-
PK	2.4536G	107.72	Inf	-Inf	31.56	3	Vertical	338	1.47	-	76.16	27.55	4.01	-
PK	2.4848G	68.34	74.00	-5.66	31.58	3	Vertical	338	1.47	-	36.76	27.52	4.06	-

802.11g_Nss1,(6Mbps)_1TX(Port1)

21/06/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4596G	98.50	Inf	-Inf	31.56	3	Horizontal	45	1.93	-	66.94	27.54	4.02	-
AV	2.4835G	53.25	54.00	-0.75	31.58	3	Horizontal	45	1.93	-	21.67	27.52	4.06	-
PK	2.4584G	107.68	Inf	-Inf	31.56	3	Horizontal	45	1.93	-	76.12	27.54	4.02	-
PK	2.4846G	69.08	74.00	-4.92	31.58	3	Horizontal	45	1.93	-	37.50	27.52	4.06	-

802.11g_Nss1,(6Mbps)_1TX(Port1)

21/06/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4652G	96.84	Inf	-Inf	31.56	3	Vertical	336	1.86	-	65.28	27.53	4.03	-
AV	2.4835G	52.42	54.00	-1.58	31.58	3	Vertical	336	1.86	-	20.84	27.52	4.06	-
PK	2.463G	106.39	Inf	-Inf	31.57	3	Vertical	336	1.86	-	74.82	27.54	4.03	-
PK	2.4835G	66.95	74.00	-7.05	31.58	3	Vertical	336	1.86	-	35.37	27.52	4.06	-

802.11g_Nss1,(6Mbps)_1TX(Port1)

21/06/2019


2462MHz_TX



802.11g_Nss1,(6Mbps)_1TX(Port1)

21/06/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92381G	30.56	54.00	-23.44	-3.79	3	Vertical	354	2.69	-	34.35	31.20	6.60	41.59
PK	4.92283G	43.02	74.00	-30.98	-3.80	3	Vertical	354	2.69	-	46.82	31.19	6.60	41.59

802.11g_Nss1,(6Mbps)_1TX(Port1)

21/06/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	30.56	54.00	-23.44	-3.79	3	Horizontal	13	1.50	-	34.35	31.20	6.60	41.59
PK	4.92367G	43.25	74.00	-30.75	-3.80	3	Horizontal	13	1.50	-	47.05	31.19	6.60	41.59

802.11g_Nss1,(6Mbps)_1TX(Port2)

21/06/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.67	54.00	-1.33	31.56	3	Vertical	27	1.98	-	21.11	27.64	3.92	-
AV	2.4142G	97.40	Inf	-Inf	31.54	3	Vertical	27	1.98	-	65.86	27.59	3.95	-
PK	2.39G	65.91	74.00	-8.09	31.56	3	Vertical	27	1.98	-	34.35	27.64	3.92	-
PK	2.412G	107.41	Inf	-Inf	31.54	3	Vertical	27	1.98	-	75.87	27.59	3.95	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

21/06/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	51.10	54.00	-2.90	31.56	3	Horizontal	284	1.78	-	19.54	27.64	3.92	-
AV	2.4152G	95.78	Inf	-Inf	31.54	3	Horizontal	284	1.78	-	64.24	27.58	3.96	-
PK	2.3892G	64.05	74.00	-9.95	31.56	3	Horizontal	284	1.78	-	32.49	27.64	3.92	-
PK	2.4158G	105.59	Inf	-Inf	31.54	3	Horizontal	284	1.78	-	74.05	27.58	3.96	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

21/06/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82398G	32.08	54.00	-21.92	-3.92	3	Vertical	359	2.93	-	36.00	31.10	6.53	41.55
PK	4.82158G	43.80	74.00	-30.20	-3.93	3	Vertical	359	2.93	-	47.73	31.10	6.52	41.55

802.11g_Nss1,(6Mbps)_1TX(Port2)

21/06/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8238G	32.25	54.00	-21.75	-3.92	3	Horizontal	29	1.40	-	36.17	31.10	6.53	41.55
PK	4.82301G	43.69	74.00	-30.31	-3.92	3	Horizontal	29	1.40	-	47.61	31.10	6.53	41.55

802.11g_Nss1,(6Mbps)_1TX(Port2)

21/06/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.18	54.00	-0.82	31.56	3	Vertical	343	1.05	-	21.62	27.64	3.92	-
AV	2.4196G	99.36	Inf	-Inf	31.54	3	Vertical	343	1.05	-	67.82	27.58	3.96	-
PK	2.3896G	68.71	74.00	-5.29	31.56	3	Vertical	343	1.05	-	37.15	27.64	3.92	-
PK	2.413G	108.69	Inf	-Inf	31.54	3	Vertical	343	1.05	-	77.15	27.59	3.95	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

21/06/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.00	54.00	-2.00	31.56	3	Horizontal	318	1.98	-	20.44	27.64	3.92	-
AV	2.419G	99.99	Inf	-Inf	31.54	3	Horizontal	318	1.98	-	68.45	27.58	3.96	-
PK	2.3896G	68.21	74.00	-5.79	31.56	3	Horizontal	318	1.98	-	36.65	27.64	3.92	-
PK	2.4182G	109.83	Inf	-Inf	31.54	3	Horizontal	318	1.98	-	78.29	27.58	3.96	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

21/06/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	45.63	54.00	-8.37	31.56	3	Vertical	14	2.99	-	14.07	27.64	3.92	-
AV	2.4338G	101.34	Inf	-Inf	31.55	3	Vertical	14	2.99	-	69.79	27.57	3.98	-
AV	2.4835G	45.94	54.00	-8.06	31.58	3	Vertical	14	2.99	-	14.36	27.52	4.06	-
PK	2.3894G	58.18	74.00	-15.82	31.56	3	Vertical	14	2.99	-	26.62	27.64	3.92	-
PK	2.4398G	111.10	Inf	-Inf	31.55	3	Vertical	14	2.99	-	79.55	27.56	3.99	-
PK	2.485G	59.21	74.00	-14.79	31.58	3	Vertical	14	2.99	-	27.63	27.52	4.06	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

21/06/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.387G	44.60	54.00	-9.40	31.57	3	Horizontal	284	1.51	-	13.03	27.65	3.92	-
AV	2.4402G	97.81	Inf	-Inf	31.55	3	Horizontal	284	1.51	-	66.26	27.56	3.99	-
AV	2.4835G	45.17	54.00	-8.83	31.58	3	Horizontal	284	1.51	-	13.59	27.52	4.06	-
PK	2.3798G	57.78	74.00	-16.22	31.58	3	Horizontal	284	1.51	-	26.20	27.68	3.90	-
PK	2.437G	107.38	Inf	-Inf	31.55	3	Horizontal	284	1.51	-	75.83	27.56	3.99	-
PK	2.4862G	57.43	74.00	-16.57	31.57	3	Horizontal	284	1.51	-	25.86	27.51	4.06	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

21/06/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87399G	30.85	54.00	-23.15	-3.91	3	Vertical	174	1.33	-	34.76	31.10	6.56	41.57
PK	4.87334G	43.73	74.00	-30.27	-3.91	3	Vertical	174	1.33	-	47.64	31.10	6.56	41.57

802.11g_Nss1,(6Mbps)_1TX(Port2)

21/06/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87396G	33.00	54.00	-21.00	-3.91	3	Horizontal	35	1.01	-	36.91	31.10	6.56	41.57
PK	4.87408G	43.85	74.00	-30.15	-3.91	3	Horizontal	35	1.01	-	47.76	31.10	6.56	41.57

802.11g_Nss1,(6Mbps)_1TX(Port2)

21/06/2019


2457MHz_TX



802.11g_Nss1,(6Mbps)_1TX(Port2)

21/06/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4602G	98.66	Inf	-Inf	31.56	3	Horizontal	301	2.99	-	67.10	27.54	4.02	-
AV	2.4835G	52.06	54.00	-1.94	31.58	3	Horizontal	301	2.99	-	20.48	27.52	4.06	-
PK	2.4584G	107.99	Inf	-Inf	31.56	3	Horizontal	301	2.99	-	76.43	27.54	4.02	-
PK	2.4844G	66.54	74.00	-7.46	31.58	3	Horizontal	301	2.99	-	34.96	27.52	4.06	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

22/06/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4652G	97.84	Inf	-Inf	31.56	3	Vertical	351	1.87	-	66.28	27.53	4.03	-
AV	2.4835G	53.42	54.00	-0.58	31.58	3	Vertical	351	1.87	-	21.84	27.52	4.06	-
PK	2.4634G	107.67	Inf	-Inf	31.57	3	Vertical	351	1.87	-	76.10	27.54	4.03	-
PK	2.4835G	68.01	74.00	-5.99	31.58	3	Vertical	351	1.87	-	36.43	27.52	4.06	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

22/06/2019


2462MHz_TX



802.11g_Nss1,(6Mbps)_1TX(Port2)

22/06/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92407G	30.06	54.00	-23.94	-3.79	3	Vertical	334	1.50	-	33.85	31.20	6.60	41.59
PK	4.92454G	42.76	74.00	-31.24	-3.79	3	Vertical	334	1.50	-	46.55	31.20	6.60	41.59

802.11g_Nss1,(6Mbps)_1TX(Port2)

22/06/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92397G	30.34	54.00	-23.66	-3.79	3	Horizontal	6	1.05	-	34.13	31.20	6.60	41.59
PK	4.92499G	42.51	74.00	-31.49	-3.79	3	Horizontal	6	1.05	-	46.30	31.20	6.60	41.59

802.11g_Nss1,(6Mbps)_2TX

22/06/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.54	54.00	-1.46	31.56	3	Vertical	356	2.99	-	20.98	27.64	3.92	-
AV	2.4146G	101.84	Inf	-Inf	31.55	3	Vertical	356	2.99	-	70.29	27.59	3.96	-
PK	2.39G	69.05	74.00	-4.95	31.56	3	Vertical	356	2.99	-	37.49	27.64	3.92	-
PK	2.4146G	110.73	Inf	-Inf	31.55	3	Vertical	356	2.99	-	79.18	27.59	3.96	-

802.11g_Nss1,(6Mbps)_2TX

22/06/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3878G	48.83	54.00	-5.17	31.57	3	Horizontal	63	1.50	-	17.26	27.65	3.92	-
AV	2.4172G	98.74	Inf	-Inf	31.54	3	Horizontal	63	1.50	-	67.20	27.58	3.96	-
PK	2.3876G	63.04	74.00	-10.96	31.57	3	Horizontal	63	1.50	-	31.47	27.65	3.92	-
PK	2.4072G	107.69	Inf	-Inf	31.53	3	Horizontal	63	1.50	-	76.16	27.59	3.94	-

802.11g_Nss1,(6Mbps)_2TX

22/06/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82231G	30.65	54.00	-23.35	-3.93	3	Vertical	203	2.12	-	34.58	31.10	6.52	41.55
PK	4.82398G	43.69	74.00	-30.31	-3.92	3	Vertical	203	2.12	-	47.61	31.10	6.53	41.55

802.11g_Nss1,(6Mbps)_2TX

22/06/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82192G	30.50	54.00	-23.50	-3.93	3	Horizontal	295	2.05	-	34.43	31.10	6.52	41.55
PK	4.82211G	43.58	74.00	-30.42	-3.93	3	Horizontal	295	2.05	-	47.51	31.10	6.52	41.55

802.11g_Nss1,(6Mbps)_2TX

21/06/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.24	54.00	-0.76	31.56	3	Vertical	342	1.50	-	21.68	27.64	3.92	-
AV	2.4204G	101.35	Inf	-Inf	31.54	3	Vertical	342	1.50	-	69.81	27.58	3.96	-
PK	2.3896G	66.34	74.00	-7.66	31.56	3	Vertical	342	1.50	-	34.78	27.64	3.92	-
PK	2.42G	109.67	Inf	-Inf	31.54	3	Vertical	342	1.50	-	78.13	27.58	3.96	-

802.11g_Nss1,(6Mbps)_2TX

21/06/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3882G	50.91	54.00	-3.09	31.57	3	Horizontal	57	2.17	-	19.34	27.65	3.92	-
AV	2.4178G	102.25	Inf	-Inf	31.54	3	Horizontal	57	2.17	-	70.71	27.58	3.96	-
PK	2.3888G	66.64	74.00	-7.36	31.56	3	Horizontal	57	2.17	-	35.08	27.64	3.92	-
PK	2.418G	111.13	Inf	-Inf	31.54	3	Horizontal	57	2.17	-	79.59	27.58	3.96	-

802.11g_Nss1,(6Mbps)_2TX

22/06/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	46.04	54.00	-7.96	31.56	3	Vertical	0	2.95	-	14.48	27.64	3.92	-
AV	2.439G	105.71	Inf	-Inf	31.55	3	Vertical	0	2.95	-	74.16	27.56	3.99	-
AV	2.4842G	46.87	54.00	-7.13	31.58	3	Vertical	0	2.95	-	15.29	27.52	4.06	-
PK	2.3826G	58.05	74.00	-15.95	31.58	3	Vertical	0	2.95	-	26.47	27.67	3.91	-
PK	2.4346G	114.89	Inf	-Inf	31.55	3	Vertical	0	2.95	-	83.34	27.57	3.98	-
PK	2.4846G	60.43	74.00	-13.57	31.58	3	Vertical	0	2.95	-	28.85	27.52	4.06	-

802.11g_Nss1,(6Mbps)_2TX

22/06/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	45.74	54.00	-8.26	31.57	3	Horizontal	35	1.50	-	14.17	27.65	3.92	-
AV	2.4382G	103.27	Inf	-Inf	31.55	3	Horizontal	35	1.50	-	71.72	27.56	3.99	-
AV	2.4835G	46.75	54.00	-7.25	31.58	3	Horizontal	35	1.50	-	15.17	27.52	4.06	-
PK	2.3886G	59.09	74.00	-14.91	31.57	3	Horizontal	35	1.50	-	27.52	27.65	3.92	-
PK	2.4378G	111.95	Inf	-Inf	31.55	3	Horizontal	35	1.50	-	80.40	27.56	3.99	-
PK	2.4838G	59.76	74.00	-14.24	31.58	3	Horizontal	35	1.50	-	28.18	27.52	4.06	-

802.11g_Nss1,(6Mbps)_2TX

22/06/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8689G	29.90	54.00	-24.10	-3.91	3	Vertical	304	1.68	-	33.81	31.10	6.56	41.57
PK	4.86266G	42.68	74.00	-31.32	-3.91	3	Vertical	304	1.68	-	46.59	31.10	6.56	41.57

802.11g_Nss1,(6Mbps)_2TX

22/06/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86632G	29.84	54.00	-24.16	-3.91	3	Horizontal	190	1.87	-	33.75	31.10	6.56	41.57
PK	4.87844G	42.51	74.00	-31.49	-3.90	3	Horizontal	190	1.87	-	46.41	31.10	6.57	41.57

802.11g_Nss1,(6Mbps)_2TX

21/06/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4596G	103.70	Inf	-Inf	31.56	3	Vertical	0	2.89	-	72.14	27.54	4.02	-
AV	2.484G	53.24	54.00	-0.76	31.58	3	Vertical	0	2.89	-	21.66	27.52	4.06	-
PK	2.4544G	112.91	Inf	-Inf	31.56	3	Vertical	0	2.89	-	81.35	27.55	4.01	-
PK	2.4846G	68.56	74.00	-5.44	31.58	3	Vertical	0	2.89	-	36.98	27.52	4.06	-

802.11g_Nss1,(6Mbps)_2TX

21/06/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4578G	101.33	Inf	-Inf	31.56	3	Horizontal	50	1.50	-	69.77	27.54	4.02	-
AV	2.4835G	51.12	54.00	-2.88	31.58	3	Horizontal	50	1.50	-	19.54	27.52	4.06	-
PK	2.4578G	110.81	Inf	-Inf	31.56	3	Horizontal	50	1.50	-	79.25	27.54	4.02	-
PK	2.4835G	66.82	74.00	-7.18	31.58	3	Horizontal	50	1.50	-	35.24	27.52	4.06	-

802.11g_Nss1,(6Mbps)_2TX

22/06/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4648G	102.15	Inf	-Inf	31.57	3	Vertical	348	1.86	-	70.58	27.54	4.03	-
AV	2.4846G	51.31	54.00	-2.69	31.58	3	Vertical	348	1.86	-	19.73	27.52	4.06	-
PK	2.4596G	111.54	Inf	-Inf	31.56	3	Vertical	348	1.86	-	79.98	27.54	4.02	-
PK	2.4862G	66.03	74.00	-7.97	31.57	3	Vertical	348	1.86	-	34.46	27.51	4.06	-

802.11g_Nss1,(6Mbps)_2TX

22/06/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4632G	100.15	Inf	-Inf	31.57	3	Horizontal	36	1.50	-	68.58	27.54	4.03	-
AV	2.4835G	51.06	54.00	-2.94	31.58	3	Horizontal	36	1.50	-	19.48	27.52	4.06	-
PK	2.463G	108.80	Inf	-Inf	31.57	3	Horizontal	36	1.50	-	77.23	27.54	4.03	-
PK	2.4835G	65.57	74.00	-8.43	31.58	3	Horizontal	36	1.50	-	33.99	27.52	4.06	-

802.11g_Nss1,(6Mbps)_2TX

22/06/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93618G	29.77	54.00	-24.23	-3.74	3	Vertical	257	2.01	-	33.51	31.24	6.61	41.59
PK	4.92814G	42.75	74.00	-31.25	-3.77	3	Vertical	257	2.01	-	46.52	31.21	6.61	41.59

802.11g_Nss1,(6Mbps)_2TX

22/06/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92376G	29.78	54.00	-24.22	-3.79	3	Horizontal	163	2.02	-	33.57	31.20	6.60	41.59
PK	4.93882G	42.77	74.00	-31.23	-3.72	3	Horizontal	163	2.02	-	46.49	31.26	6.61	41.59

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

22/06/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.16	54.00	-1.84	31.56	3	Vertical	343	2.98	-	20.60	27.64	3.92	-
AV	2.4178G	95.71	Inf	-Inf	31.54	3	Vertical	343	2.98	-	64.17	27.58	3.96	-
PK	2.3886G	67.26	74.00	-6.74	31.57	3	Vertical	343	2.98	-	35.69	27.65	3.92	-
PK	2.418G	108.91	Inf	-Inf	31.54	3	Vertical	343	2.98	-	77.37	27.58	3.96	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

22/06/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.12	54.00	-0.88	31.56	3	Horizontal	35	1.33	-	21.56	27.64	3.92	-
AV	2.4088G	96.77	Inf	-Inf	31.54	3	Horizontal	35	1.33	-	65.23	27.59	3.95	-
PK	2.3888G	69.09	74.00	-4.91	31.56	3	Horizontal	35	1.33	-	37.53	27.64	3.92	-
PK	2.4136G	109.81	Inf	-Inf	31.54	3	Horizontal	35	1.33	-	78.27	27.59	3.95	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

22/06/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82244G	30.21	54.00	-23.79	-3.92	3	Vertical	228	2.98	-	34.13	31.10	6.53	41.55
PK	4.82469G	43.51	74.00	-30.49	-3.92	3	Vertical	228	2.98	-	47.43	31.10	6.53	41.55

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

22/06/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82399G	30.62	54.00	-23.38	-3.92	3	Horizontal	18	2.98	-	34.54	31.10	6.53	41.55
PK	4.82376G	43.70	74.00	-30.30	-3.92	3	Horizontal	18	2.98	-	47.62	31.10	6.53	41.55

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

21/06/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.14	54.00	-0.86	31.56	3	Vertical	343	2.96	-	21.58	27.64	3.92	-
AV	2.4208G	97.25	Inf	-Inf	31.54	3	Vertical	343	2.96	-	65.71	27.58	3.96	-
PK	2.3866G	66.92	74.00	-7.08	31.56	3	Vertical	343	2.96	-	35.36	27.65	3.91	-
PK	2.4236G	110.48	Inf	-Inf	31.55	3	Vertical	343	2.96	-	78.93	27.58	3.97	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

21/06/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.65	54.00	-0.35	31.56	3	Horizontal	52	1.22	-	22.09	27.64	3.92	-
AV	2.4212G	97.80	Inf	-Inf	31.54	3	Horizontal	52	1.22	-	66.26	27.58	3.96	-
PK	2.388G	67.93	74.00	-6.07	31.57	3	Horizontal	52	1.22	-	36.36	27.65	3.92	-
PK	2.4186G	110.77	Inf	-Inf	31.54	3	Horizontal	52	1.22	-	79.23	27.58	3.96	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

22/06/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	45.44	54.00	-8.56	31.56	3	Vertical	360	2.96	-	13.88	27.64	3.92	-
AV	2.4358G	99.72	Inf	-Inf	31.55	3	Vertical	360	2.96	-	68.17	27.56	3.99	-
AV	2.4835G	45.63	54.00	-8.37	31.58	3	Vertical	360	2.96	-	14.05	27.52	4.06	-
PK	2.3898G	58.62	74.00	-15.38	31.56	3	Vertical	360	2.96	-	27.06	27.64	3.92	-
PK	2.4322G	112.64	Inf	-Inf	31.55	3	Vertical	360	2.96	-	81.09	27.57	3.98	-
PK	2.4846G	58.40	74.00	-15.60	31.58	3	Vertical	360	2.96	-	26.82	27.52	4.06	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

22/06/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	45.54	54.00	-8.46	31.56	3	Horizontal	39	1.50	-	13.98	27.64	3.92	-
AV	2.4346G	100.05	Inf	-Inf	31.55	3	Horizontal	39	1.50	-	68.50	27.57	3.98	-
AV	2.4838G	46.54	54.00	-7.46	31.58	3	Horizontal	39	1.50	-	14.96	27.52	4.06	-
PK	2.3898G	61.07	74.00	-12.93	31.56	3	Horizontal	39	1.50	-	29.51	27.64	3.92	-
PK	2.4318G	112.56	Inf	-Inf	31.55	3	Horizontal	39	1.50	-	81.01	27.57	3.98	-
PK	2.4838G	60.72	74.00	-13.28	31.58	3	Horizontal	39	1.50	-	29.14	27.52	4.06	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

22/06/2019

2437MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87419G	29.59	54.00	-24.41	-3.91	3	Vertical	339	2.83	-	33.50	31.10	6.56	41.57
PK	4.87338G	42.65	74.00	-31.35	-3.91	3	Vertical	339	2.83	-	46.56	31.10	6.56	41.57

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

22/06/2019

2437MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.8741G	29.83	54.00	-24.17	-3.91	3	Horizontal	9	1.36	-	33.74	31.10	6.56	41.57
PK	4.87398G	42.99	74.00	-31.01	-3.91	3	Horizontal	9	1.36	-	46.90	31.10	6.56	41.57

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

21/06/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4546G	96.76	Inf	-Inf	31.56	3	Vertical	338	1.50	-	65.20	27.55	4.01	-
AV	2.4835G	53.49	54.00	-0.51	31.58	3	Vertical	338	1.50	-	21.91	27.52	4.06	-
PK	2.45G	109.41	Inf	-Inf	31.56	3	Vertical	338	1.50	-	77.85	27.55	4.01	-
PK	2.4836G	69.34	74.00	-4.66	31.58	3	Vertical	338	1.50	-	37.76	27.52	4.06	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

21/06/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4616G	96.12	Inf	-Inf	31.56	3	Horizontal	48	1.04	-	64.56	27.54	4.02	-
AV	2.4835G	53.62	54.00	-0.38	31.58	3	Horizontal	48	1.04	-	22.04	27.52	4.06	-
PK	2.4622G	109.09	Inf	-Inf	31.56	3	Horizontal	48	1.04	-	77.53	27.54	4.02	-
PK	2.4835G	67.45	74.00	-6.55	31.58	3	Horizontal	48	1.04	-	35.87	27.52	4.06	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

22/06/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.464G	96.04	Inf	-Inf	31.57	3	Vertical	336	2.08	-	64.47	27.54	4.03	-
AV	2.4835G	51.46	54.00	-2.54	31.58	3	Vertical	336	2.08	-	19.88	27.52	4.06	-
PK	2.4596G	109.23	Inf	-Inf	31.56	3	Vertical	336	2.08	-	77.67	27.54	4.02	-
PK	2.4835G	68.58	74.00	-5.42	31.58	3	Vertical	336	2.08	-	37.00	27.52	4.06	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

22/06/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4642G	97.16	Inf	-Inf	31.57	3	Horizontal	49	1.50	-	65.59	27.54	4.03	-
AV	2.4835G	53.15	54.00	-0.85	31.58	3	Horizontal	49	1.50	-	21.57	27.52	4.06	-
PK	2.4668G	109.86	Inf	-Inf	31.56	3	Horizontal	49	1.50	-	78.30	27.53	4.03	-
PK	2.4848G	69.98	74.00	-4.02	31.58	3	Horizontal	49	1.50	-	38.40	27.52	4.06	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

22/06/2019

2462MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92256G	29.36	54.00	-24.64	-3.80	3	Vertical	247	2.35	-	33.16	31.19	6.60	41.59
PK	4.91872G	42.83	74.00	-31.17	-3.81	3	Vertical	247	2.35	-	46.64	31.17	6.60	41.58

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

22/06/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92214G	29.30	54.00	-24.70	-3.80	3	Horizontal	97	1.22	-	33.10	31.19	6.60	41.59
PK	4.93354G	42.23	74.00	-31.77	-3.75	3	Horizontal	97	1.22	-	45.98	31.23	6.61	41.59

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

22/06/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.29	54.00	-1.71	31.56	3	Vertical	23	1.98	-	20.73	27.64	3.92	-
AV	2.4132G	96.48	Inf	-Inf	31.54	3	Vertical	23	1.98	-	64.94	27.59	3.95	-
PK	2.3898G	69.13	74.00	-4.87	31.56	3	Vertical	23	1.98	-	37.57	27.64	3.92	-
PK	2.4094G	109.56	Inf	-Inf	31.54	3	Vertical	23	1.98	-	78.02	27.59	3.95	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

22/06/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	50.07	54.00	-3.93	31.56	3	Horizontal	285	1.78	-	18.51	27.64	3.92	-
AV	2.4148G	94.26	Inf	-Inf	31.55	3	Horizontal	285	1.78	-	62.71	27.59	3.96	-
PK	2.389G	64.77	74.00	-9.23	31.56	3	Horizontal	285	1.78	-	33.21	27.64	3.92	-
PK	2.416G	106.81	Inf	-Inf	31.54	3	Horizontal	285	1.78	-	75.27	27.58	3.96	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

22/06/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81002G	30.27	54.00	-23.73	-3.93	3	Vertical	338	1.07	-	34.20	31.10	6.52	41.55
PK	4.82274G	43.31	74.00	-30.69	-3.92	3	Vertical	338	1.07	-	47.23	31.10	6.53	41.55

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

22/06/2019

2412MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.81032G	30.14	54.00	-23.86	-3.93	3	Horizontal	107	2.01	-	34.07	31.10	6.52	41.55
PK	4.8153G	43.59	74.00	-30.41	-3.93	3	Horizontal	107	2.01	-	47.52	31.10	6.52	41.55

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

21/06/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.54	54.00	-0.46	31.56	3	Vertical	339	1.04	-	21.98	27.64	3.92	-
AV	2.4154G	97.07	Inf	-Inf	31.54	3	Vertical	339	1.04	-	65.53	27.58	3.96	-
PK	2.3894G	69.26	74.00	-4.74	31.56	3	Vertical	339	1.04	-	37.70	27.64	3.92	-
PK	2.4216G	109.72	Inf	-Inf	31.55	3	Vertical	339	1.04	-	78.17	27.58	3.97	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

21/06/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.38	54.00	-1.62	31.56	3	Horizontal	305	1.60	-	20.82	27.64	3.92	-
AV	2.4134G	96.12	Inf	-Inf	31.54	3	Horizontal	305	1.60	-	64.58	27.59	3.95	-
PK	2.39G	66.08	74.00	-7.92	31.56	3	Horizontal	305	1.60	-	34.52	27.64	3.92	-
PK	2.419G	109.16	Inf	-Inf	31.54	3	Horizontal	305	1.60	-	77.62	27.58	3.96	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

22/06/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.13	54.00	-7.87	31.56	3	Vertical	12	2.99	-	14.57	27.64	3.92	-
AV	2.4342G	100.71	Inf	-Inf	31.55	3	Vertical	12	2.99	-	69.16	27.57	3.98	-
AV	2.4842G	46.29	54.00	-7.71	31.58	3	Vertical	12	2.99	-	14.71	27.52	4.06	-
PK	2.3898G	63.07	74.00	-10.93	31.56	3	Vertical	12	2.99	-	31.51	27.64	3.92	-
PK	2.4362G	113.14	Inf	-Inf	31.55	3	Vertical	12	2.99	-	81.59	27.56	3.99	-
PK	2.4842G	59.81	74.00	-14.19	31.58	3	Vertical	12	2.99	-	28.23	27.52	4.06	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

22/06/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3866G	44.02	54.00	-9.98	31.56	3	Horizontal	65	1.49	-	12.46	27.65	3.91	-
AV	2.4406G	96.80	Inf	-Inf	31.55	3	Horizontal	65	1.49	-	65.25	27.56	3.99	-
AV	2.4835G	45.42	54.00	-8.58	31.58	3	Horizontal	65	1.49	-	13.84	27.52	4.06	-
PK	2.3818G	56.74	74.00	-17.26	31.58	3	Horizontal	65	1.49	-	25.16	27.67	3.91	-
PK	2.4418G	109.31	Inf	-Inf	31.56	3	Horizontal	65	1.49	-	77.75	27.56	4.00	-
PK	2.4878G	58.21	74.00	-15.79	31.57	3	Horizontal	65	1.49	-	26.64	27.51	4.06	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

22/06/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	29.76	54.00	-24.24	-3.91	3	Vertical	11	1.66	-	33.67	31.10	6.56	41.57
PK	4.87436G	42.41	74.00	-31.59	-3.91	3	Vertical	11	1.66	-	46.32	31.10	6.56	41.57

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

22/06/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87394G	29.74	54.00	-24.26	-3.91	3	Horizontal	333	1.43	-	33.65	31.10	6.56	41.57
PK	4.87424G	42.56	74.00	-31.44	-3.91	3	Horizontal	333	1.43	-	46.47	31.10	6.56	41.57

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

21/06/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4554G	98.48	Inf	-Inf	31.55	3	Vertical	358	2.64	-	66.93	27.54	4.01	-
AV	2.4835G	53.10	54.00	-0.90	31.58	3	Vertical	358	2.64	-	21.52	27.52	4.06	-
PK	2.4564G	111.01	Inf	-Inf	31.56	3	Vertical	358	2.64	-	79.45	27.54	4.02	-
PK	2.484G	67.02	74.00	-6.98	31.58	3	Vertical	358	2.64	-	35.44	27.52	4.06	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

21/06/2019


2457MHz_TX



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

22/06/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBm/Hz)	Limit (dBm/Hz)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm/Hz)	AF (dB)	CL (dB)	PA (dB)
AV	2.4636G	96.86	Inf	-Inf	31.57	3	Vertical	347	1.86	-	65.29	27.54	4.03	-
AV	2.4835G	53.17	54.00	-0.83	31.58	3	Vertical	347	1.86	-	21.59	27.52	4.06	-
PK	2.4676G	109.62	Inf	-Inf	31.56	3	Vertical	347	1.86	-	78.06	27.53	4.03	-
PK	2.4835G	71.25	74.00	-2.75	31.58	3	Vertical	347	1.86	-	39.67	27.52	4.06	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

22/06/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4636G	94.94	Inf	-Inf	31.57	3	Horizontal	314	1.98	-	63.37	27.54	4.03	-
AV	2.4835G	50.90	54.00	-3.10	31.58	3	Horizontal	314	1.98	-	19.32	27.52	4.06	-
PK	2.464G	107.63	Inf	-Inf	31.57	3	Horizontal	314	1.98	-	76.06	27.54	4.03	-
PK	2.485G	65.18	74.00	-8.82	31.58	3	Horizontal	314	1.98	-	33.60	27.52	4.06	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

22/06/2019

2462MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.91878G	29.36	54.00	-24.64	-3.80	3	Vertical	191	2.24	-	33.16	31.18	6.60	41.58
PK	4.91962G	42.97	74.00	-31.03	-3.80	3	Vertical	191	2.24	-	46.77	31.18	6.60	41.58

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

22/06/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92112G	29.30	54.00	-24.70	-3.80	3	Horizontal	349	1.30	-	33.10	31.18	6.60	41.58
PK	4.92688G	42.83	74.00	-31.17	-3.78	3	Horizontal	349	1.30	-	46.61	31.21	6.60	41.59

802.11ax HEW20_Nss1,(MCS0)_2TX

22/06/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.388G	53.44	54.00	-0.56	31.57	3	Vertical	356	2.99	-	21.87	27.65	3.92	-
AV	2.417G	101.52	Inf	-Inf	31.54	3	Vertical	356	2.99	-	69.98	27.58	3.96	-
PK	2.3896G	69.44	74.00	-4.56	31.56	3	Vertical	356	2.99	-	37.88	27.64	3.92	-
PK	2.417G	114.11	Inf	-Inf	31.54	3	Vertical	356	2.99	-	82.57	27.58	3.96	-

802.11ax HEW20_Nss1,(MCS0)_2TX

22/06/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	51.52	54.00	-2.48	31.56	3	Horizontal	63	1.50	-	19.96	27.64	3.92	-
AV	2.413G	98.86	Inf	-Inf	31.54	3	Horizontal	63	1.50	-	67.32	27.59	3.95	-
PK	2.3898G	65.93	74.00	-8.07	31.56	3	Horizontal	63	1.50	-	34.37	27.64	3.92	-
PK	2.4132G	111.56	Inf	-Inf	31.54	3	Horizontal	63	1.50	-	80.02	27.59	3.95	-

802.11ax HEW20_Nss1,(MCS0)_2TX

22/06/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	4.80918G	30.22	54.00	-23.78	-3.94	3	Vertical	174	1.42	-	34.16	31.10	6.51	41.55
PK	4.82154G	43.08	74.00	-30.92	-3.93	3	Vertical	174	1.42	-	47.01	31.10	6.52	41.55

802.11ax HEW20_Nss1,(MCS0)_2TX

22/06/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.80966G	30.23	54.00	-23.77	-3.93	3	Horizontal	110	1.49	-	34.16	31.10	6.52	41.55
PK	4.81416G	43.79	74.00	-30.21	-3.93	3	Horizontal	110	1.49	-	47.72	31.10	6.52	41.55

802.11ax HEW20_Nss1,(MCS0)_2TX

21/06/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBm/Hz)	Limit (dBm/Hz)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm/Hz)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.31	54.00	-1.69	31.56	3	Vertical	349	2.99	-	20.75	27.64	3.92	-
AV	2.4226G	102.48	Inf	-Inf	31.55	3	Vertical	349	2.99	-	70.93	27.58	3.97	-
PK	2.3832G	66.46	74.00	-7.54	31.58	3	Vertical	349	2.99	-	34.88	27.67	3.91	-
PK	2.422G	115.98	Inf	-Inf	31.55	3	Vertical	349	2.99	-	84.43	27.58	3.97	-

802.11ax HEW20_Nss1,(MCS0)_2TX

21/06/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	53.80	54.00	-0.20	31.56	3	Horizontal	47	1.98	-	22.24	27.64	3.92	-
AV	2.4186G	101.72	Inf	-Inf	31.54	3	Horizontal	47	1.98	-	70.18	27.58	3.96	-
PK	2.3878G	70.49	74.00	-3.51	31.57	3	Horizontal	47	1.98	-	38.92	27.65	3.92	-
PK	2.4188G	114.88	Inf	-Inf	31.54	3	Horizontal	47	1.98	-	83.34	27.58	3.96	-

802.11ax HEW20_Nss1,(MCS0)_2TX

22/06/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.42	54.00	-7.58	31.56	3	Vertical	358	2.97	-	14.86	27.64	3.92	-
AV	2.4414G	104.47	Inf	-Inf	31.55	3	Vertical	358	2.97	-	72.92	27.56	3.99	-
AV	2.4835G	47.49	54.00	-6.51	31.58	3	Vertical	358	2.97	-	15.91	27.52	4.06	-
PK	2.3894G	61.33	74.00	-12.67	31.56	3	Vertical	358	2.97	-	29.77	27.64	3.92	-
PK	2.4406G	116.68	Inf	-Inf	31.55	3	Vertical	358	2.97	-	85.13	27.56	3.99	-
PK	2.4835G	59.78	74.00	-14.22	31.58	3	Vertical	358	2.97	-	28.20	27.52	4.06	-

802.11ax HEW20_Nss1,(MCS0)_2TX

22/06/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.29	54.00	-7.71	31.56	3	Horizontal	32	1.50	-	14.73	27.64	3.92	-
AV	2.439G	102.75	Inf	-Inf	31.55	3	Horizontal	32	1.50	-	71.20	27.56	3.99	-
AV	2.487G	46.20	54.00	-7.80	31.57	3	Horizontal	32	1.50	-	14.63	27.51	4.06	-
PK	2.3886G	60.52	74.00	-13.48	31.57	3	Horizontal	32	1.50	-	28.95	27.65	3.92	-
PK	2.4386G	115.08	Inf	-Inf	31.55	3	Horizontal	32	1.50	-	83.53	27.56	3.99	-
PK	2.489G	59.50	74.00	-14.50	31.57	3	Horizontal	32	1.50	-	27.93	27.51	4.06	-

802.11ax HEW20_Nss1,(MCS0)_2TX

22/06/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87389G	29.51	54.00	-24.49	-3.91	3	Vertical	199	1.78	-	33.42	31.10	6.56	41.57
PK	4.87336G	42.50	74.00	-31.50	-3.91	3	Vertical	199	1.78	-	46.41	31.10	6.56	41.57

802.11ax HEW20_Nss1,(MCS0)_2TX

22/06/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87403G	30.04	54.00	-23.96	-3.91	3	Horizontal	215	2.11	-	33.95	31.10	6.56	41.57
PK	4.87352G	43.28	74.00	-30.72	-3.91	3	Horizontal	215	2.11	-	47.19	31.10	6.56	41.57

802.11ax HEW20_Nss1,(MCS0)_2TX

21/06/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	2.4538G	100.40	Inf	-Inf	31.56	3	Vertical	333	1.50	-	68.84	27.55	4.01	-
AV	2.4835G	53.51	54.00	-0.49	31.58	3	Vertical	333	1.50	-	21.93	27.52	4.06	-
PK	2.4548G	113.26	Inf	-Inf	31.56	3	Vertical	333	1.50	-	81.70	27.55	4.01	-
PK	2.484G	69.47	74.00	-4.53	31.58	3	Vertical	333	1.50	-	37.89	27.52	4.06	-

802.11ax HEW20_Nss1,(MCS0)_2TX

21/06/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4582G	99.60	Inf	-Inf	31.56	3	Horizontal	53	1.50	-	68.04	27.54	4.02	-
AV	2.4874G	49.29	54.00	-4.71	31.57	3	Horizontal	53	1.50	-	17.72	27.51	4.06	-
PK	2.4584G	112.23	Inf	-Inf	31.56	3	Horizontal	53	1.50	-	80.67	27.54	4.02	-
PK	2.4886G	66.12	74.00	-7.88	31.57	3	Horizontal	53	1.50	-	34.55	27.51	4.06	-

802.11ax HEW20_Nss1,(MCS0)_2TX

22/06/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4674G	101.27	Inf	-Inf	31.56	3	Vertical	346	1.87	-	69.71	27.53	4.03	-
AV	2.486G	51.87	54.00	-2.13	31.57	3	Vertical	346	1.87	-	20.30	27.51	4.06	-
PK	2.4668G	114.40	Inf	-Inf	31.56	3	Vertical	346	1.87	-	82.84	27.53	4.03	-
PK	2.4872G	71.99	74.00	-2.01	31.57	3	Vertical	346	1.87	-	40.42	27.51	4.06	-

802.11ax HEW20_Nss1,(MCS0)_2TX

22/06/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4642G	99.90	Inf	-Inf	31.57	3	Horizontal	34	1.50	-	68.33	27.54	4.03	-
AV	2.4835G	52.92	54.00	-1.08	31.58	3	Horizontal	34	1.50	-	21.34	27.52	4.06	-
PK	2.4642G	112.37	Inf	-Inf	31.57	3	Horizontal	34	1.50	-	80.80	27.54	4.03	-
PK	2.4835G	71.35	74.00	-2.65	31.58	3	Horizontal	34	1.50	-	39.77	27.52	4.06	-

802.11ax HEW20_Nss1,(MCS0)_2TX

22/06/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91518G	29.34	54.00	-24.66	-3.82	3	Vertical	239	1.10	-	33.16	31.16	6.60	41.58
PK	4.9177G	42.55	74.00	-31.45	-3.81	3	Vertical	239	1.10	-	46.36	31.17	6.60	41.58

802.11ax HEW20_Nss1,(MCS0)_2TX

22/06/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9219G	29.35	54.00	-24.65	-3.80	3	Horizontal	93	1.01	-	33.15	31.19	6.60	41.59
PK	4.92016G	42.49	74.00	-31.51	-3.80	3	Horizontal	93	1.01	-	46.29	31.18	6.60	41.58

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)

22/06/2019

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	52.86	54.00	-1.14	31.56	3	Vertical	336	2.94	-	21.30	27.64	3.92	-
AV	2.4232G	94.69	Inf	-Inf	31.55	3	Vertical	336	2.94	-	63.14	27.58	3.97	-
AV	2.4835G	45.66	54.00	-8.34	31.58	3	Vertical	336	2.94	-	14.08	27.52	4.06	-
PK	2.3864G	71.28	74.00	-2.72	31.56	3	Vertical	336	2.94	-	39.72	27.65	3.91	-
PK	2.4232G	107.68	Inf	-Inf	31.55	3	Vertical	336	2.94	-	76.13	27.58	3.97	-
PK	2.4872G	57.93	74.00	-16.07	31.57	3	Vertical	336	2.94	-	26.36	27.51	4.06	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)

22/06/2019

2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	53.31	54.00	-0.69	31.56	3	Horizontal	36	1.26	-	21.75	27.64	3.92	-
AV	2.4232G	94.58	Inf	-Inf	31.55	3	Horizontal	36	1.26	-	63.03	27.58	3.97	-
AV	2.4848G	46.62	54.00	-7.38	31.58	3	Horizontal	36	1.26	-	15.04	27.52	4.06	-
PK	2.3892G	71.20	74.00	-2.80	31.56	3	Horizontal	36	1.26	-	39.64	27.64	3.92	-
PK	2.43G	106.79	Inf	-Inf	31.55	3	Horizontal	36	1.26	-	75.24	27.57	3.98	-
PK	2.4864G	60.23	74.00	-13.77	31.57	3	Horizontal	36	1.26	-	28.66	27.51	4.06	-