

802.11ax HE40 CH46




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time (ms)	(cm)		(deg)	(dB/m)
1287.875000	40.06	(C . 202.))	68.20	28.14	500.0	100.0	Н	195.0	-8.1
1357.875000		29.21	54.00	24.79	500.0	100.0	Н	23.0	-7.6
1690.375000		30.20	54.00	23.80	500.0	200.0	Н	347.0	-5.9
1940.625000	42.80		68.20	25.40	500.0	100.0	٧	140.0	-4.7
2275.750000		31.17	54.00	22.83	500.0	200.0	Н	51.0	-3.3
2556.625000	44.07		68.20	24.13	500.0	200.0	Н	341.0	-2.2
2810.375000		33.62	54.00	20.38	500.0	100.0	Н	219.0	-1.3
3065.000000	44.37		68.20	23.83	500.0	100.0	Н	161.0	-0.4
3594.375000	48.25	(68.20	19.95	500.0	200.0	٧	196.0	1.6
4065.125000	346	36.71	54.00	17.29	500.0	100.0	Н	17.0	3.0
6973.625000	57.65		68.20	10.55	500.0	100.0	٧	16.0	6.6
7538.875000		40.86	54.00	13.14	500.0	200.0	٧	211.0	7.4




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time (ms)	(cm)		(deg)	(dB/m)
8052.500000		32.12	54.00	21.88	500.0	200.0	٧	272.0	-1.5
8862.500000	43.58		68.20	24.62	500.0	100.0	٧	206.0	-1.4
9466.250000		33.43	54.00	20.57	500.0	100.0	Н	307.0	-0.3
9668.750000	44.45		68.20	23.75	500.0	100.0	Н	256.0	-0.8
10580.000000	43.97		68.20	24.23	500.0	200.0	٧	131.0	-0.8
10672.500000		33.33	54.00	20.67	500.0	200.0	Н	108.0	-0.7
13315.000000		35.23	54.00	18.77	500.0	200.0	٧	186.0	3.3
13586.250000	46.66		68.20	21.54	500.0	200.0	٧	22.0	3.7
15321.250000	48.42		68.20	19.78	500.0	200.0	Н	324.0	5.9
15582.500000		38.25	54.00	15.75	500.0	100.0	Н	297.0	6.7
17680.000000	51.56		68.20	16.64	500.0	100.0	٧	289.0	10.2
17910.000000		40.30	54.00	13.70	500.0	200.0	Н	235.0	10.2


802.11ax HE40 CH54




Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1111.125000		27.41	54.00	26.59	500.0	200.0	ν	127.0	-9.2
1281.750000	39.82		68.20	28.38	500.0	100.0	Н	161.0	-8.1
1359.625000		29.09	54.00	24.91	500.0	100.0	Н	16.0	-7.6
1685.125000	200	30.14	54.00	23.86	500.0	200.0	Н	302.0	-6.0
1859.250000	42.67	1	68.20	25.53	500.0	100.0	٧	155.0	-5.1
2643.250000	44.64	()	68.20	23.56	500.0	100.0	V	200.0	-2.0
2773.625000		33.69	54.00	20.31	500.0	100.0	٧	16.0	-1.5
3094.750000	45.57		68.20	22.63	500.0	200.0	Н	322.0	-0.2
3513.000000	48.06	(1 <u>-4-4-</u>)	68.20	20.14	500.0	100.0	Н	161.0	1.3
3987.250000	346	38.01	54.00	15.99	500.0	100.0	٧	124.0	2.9
7027.000000	57.22	(68.20	10.98	500.0	100.0	٧	24.0	6.5
7536.250000		40.88	54.00	13.12	500.0	200.0	н	219.0	7.4




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time (ms)	(cm)		(deg)	(dB/m)
8025.000000		32.06	54.00	21.94	500.0	200.0	Н	132.0	-1.5
8992.500000	43.49		68.20	24.71	500.0	100.0	٧	266.0	-1.4
9471.250000		33.14	54.00	20.86	500.0	100.0	Н	44.0	-0.2
9666.250000	44.22		68.20	23.98	500.0	200.0	Н	224.0	-0.8
10555.000000	44.20		68.20	24.00	500.0	200.0	Н	249.0	-0.8
10660.000000		33.22	54.00	20.78	500.0	100.0	V	160.0	-0.7
13308.750000		35.33	54.00	18.67	500.0	200.0	Н	190.0	3.3
13508.750000	46.64		68.20	21.56	500.0	200.0	V	116.0	3.5
15275.000000	49.26		68.20	18.94	500.0	200.0	Н	137.0	5.9
15560.000000		38.13	54.00	15.87	500.0	100.0	٧	350.0	6.6
17673.750000	51.82		68.20	16.38	500.0	200.0	Н	0.0	10.2
17943.750000		40.51	54.00	13.49	500.0	200.0	Н	0.0	10.5








Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
					(ms)				
1133.875000		31.98	54.00	22.02	500.0	200.0	Н	0.0	1.6
1294.000000	44.67		68.20	23.53	500.0	200.0	V	8.0	3.2
1575.750000		34.02	54.00	19.98	500.0	200.0	Н	211.0	4.7
1775.250000	45.87	(<u></u>)	68.20	22.33	500.0	200.0	Н	186.0	5.6
2259.125000	-	35.93	54.00	18.07	500.0	200.0	Н	48.0	7.8
2425.375000	48.29		68.20	19.91	500.0	100.0	Н	274.0	8.3
2848.875000		37.42	54.00	16.58	500.0	200.0	٧	103.0	9.2
3401.875000	52.54		68.20	15.66	500.0	100.0	Н	96.0	11.2
4182.375000	200	40.69	54.00	13.31	500.0	100.0	Н	164.0	12.5
5760.875000	56.46	1	68.20	11.74	500.0	200.0	Н	262.0	14.6
7080.375000	58.10		68.20	10.10	500.0	100.0	V	19.0	17.3
7433.875000		44.76	54.00	9.24	500.0	100.0	Н	259.0	17.8




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time (ms)	(cm)		(deg)	(dB/m)
8156.250000		29.75	54.00	24.25	500.0	200.0	Н	202.0	-2.5
8990.000000	43.74		68.20	24.46	500.0	100.0	Н	7.0	-1.3
9150.000000	20010	32.13	54.00	21.87	500.0	100.0	Н	109.0	-1.1
9471.250000	200	33.65	54.00	20.35	500.0	100.0	Н	7.0	-0.1
9571.250000	45.05		68.20	23.15	500.0	100.0	Н	150.0	-0.5
10530.000000	43.62		68.20	24.58	500.0	200.0	Н	145.0	-1.0
10678.750000		33.50	54.00	20.50	500.0	100.0	Н	236.0	-0.8
13392.500000	200	34.02	54.00	19.98	500.0	200.0	Н	95.0	2.4
13531.250000	46.10		68.20	22.10	500.0	200.0	Н	192.0	2.8
15192.500000	48.05		68.20	20.15	500.0	100.0	٧	285.0	5.3
15605.000000		37.63	54.00	16.37	500.0	100.0	٧	183.0	6.5
17581.250000	51.39		68.20	16.81	500.0	100.0	Н	0.0	10.1



802.11ax HE40 CH102




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time (ms)	(cm)		(deg)	(dB/m)
1133.000000	200	32.64	54.00	21.36	500.0	100.0	Н	311.0	1.6
1285.250000	45.26		68.20	22.94	500.0	100.0	٧	87.0	3.1
1703.500000		35.50	54.00	18.50	500.0	200.0	Н	117.0	5.3
1818.125000	46.48		68.20	21.72	500.0	200.0	Н	182.0	5.8
2225.875000		36.55	54.00	17.45	500.0	200.0	٧	97.0	7.7
2428.000000	47.74	(7 <u>-4-4-</u>)	68.20	20.46	500.0	200.0	٧	354.0	8.3
2785.875000		38.00	54.00	16.00	500.0	200.0	٧	268.0	9.0
3408.875000	52.17		68.20	16.03	500.0	100.0	٧	82.0	11.2
4128.125000		40.78	54.00	13.22	500.0	200.0	٧	102.0	12.5
4416.875000	52.19		68.20	16.01	500.0	200.0	٧	331.0	12.7
7013.875000	56.83	(1 -1-1-1)	68.20	11.37	500.0	200.0	٧	0.0	17.3
7313.125000		45.03	54.00	8.97	500.0	100.0	٧	32.0	17.7




Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8198.750000		30.08	54.00	23.92	500.0	100.0	V	39.0	-2.4
8815.000000	43.91		68.20	24.29	500.0	100.0	V	221.0	-1.5
9135.000000		32.02	54.00	21.98	500.0	100.0	Н	240.0	-1.2
9466.250000		33.78	54.00	20.22	500.0	200.0	Н	27.0	-0.1
9847.500000	44.95		68.20	23.25	500.0	100.0	٧	216.0	-0.4
10501.250000	44.09	(68.20	24.11	500.0	100.0	Н	19.0	-1.0
11635.000000		33.62	54.00	20.38	500.0	100.0	٧	60.0	-0.4
13355.000000		33.86	54.00	20.14	500.0	200.0	٧	25.0	2.4
13636.250000	46.67	(68.20	21.53	500.0	200.0	٧	340.0	3.0
15257.500000	48.59	Single-	68.20	19.61	500.0	100.0	Н	162.0	5.5
15600.000000		37.68	54.00	16.32	500.0	200.0	٧	325.0	6.5
17633.750000	51.74		68.20	16.46	500.0	100.0	٧	3.0	10.2

802.11ax HE40 CH118




Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1098.875000		27.56	54.00	26.44	500.0	200.0	V	264.0	-9.3
1297.500000	39.93		68.20	28.27	500.0	100.0	Н	140.0	-8.0
1397.250000		29.30	54.00	24.70	500.0	200.0	٧	314.0	-7.5
1700.875000	200	30.21	54.00	23.79	500.0	100.0	٧	239.0	-5.9
1994.000000	42.67		68.20	25.53	500.0	200.0	٧	212.0	-4.5
2675.625000	44.56		68.20	23.64	500.0	100.0	V	91.0	-1.9
2777.125000		33.53	54.00	20.47	500.0	200.0	Н	156.0	-1.5
3314.375000	47.46		68.20	20.74	500.0	200.0	٧	324.0	0.7
3984.625000		37.89	54.00	16.11	500.0	100.0	٧	326.0	2.8
4436.125000	48.88		68.20	19.32	500.0	100.0	٧	40.0	3.9
6836.250000	52.86	(68.20	15.34	500.0	200.0	٧	94.0	6.4
7528.375000		40.76	54.00	13.24	500.0	100.0	Н	207.0	7.3






Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8027.500000		32.15	54.00	21.85	500.0	200.0	Н	308.0	-1.5
8943.750000	45.50		68.20	22.70	500.0	100.0	٧	81.0	-1.4
9466.250000		33.41	54.00	20.59	500.0	200.0	٧	340.0	-0.3
10213.750000	44.79		68.20	23.41	500.0	100.0	Н	323.0	-0.9
10582.500000	44.16		68.20	24.04	500.0	200.0	٧	350.0	-0.8
10668.750000		33.19	54.00	20.81	500.0	200.0	Н	0.0	-0.7
13318.750000		35.44	54.00	18.56	500.0	200.0	Н	135.0	3.3
13637.500000	47.92		68.20	20.28	500.0	200.0	H	319.0	3.7
15322.500000	48.63		68.20	19.57	500.0	200.0	Н	156.0	5.9
15572.500000	1 444	37.94	54.00	16.06	500.0	200.0	Н	54.0	6.6
17670.000000	51.33		68.20	16.87	500.0	200.0	٧	262.0	10.2
17902.500000		40.35	54.00	13.65	500.0	100.0	Н	323.0	10.2




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time (ms)	(cm)		(deg)	(dB/m)
1265.125000	44.73		68.20	23.47	500.0	100.0	Н	277.0	2.9
1406.000000		34.04	54.00	19.96	500.0	100.0	Н	301.0	3.9
1700.875000		35.21	54.00	18.79	500.0	100.0	٧	326.0	5.3
1895.125000	47.28	(0-4-4-1)	68.20	20.92	500.0	200.0	٧	275.0	6.0
2586.375000	49.17		68.20	19.03	500.0	100.0	Н	346.0	8.6
2806.875000		37.82	54.00	16.18	500.0	200.0	V	275.0	9.1
3509.500000	51.65		68.20	16.55	500.0	100.0	Н	12.0	11.6
3998.625000		41.41	54.00	12.59	500.0	100.0	Н	200.0	12.6
5129.125000	200-	42.46	54.00	11.54	500.0	200.0	Н	104.0	13.7
5237.625000	54.21		68.20	13.99	500.0	100.0	Н	107.0	14.1
7029.625000	56.97	(1	68.20	11.23	500.0	100.0	Н	287.0	17.3
7314.000000		44.72	54.00	9.28	500.0	200.0	Н	205.0	17.7






Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time (ms)	(cm)		(deg)	(dB/m)
8288.750000		29.89	54.00	24.11	500.0	200.0	٧	50.0	-2.4
8928.750000	43.48		68.20	24.72	500.0	200.0	Н	330.0	-1.3
9071.250000	20010	40.07	54.00	13.93	500.0	100.0	٧	228.0	-1.2
9462.500000	200	33.82	54.00	20.18	500.0	100.0	Н	274.0	-0.2
9847.500000	45.05		68.20	23.15	500.0	100.0	٧	197.0	-0.4
10532.500000	44.10		68.20	24.10	500.0	200.0	Н	0.0	-1.0
10677.500000		33.37	54.00	20.63	500.0	100.0	Н	300.0	-0.8
13381.250000	200	33.95	54.00	20.05	500.0	200.0	٧	186.0	2.4
13537.500000	46.20		68.20	22.00	500.0	100.0	Н	333.0	2.8
15293.750000	48.26		68.20	19.94	500.0	200.0	V	192.0	5.6
15570.000000		37.78	54.00	16.22	500.0	200.0	٧	328.0	6.4
17212.500000	51.60		68.20	16.60	500.0	100.0	٧	160.0	9.2




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time (ms)	(cm)		(deg)	(dB/m)
1290.500000	39.84	(1 <u>-1-1-1</u>)	68.20	28.36	500.0	100.0	٧	5.0	-8.1
1400.750000	200	29.14	54.00	24.86	500.0	200.0	٧	289.0	-7.5
1685.125000		30.20	54.00	23.80	500.0	100.0	٧	299.0	-6.0
1902.125000	42.82		68.20	25.38	500.0	200.0	Н	51.0	-4.9
2548.750000	44.16		68.20	24.04	500.0	200.0	٧	340.0	-2.2
2762.250000	200	34.08	54.00	19.92	500.0	100.0	٧	113.0	-1.5
3592.625000	47.64		68.20	20.56	500.0	200.0	Н	142.0	1.6
3989.000000		37.84	54.00	16.16	500.0	200.0	V	197.0	2.9
4499.125000	50.51		68.20	17.69	500.0	100.0	Н	290.0	4.3
4516.625000		38.37	54.00	15.63	500.0	200.0	Н	108.0	4.3
6862.500000	52.66	((68.20	15.54	500.0	100.0	H	340.0	6.5
7529.250000		40.79	54.00	13.21	500.0	200.0	٧	6.0	7.4






Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time (ms)	(cm)		(deg)	(dB/m)
8570.000000	43.77		68.20	24.43	500.0	100.0	٧	169.0	-1.7
9135.000000		38.16	54.00	15.84	500.0	100.0	٧	91.0	-1.2
9452.500000		33.08	54.00	20.93	500.0	200.0	Н	0.0	-0.4
9656.250000	44.31		68.20	23.89	500.0	200.0	Н	194.0	-0.8
10556.250000	43.88		68.20	24.32	500.0	100.0	٧	118.0	-0.8
10680.000000		33.44	54.00	20.56	500.0	200.0	V	288.0	-0.7
13316.250000		35.17	54.00	18.83	500.0	100.0	Н	217.0	3.3
13556.250000	46.92		68.20	21.28	500.0	200.0	V	138.0	3.7
15261.250000	48.51		68.20	19.69	500.0	100.0	٧	232.0	5.9
15590.000000		38.12	54.00	15.88	500.0	200.0	Н	128.0	6.7
17671.250000	51.22		68.20	16.98	500.0	100.0	٧	81.0	10.2
17753.750000		40.51	54.00	13.49	500.0	100.0	Н	277.0	10.3

802.11ax HE40 CH151




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time (ms)	(cm)		(deg)	(dB/m)
1297.500000	40.27	(2 <u>-4-4-4</u>)	68.20	27.93	500.0	200.0	Н	269.0	-8.0
1398.125000		28.91	54.00	25.09	500.0	100.0	Н	167.0	-7.5
1694.750000		30.20	54.00	23.80	500.0	200.0	Н	161.0	-5.9
1938.000000	42.22		68.20	25.98	500.0	200.0	٧	137.0	-4.7
2688.750000	44.63		68.20	23.57	500.0	100.0	Н	268.0	-1.8
2769.250000	200.000	33.67	54.00	20.33	500.0	100.0	٧	326.0	-1.5
3014.250000	44.53	(68.20	23.67	500.0	200.0	Н	326.0	-0.6
3548.875000	47.96		68.20	20.24	500.0	100.0	Н	53.0	1.4
3988.125000		38.22	54.00	15.78	500.0	100.0	٧	108.0	2.9
5119.500000		38.23	54.00	15.77	500.0	200.0	Н	125.0	5.1
7535.375000		40.81	54.00	13.19	500.0	100.0	Н	273.0	7.4
7888.875000	52.23	1242	68.20	15.97	500.0	100.0	Н	6.0	8.1






Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
8042.500000		32.10	54.00	21.90	500.0	100.0	V	105.0	-1.5
8823.750000	44.01		68.20	24.19	500.0	200.0	٧	27.0	-1.5
9207.500000	45.74		68.20	22.46	500.0	100.0	٧	266.0	-0.9
9465.000000		33.41	54.00	20.59	500.0	200.0	Н	0.0	-0.3
10551.250000	43.54		68.20	24.66	500.0	200.0	V	172.0	-0.8
11725.000000		33.13	54.00	20.87	500.0	100.0	٧	36.0	0.0
13283.750000		35.29	54.00	18.71	500.0	200.0	V	141.0	3.3
13468.750000	46.66		68.20	21.54	500.0	100.0	V	199.0	3.4
15252.500000	49.04		68.20	19.16	500.0	100.0	Н	109.0	5.8
15563.750000		38.02	54.00	15.98	500.0	100.0	V	244.0	6.6
17678.750000	51.55		68.20	16.65	500.0	200.0	٧	130.0	10.2
17905.000000		40.49	54.00	13.51	500.0	200.0	Н	73.0	10.2





Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1144.375000		28.12	54.00	25.88	500.0	200.0	Н	165.0	-9.0
1274.750000	38.96		68.20	29.24	500.0	100.0	Н	24.0	-8.2
1602.000000		30.34	54.00	23.66	500.0	100.0	V	286.0	-6.3
1884.625000	43.10		68.20	25.10	500.0	200.0	Н	359.0	-5.0
2677.375000	45.54		68.20	22.66	500.0	200.0	Н	277.0	-1.9
2779.750000		33.89	54.00	20.11	500.0	200.0	V	353.0	-1.5
3443.875000	48.82		68.20	19.38	500.0	200.0	V	317.0	1.1
3989.000000		38.49	54.00	15.51	500.0	100.0	Н	142.0	2.9
5390.750000		38.88	54.00	15.12	500.0	200.0	Н	287.0	5.7
5577.125000	50.89		68.20	17.31	500.0	200.0	V	57.0	6.2
7130.250000	52.99		68.20	15.21	500.0	100.0	V	0.0	6.7
7496.875000		41.28	54.00	12.72	500.0	200.0	V	178.0	7.2

RF Test Report Report No.: R2406A0726-R3



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
` '	` ' '	` ' '	` ' '	` '	(ms)	` ,		, ,	,
8498.750000		31.87	54.00	22.13	500.0	200.0	Н	324.0	-1.6
8968.750000	43.85		68.20	24.35	500.0	200.0	٧	120.0	-1.4
9271.250000	45.57		68.20	22.63	500.0	200.0	٧	264.0	-0.9
9458.750000		33.13	54.00	20.87	500.0	100.0	Н	153.0	-0.3
10553.750000	43.59		68.20	24.61	500.0	200.0	٧	43.0	-0.8
11590.000000	-	33.96	54.00	20.04	500.0	100.0	٧	251.0	-0.1
13317.500000	-	35.13	54.00	18.87	500.0	100.0	Н	48.0	3.3
13552.500000	46.67		68.20	21.53	500.0	200.0	٧	120.0	3.6
15342.500000	48.47		68.20	19.73	500.0	100.0	٧	192.0	5.9
15581.250000		38.10	54.00	15.90	500.0	200.0	٧	84.0	6.7
17385.000000	52.52		68.20	15.68	500.0	100.0	٧	271.0	9.5
17903.750000		40.35	54.00	13.65	500.0	100.0	٧	15.0	10.2