

Appendix Test Data for BT(BDR/EDR) (Conducted Measurement)

Product Name: True Wireless Stereo Bluetooth Headset

Trade Mark: aigo

Test Model: T120

FCC ID: 2ASNB-T120

Environmental Conditions


Temperature:	23.8℃
Relative Humidity:	58%
ATM Pressure:	100.0 kPa
Test Engineer:	Allen Lai
Supervised by:	Hugo Chen
NOTE	N/A


Appendix A: 20dB Emission Bandwidth

Test Result


Test Mode	Antenna	Frequency [MHz]	20db EBW [MHz]	FL [MHz]	FH [MHz]	Limit [MHz]	Verdict
DH5	Ant1	2402	0.95	2401.52	2402.47	---	---
DH5	Ant1	2441	0.95	2440.52	2441.47	---	---
DH5	Ant1	2480	0.95	2479.52	2480.47	---	---
2DH5	Ant1	2402	1.29	2401.36	2402.64	---	---
2DH5	Ant1	2441	1.31	2440.33	2441.64	---	---
2DH5	Ant1	2480	1.32	2479.33	2480.64	---	---

Test Graphs







DH5-Ant1-2480



2DH5-Ant1-2402



2DH5-Ant1-2441





Appendix B: Occupied Channel Bandwidth

Test Result


TestMode	Antenna	Frequency [MHz]	OCB [MHz]	FL [MHz]	FH [MHz]	Limit [MHz]	Verdict
DH5	Ant1	2402	0.875	2401.5475	2402.4226	---	---
DH5	Ant1	2441	0.872	2440.5475	2441.4196	---	---
DH5	Ant1	2480	0.875	2479.5475	2480.4226	---	---
2DH5	Ant1	2402	1.181	2401.3946	2402.5754	---	---
2DH5	Ant1	2441	1.19	2440.3916	2441.5814	---	---
2DH5	Ant1	2480	1.202	2479.3856	2480.5874	---	---

Test Graphs







DH5-Ant1-2480



2DH5-Ant1-2402



2DH5-Ant1-2441





Appendix C: Maximum peak conducted output power

Test Result


Test Mode	Antenna	Frequency [MHz]	Conducted Peak Power [dBm]	Conducted Limit [dBm]	Verdict
DH5	Ant1	2402	-3.89	≤30	PASS
DH5	Ant1	2441	-2.58	≤30	PASS
DH5	Ant1	2480	-1.53	≤30	PASS
2DH5	Ant1	2402	-3.21	≤20.97	PASS
2DH5	Ant1	2441	-1.80	≤20.97	PASS
2DH5	Ant1	2480	-0.88	≤20.97	PASS

Test Graphs







DH5-Ant1-2480-PASS



2DH5-Ant1-2402-PASS



2DH5-Ant1-2441-PASS




Appendix D: Carrier frequency separation

Test Result

Test Mode	Antenna	Frequency [MHz]	Result [MHz]	Limit [MHz]	Verdict
DH5	Ant1	Hop	1	≥0.950	PASS
2DH5	Ant1	Hop	1.009	≥0.880	PASS

Test Graphs





Appendix E: Time of occupancy

Test Result

Test Mode	Antenna	Frequency [MHz]	BurstWidth [ms]	TotalHops [Num]	Result [s]	Limit [s]	Verdict
DH5	Ant1	Hop	2.885	100	0.289	≤0.4	PASS
2DH5	Ant1	Hop	2.890	120	0.347	≤0.4	PASS

Test Graphs






Appendix F: Number of hopping channels

Test Result

Test Mode	Antenna	Frequency [MHz]	Result [Num]	Limit [Num]	Verdict
DH5	Ant1	Hop	79	≥15	PASS
2DH5	Ant1	Hop	79	≥15	PASS

Test Graphs





Appendix G: Band edge measurements

Test Result


Test Mode	Antenna	Ch.Name	Frequency [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	Low	2402	-0.13	-40.86	≤ -20.13	PASS
DH5	Ant1	High	2480	2.37	-40.64	≤ -17.63	PASS
DH5	Ant1	Low	Hop_2402	-0.06	-42.99	≤ -20.06	PASS
DH5	Ant1	High	Hop_2480	2.27	-44.25	≤ -17.73	PASS
2DH5	Ant1	Low	2402	-0.08	-41.77	≤ -20.08	PASS
2DH5	Ant1	High	2480	2.46	-40.77	≤ -17.54	PASS
2DH5	Ant1	Low	Hop_2402	-4.77	-47.28	≤ -24.77	PASS
2DH5	Ant1	High	Hop_2480	1.69	-42.48	≤ -18.31	PASS

Test Graphs







DH5-Ant1-Hop_2402-PASS




DH5-Ant1-Hop_2480-PASS




2DH5-Ant1-2402-PASS



2DH5-Ant1-2480-PASS



2DH5-Ant1-Hop_2402-PASS




2DH5-Ant1-Hop_2480-PASS

Appendix H: Conducted Spurious Emission


Test Result

Test Mode	Antenna	Frequency [MHz]	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	2402	0~Reference	-0.08	-0.08	---	PASS
DH5	Ant1	2402	30~1000	-0.08	-59.41	≤-20.08	PASS
DH5	Ant1	2402	1000~26500	-0.08	-47.25	≤-20.08	PASS
DH5	Ant1	2441	0~Reference	1.26	1.26	---	PASS
DH5	Ant1	2441	30~1000	1.26	-59.01	≤-18.74	PASS
DH5	Ant1	2441	1000~26500	1.26	-49.3	≤-18.74	PASS
DH5	Ant1	2480	0~Reference	2.37	2.37	---	PASS
DH5	Ant1	2480	30~1000	2.37	-33.76	≤-17.63	PASS
DH5	Ant1	2480	1000~26500	2.37	-49.19	≤-17.63	PASS
2DH5	Ant1	2402	0~Reference	0.01	0.01	---	PASS
2DH5	Ant1	2402	30~1000	0.01	-33.01	≤-19.99	PASS
2DH5	Ant1	2402	1000~26500	0.01	-46.91	≤-19.99	PASS
2DH5	Ant1	2441	0~Reference	1.37	1.37	---	PASS
2DH5	Ant1	2441	30~1000	1.37	-31.84	≤-18.63	PASS
2DH5	Ant1	2441	1000~26500	1.37	-48.41	≤-18.63	PASS
2DH5	Ant1	2480	0~Reference	2.41	2.41	---	PASS
2DH5	Ant1	2480	30~1000	2.41	-27.29	≤-17.59	PASS
2DH5	Ant1	2480	1000~26500	2.41	-48.27	≤-17.59	PASS


Test Graphs




DH5-Ant1-2402-0~Reference-PASS




DH5-Ant1-2402-30~1000-PASS




DH5-Ant1-2402-1000~26500-PASS




DH5-Ant1-2441-0~Reference-PASS




DH5-Ant1-2441-30~1000-PASS




DH5-Ant1-2441-1000~26500-PASS




DH5-Ant1-2480-0~Reference-PASS




DH5-Ant1-2480-30~1000-PASS




DH5-Ant1-2480-1000~2650-PASS




2DH5-Ant1-2402-0~Reference-PASS




2DH5-Ant1-2402-30~1000-PASS




2DH5-Ant1-2402-1000~26500-PASS




2DH5-Ant1-2441-0~Reference-PASS




2DH5-Ant1-2441-30~1000-PASS




2DH5-Ant1-2441-1000~26500-PASS



2DH5-Ant1-2480-0~Reference-PASS



2DH5-Ant1-2480-30~1000-PASS





Appendix I: Duty Cycle

Test Result


Test Mode	Antenna	Frequency [MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]	Duty Cycle Factor [dB]
DH5	Ant1	2402	2.89	3.75	77.07	1.13
DH5	Ant1	2441	2.89	3.75	77.07	1.13
DH5	Ant1	2480	2.89	3.75	77.07	1.13
2DH5	Ant1	2402	2.89	3.75	77.07	1.13
2DH5	Ant1	2441	2.89	3.75	77.07	1.13
2DH5	Ant1	2480	2.89	3.75	77.07	1.13

Test Graphs






NTNV-DH5-Ant1-2480



NTNV-2DH5-Ant1-2402



NTNV-2DH5-Ant1-2441

