

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File: TUV Haixin

Data: #265

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11nH40 5670(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5725.850	56.17	1.92	58.09	68.23	-10.14	peak		Comment

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #265

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #266

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11nH40 5670(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5725.200	55.89	1.92	57.81	68.23	-10.42	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #266

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #267

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11nH40 5510(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5469.750	52.95	1.43	54.38	68.23	-13.85	peak		Comment

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #267

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #268

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11nH40 5510(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5441.800	50.72	1.38	52.10	68.23	-16.13	peak		Comment

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #268

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #273

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11nH40 5510(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5465.950	51.27	1.43	52.70	68.23	-15.53	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HaixinData: #273

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #274

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11nH40 5510(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5468.850	52.47	1.43	53.90	68.23	-14.33	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HaixinData: #274

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #347

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac20 5500(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5469.750	52.86	1.43	54.29	68.23	-13.94	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #347

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File: TUV Haixin

Data: #348

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac20 5500(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5468.500	53.97	1.43	55.40	68.23	-12.83	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #348

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #353

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac20 5700(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5725.050	60.67	1.92	62.59	68.23	-5.64	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HaixinData: #353

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #354

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac20 5700(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5725.950	58.83	1.92	60.75	68.23	-7.48	peak		Comment

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HaixinData: #354

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #379

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac40 5670(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5725.150	57.26	1.92	59.18	68.23	-9.05	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HaixinData: #379

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File: TUV Haixin

Data: #380

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac40 5670(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5725.650	54.33	1.92	56.25	68.23	-11.98	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #380

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #385

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac40 5670(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5725.050	60.18	1.92	62.10	68.23	-6.13	peak		Comment

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HaixinData: #385

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File: TUV Haixin

Data: #386

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac40 5670(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5725.050	54.09	1.92	56.01	68.23	-12.22	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #386

Page: 1

Appendix A

50074914 002



Produkte
Products

Page 1193 of 1244

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #387

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac40 5510(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5469.750	52.95	1.43	54.38	68.23	-13.85	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #387

Page: 1

Appendix A

50074914 002



Produkte
Products

Page 1194 of 1244

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #388

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac40 5510(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5469.350	51.21	1.43	52.64	68.23	-15.59	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HaixinData: #388

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File: TUV Haixin

Data: #393

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac40 5510(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5465.950	50.77	1.43	52.20	68.23	-16.03	peak		Comment

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #393

Page: 1

Appendix A

50074914 002



Produkte
Products

Page 1196 of 1244

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #394

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac40 5510(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5468.850	51.97	1.43	53.40	68.23	-14.83	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #394


Page: 1

7.4 Bandedge (U-NII-3 Band)

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5725.000	64.45	1.92	66.37	122.23	-55.86	peak		

*.Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HAIXIN\Data: #57

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File: TUV HAIXIN

Data: #58

Date: 2017/03/05

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C B4 (Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11a 5745(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5724.375	65.90	1.92	67.82	120.81	-52.99	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HAIXINData: #58

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File: TUV HAIXIN

Data: #63

Date: 2017/03/05

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C B4 (Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11a 5825(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5850.000	63.61	2.16	65.77	122.23	-56.46	peak		Comment

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HAIXIN Data: #63

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File: TUV HAIXIN

Data: #64

Date: 2017/03/05

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C B4 (Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11a 5825(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5850.000	62.48	2.16	64.64	122.23	-57.59	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HAIXIN Data: #64

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File: TUV HAIXIN

Data: #65

Date: 2017/03/05

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C B4 (Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11nH20 5825(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5850.500	54.76	2.16	56.92	121.09	-64.17	peak		Comment

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HAIXIN Data: #65

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #66

Date: 2017/03/05

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C B4 (Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11nH20 5825(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5850.500	57.73	2.16	59.89	121.09	-61.20	peak		Comment

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HAIXIN Data: #66

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File: TUV HAIXIN

Data: #71

Date: 2017/03/05

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C B4 (Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11nH20 5825(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	5850.250	58.42	2.16	60.58	121.66	-61.08	peak	

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HAIXINData: #71

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File: TUV HAIXIN

Data: #72

Date: 2017/03/05

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C B4 (Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11nH20 5825(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5850.125	56.58	2.16	58.74	121.95	-63.21	peak		Comment

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HAIXINData: #72

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File: TUV HAIXIN

Data: #73

Date: 2017/03/05

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C B4 (Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11nH20 5745(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5724.500	63.39	1.92	65.31	121.09	-55.78	peak		Comment

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HAIXINData: #73

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #74

Date: 2017/03/05

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C B4 (Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11nH20 5745(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5724.375	62.64	1.92	64.56	120.81	-56.25	peak		Comment

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HAIXIN Data: #74

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File: TUV HAIXIN

Data: #79

Date: 2017/03/05

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C B4 (Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11nH20 5745(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5723.000	64.20	1.92	66.12	117.67	-51.55	peak		Comment

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HAIXINData: #79

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #80

Date: 2017/03/05

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C B4 (Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11nH20 5745(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	5723.750	62.68	1.92	64.60	119.38	-54.78	peak	

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HAIXIN Data: #80

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File: TUV HAIXIN

Data: #197

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C B4 (Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac80 5775(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5719.500	57.65	1.90	59.55	110.69	-51.14	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HAIXINData: #197

Page: 1