


Test Mode	UNII-3_TX BE(EHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth(MHz)	6dB Bandwidth Min. Limit(MHz)	Result
149	5745	19.200	19.400	0.5	Complies
157	5785	19.090	19.600	0.5	Complies
165	5825	19.200	19.500	0.5	Complies

CH149




Date: 25.OCT.2024 10:54:59

CH157
6 dB Bandwidth




Date: 25.OCT.2024 10:55:43

CH165




Date: 25.OCT.2024 10:56:35


99 % Occupied Bandwidth



Date: 25.OCT.2024 10:54:24



Date: 25.OCT.2024 10:55:10




Date: 25.OCT.2024 10:56:00

Test Mode	UNII-3_TX BE(EHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth(MHz)	6dB Bandwidth Min. Limit(MHz)	Result
155	5775	78.600	78.000	0.5	Complies

CH155 6 dB Bandwidth



Date: 25.OCT.2024 11:58:58

99 % Occupied Bandwidth



Date: 25.OCT.2024 11:58:12

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.50	2.19	18.69	30.00	1.0000	Complies
40	5200	16.57	2.19	18.76	30.00	1.0000	Complies
48	5240	16.80	2.19	18.99	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.77	2.19	18.96	30.00	1.0000	Complies
40	5200	16.48	2.19	18.67	30.00	1.0000	Complies
48	5240	16.72	2.19	18.91	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.99	2.19	19.18	30.00	1.0000	Complies
40	5200	16.89	2.19	19.08	30.00	1.0000	Complies
48	5240	16.87	2.19	19.06	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.46	2.19	18.65	30.00	1.0000	Complies
40	5200	16.90	2.19	19.09	30.00	1.0000	Complies
48	5240	17.07	2.19	19.26	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.89	30.00	1.0000	Complies
40	5200	24.92	30.00	1.0000	Complies
48	5240	25.08	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.15	0.23	19.38	30.00	1.0000	Complies
40	5200	20.04	0.23	20.27	30.00	1.0000	Complies
48	5240	19.35	0.23	19.58	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.45	0.23	19.68	30.00	1.0000	Complies
40	5200	19.91	0.23	20.14	30.00	1.0000	Complies
48	5240	19.41	0.23	19.64	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.03	0.23	20.26	30.00	1.0000	Complies
40	5200	20.19	0.23	20.42	30.00	1.0000	Complies
48	5240	19.32	0.23	19.55	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.49	0.23	19.72	30.00	1.0000	Complies
40	5200	19.88	0.23	20.11	30.00	1.0000	Complies
48	5240	19.20	0.23	19.43	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	25.79	30.00	1.0000	Complies
40	5200	26.25	30.00	1.0000	Complies
48	5240	25.57	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.05	0.20	17.25	30.00	1.0000	Complies
46	5230	21.49	0.20	21.69	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.09	0.20	17.29	30.00	1.0000	Complies
46	5230	21.65	0.20	21.85	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.25	0.20	17.45	30.00	1.0000	Complies
46	5230	21.78	0.20	21.98	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.67	0.20	16.87	30.00	1.0000	Complies
46	5230	21.70	0.20	21.90	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	23.24	30.00	1.0000	Complies
46	5230	27.88	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.99	0.35	17.34	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.80	0.35	17.15	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.79	0.35	17.14	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.59	0.35	16.94	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	23.17	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.49	0.17	18.66	30.00	1.0000	Complies
40	5200	18.94	0.17	19.11	30.00	1.0000	Complies
48	5240	19.97	0.17	20.14	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.18	0.17	18.35	30.00	1.0000	Complies
40	5200	18.85	0.17	19.02	30.00	1.0000	Complies
48	5240	19.89	0.17	20.06	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.91	0.17	19.08	30.00	1.0000	Complies
40	5200	19.38	0.17	19.55	30.00	1.0000	Complies
48	5240	19.95	0.17	20.12	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.09	0.17	18.26	30.00	1.0000	Complies
40	5200	18.87	0.17	19.04	30.00	1.0000	Complies
48	5240	19.73	0.17	19.90	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.62	30.00	1.0000	Complies
40	5200	25.21	30.00	1.0000	Complies
48	5240	26.08	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.62	0.14	17.76	30.00	1.0000	Complies
46	5230	22.55	0.14	22.69	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.45	0.14	17.59	30.00	1.0000	Complies
46	5230	22.63	0.14	22.77	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.82	0.14	17.96	30.00	1.0000	Complies
46	5230	22.38	0.14	22.52	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.37	0.14	17.51	30.00	1.0000	Complies
46	5230	22.61	0.14	22.75	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	23.73	30.00	1.0000	Complies
46	5230	28.70	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.26	0.00	16.26	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.19	0.00	16.19	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.53	0.00	16.53	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.33	0.00	16.33	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	22.35	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.14	0.19	18.33	30.00	1.0000	Complies
40	5200	19.90	0.19	20.09	30.00	1.0000	Complies
48	5240	19.03	0.19	19.22	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.84	0.19	18.03	30.00	1.0000	Complies
40	5200	19.59	0.19	19.78	30.00	1.0000	Complies
48	5240	19.08	0.19	19.27	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.21	0.19	18.40	30.00	1.0000	Complies
40	5200	19.95	0.19	20.14	30.00	1.0000	Complies
48	5240	18.91	0.19	19.10	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.50	0.19	17.69	30.00	1.0000	Complies
40	5200	19.69	0.19	19.88	30.00	1.0000	Complies
48	5240	18.91	0.19	19.10	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.14	30.00	1.0000	Complies
40	5200	25.99	30.00	1.0000	Complies
48	5240	25.19	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.72	0.12	17.84	30.00	1.0000	Complies
46	5230	22.54	0.12	22.66	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.62	0.12	17.74	30.00	1.0000	Complies
46	5230	22.63	0.12	22.75	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.91	0.12	18.03	30.00	1.0000	Complies
46	5230	22.56	0.12	22.68	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.40	0.12	17.52	30.00	1.0000	Complies
46	5230	22.66	0.12	22.78	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	23.81	30.00	1.0000	Complies
46	5230	28.74	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.86	0.17	17.03	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.93	0.17	17.10	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.08	0.17	17.25	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.78	0.17	16.95	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	23.11	30.00	1.0000	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	9.89	2.19	12.08	23.98	0.2500	Complies
60	5300	10.13	2.19	12.32	23.98	0.2500	Complies
64	5320	11.01	2.19	13.20	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.28	2.19	12.47	23.98	0.2500	Complies
60	5300	9.57	2.19	11.76	23.98	0.2500	Complies
64	5320	10.53	2.19	12.72	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	9.98	2.19	12.17	23.98	0.2500	Complies
60	5300	10.12	2.19	12.31	23.98	0.2500	Complies
64	5320	10.78	2.19	12.97	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.14	2.19	12.33	23.98	0.2500	Complies
60	5300	9.62	2.19	11.81	23.98	0.2500	Complies
64	5320	10.47	2.19	12.66	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.28	23.98	0.2500	Complies
60	5300	18.08	23.98	0.2500	Complies
64	5320	18.91	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.42	0.23	13.65	23.98	0.2500	Complies
60	5300	13.42	0.23	13.65	23.98	0.2500	Complies
64	5320	13.49	0.23	13.72	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.23	0.23	13.46	23.98	0.2500	Complies
60	5300	13.45	0.23	13.68	23.98	0.2500	Complies
64	5320	13.44	0.23	13.67	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.25	0.23	13.48	23.98	0.2500	Complies
60	5300	13.41	0.23	13.64	23.98	0.2500	Complies
64	5320	13.39	0.23	13.62	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.19	0.23	13.42	23.98	0.2500	Complies
60	5300	12.84	0.23	13.07	23.98	0.2500	Complies
64	5320	12.94	0.23	13.17	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	19.52	23.98	0.2500	Complies
60	5300	19.53	23.98	0.2500	Complies
64	5320	19.57	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.42	0.20	15.62	23.98	0.2500	Complies
62	5310	15.60	0.20	15.80	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.79	0.20	15.99	23.98	0.2500	Complies
62	5310	15.70	0.20	15.90	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.43	0.20	15.63	23.98	0.2500	Complies
62	5310	15.51	0.20	15.71	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.43	0.20	15.63	23.98	0.2500	Complies
62	5310	14.99	0.20	15.19	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	21.74	23.98	0.2500	Complies
62	5310	21.68	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.33	0.35	16.68	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.62	0.35	16.97	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.72	0.35	17.07	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.89	0.35	16.24	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	22.77	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.20	0.17	13.37	23.98	0.2500	Complies
60	5300	13.15	0.17	13.32	23.98	0.2500	Complies
64	5320	13.22	0.17	13.39	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.29	0.17	13.46	23.98	0.2500	Complies
60	5300	13.14	0.17	13.31	23.98	0.2500	Complies
64	5320	13.18	0.17	13.35	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.99	0.17	13.16	23.98	0.2500	Complies
60	5300	13.11	0.17	13.28	23.98	0.2500	Complies
64	5320	13.36	0.17	13.53	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.13	0.17	13.30	23.98	0.2500	Complies
60	5300	12.48	0.17	12.65	23.98	0.2500	Complies
64	5320	12.88	0.17	13.05	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	19.35	23.98	0.2500	Complies
60	5300	19.17	23.98	0.2500	Complies
64	5320	19.36	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.74	0.14	15.88	23.98	0.2500	Complies
62	5310	15.77	0.14	15.91	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.96	0.14	16.10	23.98	0.2500	Complies
62	5310	15.93	0.14	16.07	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.62	0.14	15.76	23.98	0.2500	Complies
62	5310	15.76	0.14	15.90	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.58	0.14	15.72	23.98	0.2500	Complies
62	5310	15.22	0.14	15.36	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	21.89	23.98	0.2500	Complies
62	5310	21.84	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.14	0.00	16.14	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.37	0.00	16.37	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.39	0.00	16.39	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.82	0.00	15.82	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	22.21	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.17	0.19	13.36	23.98	0.2500	Complies
60	5300	13.17	0.19	13.36	23.98	0.2500	Complies
64	5320	13.08	0.19	13.27	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.38	0.19	13.57	23.98	0.2500	Complies
60	5300	13.21	0.19	13.40	23.98	0.2500	Complies
64	5320	13.18	0.19	13.37	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.18	0.19	13.37	23.98	0.2500	Complies
60	5300	13.06	0.19	13.25	23.98	0.2500	Complies
64	5320	13.35	0.19	13.54	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.13	0.19	13.32	23.98	0.2500	Complies
60	5300	12.60	0.19	12.79	23.98	0.2500	Complies
64	5320	12.92	0.19	13.11	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	19.42	23.98	0.2500	Complies
60	5300	19.23	23.98	0.2500	Complies
64	5320	19.34	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.84	0.12	15.96	23.98	0.2500	Complies
62	5310	15.85	0.12	15.97	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.01	0.12	16.13	23.98	0.2500	Complies
62	5310	15.91	0.12	16.03	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.57	0.12	15.69	23.98	0.2500	Complies
62	5310	15.79	0.12	15.91	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.46	0.12	15.58	23.98	0.2500	Complies
62	5310	15.07	0.12	15.19	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	21.87	23.98	0.2500	Complies
62	5310	21.81	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.25	0.17	16.42	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.42	0.17	16.59	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.40	0.17	16.57	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.78	0.17	15.95	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	22.41	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.24	0.37	13.61	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.34	0.37	13.71	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.36	0.37	13.73	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.98	0.37	13.35	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	19.62	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.61	0.00	13.61	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.75	0.00	13.75	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.39	0.00	13.39	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 4
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.22	0.00	13.22	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	19.52	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.44	0.00	13.44	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.78	0.00	13.78	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.42	0.00	13.42	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.23	0.00	13.23	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	19.49	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.19	2.19	12.38	23.98	0.2500	Complies
116	5580	10.63	2.19	12.82	23.98	0.2500	Complies
140	5700	10.17	2.19	12.36	23.98	0.2500	Complies
144	5720	10.52	2.19	12.71	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.51	2.19	12.70	23.98	0.2500	Complies
116	5580	10.52	2.19	12.71	23.98	0.2500	Complies
140	5700	10.31	2.19	12.50	23.98	0.2500	Complies
144	5720	10.41	2.19	12.60	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.42	2.19	12.61	23.98	0.2500	Complies
116	5580	10.40	2.19	12.59	23.98	0.2500	Complies
140	5700	10.22	2.19	12.41	23.98	0.2500	Complies
144	5720	10.37	2.19	12.56	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.25	2.19	12.44	23.98	0.2500	Complies
116	5580	10.43	2.19	12.62	23.98	0.2500	Complies
140	5700	10.06	2.19	12.25	23.98	0.2500	Complies
144	5720	10.52	2.19	12.71	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.55	23.98	0.2500	Complies
116	5580	18.70	23.98	0.2500	Complies
140	5700	18.40	23.98	0.2500	Complies
144	5720	18.66	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.18	0.23	13.41	23.98	0.2500	Complies
116	5580	14.14	0.23	14.37	23.98	0.2500	Complies
140	5700	13.56	0.23	13.79	23.98	0.2500	Complies
144	5720	13.34	0.25	13.59	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.31	0.23	13.54	23.98	0.2500	Complies
116	5580	13.99	0.23	14.22	23.98	0.2500	Complies
140	5700	14.03	0.23	14.26	23.98	0.2500	Complies
144	5720	13.41	0.25	13.66	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.24	0.23	13.47	23.98	0.2500	Complies
116	5580	13.83	0.23	14.06	23.98	0.2500	Complies
140	5700	13.71	0.23	13.94	23.98	0.2500	Complies
144	5720	13.32	0.25	13.57	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.91	0.23	13.14	23.98	0.2500	Complies
116	5580	13.67	0.23	13.90	23.98	0.2500	Complies
140	5700	13.58	0.23	13.81	23.98	0.2500	Complies
144	5720	13.44	0.25	13.69	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.41	23.98	0.2500	Complies
116	5580	20.16	23.98	0.2500	Complies
140	5700	19.97	23.98	0.2500	Complies
144	5720	19.64	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.64	0.20	16.84	23.98	0.2500	Complies
110	5550	16.59	0.20	16.79	23.98	0.2500	Complies
134	5670	16.89	0.20	17.09	23.98	0.2500	Complies
142	5710	17.13	0.20	17.33	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.63	0.20	16.83	23.98	0.2500	Complies
110	5550	16.51	0.20	16.71	23.98	0.2500	Complies
134	5670	17.13	0.20	17.33	23.98	0.2500	Complies
142	5710	17.27	0.20	17.47	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.66	0.20	16.86	23.98	0.2500	Complies
110	5550	16.09	0.20	16.29	23.98	0.2500	Complies
134	5670	16.95	0.20	17.15	23.98	0.2500	Complies
142	5710	17.01	0.20	17.21	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.98	0.20	16.18	23.98	0.2500	Complies
110	5550	15.92	0.20	16.12	23.98	0.2500	Complies
134	5670	16.53	0.20	16.73	23.98	0.2500	Complies
142	5710	16.93	0.20	17.13	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	22.71	23.98	0.2500	Complies
110	5550	22.51	23.98	0.2500	Complies
134	5670	23.10	23.98	0.2500	Complies
142	5710	23.31	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.84	0.35	17.19	23.98	0.2500	Complies
122	5610	17.71	0.35	18.06	23.98	0.2500	Complies
138	5690	17.57	0.35	17.92	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.59	0.35	16.94	23.98	0.2500	Complies
122	5610	17.41	0.35	17.76	23.98	0.2500	Complies
138	5690	17.53	0.35	17.88	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.62	0.35	16.97	23.98	0.2500	Complies
122	5610	17.40	0.35	17.75	23.98	0.2500	Complies
138	5690	17.46	0.35	17.81	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.26	0.35	16.61	23.98	0.2500	Complies
122	5610	17.27	0.35	17.62	23.98	0.2500	Complies
138	5690	17.17	0.35	17.52	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	22.95	23.98	0.2500	Complies
122	5610	23.82	23.98	0.2500	Complies
138	5690	23.81	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	12.54	0.37	12.91	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	12.67	0.37	13.04	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	12.53	0.37	12.90	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	12.14	0.37	12.51	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	18.86	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.12	0.17	13.29	23.98	0.2500	Complies
116	5580	12.93	0.17	13.10	23.98	0.2500	Complies
140	5700	13.42	0.17	13.59	23.98	0.2500	Complies
144	5720	13.64	0.17	13.81	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.11	0.17	13.28	23.98	0.2500	Complies
116	5580	12.71	0.17	12.88	23.98	0.2500	Complies
140	5700	13.67	0.17	13.84	23.98	0.2500	Complies
144	5720	13.76	0.17	13.93	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.99	0.17	13.16	23.98	0.2500	Complies
116	5580	12.67	0.17	12.84	23.98	0.2500	Complies
140	5700	13.48	0.17	13.65	23.98	0.2500	Complies
144	5720	13.57	0.17	13.74	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.67	0.17	12.84	23.98	0.2500	Complies
116	5580	12.72	0.17	12.89	23.98	0.2500	Complies
140	5700	13.36	0.17	13.53	23.98	0.2500	Complies
144	5720	13.73	0.17	13.90	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.17	23.98	0.2500	Complies
116	5580	18.95	23.98	0.2500	Complies
140	5700	19.68	23.98	0.2500	Complies
144	5720	19.87	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.86	0.14	16.00	23.98	0.2500	Complies
110	5550	16.73	0.14	16.87	23.98	0.2500	Complies
134	5670	16.11	0.14	16.25	23.98	0.2500	Complies
142	5710	16.22	0.14	16.36	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.79	0.14	15.93	23.98	0.2500	Complies
110	5550	16.73	0.14	16.87	23.98	0.2500	Complies
134	5670	16.36	0.14	16.50	23.98	0.2500	Complies
142	5710	16.49	0.14	16.63	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.67	0.14	15.81	23.98	0.2500	Complies
110	5550	16.44	0.14	16.58	23.98	0.2500	Complies
134	5670	16.49	0.14	16.63	23.98	0.2500	Complies
142	5710	16.09	0.14	16.23	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.14	0.14	15.28	23.98	0.2500	Complies
110	5550	16.29	0.14	16.43	23.98	0.2500	Complies
134	5670	15.98	0.14	16.12	23.98	0.2500	Complies
142	5710	16.03	0.14	16.17	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	21.79	23.98	0.2500	Complies
110	5550	22.71	23.98	0.2500	Complies
134	5670	22.40	23.98	0.2500	Complies
142	5710	22.37	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.49	0.00	16.49	23.98	0.2500	Complies
122	5610	17.17	0.00	17.17	23.98	0.2500	Complies
138	5690	17.15	0.00	17.15	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.37	0.00	16.37	23.98	0.2500	Complies
122	5610	16.95	0.00	16.95	23.98	0.2500	Complies
138	5690	17.03	0.00	17.03	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.10	0.00	16.10	23.98	0.2500	Complies
122	5610	16.75	0.00	16.75	23.98	0.2500	Complies
138	5690	17.01	0.00	17.01	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.87	0.00	15.87	23.98	0.2500	Complies
122	5610	16.72	0.00	16.72	23.98	0.2500	Complies
138	5690	16.79	0.00	16.79	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	22.23	23.98	0.2500	Complies
122	5610	22.92	23.98	0.2500	Complies
138	5690	23.02	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	13.27	0.00	13.27	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	13.09	0.00	13.09	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	13.09	0.00	13.09	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	12.65	0.00	12.65	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	19.05	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.01	0.19	13.20	23.98	0.2500	Complies
116	5580	12.93	0.19	13.12	23.98	0.2500	Complies
140	5700	13.40	0.19	13.59	23.98	0.2500	Complies
144	5720	13.67	0.19	13.86	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.94	0.19	13.13	23.98	0.2500	Complies
116	5580	12.56	0.19	12.75	23.98	0.2500	Complies
140	5700	13.77	0.19	13.96	23.98	0.2500	Complies
144	5720	13.69	0.19	13.88	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.91	0.19	13.10	23.98	0.2500	Complies
116	5580	12.34	0.19	12.53	23.98	0.2500	Complies
140	5700	13.47	0.19	13.66	23.98	0.2500	Complies
144	5720	13.54	0.19	13.73	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.63	0.19	12.82	23.98	0.2500	Complies
116	5580	12.54	0.19	12.73	23.98	0.2500	Complies
140	5700	13.30	0.19	13.49	23.98	0.2500	Complies
144	5720	13.76	0.19	13.95	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.08	23.98	0.2500	Complies
116	5580	18.81	23.98	0.2500	Complies
140	5700	19.70	23.98	0.2500	Complies
144	5720	19.87	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.80	0.12	15.92	23.98	0.2500	Complies
110	5550	16.90	0.12	17.02	23.98	0.2500	Complies
134	5670	17.13	0.12	17.25	23.98	0.2500	Complies
142	5710	17.15	0.12	17.27	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.78	0.12	15.90	23.98	0.2500	Complies
110	5550	16.65	0.12	16.77	23.98	0.2500	Complies
134	5670	17.34	0.12	17.46	23.98	0.2500	Complies
142	5710	17.46	0.12	17.58	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.59	0.12	15.71	23.98	0.2500	Complies
110	5550	16.27	0.12	16.39	23.98	0.2500	Complies
134	5670	17.28	0.12	17.40	23.98	0.2500	Complies
142	5710	17.07	0.12	17.19	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.04	0.12	15.16	23.98	0.2500	Complies
110	5550	16.22	0.12	16.34	23.98	0.2500	Complies
134	5670	16.76	0.12	16.88	23.98	0.2500	Complies
142	5710	17.12	0.12	17.24	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	21.70	23.98	0.2500	Complies
110	5550	22.66	23.98	0.2500	Complies
134	5670	23.27	23.98	0.2500	Complies
142	5710	23.34	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.56	0.17	16.73	23.98	0.2500	Complies
122	5610	17.26	0.17	17.43	23.98	0.2500	Complies
138	5690	17.16	0.17	17.33	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.28	0.17	16.45	23.98	0.2500	Complies
122	5610	17.05	0.17	17.22	23.98	0.2500	Complies
138	5690	17.23	0.17	17.40	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.17	0.17	16.34	23.98	0.2500	Complies
122	5610	16.89	0.17	17.06	23.98	0.2500	Complies
138	5690	17.17	0.17	17.34	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.02	0.17	16.19	23.98	0.2500	Complies
122	5610	16.70	0.17	16.87	23.98	0.2500	Complies
138	5690	17.33	0.17	17.50	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	22.45	23.98	0.2500	Complies
122	5610	23.17	23.98	0.2500	Complies
138	5690	23.30	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	12.89	0.00	12.89	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	12.77	0.00	12.77	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	12.81	0.00	12.81	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	12.33	0.00	12.33	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	18.73	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT240) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
130	5650	10.01	0.25	10.26	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT240) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
130	5650	9.88	0.25	10.13	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT240) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
130	5650	9.82	0.25	10.07	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT240) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
130	5650	9.84	0.25	10.09	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT240) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
130	5650	16.16	23.98	0.2500	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.59	2.19	23.78	30.00	1.0000	Complies
157	5785	21.39	2.19	23.58	30.00	1.0000	Complies
165	5825	22.10	2.19	24.29	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.31	2.19	23.50	30.00	1.0000	Complies
157	5785	21.25	2.19	23.44	30.00	1.0000	Complies
165	5825	21.21	2.19	23.40	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.02	2.19	24.21	30.00	1.0000	Complies
157	5785	22.26	2.19	24.45	30.00	1.0000	Complies
165	5825	21.86	2.19	24.05	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.87	2.19	23.06	30.00	1.0000	Complies
157	5785	20.91	2.19	23.10	30.00	1.0000	Complies
165	5825	21.44	2.19	23.63	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	29.68	30.00	1.0000	Complies
157	5785	29.69	30.00	1.0000	Complies
165	5825	29.88	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.33	0.23	23.56	30.00	1.0000	Complies
157	5785	23.62	0.23	23.85	30.00	1.0000	Complies
165	5825	23.27	0.23	23.50	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.49	0.23	23.72	30.00	1.0000	Complies
157	5785	23.41	0.23	23.64	30.00	1.0000	Complies
165	5825	23.18	0.23	23.41	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.61	0.23	23.84	30.00	1.0000	Complies
157	5785	23.70	0.23	23.93	30.00	1.0000	Complies
165	5825	23.80	0.23	24.03	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.27	0.23	23.50	30.00	1.0000	Complies
157	5785	23.19	0.23	23.42	30.00	1.0000	Complies
165	5825	23.01	0.23	23.24	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	29.67	30.00	1.0000	Complies
157	5785	29.73	30.00	1.0000	Complies
165	5825	29.57	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.28	0.20	20.48	30.00	1.0000	Complies
159	5795	20.92	0.20	21.12	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.52	0.20	20.72	30.00	1.0000	Complies
159	5795	20.56	0.20	20.76	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.47	0.20	20.67	30.00	1.0000	Complies
159	5795	20.84	0.20	21.04	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.92	0.20	20.12	30.00	1.0000	Complies
159	5795	19.96	0.20	20.16	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.52	30.00	1.0000	Complies
159	5795	26.81	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.45	0.35	20.80	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.45	0.35	20.80	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.82	0.35	21.17	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.36	0.35	20.71	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	26.90	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.12	0.17	23.29	30.00	1.0000	Complies
157	5785	23.70	0.17	23.87	30.00	1.0000	Complies
165	5825	23.23	0.17	23.40	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.46	0.17	23.63	30.00	1.0000	Complies
157	5785	23.54	0.17	23.71	30.00	1.0000	Complies
165	5825	23.24	0.17	23.41	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.43	0.17	23.60	30.00	1.0000	Complies
157	5785	23.69	0.17	23.86	30.00	1.0000	Complies
165	5825	23.71	0.17	23.88	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.54	0.17	23.71	30.00	1.0000	Complies
157	5785	23.11	0.17	23.28	30.00	1.0000	Complies
165	5825	22.92	0.17	23.09	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	29.58	30.00	1.0000	Complies
157	5785	29.71	30.00	1.0000	Complies
165	5825	29.48	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.28	0.14	20.42	30.00	1.0000	Complies
159	5795	20.92	0.14	21.06	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.46	0.14	20.60	30.00	1.0000	Complies
159	5795	20.71	0.14	20.85	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.54	0.14	20.68	30.00	1.0000	Complies
159	5795	20.95	0.14	21.09	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.01	0.14	20.15	30.00	1.0000	Complies
159	5795	20.02	0.14	20.16	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.49	30.00	1.0000	Complies
159	5795	26.83	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.03	0.00	20.03	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.04	0.00	20.04	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.45	0.00	20.45	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.91	0.00	19.91	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	26.13	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.20	0.19	23.39	30.00	1.0000	Complies
157	5785	23.46	0.19	23.65	30.00	1.0000	Complies
165	5825	23.21	0.19	23.40	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.39	0.19	23.58	30.00	1.0000	Complies
157	5785	23.52	0.19	23.71	30.00	1.0000	Complies
165	5825	23.13	0.19	23.32	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.48	0.19	23.67	30.00	1.0000	Complies
157	5785	23.69	0.19	23.88	30.00	1.0000	Complies
165	5825	23.63	0.19	23.82	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.37	0.19	23.56	30.00	1.0000	Complies
157	5785	23.15	0.19	23.34	30.00	1.0000	Complies
165	5825	22.88	0.19	23.07	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	29.57	30.00	1.0000	Complies
157	5785	29.67	30.00	1.0000	Complies
165	5825	29.43	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.31	0.12	20.43	30.00	1.0000	Complies
159	5795	20.96	0.12	21.08	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.52	0.12	20.64	30.00	1.0000	Complies
159	5795	20.72	0.12	20.84	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.41	0.12	20.53	30.00	1.0000	Complies
159	5795	20.96	0.12	21.08	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.98	0.12	20.10	30.00	1.0000	Complies
159	5795	20.04	0.12	20.16	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.45	30.00	1.0000	Complies
159	5795	26.83	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.50	0.17	20.67	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.70	0.17	20.87	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.89	0.17	21.06	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.56	0.17	20.73	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	26.86	30.00	1.0000	Complies

Note: Output power = Measure result + Cable loss

APPENDIX G - POWER SPECTRAL DENSITY


Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.65	2.19	7.84	13.99	Complies
40	5200	5.03	2.19	7.22	13.99	Complies
48	5240	5.51	2.19	7.70	13.99	Complies




Test Mode	UNII-1_TX A Mode_Ant.2
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.67	2.19	7.86	13.99	Complies
40	5200	5.41	2.19	7.60	13.99	Complies
48	5240	5.71	2.19	7.90	13.99	Complies




Test Mode	UNII-1_TX A Mode_Ant.3
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.23	2.19	7.42	13.99	Complies
40	5200	5.25	2.19	7.44	13.99	Complies
48	5240	5.32	2.19	7.51	13.99	Complies



Test Mode	UNII-1_TX A Mode_Ant.4
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.55	2.19	6.74	13.99	Complies
40	5200	5.64	2.19	7.83	13.99	Complies
48	5240	5.43	2.19	7.62	13.99	Complies




Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.51	13.99	Complies
40	5200	13.55	13.99	Complies
48	5240	13.70	13.99	Complies


Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.91	0.23	7.14	13.99	Complies
40	5200	7.70	0.23	7.93	13.99	Complies
48	5240	7.14	0.23	7.37	13.99	Complies


CH36



CH40




CH48




Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.63	0.23	7.86	13.99	Complies
40	5200	7.68	0.23	7.91	13.99	Complies
48	5240	6.82	0.23	7.05	13.99	Complies


CH36



CH40




CH48




Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.63	0.23	7.86	13.99	Complies
40	5200	7.34	0.23	7.57	13.99	Complies
48	5240	7.13	0.23	7.36	13.99	Complies



Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.43	0.23	7.66	13.99	Complies
40	5200	7.48	0.23	7.71	13.99	Complies
48	5240	7.12	0.23	7.35	13.99	Complies




Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.66	13.99	Complies
40	5200	13.80	13.99	Complies
48	5240	13.30	13.99	Complies


Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.41	0.20	4.61	13.99	Complies
46	5230	7.69	0.20	7.89	13.99	Complies

CH38




CH46




Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.57	0.20	4.77	13.99	Complies
46	5230	7.60	0.20	7.80	13.99	Complies

CH38




CH46




Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.67	0.20	4.87	13.99	Complies
46	5230	6.75	0.20	6.95	13.99	Complies

CH38




CH46




Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.64	0.20	4.84	13.99	Complies
46	5230	6.72	0.20	6.92	13.99	Complies

CH38



CH46




Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	10.79	13.99	Complies
46	5230	13.43	13.99	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-0.85	0.35	-0.50	13.99	Complies


CH42



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-0.61	0.35	-0.26	13.99	Complies


CH42



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-0.60	0.35	-0.25	13.99	Complies


CH42



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-0.27	0.35	0.08	13.99	Complies

CH42




Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.79	13.99	Complies


Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.99	0.17	7.16	13.99	Complies
40	5200	6.50	0.17	6.67	13.99	Complies
48	5240	7.74	0.17	7.91	13.99	Complies


CH36



CH40




CH48




Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.67	0.17	7.84	13.99	Complies
40	5200	7.73	0.17	7.90	13.99	Complies
48	5240	7.73	0.17	7.90	13.99	Complies


CH36



CH40




CH48




Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.57	0.17	7.74	13.99	Complies
40	5200	6.75	0.17	6.92	13.99	Complies
48	5240	7.51	0.17	7.68	13.99	Complies


CH36



CH40




CH48




Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.63	0.17	7.80	13.99	Complies
40	5200	6.58	0.17	6.75	13.99	Complies
48	5240	7.55	0.17	7.72	13.99	Complies


CH36



CH40



CH48




Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.67	13.99	Complies
40	5200	13.11	13.99	Complies
48	5240	13.83	13.99	Complies


Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.64	0.14	4.78	13.99	Complies
46	5230	7.45	0.14	7.59	13.99	Complies

CH38




CH46



Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.38	0.14	4.52	13.99	Complies
46	5230	7.56	0.14	7.70	13.99	Complies

CH38



CH46

