Appendix C

RF Test Data for 2.4G WIFI (Conducted Measurement)

Product Name: Hyundai Notebook

Test Model: HT15CA10S01

Environmental Conditions

Temperature:	23.8 ° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Joker Hu
Supervised by:	Ling Zhu

C.1 -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	b	2412	Ant0	10.093	0.5	Pass
NVNT	b	2437	Ant0	9.749	0.5	Pass
NVNT	b	2462	Ant0	10.09	0.5	Pass
NVNT	g	2412	Ant0	13.213	0.5	Pass
NVNT	g	2437	Ant0	15.689	0.5	Pass
NVNT	g	2462	Ant0	13.761	0.5	Pass
NVNT	n20	2412	Ant0	11.378	0.5	Pass
NVNT	n20	2437	Ant0	15.875	0.5	Pass
NVNT	n20	2462	Ant0	16.287	0.5	Pass
NVNT	n40	2422	Ant0	30.332	0.5	Pass
NVNT	n40	2437	Ant0	35.057	0.5	Pass
NVNT	n40	2452	Ant0	32.535	0.5	Pass

Test Graphs

-6dB Bandwidth NVNT b 2412MHz Ant0



-6dB Bandwidth NVNT b 2437MHz Ant0



-6dB Bandwidth NVNT b 2462MHz Ant0



-6dB Bandwidth NVNT g 2412MHz Ant0



-6dB Bandwidth NVNT g 2437MHz Ant0



-6dB Bandwidth NVNT g 2462MHz Ant0



-6dB Bandwidth NVNT n20 2412MHz Ant0



-6dB Bandwidth NVNT n20 2437MHz Ant0



-6dB Bandwidth NVNT n20 2462MHz Ant0



-6dB Bandwidth NVNT n40 2422MHz Ant0



-6dB Bandwidth NVNT n40 2437MHz Ant0



-6dB Bandwidth NVNT n40 2452MHz Ant0



Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	b	2412	Ant1	9.607	0.5	Pass
NVNT	b	2437	Ant1	9.112	0.5	Pass
NVNT	b	2462	Ant1	9.072	0.5	Pass
NVNT	g	2412	Ant1	16.354	0.5	Pass
NVNT	g	2437	Ant1	12.603	0.5	Pass
NVNT	g	2462	Ant1	13.227	0.5	Pass
NVNT	n20	2412	Ant1	10.799	0.5	Pass
NVNT	n20	2437	Ant1	13.774	0.5	Pass
NVNT	n20	2462	Ant1	13.876	0.5	Pass
NVNT	n40	2422	Ant1	36.313	0.5	Pass
NVNT	n40	2437	Ant1	36.317	0.5	Pass
NVNT	n40	2452	Ant1	36.328	0.5	Pass

Test Graphs

-6dB Bandwidth NVNT b 2412MHz Ant1



-6dB Bandwidth NVNT b 2437MHz Ant1



-6dB Bandwidth NVNT b 2462MHz Ant1



-6dB Bandwidth NVNT g 2412MHz Ant1



-6dB Bandwidth NVNT g 2437MHz Ant1



-6dB Bandwidth NVNT g 2462MHz Ant1



-6dB Bandwidth NVNT n20 2412MHz Ant1



-6dB Bandwidth NVNT n20 2437MHz Ant1



-6dB Bandwidth NVNT n20 2462MHz Ant1



-6dB Bandwidth NVNT n40 2422MHz Ant1



-6dB Bandwidth NVNT n40 2437MHz Ant1



-6dB Bandwidth NVNT n40 2452MHz Ant1



C.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant0	11.99	30	Pass
NVNT	b	2437	Ant0	12.02	30	Pass
NVNT	b	2462	Ant0	11.30	30	Pass
NVNT	g	2412	Ant0	12.97	30	Pass
NVNT	g	2437	Ant0	12.35	30	Pass
NVNT	g	2462	Ant0	12.17	30	Pass
NVNT	n20	2412	Ant0	12.62	30	Pass
NVNT	n20	2437	Ant0	12.22	30	Pass
NVNT	n20	2462	Ant0	14.18	30	Pass
NVNT	n40	2422	Ant0	10.89	30	Pass
NVNT	n40	2437	Ant0	11.27	30	Pass
NVNT	n40	2452	Ant0	11.49	30	Pass

Condition	Mode	Frequency (MHz)	Antenna	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant1	15.77	30	Pass
NVNT	b	2437	Ant1	16.96	30	Pass
NVNT	b	2462	Ant1	15.34	30	Pass
NVNT	g	2412	Ant1	15.43	30	Pass
NVNT	g	2437	Ant1	15.26	30	Pass
NVNT	g	2462	Ant1	15.55	30	Pass
NVNT	n20	2412	Ant1	15.17	30	Pass
NVNT	n20	2437	Ant1	15.20	30	Pass
NVNT	n20	2462	Ant1	16.51	30	Pass
NVNT	n40	2422	Ant1	15.70	30	Pass
NVNT	n40	2437	Ant1	15.65	30	Pass
NVNT	n40	2452	Ant1	15.57	30	Pass

MIMO

Condition	Mode	Frequency (MHz)	Total Power (dBm)			Limit (dBm)	Verdict
			Ant0	Ant1	Ant0+Ant1		
NVNT	n20	2412	12.62	15.17	17.09	30	Pass
NVNT	n20	2437	12.22	15.20	16.97	30	Pass
NVNT	n20	2462	14.18	16.51	18.51	30	Pass
NVNT	n40	2422	10.89	15.70	16.94	30	Pass
NVNT	n40	2437	11.27	15.65	17.00	30	Pass
NVNT	n40	2452	11.49	15.57	17.00	30	Pass

C.3 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Total PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	b	2412	Ant0	-11.28	8	Pass
NVNT	b	2437	Ant0	-12.03	8	Pass
NVNT	b	2462	Ant0	-13.36	8	Pass
NVNT	g	2412	Ant0	-15.03	8	Pass
NVNT	g	2437	Ant0	-15.63	8	Pass
NVNT	g	2462	Ant0	-14.66	8	Pass
NVNT	n20	2412	Ant0	-15.19	8	Pass
NVNT	n20	2437	Ant0	-15.55	8	Pass
NVNT	n20	2462	Ant0	-15.98	8	Pass
NVNT	n40	2422	Ant0	-19.61	8	Pass
NVNT	n40	2437	Ant0	-20.50	8	Pass
NVNT	n40	2452	Ant0	-19.08	8	Pass

Condition	Mode	Frequency (MHz)	Antenna	Total PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	b	2412	Ant1	-12.49	8	Pass
NVNT	b	2437	Ant1	-13.54	8	Pass
NVNT	b	2462	Ant1	-12.15	8	Pass
NVNT	g	2412	Ant1	-12.89	8	Pass
NVNT	g	2437	Ant1	-13.31	8	Pass
NVNT	g	2462	Ant1	-12.15	8	Pass
NVNT	n20	2412	Ant1	-13.26	8	Pass
NVNT	n20	2437	Ant1	-11.93	8	Pass
NVNT	n20	2462	Ant1	-11.96	8	Pass
NVNT	n40	2422	Ant1	-15.71	8	Pass
NVNT	n40	2437	Ant1	-14.51	8	Pass
NVNT	n40	2452	Ant1	-15.08	8	Pass

MIMO

Condition	Mode	Frequency (MHz)	Total PSD (dBm/3kHz)			Limit (dBm)	Verdict
			Ant0	Ant1	Ant0+Ant1		
NVNT	n20	2412	-15.19	-13.26	-11.11	7.9	Pass
NVNT	n20	2437	-15.55	-11.93	-10.36	7.9	Pass
NVNT	n20	2462	-15.98	-11.96	-10.51	7.9	Pass
NVNT	n40	2422	-19.61	-15.71	-14.23	7.9	Pass
NVNT	n40	2437	-20.50	-14.51	-13.53	7.9	Pass
NVNT	n40	2452	-19.08	-15.08	-13.62	7.9	Pass

Test Graphs

PSD NVNT b 2412MHz Ant0



PSD NVNT b 2437MHz Ant0



PSD NVNT b 2462MHz Ant0



PSD NVNT g 2412MHz Ant0



PSD NVNT g 2437MHz Ant0



PSD NVNT g 2462MHz Ant0



PSD NVNT n20 2412MHz Ant0



PSD NVNT n20 2437MHz Ant0



PSD NVNT n20 2462MHz Ant0



PSD NVNT n40 2422MHz Ant0



PSD NVNT n40 2437MHz Ant0



PSD NVNT n40 2452MHz Ant0



Test Graphs

PSD NVNT b 2412MHz Ant1



PSD NVNT b 2437MHz Ant1



PSD NVNT b 2462MHz Ant1



PSD NVNT g 2412MHz Ant1



PSD NVNT g 2437MHz Ant1



PSD NVNT g 2462MHz Ant1



PSD NVNT n20 2412MHz Ant1



PSD NVNT n20 2437MHz Ant1



PSD NVNT n20 2462MHz Ant1



PSD NVNT n40 2422MHz Ant1



PSD NVNT n40 2437MHz Ant1



PSD NVNT n40 2452MHz Ant1



C.4 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant0	-41.78	-20	Pass
NVNT	b	2462	Ant0	-43.92	-20	Pass
NVNT	g	2412	Ant0	-32.71	-20	Pass
NVNT	g	2462	Ant0	-33.79	-20	Pass
NVNT	n20	2412	Ant0	-27.25	-20	Pass
NVNT	n20	2462	Ant0	-34.45	-20	Pass
NVNT	n40	2422	Ant0	-34.25	-20	Pass
NVNT	n40	2452	Ant0	-32.46	-20	Pass

Test Graphs

Band Edge NVNT b 2412MHz Ant0 Ref



Band Edge NVNT b 2412MHz Ant0 Emission



Band Edge NVNT b 2462MHz Ant0 Ref



Band Edge NVNT b 2462MHz Ant0 Emission



Band Edge NVNT g 2412MHz Ant0 Ref



Band Edge NVNT g 2412MHz Ant0 Emission



Band Edge NVNT g 2462MHz Ant0 Ref



Band Edge NVNT g 2462MHz Ant0 Emission



Band Edge NVNT n20 2412MHz Ant0 Ref



Band Edge NVNT n20 2412MHz Ant0 Emission



Band Edge NVNT n20 2462MHz Ant0 Ref



Band Edge NVNT n20 2462MHz Ant0 Emission



Band Edge NVNT n40 2422MHz Ant0 Ref



Band Edge NVNT n40 2422MHz Ant0 Emission



Band Edge NVNT n40 2452MHz Ant0 Ref



Band Edge NVNT n40 2452MHz Ant0 Emission



Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-36.26	-20	Pass
NVNT	b	2462	Ant1	-52.79	-20	Pass
NVNT	g	2412	Ant1	-31.3	-20	Pass
NVNT	g	2462	Ant1	-46.8	-20	Pass
NVNT	n20	2412	Ant1	-28.47	-20	Pass
NVNT	n20	2462	Ant1	-46.02	-20	Pass
NVNT	n40	2422	Ant1	-27.31	-20	Pass
NVNT	n40	2452	Ant1	-38.71	-20	Pass

Test Graphs

Band Edge NVNT b 2412MHz Ant1 Ref



Band Edge NVNT b 2412MHz Ant1 Emission



Band Edge NVNT b 2462MHz Ant1 Ref



Band Edge NVNT b 2462MHz Ant1 Emission



Band Edge NVNT g 2412MHz Ant1 Ref



Band Edge NVNT g 2412MHz Ant1 Emission



Band Edge NVNT g 2462MHz Ant1 Ref



Band Edge NVNT g 2462MHz Ant1 Emission



Band Edge NVNT n20 2412MHz Ant1 Ref



Band Edge NVNT n20 2412MHz Ant1 Emission



Band Edge NVNT n20 2462MHz Ant1 Ref



Band Edge NVNT n20 2462MHz Ant1 Emission



Band Edge NVNT n40 2422MHz Ant1 Ref



Band Edge NVNT n40 2422MHz Ant1 Emission



Band Edge NVNT n40 2452MHz Ant1 Ref



Band Edge NVNT n40 2452MHz Ant1 Emission



C.5 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant0	-47.16	-20	Pass
NVNT	b	2437	Ant0	-47.69	-20	Pass
NVNT	b	2462	Ant0	-43.01	-20	Pass
NVNT	g	2412	Ant0	-46.62	-20	Pass
NVNT	g	2437	Ant0	-45.86	-20	Pass
NVNT	g	2462	Ant0	-41.38	-20	Pass
NVNT	n20	2412	Ant0	-46.99	-20	Pass
NVNT	n20	2437	Ant0	-46.36	-20	Pass
NVNT	n20	2462	Ant0	-42.63	-20	Pass
NVNT	n40	2422	Ant0	-41.64	-20	Pass
NVNT	n40	2437	Ant0	-35.62	-20	Pass
NVNT	n40	2452	Ant0	-34.75	-20	Pass

Test Graphs

Tx. Spurious NVNT b 2412MHz Ant0 Ref



Tx. Spurious NVNT b 2412MHz Ant0 Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N		f	2.413 2 GHz	0.790 dBm			
2	N		f	24.683 3 GHz	-45.945 dBm			
3	N		f	5.009 0 GHz	-54.400 dBm			
4	N		f	7.235 1 GHz	-53.442 dBm			
5	N		f	9.584 8 GHz	-55.525 dBm			
6								
7								
8								
9								
10								
11								

Tx. Spurious NVNT b 2437MHz Ant0 Ref



Tx. Spurious NVNT b 2437MHz Ant0 Emission



Tx. Spurious NVNT b 2462MHz Ant0 Ref



Tx. Spurious NVNT b 2462MHz Ant0 Emission



Tx. Spurious NVNT g 2412MHz Ant0 Ref



Tx. Spurious NVNT g 2412MHz Ant0 Emission



Tx. Spurious NVNT g 2437MHz Ant0 Ref



Tx. Spurious NVNT g 2437MHz Ant0 Emission



Tx. Spurious NVNT g 2462MHz Ant0 Ref



Tx. Spurious NVNT g 2462MHz Ant0 Emission



Tx. Spurious NVNT n20 2412MHz Ant0 Ref



Tx. Spurious NVNT n20 2412MHz Ant0 Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N		f	2.416 7 GHz	-0.558 dBm			
2	N		f	25.176 5 GHz	-46.943 dBm			
3	N		f	4.989 6 GHz	-53.272 dBm			
4	N		f	7.060 4 GHz	-54.520 dBm			
5	N		f	9.625 4 GHz	-56.250 dBm			
6								
7								
8								
9								
10								
11								

Tx. Spurious NVNT n20 2437MHz Ant0 Ref



Tx. Spurious NVNT n20 2437MHz Ant0 Emission



Tx. Spurious NVNT n20 2462MHz Ant0 Ref



Tx. Spurious NVNT n20 2462MHz Ant0 Emission



Tx. Spurious NVNT n40 2422MHz Ant0 Ref



Tx. Spurious NVNT n40 2422MHz Ant0 Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N		f	2.416 7 GHz	-5.129 dBm			
2	N		f	24.630 3 GHz	-46.145 dBm			
3	N		f	4.833 4 GHz	-54.548 dBm			
4	N		f	7.071 0 GHz	-54.916 dBm			
5	N		f	9.573 3 GHz	-55.275 dBm			
6								
7								
8								
9								
10								
11								

Tx. Spurious NVNT n40 2437MHz Ant0 Ref



Tx. Spurious NVNT n40 2437MHz Ant0 Emission



Tx. Spurious NVNT n40 2452MHz Ant0 Ref



Tx. Spurious NVNT n40 2452MHz Ant0 Emission