







6.2.1.2.2.3 Test Channel = HCH

6.2.1.2.2.3.1 Test RB = RB1#0








6.2.1.2.3 Test Bandwidth = 5

6.2.1.2.3.1 Test Channel = LCH

6.2.1.2.3.1.1 Test RB = RB1#0








6.2.1.2.3.2 Test Channel = MCH

6.2.1.2.3.2.1 Test RB = RB1#0









6.2.1.2.3.3 Test Channel = HCH

6.2.1.2.3.3.1 Test RB = RB1#0








6.2.1.2.4 Test Bandwidth = 10

6.2.1.2.4.1 Test Channel = LCH

6.2.1.2.4.1.1 Test RB = RB1#0








6.2.1.2.4.2 Test Channel = MCH

6.2.1.2.4.2.1 Test RB = RB1#0








6.2.1.2.4.3 Test Channel = HCH

6.2.1.2.4.3.1 Test RB = RB1#0








6.2.1.2.5 Test Bandwidth = 15

6.2.1.2.5.1 Test Channel = LCH

6.2.1.2.5.1.1 Test RB = RB1#0








6.2.1.2.5.2 Test Channel = MCH

6.2.1.2.5.2.1 Test RB = RB1#0








6.2.1.2.5.3 Test Channel = HCH

6.2.1.2.5.3.1 Test RB = RB1#0








6.2.1.2.6 Test Bandwidth = 20

6.2.1.2.6.1 Test Channel = LCH

6.2.1.2.6.1.1 Test RB = RB1#0







6.2.1.2.6.2 Test Channel = MCH

6.2.1.2.6.2.1 Test RB = RB1#0







6.2.1.2.6.3 Test Channel = HCH

6.2.1.2.6.3.1 Test RB = RB1#0







7Appendix_G: Field Strength of Spurious Radiation

Note: We tested all modes, but the data presented below is the worst case.

9kHz~150kHz, RBW = 200Hz, VBW = 600 Hz, Detector: PK

150kHz~30MHz, RBW = 9kHz, VBW = 30k Hz, Detector: PK

30MHz~1GHz, RBW = 100 kHz, VBW = 300 kHz. Detector: PK

Above 1GHz, RBW = 1 MHz, VBW = 3 MHz. Detector: PK

Part I - Test Plots


7.1 For LTE

7.1.1 Test Band = Band4_ANT1

7.1.1.1 Test Bandwidth = 1.4




Data: 72




Site : 03CH01-SZ
Condition : -13DBM
: RBW:9.000KHz VBW:30.000KHz

LTE FDD R SE-TX-DIRECTOR ABOVE 1.5G_L




LTE FDD R SE-TX-DIRECTOR ABOVE 1.5G_H



7.1.1.2 Test Bandwidth = 20




Data: 74




Site : 03CH01-SZ
Condition : -13DBM
: RBW:9.000KHz VBW:30.000KHz

LTE FDD R SE-TX-DIRECTOR ABOVE 1.5G_L



LTE FDD R SE-TX-DIRECTOR ABOVE 1.5G_H



8Appendix_H: Frequency Stability

8.1 For LTE

8.1.1Frequency Error vs. Voltage:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
Band4	LTE/TM1	1.4	LCH	TN	VL	0.42915	0.00025	PASS
					VN	-10.98633	-0.00642	PASS
					VH	-6.48022	-0.00379	PASS
			MCH	TN	VL	-2.30312	-0.00133	PASS
					VN	-0.92983	-0.00054	PASS
					VH	-5.42164	-0.00313	PASS
			HCH	TN	VL	-2.43187	-0.00139	PASS
					VN	1.23024	0.00070	PASS
					VH	-0.94414	-0.00054	PASS
		3	LCH	TN	VL	0.04292	0.00003	PASS
					VN	-11.81602	-0.00690	PASS
					VH	0.38624	0.00023	PASS
			MCH	TN	VL	-4.87804	-0.00282	PASS
					VN	-57.56378	-0.03323	PASS
					VH	-4.97818	-0.00287	PASS
			HCH	TN	VL	-4.34875	-0.00248	PASS
					VN	-5.06401	-0.00289	PASS
					VH	-3.04699	-0.00174	PASS
		5	LCH	TN	VL	-6.10828	-0.00357	PASS
					VN	-1.04427	-0.00061	PASS
					VH	-2.41756	-0.00141	PASS
			MCH	TN	VL	-3.47614	-0.00201	PASS
					VN	-4.13418	-0.00239	PASS
					VH	-4.09126	-0.00236	PASS
			HCH	TN	VL	-4.10557	-0.00234	PASS
					VN	-4.96387	-0.00283	PASS
					VH	-2.76089	-0.00158	PASS
		10	LCH	TN	VL	-5.59330	-0.00326	PASS
					VN	-3.79086	-0.00221	PASS
					VH	-3.30448	-0.00193	PASS
			MCH	TN	VL	-6.60896	-0.00381	PASS
					VN	-6.43730	-0.00372	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
			HCH	TN	VH	-5.77927	-0.00334	PASS
					VL	-4.07696	-0.00233	PASS
					VN	-6.95229	-0.00397	PASS
					VH	-6.27994	-0.00359	PASS
		15	LCH	TN	VL	-5.73635	-0.00334	PASS
					VN	-6.88076	-0.00401	PASS
					VH	-7.35283	-0.00428	PASS
			MCH	TN	VL	-9.28402	-0.00536	PASS
					VN	-7.16686	-0.00414	PASS
					VH	-7.23839	-0.00418	PASS
			HCH	TN	VL	-8.09670	-0.00463	PASS
					VN	-6.48022	-0.00371	PASS
					VH	-5.10693	-0.00292	PASS
		20	LCH	TN	VL	-5.32150	-0.00309	PASS
					VN	-4.27723	-0.00249	PASS
					VH	-4.73499	-0.00275	PASS
			MCH	TN	VL	-2.80380	-0.00162	PASS
					VN	-5.19276	-0.00300	PASS
					VH	-3.63350	-0.00210	PASS
			HCH	TN	VL	-3.11851	-0.00179	PASS
					VN	-4.94957	-0.00284	PASS
					VH	-3.76225	-0.00216	PASS
	LTE/TM2	1.4	LCH	TN	VL	2.44618	0.00143	PASS
					VN	-6.36578	-0.00372	PASS
					VH	1.55926	0.00091	PASS
			MCH	TN	VL	-87.70466	-0.05062	PASS
					VN	-64.44454	-0.03720	PASS
					VH	-31.97193	-0.01845	PASS
			HCH	TN	VL	-1.68800	-0.00096	PASS
					VN	-0.15736	-0.00009	PASS
					VH	-1.54495	-0.00088	PASS
		3	LCH	TN	VL	-0.72956	-0.00043	PASS
					VN	-5.02109	-0.00293	PASS
					VH	0.50068	0.00029	PASS
			MCH	TN	VL	-1.20163	-0.00069	PASS
					VN	1.00136	0.00058	PASS
					VH	-4.82082	-0.00278	PASS
			HCH	TN	VL	-3.81947	-0.00218	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					VN	-7.49588	-0.00427	PASS
					VH	-2.57492	-0.00147	PASS
		5	LCH	TN	VL	-2.46048	-0.00144	PASS
					VN	-2.38895	-0.00140	PASS
					VH	-1.14441	-0.00067	PASS
			MCH	TN	VL	-44.07406	-0.02544	PASS
					VN	-5.19276	-0.00300	PASS
					VH	-1.71661	-0.00099	PASS
			HCH	TN	VL	-11.31535	-0.00646	PASS
					VN	-4.79221	-0.00273	PASS
					VH	-8.46863	-0.00483	PASS
		10	LCH	TN	VL	-3.81947	-0.00223	PASS
					VN	-5.99384	-0.00349	PASS
					VH	-2.93255	-0.00171	PASS
			MCH	TN	VL	-6.69479	-0.00386	PASS
					VN	-7.22408	-0.00417	PASS
					VH	-5.40733	-0.00312	PASS
			HCH	TN	VL	-2.04563	-0.00117	PASS
					VN	-6.03676	-0.00345	PASS
					VH	-6.16550	-0.00352	PASS
		15	LCH	TN	VL	-6.70910	-0.00391	PASS
					VN	-7.75337	-0.00451	PASS
					VH	-6.72340	-0.00391	PASS
			MCH	TN	VL	-6.53744	-0.00377	PASS
					VN	-7.49588	-0.00433	PASS
					VH	-4.56333	-0.00263	PASS
			HCH	TN	VL	-6.15120	-0.00352	PASS
					VN	-7.00951	-0.00401	PASS
					VH	-5.30720	-0.00304	PASS
		20	LCH	TN	VL	-3.37601	-0.00196	PASS
					VN	-4.94957	-0.00288	PASS
					VH	-5.09262	-0.00296	PASS
			MCH	TN	VL	-0.41485	-0.00024	PASS
					VN	-4.07696	-0.00235	PASS
					VH	-3.16143	-0.00182	PASS
			HCH	TN	VL	-3.04699	-0.00175	PASS
					VN	-6.83784	-0.00392	PASS
					VH	-4.86374	-0.00279	PASS

8.1.2 Frequency Error vs. Temperature:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
Band4	LTE/TM1	1.4	LCH	VN	-30	-5.96523	-0.00349	PASS
					-20	-9.64165	-0.00564	PASS
					-10	-10.28538	-0.00601	PASS
					0	-8.33988	-0.00488	PASS
					10	-4.54903	-0.00266	PASS
					20	-10.98633	-0.00642	PASS
					30	-4.39167	-0.00257	PASS
					40	-8.51154	-0.00498	PASS
					50	-6.59466	-0.00385	PASS
			MCH	VN	-30	-20.62798	-0.01191	PASS
					-20	-3.03268	-0.00175	PASS
					-10	2.01702	0.00116	PASS
					0	-2.96116	-0.00171	PASS
					10	-2.81811	-0.00163	PASS
					20	-0.92983	-0.00054	PASS
					30	-2.28882	-0.00132	PASS
					40	-0.94414	-0.00054	PASS
					50	-2.91824	-0.00168	PASS
			HCH	VN	-30	-3.23296	-0.00184	PASS
					-20	-0.51498	-0.00029	PASS
					-10	-3.59059	-0.00207	PASS
					0	-1.11580	-0.00064	PASS
					10	-4.14848	-0.00236	PASS
					20	1.23024	0.00070	PASS
					30	-17.75265	-0.01012	PASS
					40	1.83106	0.00104	PASS
					50	-0.81539	-0.00046	PASS
		3	LCH	VN	-30	0.97275	0.00057	PASS
					-20	-2.00272	-0.00117	PASS
					-10	-0.67234	-0.00039	PASS
					0	-0.44346	-0.00026	PASS
					10	-6.76632	-0.00395	PASS
					20	-11.81602	-0.00690	PASS
					30	-0.97275	-0.00057	PASS
					40	-6.60896	-0.00386	PASS
					50	-4.97818	-0.00291	PASS
			MCH	VN	-30	-4.24862	-0.00245	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-20	-2.97546	-0.00172	PASS
					-10	-2.24590	-0.00130	PASS
					0	-1.90258	-0.00110	PASS
					10	-5.43594	-0.00314	PASS
					20	-57.56378	-0.03323	PASS
					30	-3.27587	-0.00189	PASS
					40	-2.17438	-0.00126	PASS
					50	-3.17573	-0.00183	PASS
			HCH	VN	-30	1.74522	0.00100	PASS
					-20	-1.85966	-0.00106	PASS
					-10	-2.60353	-0.00148	PASS
					0	-4.90665	-0.00280	PASS
					10	-4.20570	-0.00240	PASS
					20	-5.06401	-0.00289	PASS
					30	-4.87804	-0.00278	PASS
					40	-5.75066	-0.00328	PASS
					50	-3.60489	-0.00206	PASS
		5	LCH	VN	-30	-2.38895	-0.00140	PASS
					-20	-2.94685	-0.00172	PASS
					-10	1.00136	0.00058	PASS
					0	-2.67506	-0.00156	PASS
					10	-6.85215	-0.00400	PASS
					20	-1.04427	-0.00061	PASS
					30	-3.83377	-0.00224	PASS
					40	-2.24590	-0.00131	PASS
					50	-2.53200	-0.00148	PASS
			MCH	VN	-30	-0.95844	-0.00055	PASS
					-20	-4.80652	-0.00277	PASS
					-10	-2.60353	-0.00150	PASS
					0	-3.59058	-0.00207	PASS
					10	-1.85966	-0.00107	PASS
					20	-4.13418	-0.00239	PASS
					30	-4.70638	-0.00272	PASS
					40	-3.77655	-0.00218	PASS
					50	-3.69072	-0.00213	PASS
			HCH	VN	-30	-2.34604	-0.00134	PASS
					-20	-4.30584	-0.00246	PASS
					-10	-6.36578	-0.00363	PASS
					0	-6.27994	-0.00358	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	-5.55039	-0.00317	PASS
					20	-4.96387	-0.00283	PASS
					30	-6.83784	-0.00390	PASS
					40	-6.76632	-0.00386	PASS
					50	-3.17573	-0.00181	PASS
		10	LCH	VN	-30	-4.64916	-0.00271	PASS
					-20	-6.88076	-0.00401	PASS
					-10	-7.66754	-0.00447	PASS
					0	-6.36578	-0.00371	PASS
					10	-5.47886	-0.00319	PASS
					20	-3.79086	-0.00221	PASS
					30	-6.63757	-0.00387	PASS
					40	-6.13689	-0.00358	PASS
					50	-1.28746	-0.00075	PASS
			MCH	VN	-30	-5.27859	-0.00305	PASS
					-20	-6.49452	-0.00375	PASS
					-10	-4.53472	-0.00262	PASS
					0	-3.70503	-0.00214	PASS
					10	-1.84536	-0.00107	PASS
					20	-6.43730	-0.00372	PASS
					30	-3.10421	-0.00179	PASS
					40	-5.55039	-0.00320	PASS
					50	-4.20570	-0.00243	PASS
			HCH	VN	-30	-5.17845	-0.00296	PASS
					-20	-6.79493	-0.00388	PASS
					-10	-9.92775	-0.00567	PASS
					0	-6.36578	-0.00364	PASS
					10	-4.50611	-0.00257	PASS
					20	-6.95229	-0.00397	PASS
					30	-4.43459	-0.00253	PASS
					40	-5.02109	-0.00287	PASS
					50	-5.06401	-0.00289	PASS
		15	LCH	VN	-30	-2.21729	-0.00129	PASS
					-20	-6.68049	-0.00389	PASS
					-10	-6.02245	-0.00351	PASS
					0	-3.04699	-0.00177	PASS
					10	-7.72476	-0.00450	PASS
					20	-6.88076	-0.00401	PASS
					30	-6.06537	-0.00353	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					40	-4.90665	-0.00286	PASS
					50	-5.59330	-0.00326	PASS
			MCH	VN	-30	-3.67641	-0.00212	PASS
					-20	-2.63214	-0.00152	PASS
					-10	-6.19412	-0.00358	PASS
					0	-5.80788	-0.00335	PASS
					10	-5.27859	-0.00305	PASS
					20	-7.16686	-0.00414	PASS
					30	-5.39303	-0.00311	PASS
					40	-3.57628	-0.00206	PASS
					50	-5.43594	-0.00314	PASS
			HCH	VN	-30	-4.46320	-0.00255	PASS
					-20	-6.89506	-0.00395	PASS
					-10	-5.50747	-0.00315	PASS
					0	-4.19140	-0.00240	PASS
					10	-6.60896	-0.00378	PASS
					20	-6.48022	-0.00371	PASS
					30	-7.65324	-0.00438	PASS
					40	-8.46863	-0.00485	PASS
					50	-4.89235	-0.00280	PASS
		20	LCH	VN	-30	-8.61168	-0.00501	PASS
					-20	-6.12259	-0.00356	PASS
					-10	-8.78334	-0.00511	PASS
					0	-9.01222	-0.00524	PASS
					10	-5.00679	-0.00291	PASS
					20	-4.27723	-0.00249	PASS
					30	-8.84056	-0.00514	PASS
					40	-6.29425	-0.00366	PASS
					50	-5.36442	-0.00312	PASS
			MCH	VN	-30	-3.76225	-0.00217	PASS
					-20	-4.63486	-0.00268	PASS
					-10	-8.82626	-0.00509	PASS
					0	-4.90665	-0.00283	PASS
					10	-4.43459	-0.00256	PASS
					20	-5.19276	-0.00300	PASS
					30	-7.48158	-0.00432	PASS
					40	-5.17845	-0.00299	PASS
					50	-4.14848	-0.00239	PASS
			HCH	VN	-30	-6.95229	-0.00398	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-20	-5.23567	-0.00300	PASS
					-10	-6.66618	-0.00382	PASS
					0	-4.20570	-0.00241	PASS
					10	-4.03404	-0.00231	PASS
					20	-4.94957	-0.00284	PASS
					30	-4.04835	-0.00232	PASS
					40	-5.03540	-0.00289	PASS
					50	-4.07696	-0.00234	PASS
	LTE/TM2	1.4	LCH	VN	-30	-2.87533	-0.00168	PASS
					-20	-6.00815	-0.00351	PASS
					-10	-7.55310	-0.00442	PASS
					0	-7.92503	-0.00463	PASS
					10	-6.26564	-0.00366	PASS
					20	-6.36578	-0.00372	PASS
					30	-2.11716	-0.00124	PASS
					40	-7.10964	-0.00416	PASS
					50	-8.65459	-0.00506	PASS
			MCH	VN	-30	-2.77519	-0.00160	PASS
					-20	-5.14984	-0.00297	PASS
					-10	2.90394	0.00168	PASS
					0	0.27180	0.00016	PASS
					10	-4.96387	-0.00287	PASS
					20	-64.44454	-0.03720	PASS
					30	-2.57492	-0.00149	PASS
					40	0.54359	0.00031	PASS
					50	-1.02997	-0.00059	PASS
			HCH	VN	-30	-1.75953	-0.00100	PASS
					-20	9.57012	0.00546	PASS
					-10	1.18742	0.00069	PASS
					0	-2.27451	-0.00130	PASS
					10	3.39031	0.00193	PASS
					20	-0.15736	-0.00009	PASS
					30	-0.77248	-0.00044	PASS
					40	85.25848	0.04860	PASS
					50	-0.04292	-0.00002	PASS
		3	LCH	VN	-30	-0.04292	-0.00003	PASS
					-20	1.80244	0.00105	PASS
					-10	1.38760	0.00081	PASS
					0	2.61784	0.00153	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	-1.71661	-0.00100	PASS
					20	-5.02109	-0.00293	PASS
					30	1.18732	0.00069	PASS
					40	-0.61512	-0.00036	PASS
					50	-5.19276	-0.00303	PASS
			MCH	VN	-30	-3.73364	-0.00216	PASS
					-20	-4.54903	-0.00263	PASS
					-10	-4.60625	-0.00266	PASS
					0	-1.97411	-0.00114	PASS
					10	-6.48022	-0.00374	PASS
					20	1.00136	0.00058	PASS
					30	-2.70367	-0.00156	PASS
					40	-29.12521	-0.01681	PASS
					50	-2.81811	-0.00163	PASS
			HCH	VN	-30	0.37193	0.00021	PASS
					-20	-1.13010	-0.00064	PASS
					-10	-0.70095	-0.00040	PASS
					0	-1.60217	-0.00091	PASS
					10	-5.07832	-0.00290	PASS
					20	-7.49588	-0.00427	PASS
					30	-1.37329	-0.00078	PASS
					40	-5.16415	-0.00295	PASS
					50	-5.47886	-0.00312	PASS
		5	LCH	VN	-30	-1.51634	-0.00089	PASS
					-20	-0.94414	-0.00055	PASS
					-10	-1.85966	-0.00109	PASS
					0	-2.01702	-0.00118	PASS
					10	-5.37872	-0.00314	PASS
					20	-2.38895	-0.00140	PASS
					30	-2.30312	-0.00134	PASS
					40	-4.66347	-0.00272	PASS
					50	-2.21729	-0.00129	PASS
			MCH	VN	-30	-2.57492	-0.00149	PASS
					-20	-7.28130	-0.00420	PASS
					-10	-5.04971	-0.00291	PASS
					0	-1.34468	-0.00078	PASS
					10	-5.53608	-0.00320	PASS
					20	-5.19276	-0.00300	PASS
					30	-1.67370	-0.00097	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					40	-4.74930	-0.00274	PASS
					50	-5.80788	-0.00335	PASS
			HCH	VN	-30	-3.14712	-0.00180	PASS
					-20	-8.76904	-0.00500	PASS
					-10	-4.03404	-0.00230	PASS
					0	-5.40733	-0.00309	PASS
					10	-4.34875	-0.00248	PASS
					20	-4.79221	-0.00273	PASS
					30	-1.24455	-0.00071	PASS
					40	-4.26292	-0.00243	PASS
					50	-6.46591	-0.00369	PASS
			LCH	VN	-30	-3.51906	-0.00205	PASS
					-20	-5.02109	-0.00293	PASS
					-10	-6.15120	-0.00359	PASS
					0	-3.83377	-0.00224	PASS
					10	-6.78062	-0.00395	PASS
					20	-5.99384	-0.00349	PASS
					30	-2.37465	-0.00138	PASS
					40	-1.28746	-0.00075	PASS
					50	-6.73771	-0.00393	PASS
		10	MCH	VN	-30	-4.64916	-0.00268	PASS
					-20	-2.93255	-0.00169	PASS
					-10	-3.23296	-0.00187	PASS
					0	-3.64780	-0.00211	PASS
					10	-5.04971	-0.00291	PASS
					20	-7.22408	-0.00417	PASS
					30	-4.29153	-0.00248	PASS
					40	-6.95229	-0.00401	PASS
					50	-6.16550	-0.00356	PASS
			HCH	VN	-30	-4.73499	-0.00271	PASS
					-20	-9.91344	-0.00566	PASS
					-10	-7.86781	-0.00450	PASS
					0	-6.70910	-0.00383	PASS
					10	-5.12123	-0.00293	PASS
					20	-6.03676	-0.00345	PASS
					30	-6.82354	-0.00390	PASS
					40	-8.59737	-0.00491	PASS
					50	-4.20570	-0.00240	PASS
		15	LCH	VN	-30	-6.43730	-0.00375	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-20	-6.93798	-0.00404	PASS
					-10	-6.27994	-0.00366	PASS
					0	-4.66347	-0.00272	PASS
					10	-7.58171	-0.00441	PASS
					20	-7.75337	-0.00451	PASS
					30	-6.85215	-0.00399	PASS
					40	-4.42028	-0.00257	PASS
					50	-5.72205	-0.00333	PASS
			MCH	VN	-30	-3.10421	-0.00179	PASS
					-20	-3.53336	-0.00257	PASS
					-10	-4.82082	-0.00278	PASS
					0	-7.49588	-0.00433	PASS
					10	-8.22544	-0.00475	PASS
					20	-7.49588	-0.00433	PASS
					30	-4.20570	-0.00243	PASS
					40	-4.29153	-0.00248	PASS
					50	-5.13554	-0.00296	PASS
			HCH	VN	-30	-4.06265	-0.00232	PASS
					-20	-6.65188	-0.00381	PASS
					-10	-8.29697	-0.00475	PASS
					0	-7.22408	-0.00413	PASS
					10	-5.16415	-0.00296	PASS
					20	-7.00951	-0.00401	PASS
					30	-7.53880	-0.00431	PASS
					40	-6.12259	-0.00350	PASS
					50	-7.23839	-0.00414	PASS
		20	LCH	VN	-30	-6.05106	-0.00352	PASS
					-20	-1.53065	-0.00089	PASS
					-10	-8.39710	-0.00488	PASS
					0	-7.06673	-0.00411	PASS
					10	-3.61919	-0.00210	PASS
					20	-4.94957	-0.00288	PASS
					30	-7.33852	-0.00427	PASS
					40	-5.97954	-0.00348	PASS
					50	-6.33717	-0.00368	PASS
			MCH	VN	-30	-4.37737	-0.00253	PASS
					-20	-4.89235	-0.00282	PASS
					-10	-5.10693	-0.00295	PASS
					0	-4.59194	-0.00265	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	-6.06537	-0.00350	PASS
					20	-4.07696	-0.00235	PASS
					30	-7.29561	-0.00421	PASS
					40	-5.43594	-0.00314	PASS
					50	-5.03540	-0.00291	PASS
			HCH	VN	-30	-5.83649	-0.00334	PASS
					-20	-4.92096	-0.00282	PASS
					-10	-7.30991	-0.00419	PASS
					0	-3.54767	-0.00203	PASS
					10	-4.96387	-0.00284	PASS
					20	-6.83784	-0.00392	PASS
					30	-6.42300	-0.00368	PASS
					40	-3.27587	-0.00188	PASS
					50	-4.60625	-0.00264	PASS

END