

SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 1 of 60

TEST REPORT

Application No.: FYCR2301000008AT

Applicant: Chongqing Qiulong Technology Co., Ltd.

Address of Applicant: No.259, Shimian Village, Qiezixi Street, Dadukou District, Chongqing City,

China

Manufacturer: Shenzhen Jimi IoT Co., Ltd.

Address of Manufacturer: 3-4/F, Block A, Building #7, Shenzhen International Innovation Valley, Dashi

1st Road, Nanshan District, Shenzhen, Guangdong, China

Factory: Huizhou Newthinking Electronics Co., Ltd.

Address of Factory: The third & sixth floor, 1&2 Factory Buildings, Jimi Industrial Park, No.101

Jinfu Road, Xiaojinkou street, Huicheng District, Huizhou

Equipment Under Test (EUT):

EUT Name: TBOX

Model No.: QL-TBOX-JM

Trade Mark: Surron

FCC ID: 2A92B-QL-TBOX-JM

Standard(s): 47 CFR Part 15, Subpart C 15.247

Date of Receipt: 2023-01-09

Date of Test: 2023-01-12 to 2023-02-06

Date of Issue: 2023-02-08

Test Result: Pass*

Winkey Wang

Winkey Wang

EMC Technical Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jury/saldction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Luless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

^{*} In the configuration tested, the EUT complied with the standards specified above.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 2 of 60

	Revision Record						
Version	Chapter	Date	Modifier	Remark			
01		2023-02-08		Original			

Authorized for issue by:		
	Tree Zhan	
	Tree Zhan/Project Engineer	
	WinkeyWarg	
	Winkey Wang/Reviewer	-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not excended parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are extend for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amalie CAD Doccheck/Base com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 3 of 60

2 Test Summary

Radio Spectrum Technical Requirement						
Item Standard Method Requirement Result						
Antenna Requirement	47 CFR Part 15, Subpart C 15.247	N/A	47 CFR Part 15, Subpart C 15.203 & 15.247(b)(4)	Pass		

Radio Spectrum Matter Part					
Item	Standard	Method	Requirement	Result	
Conducted Peak Output Power		ANSI C63.10 (2013) Section 11.9.1	47 CFR Part 15, Subpart C 15.247(b)(3)	Pass	
Minimum 6dB Bandwidth		ANSI C63.10 (2013) Section 11.8.1	47 CFR Part 15, Subpart C 15.247a(2)	Pass	
Power Spectrum Density		ANSI C63.10 (2013) Section 11.10.2	47 CFR Part 15, Subpart C 15.247(e)	Pass	
Conducted Band Edges Measurement		ANSI C63.10 (2013) Section 11.13.3.2	47 CFR Part 15, Subpart C 15.247(d)	Pass	
Conducted Spurious Emissions	47 CFR Part 15, Subpart C 15.247	ANSI C63.10 (2013) Section 11.11	47 CFR Part 15, Subpart C 15.247(d)	Pass	
Radiated Emissions which fall in the restricted bands		ANSI C63.10 (2013) Section 6.10.5	47 CFR Part 15, Subpart C 15.205 & 15.209	Pass	
Radiated Spurious Emissions Below 1GHz		ANSI C63.10 (2013) Section 6.4,6.5	47 CFR Part 15, Subpart C 15.205 & 15.209	Pass	
Radiated Spurious Emissions Above 1GHz		ANSI C63.10 (2013) Section 6.6	47 CFR Part 15, Subpart C 15.205 & 15.209	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not excended parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are refained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cassili Clients | Deschedule | Deschedu



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 4 of 60

3 Contents

			Page
1	I COVER PAGE	E	1
2	2 TEST SUMMA	ARY	
3	3 CONTENTS		4
4	4 GENERAL INF	FORMATION	6
	4.1 DETAILS O	of E.U.T	6
		TION OF SUPPORT UNITS	6
		EMENT UNCERTAINTY	
		CATION	
		CILITY	
		N FROM STANDARDS	
	4.7 ABNORMA	ALITIES FROM STANDARD CONDITIONS	7
5	5 EQUIPMENT L	LIST	8
6	RADIO SPECT	TRUM TECHNICAL REQUIREMENT	11
	6.1 ANTENNA	A REQUIREMENT	11
	6.1.1 Test R	Requirement:	11
	6.1.2 Conclu	lusion	11
7	7 RADIO SPECT	TRUM MATTER TEST RESULTS	12
		TED PEAK OUTPUT POWER	
		Operation	
		Mode Description	
		Setup Diagram	
		urement Procedure and Data	
		6DB BANDWIDTH	
		. Operation	
		Mode Description	
	7.2.3 Test Sc	Setup Diagram	14
	7.2.4 Measu	urement Procedure and Data	14
		SPECTRUM DENSITY	
	7.3.1 E.U.T.	. Operation	
		Mode Description	•
		Setup Diagram	
		urement Procedure and Data	
		TED BAND EDGES MEASUREMENT	
		. Operation	
		Mode Description	
		Setup Diagram	
		urement Procedure and Data	
		TED SPURIOUS EMISSIONS	
	7.5.1 E.U.T.	. Operation	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not excended parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are extend for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or examile CAR Deschae/General CAR CARS (ACC ASS).



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 5 of 60

	7.5.2	Test Mode Description	18
	7.5.3	Test Setup Diagram	
	7.5.4	Measurement Procedure and Data	19
7	.6 R	ADIATED EMISSIONS WHICH FALL IN THE RESTRICTED BANDS	20
	7.6.1	E.U.T. Operation	20
	7.6.2	Test Mode Description	
	7.6.3	Test Setup Diagram	
	7.6.4	Measurement Procedure and Data	21
7	.7 R	ADIATED SPURIOUS EMISSIONS BELOW 1GHZ	26
	7.7.1	E.U.T. Operation	26
	7.7.2	Test Mode Description	26
	7.7.3	Test Setup Diagram	27
	7.7.4	Measurement Procedure and Data	
7	.8 R	ADIATED SPURIOUS EMISSIONS ABOVE 1GHZ	30
	7.8.1	E.U.T. Operation	
	7.8.2	Test Mode Description	
	7.8.3	Test Setup Diagram	
	7.8.4	Measurement Procedure and Data	31
3	TEST	SETUP PHOTO	38
)	EUT C	ONSTRUCTIONAL DETAILS (EUT PHOTOS)	38
0	APPE	NDIX	39



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Termd-Conditions/Terms-a-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not excerted except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

The remails of the procedure of the sample(s) tested and such sample(s) are retained for 30 days only.

The remails of the procedure of the sample(s) tested and such sample(s) are retained for 30 days only.

The remails of the procedure of the sample(s) tested and such sample(s) are retained for 30 days only.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 6 of 60

4 General Information

4.1 Details of E.U.T.

Power supply:	DC 3.7V, 270mAh rechargeable battery which charged by External power, or DC 9V~90V
Test Voltage:	DC 12V
Operation Frequency:	2402MHz to 2480MHz
Bluetooth Version:	V5.0
Modulation Type:	GFSK
Number of Channels:	40
Channel Spacing:	2MHz
Data rate:	1Mbps, 2Mbps
Antenna Type:	PIFA Antenna
Antenna Gain:	1.5dBi

Remark: The information in this section is provided by the applicant or manufacturer, CCS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

4.2 Description of Support Units

Description	Manufacturer	Model No.	Serial No.
DC power supply	ZHAOXIN	PS-3005D	/

4.3 Measurement Uncertainty

Test Item	Measurement Uncertainty
Conducted Peak Output Power	± 0.8dB
Minimum 6dB Bandwidth	± 0.3%
Power Spectrum Density	± 0.4dB
Conducted Band Edges Measurement	± 2.7dB
Conducted Spurious Emissions	± 2.7dB
Radiated Emissions which fall in the restricted bands	± 4.4dB (Above 1GHz)
Radiated Spurious Emissions Below 1GHz	± 3.1dB (Below 1GHz)
Radiated Spurious Emissions Above 1GHz	± 4.4dB (Above 1GHz)





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 7 of 60

4.4 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc. Shenzhen branch.

Fuyong lab. Xinlong TechnoPark,Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China

Tel: +86 755 8866 3988 Fax: +86 755 2671 0594

No tests were sub-contracted.

4.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

A2LA (Certificate No. 6606.01)

Compliance Certification Services (Kunshan) Inc. Shenzhen branch is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6606.01.

• FCC -Designation Number: CN1322

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized as an accredited testing laboratory.

Designation Number: CN1322. Test Firm Registration Number: 718073

• Innovation, Science and Economic Development Canada

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0129.

IC#: 28189.

4.6 Deviation from Standards

None

4.7 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 8 of 60

5 Equipment List

Conducted Peak Output Power						
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date	
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-25	2022/5/30	2023/5/29	
Power Sensor	Erika Fiedler	U2021XA	SEM009-15	2022/7/12	2023/7/11	
Programmable DC Source	Chroma	62024P-80-60	SEM011-09	2022/7/12	2023/7/11	
Attenuator	Huber+Suhner	6620_SMA-50- 1	SEM021-09	2022/7/12	2023/7/11	
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A	

Minimum 6dB Bandwidth							
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date		
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-25	2022/5/30	2023/5/29		
Attenuator	Huber+Suhner	6620_SMA-50- 1	SEM021-09	2022/7/12	2023/7/11		
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A		

Power Spectrum Density						
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date	
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-25	2022/5/30	2023/5/29	
Attenuator	Huber+Suhner	6620_SMA-50- 1	SEM021-09	2022/7/12	2023/7/11	
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A	

Conducted Band Edges Measurement							
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date		
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-25	2022/5/30	2023/5/29		
Attenuator	Huber+Suhner	6620_SMA-50- 1	SEM021-09	2022/7/12	2023/7/11		
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not excended parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are refained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cassili Clients | Deschedule | Deschedu



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 9 of 60

Conducted Spurious Emissions							
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date		
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-25	2022/5/30	2023/5/29		
Attenuator	Huber+Suhner	6620_SMA-50- 1	SEM021-09	2022/7/12	2023/7/11		
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A		

Radiated Emissions which fall in the restricted bands						
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date	
3m Anechoic Chamber	CRT	N/A	SEM001-13	2021/7/13	2024/7/12	
Broad-Band Horn Antenna	Schwarzbeck	BBHA 9170	SEM003-15	2021/7/11	2024/7/10	
Broad-Band Horn Antenna	Schwarzbeck	BBHA 9120D	SEM003-32	2021/9/26	2024/9/25	
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-23	2022/4/24	2023/4/23	
Pre-amplifier	Compliance Directions Systems Inc.	PAP-2640-50	SEM005-08	2022/7/12	2023/7/11	
Pre-amplifier	Rohde & Schwarz	CH14-H052	SEM005-17	2022/7/12	2023/7/11	
Coaxial Cable	CCS	N/A	SEM035-02	2022/5/16	2023/5/15	
Coaxial Cable	CCS	N/A	SEM035-03	2022/5/16	2023/5/15	
Pre-amplifier	TST PASS	LNA04080G30	SEM005-27	2022/4/15	2023/4/14	
Pre-amplifier	TST PASS	LNA10180G45	SEM005-28	2022/4/15	2023/4/14	
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A	

Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
3m Anechoic Chamber	CRT	N/A	SEM001-13	2021/7/13	2024/7/12
Trilog-Broadband Antenna	Schwarzbeck	VULB9168	SEM003-33	2021/9/25	2024/9/24
MXE EMI receiver	Agilent	N9038A	SEM004-05	2022/7/12	2023/7/11
Pre-amplifier	HP	8447D	SEM005-02	2022/7/12	2023/7/11
Coaxial Cable	CCS	N/A	SEM035-01	2022/5/16	2023/5/15
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A
Loop Antenna(9kHz- 30MHz)	ETS-LINDGREN	6502	SEM003-08	2021/11/30	2023/11/29



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not excended parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or examile CAR Deschae/Genes come.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 10 of 60

Radiated Spurious Emissions Above 1GHz							
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date		
3m Anechoic Chamber	CRT	N/A	SEM001-13	2021/7/13	2024/7/12		
Broad-Band Horn Antenna	Schwarzbeck	BBHA 9120D	SEM003-32	2021/9/26	2024/9/25		
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-23	2022/4/24	2023/4/23		
Coaxial Cable	CCS	N/A	SEM035-03	2022/5/16	2023/5/15		
Pre-amplifier	TST PASS	LNA04080G30	SEM005-27	2022/4/15	2023/4/14		
Pre-amplifier	TST PASS	LNA10180G45	SEM005-28	2022/4/15	2023/4/14		
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A		

General used equipment							
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date		
Humidity/ Temperature Indicator	Mingle	TH607	SEM002-22	2022/7/12	2023/7/11		
Humidity/ Temperature Indicator	, i IVIIDAIE		SEM002-23	2022/7/12	2023/7/11		
Barometer	DUMAI	DYM3	SEM002-24	2022/7/12	2023/7/11		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not excended parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, riggery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are referred for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Contact United Contact us at telephone: (86-755) 8307 1443, **Contact United Contact us at telephone: (86-755) 8307 1443, **Contact United Contact us at telephone: (86-755) 8307 1443, **Contact United Contact us at telephone: (86-755) 8307 1443, **Contact United Contact us at telephone: (86-755) 8307 1443, **Contact United Contact us at telephone: (86-755) 8307 1443, **Contact United Contact us at telephone: (86-755) 8307 1443, **Contact United Contact United Contact United Contact United



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 11 of 60

6 Radio Spectrum Technical Requirement

6.1 Antenna Requirement

6.1.1 Test Requirement:

47 CFR Part 15, Subpart C 15.203 & 15.247(b)(4)

6.1.2 Conclusion

Standard Requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

EUT Antenna:

The antenna is integrated on the main PCB and no consideration of replacement. The best case gain of the antenna is 1.5dBi.

Antenna location: Refer to internal photo.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-end-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-end-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Liness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755)83071443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 12 of 60

7 Radio Spectrum Matter Test Results

7.1 Conducted Peak Output Power

Test Requirement 47 CFR Part 15, Subpart C 15.247(b)(3)
Test Method: ANSI C63.10 (2013) Section 11.9.1

Limit:

Frequency range(MHz)	Output power of the intentional radiator(watt)
	1 for ≥50 hopping channels
902-928	0.25 for 25≤ hopping channels <50
	1 for digital modulation
	1 for ≥75 non-overlapping hopping channels
2400-2483.5	0.125 for all other frequency hopping systems
	1 for digital modulation
5725-5850	1 for frequency hopping systems and digital modulation

7.1.1 E.U.T. Operation

Operating Environment:

Temperature: 21.1 °C Humidity: 53.6 % RH Atmospheric Pressure: 1020 mbar

7.1.2 Test Mode Description

The root mode boomphon				
Pre-scan / Final test	Mode Code	Description		
Pre-scan	01	TX mode(1Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.		
Final test	02	Charge + TX mode(1Mbps)_Keep the EUT in charging and continuously transmitting mode with GFSK modulation.		
Pre-scan	03	TX mode(2Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.		
Final test	04	Charge + TX mode(2Mbps)_Keep the EUT in charging and continuously transmitting mode with GFSK modulation.		






SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 13 of 60

7.1.3 Test Setup Diagram



Ground Reference Plane

7.1.4 Measurement Procedure and Data

Note: Since the verify power the same operating range bandwidth and smaller power can be covered by the higher power.

Please Refer to Appendix for Details





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 14 of 60

7.2 Minimum 6dB Bandwidth

Test Requirement 47 CFR Part 15, Subpart C 15.247a(2)
Test Method: ANSI C63.10 (2013) Section 11.8.1

Limit: ≥500 kHz

7.2.1 E.U.T. Operation


Operating Environment:

Temperature: 21.1 °C Humidity: 53.6 % RH Atmospheric Pressure: 1020 mbar

7.2.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Pre-scan	01	TX mode(1Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.
Final test	02	Charge + TX mode(1Mbps)_Keep the EUT in charging and continuously transmitting mode with GFSK modulation.
Pre-scan	03	TX mode(2Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.
Final test	04	Charge + TX mode(2Mbps)_Keep the EUT in charging and continuously transmitting mode with GFSK modulation.

7.2.3 Test Setup Diagram



7.2.4 Measurement Procedure and Data

Please Refer to Appendix for Details





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 15 of 60

7.3 Power Spectrum Density

Test Requirement 47 CFR Part 15, Subpart C 15.247(e)
Test Method: ANSI C63.10 (2013) Section 11.10.2

Limit:

≤8dBm in any 3 kHz band during any time interval of continuous transmission

7.3.1 E.U.T. Operation


Operating Environment:

Temperature: 21.1 °C Humidity: 53.6 % RH Atmospheric Pressure: 1020 mbar

7.3.2 Test Mode Description

7.0.2 .000.10	102 1001 11040 2000 11010				
Pre-scan / Final test	Mode Code	Description			
Pre-scan	01	TX mode(1Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.			
Final test	02	Charge + TX mode(1Mbps)_Keep the EUT in charging and continuously transmitting mode with GFSK modulation.			
Pre-scan	03	TX mode(2Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.			
Final test	04	Charge + TX mode(2Mbps)_Keep the EUT in charging and continuously transmitting mode with GFSK modulation.			

7.3.3 Test Setup Diagram



7.3.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.regnested, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 16 of 60

7.4 Conducted Band Edges Measurement

Test Requirement 47 CFR Part 15, Subpart C 15.247(d)
Test Method: ANSI C63.10 (2013) Section 11.13.3.2

Limit:

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in §15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c).

7.4.1 E.U.T. Operation


Operating Environment:

Temperature: 21.1 °C Humidity: 53.6 % RH Atmospheric Pressure: 1020 mbar

7.4.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Pre-scan	01	TX mode(1Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.
Final test	02	Charge + TX mode(1Mbps)_Keep the EUT in charging and continuously transmitting mode with GFSK modulation.
Pre-scan	03	TX mode(2Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.
Final test	04	Charge + TX mode(2Mbps)_Keep the EUT in charging and continuously transmitting mode with GFSK modulation.

7.4.3 Test Setup Diagram





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-end-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-end-Conditions-And-Conditions-End-Co



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 17 of 60

7.4.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not excended parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are referred for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company.** Company.** Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company.** Company.** Com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 18 of 60

7.5 Conducted Spurious Emissions

Test Requirement 47 CFR Part 15, Subpart C 15.247(d)
Test Method: ANSI C63.10 (2013) Section 11.11

Limit:

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in §15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c).

7.5.1 E.U.T. Operation


Operating Environment:

Temperature: 21.1 °C Humidity: 53.6 % RH Atmospheric Pressure: 1020 mbar

7.5.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Pre-scan	01	TX mode(1Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.
Final test	02	Charge + TX mode(1Mbps)_Keep the EUT in charging and continuously transmitting mode with GFSK modulation.
Pre-scan	03	TX mode(2Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.
Final test	04	Charge + TX mode(2Mbps)_Keep the EUT in charging and continuously transmitting mode with GFSK modulation.

7.5.3 Test Setup Diagram





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 19 of 60

7.5.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not excended parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are refained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or sensite CRA Doceback/Pages com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 20 of 60

7.6 Radiated Emissions which fall in the restricted bands

Test Requirement 47 CFR Part 15, Subpart C 15.205 & 15.209

Test Method: ANSI C63.10 (2013) Section 6.10.5

Measurement Distance: 3m

Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.

7.6.1 E.U.T. Operation

Operating Environment:

Temperature: 23.2 °C Humidity: 52.6 % RH Atmospheric Pressure: 1020 mbar

7.6.2 Test Mode Description

7.0.2 103110	7.0.2 Test mode bescription								
Pre-scan / Final test	Mode Code	Description							
Pre-scan	01	TX mode(1Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.							
Final test	02	Charge + TX mode(1Mbps)_Keep the EUT in charging and continuously transmitting mode with GFSK modulation.							
Pre-scan	03	TX mode(2Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.							
Pre-scan	04	Charge + TX mode(2Mbps)_Keep the EUT in charging and continuously transmitting mode with GFSK modulation.							







SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 21 of 60

7.6.3 Test Setup Diagram





Above 1GHz

7.6.4 Measurement Procedure and Data

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
- h. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- j. Repeat above procedures until all frequencies measured was complete.

Remark 1: Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor

Remark 2: For frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and-do.relicens.aspx.and-do.relicens.aspx.and-do.relicens.aspx.and-do.relicens.aspx.and-do.relicens.aspx.and-do.relicens.aspx.and-do.relicens.aspx.attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 22 of 60

Test Mode: 02; Polarity: Horizontal; Modulation: GFSK; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00008AT

Mode : 2402 Band edge

Note : BLE

1 2

		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
										_
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
	2365.878	5.04	27.10	32.50	45.12	44.76	74.00	-29.24	peak	
2	2390.000	5.05	27.16	32.50	42.89	42.60	74.00	-31.40	peak	
	2402.000	5.06	27.18	32.50	93.30	93.04	74.00	19.04	peak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 23 of 60

Test Mode: 02; Polarity: Vertical; Modulation:GFSK; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No : 00008AT

Mode : 2402 Band edge

Note : BLE

1 2

		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
	2388.647	5.05	27.15	32.50	50.14	49.84	74.00	-24.16	peak	
2	2390.000	5.05	27.16	32.50	47.55	47.26	74.00	-26.74	peak	
	2402.000	5.06	27.18	32.50	95.58	95.32	74.00	21.32	peak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.en/Terms-and-Condi




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 24 of 60

Test Mode: 02; Polarity: Horizontal; Modulation:GFSK; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00008AT

Mode : 2480 Band edge

Note : BLE

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	. 2480.000	5.12	27.36	32.50	91.01	90.99	74.00	16.99	peak
2	2483.500	5.12	27.36	32.50	43.57	43.55	74.00	-30.45	peak
	2495.531								



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.en/Terms-and-Condi




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 25 of 60

Test Mode: 02; Polarity: Vertical; Modulation:GFSK; Channel:High



Site : chamber

Condition: 3m VERTICAL

Job No : 00008AT

Mode : 2480 Band edge

Note : BLE

				Preamp					
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
						-ID- A//	-ID: A//		
	MHz	ав	aB/m	dB	aBuv	aBuV/m	aBuV/m	dB	
1.	2480.000	5.12	27.36	32.50	92.03	92.01	74.00	18.01	peak
	2483.500								-
3	2497.413	5.13	27.39	32.50	45.62	45.64	74.00	-28.36	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 26 of 60

7.7 Radiated Spurious Emissions Below 1GHz

Test Requirement 47 CFR Part 15, Subpart C 15.205 & 15.209

Test Method: ANSI C63.10 (2013) Section 6.4,6.5

Measurement Distance: 3m

Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30
30-88	100	3
88-216	150	3
216-960	200	3
960-1000	500	3

7.7.1 E.U.T. Operation

Operating Environment:

Temperature: 23.5 °C Humidity: 52.6 % RH Atmospheric Pressure: 1020 mbar

7.7.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Pre-scan	01	TX mode(1Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.
Final test	02	Charge + TX mode(1Mbps)_Keep the EUT in charging and continuously transmitting mode with GFSK modulation.
Pre-scan	03	TX mode(2Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.
Pre-scan	04	Charge + TX mode(2Mbps)_Keep the EUT in charging and continuously transmitting mode with GFSK modulation.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.regnested, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-And-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-And-Con





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 27 of 60

7.7.3 Test Setup Diagram





30MHz-1GHz

7.7.4 Measurement Procedure and Data

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode
- f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using quasi-peak method as specified and then reported in a data sheet.
- g. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- i. Repeat above procedures until all frequencies measured was complete. Remark:
- 1. Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor
- 2. Scan from 9kHz to 30MHz, the disturbance below 30MHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 3. The disturbance below 1GHz was very low and the harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-end-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-end-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Liness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 28 of 60

Test Mode: 02; Polarity: Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00008AT

Mode : 02

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	108.267	0.92	15.22	25.59	26.68	17.23	43.50	-26.27	QP
2	203.523	0.70	15.25	25.47	41.48	31.96	43.50	-11.54	QP
3	393.472	1.66	20.62	25.45	30.40	27.23	46.00	-18.77	QP
4	711.674	1.76	25.89	24.52	26.68	29.81	46.00	-16.19	QP
5	818.834	2.39	27.59	24.18	26.11	31.91	46.00	-14.09	QP
6	955.438	2.26	29.30	24.04	27.72	35.24	46.00	-10.76	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 29 of 60

Test Mode: 02; Polarity: Vertical



Site : chamber Condition: 3m VERTICAL Job No : 00008AT

Mode : 02

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	43.506	0.22	1/.2/	26.01	23.88	15.36	40.00	-24.64	QР
2	94.098	0.76	13.93	25.65	30.45	19.49	43.50	-24.01	QP
3	202.810	0.70	15.22	25.47	36.39	26.84	43.50	-16.66	QP
4	429.523	1.57	21.21	25.47	24.54	21.85	46.00	-24.15	QP
5	607.787	2.24	24.48	24.96	25.46	27.22	46.00	-18.78	QP
6	955.438	2.26	29.30	24.04	26.91	34.43	46.00	-11.57	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 30 of 60

7.8 Radiated Spurious Emissions Above 1GHz

Test Requirement 47 CFR Part 15, Subpart C 15.205 & 15.209

Test Method: ANSI C63.10 (2013) Section 6.6

Measurement Distance: 3m

Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
Above 1000	500	3

7.8.1 E.U.T. Operation


Operating Environment:

Temperature: 23.2 °C Humidity: 52.6 % RH Atmospheric Pressure: 1020 mbar

7.8.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description							
Pre-scan	01	TX mode(1Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.							
Final test	02	Charge + TX mode(1Mbps)_Keep the EUT in charging and continuously transmitting mode with GFSK modulation.							
Pre-scan	03	TX mode(2Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.							
Pre-scan	04	Charge + TX mode(2Mbps)_Keep the EUT in charging and continuously transmitting mode with GFSK modulation.							

7.8.3 Test Setup Diagram



Above 1GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 31 of 60

7.8.4 Measurement Procedure and Data

- a. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak or average method as specified and then reported in a data sheet.
- g. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- i. Repeat above procedures until all frequencies measured was complete.

Remark:

- 1. Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor
- 2. Scan from 1GHz to 25GHz, the disturbance above 18GHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 3. As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 32 of 60

Test Mode: 02; Polarity: Horizontal; Modulation: GFSK; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00008AT Mode : 2402 TX RSE

: BLE

		_							
		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1611.091	4.01	24.82	52.91	65.01	40.93	74.00	-33.07	peak
2	4379.699	7.47	30.04	52.92	66.35	50.94	74.00	-23.06	peak
3	4804.000	7.98	30.94	53.05	65.18	51.05	74.00	-22.95	peak
4	6954.852	8.15	35.70	53.47	61.96	52.34	74.00	-21.66	peak
5	7206.000	8.29	36.05	53.52	62.34	53.16	74.00	-20.84	peak
6	9608.000	11.41	37.53	53.58	57.98	53.34	74.00	-20.66	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 33 of 60

Test Mode: 02; Polarity: Vertical; Modulation:GFSK; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No : 00008AT

Mode : 2402 TX RSE

: BLE

		_							
		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1601.804	3.99	24.80	52.91	65.46	41.34	74.00	-32.66	peak
2	4405.090	7.47	30.07	52.93	66.73	51.34	74.00	-22.66	peak
3	4804.000	7.98	30.94	53.05	65.34	51.21	74.00	-22.79	peak
4	6974.982	8.17	35.74	53.48	62.49	52.92	74.00	-21.08	peak
5	7206.000	8.29	36.05	53.52	61.95	52.77	74.00	-21.23	peak
6	9608.000	11.41	37.53	53.58	57.59	52.95	74.00	-21.05	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.en/Terms-and-Condi




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 34 of 60

Test Mode: 02; Polarity: Horizontal; Modulation:GFSK; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00008AT Mode : 2440 TX RSE

: BLE

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1658.337	4.11	24.92	52.94	65.03	41.12	74.00	-32.88	peak
2	4392.376	7.47	30.06	52.93	66.12	50.72	74.00	-23.28	peak
3	4880.000	8.11	31.12	53.07	65.14	51.30	74.00	-22.70	peak
4	6414.167	7.69	34.23	53.10	63.94	52.76	74.00	-21.24	peak
5	7320.000	8.35	36.19	53.53	62.41	53.42	74.00	-20.58	peak
6	9760.000	11.30	37.87	53.43	57.25	52.99	74.00	-21.01	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 35 of 60

Test Mode: 02; Polarity: Vertical; Modulation:GFSK; Channel:middle



Site : chamber

Condition: 3m VERTICAL

Job No : 00008AT

Mode : 2440 TX RSE

: BLE

		_								
		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
										_
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	1658.337	4.11	24.92	52.94	65.65	41.74	74.00	-32.26	peak	
2	4443.453	7.47	30.12	52.94	66.03	50.68	74.00	-23.32	peak	
3	4880.000	8.11	31.12	53.07	65.39	51.55	74.00	-22.45	peak	
4	6835.278	8.03	35.41	53.39	63.00	53.05	74.00	-20.95	peak	
5	7320.000	8.35	36.19	53.53	61.99	53.00	74.00	-21.00	peak	
6	9760 000	11 30	37 87	53 //3	57 18	52 92	7/ 00	_21 08	neak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 36 of 60

Test Mode: 02; Polarity: Horizontal; Modulation:GFSK; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00008AT Mode : 2480 TX RSE

: BLE

		_							
		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1702.042	4.20	25.01	52.96	65.07	41.32	74.00	-32.68	peak
2	4443.453	7.47	30.12	52.94	66.13	50.78	74.00	-23.22	peak
3	4960.000	8.24	31.31	53.09	64.76	51.22	74.00	-22.78	peak
4	6914.763	8.11	35.60	53.44	62.58	52.85	74.00	-21.15	peak
5	7440.000	8.40	36.33	53.55	61.36	52.54	74.00	-21.46	peak
6	9920 000	11 12	38 22	53 28	57 67	53 79	7/ 00	-20 21	neak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.en/Terms-and-Condi




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 37 of 60

Test Mode: 02; Polarity: Vertical; Modulation:GFSK; Channel:High



Site : chamber

Condition: 3m VERTICAL

Job No : 00008AT Mode : 2480 TX RSE

: BLE

	. 522								
		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1597.181	3.98	24.79	52.91	65.69	41.55	74.00	-32.45	peak
2	4430.628	7.47	30.11	52.94	65.77	50.41	74.00	-23.59	peak
3	4960.000	8.24	31.31	53.09	64.64	51.10	74.00	-22.90	peak
4	6737.207	7.94	35.18	53.33	62.25	52.04	74.00	-21.96	peak
5	7440.000	8.40	36.33	53.55	61.98	53.16	74.00	-20.84	peak
6	9920.000	11.18	38.22	53.28	56.88	53.00	74.00	-21.00	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 38 of 60

8 Test Setup Photo

Refer to test setup Photo for FYCR2301000008AT

9 EUT Constructional Details (EUT Photos)

Refer to External and Internal Photos for FYCR2301000008AT



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Condi



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 39 of 60

10 Appendix

1. Duty Cycle

1.1 Ant1

1.1.1 Test Result

	Ant1								
Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)		
	SISO	2402	100.000	100.000	100.00	0.00	0.00		
1M		2440	100.000	100.000	100.00	0.00	0.00		
		2480	100.000	100.000	100.00	0.00	0.00		
	SISO	2402	100.000	100.000	100.00	0.00	0.00		
2M		2440	100.000	100.000	100.00	0.00	0.00		
		2480	100.000	100.000	100.00	0.00	0.00		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not excended parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are refained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or examile CPA Doceheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 40 of 60

1.1.2 Test Graph





-70

-80

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Condi

Time (ms)

Fuyong lab. Xiniong TechnoPark, Fenglang Road, Fuyong Subdishitd, Bao'an, Sherzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com


100.0



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 41 of 60






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Condi



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 42 of 60





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Condi



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 43 of 60

2. Bandwidth

2.1 6dB BW

2.1.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	6dB Bandv	Mandiat	
Mode				Result	Limit	Verdict
		2402	1	0.684	>=0.5	Pass
1M	SISO	2440	1	0.680	>=0.5	Pass
		2480	1	0.693	>=0.5	Pass
		2402	1	1.098	>=0.5	Pass
2M	SISO	2440	1	1.115	5 >=0.5	Pass
		2480	1	1.074	>=0.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not excended parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cassili Client States and the contact us at telephone: (86-755) 8307 1443, **Cassili Client States and the cassiling inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cassili Client States and the cassiling inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cassiling inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cassiling inspection report & c




SZCCS-TRF-01 Rev. A/0 Aug01,2022


Report No.: FYCR230100000802

Page: 44 of 60

2.1.2 Test Graph



1M MCH 2440MHz Ant1 NTNV






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Condi



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 45 of 60






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Condi



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 46 of 60





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Condi



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 47 of 60

3. Maximum Conducted Output Power

3.1 Power

3.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Maximum Peak Conduct	\/o.v.di.o.t			
			ANT1	Limit	Verdict		
1M	SISO	2402	6.06	<=30	Pass		
		2440	6.38	<=30	Pass		
		2480	5.01	<=30	Pass		
2M	SISO		2402	6.06	<=30	Pass	
		2440	6.38	<=30	Pass		
		2480	5.00	<=30	Pass		
Note1: Antenna Gain: Ant1: 1.50dBi;							

4. Maximum Power Spectral Density

4.1 PSD

4.1.1 Test Result

Mode	TX Type	Frequency	Maximum PS	Vardiet			
Mode		(MHz)	ANT1	Limit	Verdict		
	SISO	2402	-8.82	<=8	Pass		
1M		2440	-8.63	<=8	Pass		
		2480	-8.79	<=8	Pass		
	SISO	2402	-11.87	<=8	Pass		
2M		2440	-11.56	<=8	Pass		
		2480	-12.18	<=8	Pass		
Note1: Antenna Gain: Ant1: 1.50dBi;							



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Condi





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 48 of 60

4.1.2 Test Graph








Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 49 of 60






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Condi



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 50 of 60





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Condi



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 51 of 60

5. Unwanted Emissions In Non-restricted Frequency Bands

5.1 Ref

5.1.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)
		2402	1	5.34
1M	SISO	2440	1	5.62
		2480	1	4.40
		2402	1	4.42
2M	SISO	2440	1 4	4.63
		2480	1	3.51

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Condi





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 52 of 60

5.1.2 Test Graph








Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Condi



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 53 of 60






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Condi



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 54 of 60





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Condi



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 55 of 60

5.2 CSE

5.2.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
	SISO	2402	1	5.62	-14.38	Pass
1M		2440	1	5.62	-14.38	Pass
		2480	1	5.62	-14.38	Pass
2M	SISO	2402	1	4.63	-15.37	Pass
		2440	1	4.63	-15.37	Pass
		2480	1	4.63	-15.37	Pass

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Condi




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 56 of 60

5.2.2 Test Graph





-80 30.0

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Condi


Frequency (MHz)



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 57 of 60






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Condi



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 58 of 60






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Condi



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 59 of 60






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.regness.com/en/Terms-and-Conditions.rems-and-Condi



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000802

Page: 60 of 60



- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at httention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of is intervention only and within the limits of Cilent's Instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest tent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only unless otherwise stated the results shown in this test report refer only to the sample(s) inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing finispection report & certificate, please contact us at telephone: (86-755) 8307 1443,