

Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test

Band Edges, 2.31GHz ~ 2.9GHz


g_10MHz

CH 1 (Horizontal) Peak

CH 1 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 428-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2370.770	59.94	23.38	36.56	74.00	-14.06	132	297	Peak	Horizontal		
2 *	2412.000	109.32	72.60	36.72	74.00	35.32	132	297	Peak	Horizontal		
3	2500.570	53.68	16.78	36.90	74.00	-20.32	132	297	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 428-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2369.236	65.47	28.91	36.56	74.00	-8.53	328	123	Peak	Vertical		
2 *	2412.000	115.91	79.19	36.72	74.00	41.91	328	123	Peak	Vertical		
3	2772.678	53.62	16.47	37.15	74.00	-20.38	328	123	Peak	Vertical		

g_10MHz

CH 1 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2370.188	47.57	11.01	36.56	54.00	-6.43	132	297	Average	Horizontal	
2	* 2412.000	98.96	62.24	36.72	54.00	44.96	132	297	Average	Horizontal	
3	2499.626	41.17	4.27	36.90	54.00	-12.83	132	297	Average	Horizontal	

CH 1 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2369.236	53.09	16.53	36.56	54.00	-0.91	328	123	Average	Vertical	
2	* 2412.000	105.16	68.44	36.72	54.00	51.16	328	123	Average	Vertical	
3	2501.278	41.58	4.68	36.90	54.00	-12.42	328	123	Average	Vertical	


g_10MHz

CH 6 (Horizontal) Peak

CH 6 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1009 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2390.004	63.77	27.11	36.66	74.00	-10.23	100	294 Peak	Horizontal		
2	2437.000	117.78	81.04	36.74	74.00	43.78	100	294 Peak	Horizontal		
3	2483.578	66.49	29.64	36.85	74.00	-7.51	100	294 Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1009 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.532	62.34	25.68	36.66	74.00	-11.66	267	113 Peak	Vertical		
2	2437.000	116.61	79.87	36.74	74.00	42.61	267	113 Peak	Vertical		
3	2484.758	61.77	24.91	36.86	74.00	-12.23	267	113 Peak	Vertical		


g_10MHz

CH 6 (Horizontal) Average

CH 6 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1009 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2390.004	51.72	15.86	36.66	54.00	-2.28	100	294	Average	Horizontal	
2	2437.000	105.95	67.21	36.74	54.00	49.95	100	294	Average	Horizontal	
3	2483.460	53.33	16.48	36.85	54.00	-0.67	100	294	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1009 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.414	50.01	13.35	36.66	54.00	-3.99	267	113	Average	Vertical	
2	2437.000	105.95	69.22	36.74	54.00	51.96	267	113	Average	Vertical	
3	2484.640	49.21	12.35	36.86	54.00	-4.79	267	113	Average	Vertical	


g_10MHz

CH 7 (Horizontal) Peak

CH 7 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2316.498	55.32	19.12	36.20	74.00	-18.68	322	296	Peak	Horizontal	
2	* 2442.000	106.36	69.36	37.00	74.00	32.36	322	296	Peak	Horizontal	
3	2483.578	59.98	22.97	37.01	74.00	-14.02	322	296	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2354.486	55.42	19.02	36.40	74.00	-18.58	100	186	Peak	Vertical	
2	* 2442.000	112.77	75.77	37.00	74.00	38.77	100	186	Peak	Vertical	
3	2484.648	65.77	28.75	37.02	74.00	-8.23	100	186	Peak	Vertical	

g_10MHz

CH 7 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2321.218	44.17	7.95	36.22	54.00	-9.83	322	296	Average	Horizontal	
2	* 2442.088	95.98	58.98	37.00	54.00	41.98	322	296	Average	Horizontal	
3	2483.578	47.94	10.93	37.01	54.00	-6.06	322	296	Average	Horizontal	

CH 7 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2352.126	44.13	7.76	36.37	54.00	-9.87	100	186	Average	Vertical	
2	* 2442.088	101.82	64.82	37.00	54.00	47.82	100	186	Average	Vertical	
3	2484.168	53.48	16.46	37.02	54.00	-0.52	100	186	Average	Vertical	


g_10MHz

CH 8 (Horizontal) Peak

CH 8 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2361.566	52.67	16.23	36.44	74.00	-21.33	327	299	Peak	Horizontal	
2	* 2447.000	106.51	89.48	37.03	74.00	32.51	327	299	Peak	Horizontal	
3	2489.124	58.95	21.94	37.01	74.00	-15.05	327	299	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2357.200	56.40	19.99	36.41	74.00	-17.60	100	183	Peak	Vertical	
2	* 2447.000	113.24	76.21	37.03	74.00	39.24	100	183	Peak	Vertical	
3	2489.360	66.85	29.84	37.01	74.00	-7.15	100	183	Peak	Vertical	

g_10MHz

CH 8 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2356.138	39.50	3.09	36.41	54.00	-14.50	327	299	Average	Horizontal	
2 *	2447.000	96.32	59.29	37.03	54.00	42.32	327	299	Average	Horizontal	
3	2488.534	46.65	9.64	37.01	54.00	-7.35	327	299	Average	Horizontal	

CH 8 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2357.200	44.44	8.03	36.41	54.00	-9.56	100	183	Average	Vertical	
2 *	2447.000	102.10	65.07	37.03	54.00	48.10	100	183	Average	Vertical	
3	2489.242	53.44	16.43	37.01	54.00	-0.56	100	183	Average	Vertical	


g_10MHz

CH 9 (Horizontal) Peak

CH 9 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2361.338	55.90	19.46	36.44	74.00	-18.10	315	290	Peak	Horizontal	
2	* 2452.000	112.02	74.96	37.06	74.00	38.02	315	290	Peak	Horizontal	
3	2493.726	63.29	26.29	37.00	74.00	-10.71	315	290	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2362.628	57.51	21.06	36.45	74.00	-16.49	122	183	Peak	Vertical	
2	* 2452.000	113.45	76.39	37.06	74.00	39.45	122	183	Peak	Vertical	
3	2497.502	65.45	28.45	37.00	74.00	-8.55	122	183	Peak	Vertical	


g_10MHz

CH 9 (Horizontal) Average

CH 9 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2361.566	44.34	7.99	36.44	54.00	-9.66	315	290	Average	Horizontal	
2	* 2452.000	101.99	64.93	37.06	54.00	47.99	315	290	Average	Horizontal	
3	! 2493.844	49.91	12.91	37.00	54.00	-4.09	315	290	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2362.274	46.15	9.71	36.44	54.00	-7.85	122	183	Average	Vertical	
2	* 2452.000	102.60	65.54	37.06	54.00	48.60	122	183	Average	Vertical	
3	! 2494.434	53.08	16.08	37.00	54.00	-0.92	122	183	Average	Vertical	


g_10MHz

CH 10 (Horizontal) Peak

CH 10 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2366.522	51.73	15.25	36.48	74.00	-22.27	322	299	Peak	Horizontal	
2	* 2457.000	105.74	68.69	37.05	74.00	31.74	322	299	Peak	Horizontal	
3	2501.396	58.07	21.07	37.00	74.00	-15.93	322	299	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2370.062	55.72	19.22	36.50	74.00	-18.28	120	180	Peak	Vertical	
2	* 2457.000	111.89	74.84	37.05	74.00	37.89	120	180	Peak	Vertical	
3	2501.986	66.43	29.43	37.00	74.00	-7.57	120	180	Peak	Vertical	

g_10MHz

CH 10 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2368.646	39.77	3.28	36.49	54.00	-14.23	322	299	Average	Horizontal	
2	2457.000	95.90	58.85	37.05	54.00	41.90	322	299	Average	Horizontal	
3	2498.564	46.28	9.28	37.00	54.00	-7.72	322	299	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2367.466	43.87	7.39	36.48	54.00	-10.13	120	180	Average	Vertical	
2	2457.000	101.02	63.97	37.05	54.00	47.02	120	180	Average	Vertical	
3	2501.986	53.16	16.16	37.00	54.00	-0.84	120	180	Average	Vertical	


g_10MHz

CH 11 (Horizontal) Peak

CH 11 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2316.962	55.21	19.01	36.20	74.00	-18.79	321	299 Peak	Horizontal		
2	2462.000	105.48	68.43	37.05	74.00	31.48	321	299 Peak	Horizontal		
3	2585.762	59.05	22.05	37.00	74.00	-14.95	321	299 Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2372.658	54.70	18.18	36.52	74.00	-19.30	119	179 Peak	Vertical		
2	2462.000	111.56	74.51	37.05	74.00	37.56	119	179 Peak	Vertical		
3	2506.942	66.03	29.03	37.00	74.00	-7.97	119	179 Peak	Vertical		

g_10MHz

CH 11 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2373.038	39.86	3.34	36.52	54.00	-14.14	321	299	Average	Horizontal	
2	* 2462.000	94.90	57.85	37.05	54.00	40.90	321	299	Average	Horizontal	
3	2503.756	46.05	9.06	36.99	54.00	-7.95	321	299	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2374.900	43.03	6.50	36.53	54.00	-10.97	119	179	Average	Vertical	
2	* 2462.000	100.68	63.63	37.05	54.00	46.68	119	179	Average	Vertical	
3	! 2504.346	53.42	16.43	36.99	54.00	-0.58	119	179	Average	Vertical	


g_10MHz

CH 12 (Horizontal) Peak

CH 12 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2335.378	52.03	15.61	36.42	74.00	-21.97	292	296	Peak	Horizontal	
2	* 2467.000	104.76	67.96	36.80	74.00	30.76	292	296	Peak	Horizontal	
3	2588.476	57.52	20.61	36.91	74.00	-16.48	292	296	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2379.856	54.06	17.45	36.61	74.00	-19.94	118	175	Peak	Vertical	
2	* 2467.000	111.55	74.75	36.80	74.00	37.55	118	175	Peak	Vertical	
3	2589.538	66.28	29.37	36.91	74.00	-7.72	118	175	Peak	Vertical	

g_10MHz

CH 12 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2376.552	39.63	3.03	36.60	54.00	-14.37	292	296	Average	Horizontal	
2	2467.000	94.52	57.72	36.80	54.00	40.52	292	296	Average	Horizontal	
3	2510.600	44.77	7.86	36.91	54.00	-9.23	292	296	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2377.142	42.79	6.19	36.60	54.00	-11.21	118	175	Average	Vertical	
2	2467.000	101.28	64.48	36.80	54.00	47.28	118	175	Average	Vertical	
3	2509.420	52.92	16.01	36.91	54.00	-1.08	118	175	Average	Vertical	


g_20MHz

CH 1 (Horizontal) Peak

CH 1 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fongliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2373.366	58.25	21.68	36.57	74.00	-15.75	132	297	Peak	Horizontal	
2	* 2412.000	109.85	67.13	36.72	74.00	29.85	132	297	Peak	Horizontal	
3	2838.758	53.58	16.45	37.13	74.00	-28.42	132	297	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fongliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2372.422	65.16	28.59	36.57	74.00	-8.84	136	290	Peak	Vertical	
2	* 2412.000	110.82	74.10	36.72	74.00	36.82	136	290	Peak	Vertical	
3	2821.058	54.11	16.95	37.16	74.00	-19.89	136	290	Peak	Vertical	

g_20MHz

CH 1 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fongliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2372.658	45.66	9.09	36.57	54.00	-8.34	132	297	Average	Horizontal	
2	2412.000	94.37	57.65	36.72	54.00	40.37	132	297	Average	Horizontal	
3	2588.008	41.73	4.75	36.98	54.00	-12.27	132	297	Average	Horizontal	

CH 1 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fongliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2371.832	53.07	16.50	36.57	54.00	-0.93	136	290	Average	Vertical	
2	2412.000	101.11	64.39	36.72	54.00	47.11	136	290	Average	Vertical	
3	2588.008	42.93	5.95	36.98	54.00	-11.07	136	290	Average	Vertical	


g_20MHz

CH 2 (Horizontal) Peak

CH 2 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fengliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2377.968	57.32	20.76	36.56	74.00	-16.68	296	299	Peak	Horizontal	
2	* 2417.000	104.67	67.85	36.82	74.00	30.67	296	299	Peak	Horizontal	
3	2797.694	53.86	16.59	37.27	74.00	-28.14	296	299	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fengliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2375.136	64.85	28.31	36.54	74.00	-9.15	100	180	Peak	Vertical	
2	* 2417.000	110.74	73.92	36.82	74.00	36.74	100	180	Peak	Vertical	
3	2593.082	54.26	17.27	36.99	74.00	-19.74	100	180	Peak	Vertical	

g_20MHz

CH 2 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2377.378	46.27	9.72	36.55	54.00	-7.73	296	299	Average	Horizontal	
2	* 2417.080	95.62	58.89	36.82	54.00	41.62	296	299	Average	Horizontal	
3	2592.964	44.12	7.13	36.99	54.00	-9.88	296	299	Average	Horizontal	

CH 2 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2374.074	53.42	16.90	36.52	54.00	-0.58	100	180	Average	Vertical	
2	* 2417.080	101.50	64.68	36.82	54.00	47.50	100	180	Average	Vertical	
3	2593.082	45.36	8.37	36.99	54.00	-8.64	100	180	Average	Vertical	


g_20MHz

CH 3 (Horizontal) Peak

CH 3 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fengliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2380.692	59.35	22.78	36.57	74.00	-14.65	294	298 Peak	Horizontal		
2	* 2422.000	105.76	68.99	36.86	74.00	31.76	294	298 Peak	Horizontal		
3	2832.976	53.31	15.93	37.38	74.00	-20.69	294	298 Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fengliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2382.570	65.84	29.25	36.59	74.00	-8.16	100	180 Peak	Vertical		
2	* 2422.000	110.96	74.12	36.86	74.00	36.96	100	180 Peak	Vertical		
3	2875.810	53.94	16.49	37.45	74.00	-20.06	100	180 Peak	Vertical		


g_20MHz

CH 3 (Horizontal) Average

CH 3 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2379.074	46.76	10.19	36.57	54.00	-7.24	294	298	Average	Horizontal	
2	2422.000	95.55	58.69	36.86	54.00	41.55	294	298	Average	Horizontal	
3	2598.038	43.99	7.00	36.99	54.00	-10.01	294	298	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2382.216	53.28	16.70	36.58	54.00	-0.72	100	180	Average	Vertical	
2	2422.000	101.25	64.39	36.86	54.00	47.25	100	180	Average	Vertical	
3	2598.038	45.03	8.04	36.99	54.00	-8.97	100	180	Average	Vertical	


g_20MHz

CH 4 (Horizontal) Peak

CH 4 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2385.874	59.09	22.47	36.62	74.00	-14.91	333	299	Peak	Horizontal		
2 *	2427.000	105.09	66.20	36.89	74.00	31.09	333	299	Peak	Horizontal		
3	2831.206	53.94	16.58	37.36	74.00	-20.06	333	299	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2387.762	64.98	28.35	36.63	74.00	-9.02	100	177	Peak	Vertical		
2 *	2426.584	109.49	72.60	36.89	74.00	35.49	100	177	Peak	Vertical		
3	2508.004	54.50	17.51	36.99	74.00	-19.50	100	177	Peak	Vertical		


g_20MHz

CH 3 (Horizontal) Average

CH 3 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2385.166	46.63	10.83	36.60	54.00	-7.37	333	299	Average	Horizontal	
2	2427.000	95.35	50.46	36.89	54.00	41.35	333	299	Average	Horizontal	
3	2602.994	41.46	4.47	36.99	54.00	-12.54	333	299	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2387.644	53.44	16.81	36.63	54.00	-0.56	100	177	Average	Vertical	
2	2426.348	100.35	63.46	36.89	54.00	46.35	100	177	Average	Vertical	
3	2602.994	43.61	6.62	36.99	54.00	-10.39	100	177	Average	Vertical	


g_20MHz

CH 5 (Horizontal) Peak

CH 5 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2382.452	57.80	21.22	36.58	74.00	-16.20	332	299	Peak	Horizontal		
2 *	2432.000	102.68	65.75	36.93	74.00	28.68	332	299	Peak	Horizontal		
3	2820.468	53.68	16.35	37.33	74.00	-20.32	332	299	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.532	64.70	28.06	36.64	74.00	-9.30	106	183	Peak	Vertical		
2 *	2432.000	109.32	72.39	36.93	74.00	35.32	106	183	Peak	Vertical		
3	2483.578	59.79	22.78	37.01	74.00	-14.21	106	183	Peak	Vertical		


g_20MHz

CH 5 (Horizontal) Average

CH 5 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2387.054	44.64	8.02	36.62	54.00	-9.36	332	299	Average	Horizontal	
2	2432.000	93.36	56.43	36.93	54.00	39.36	332	299	Average	Horizontal	
3	2483.460	41.30	4.29	37.01	54.00	-12.70	332	299	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.060	53.15	16.52	36.63	54.00	-0.85	106	183	Average	Vertical	
2	2432.000	100.00	63.07	36.93	54.00	46.00	106	183	Average	Vertical	
3	2483.460	48.64	11.63	37.01	54.00	-5.36	106	183	Average	Vertical	


g_20MHz

CH 6 (Horizontal) Peak

CH 6 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.768	59.12	21.54	37.58	74.00	-14.88	100		240 Peak	Horizontal	
2	2437.000	107.25	69.57	37.68	74.00	33.25	100		240 Peak	Horizontal	
3	2485.112	60.64	22.84	37.80	74.00	-13.36	100		240 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.766	62.42	24.85	37.57	74.00	-11.58	267		120 Peak	Vertical	
2	2437.000	113.94	76.26	37.68	74.00	39.94	267		120 Peak	Vertical	
3	2486.174	65.39	27.59	37.80	74.00	-8.61	267		120 Peak	Vertical	


g_20MHz

CH 6 (Horizontal) Average

CH 6 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1009 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2390.004	47.91	10.33	37.58	54.00	-6.09	100	240	Average	Horizontal	
2	2437.000	97.43	59.75	37.68	54.00	43.43	100	240	Average	Horizontal	
3	2484.168	48.68	10.88	37.80	54.00	-5.32	100	240	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1009 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.942	50.73	13.15	37.58	54.00	-3.27	267	120	Average	Vertical	
2	2437.000	104.38	66.70	37.68	54.00	50.38	267	120	Average	Vertical	
3	2486.174	52.91	15.11	37.80	54.00	-1.09	267	120	Average	Vertical	


g_20MHz

CH 7 (Horizontal) Peak

CH 7 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.650	53.75	16.17	37.58	74.00	-20.25	326	272	Peak	Horizontal		
2 *	2442.000	105.54	67.86	37.68	74.00	31.54	326	272	Peak	Horizontal		
3	2486.764	59.64	21.84	37.80	74.00	-14.36	326	272	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2390.004	56.11	18.53	37.58	74.00	-17.89	100	180	Peak	Vertical		
2 *	2442.000	109.92	72.24	37.68	74.00	35.92	100	180	Peak	Vertical		
3	2484.876	66.12	28.32	37.80	74.00	-7.88	100	180	Peak	Vertical		


g_20MHz

CH 7 (Horizontal) Average

CH 7 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2353.424	40.85	3.46	37.39	54.00	-13.15	326	272	Average	Horizontal	
2	* 2442.000	96.03	58.35	37.68	54.00	42.03	326	272	Average	Horizontal	
3	2486.646	47.67	9.87	37.80	54.00	-6.33	326	272	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2390.004	45.66	8.08	37.58	54.00	-8.34	100	180	Average	Vertical	
2	* 2442.000	100.33	62.65	37.68	54.00	46.33	100	180	Average	Vertical	
3	2485.112	53.84	16.04	37.80	54.00	-0.16	100	180	Average	Vertical	

g_20MHz

CH 8 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2354.250	54.37	16.97	37.40	74.00	-19.63	323	267	Peak	Horizontal		
2 *	2447.000	102.87	65.18	37.69	74.00	28.87	323	267	Peak	Horizontal		
3	2491.838	62.07	24.25	37.82	74.00	-11.93	323	267	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2360.858	55.65	18.22	37.43	74.00	-18.35	100	180	Peak	Vertical		
2 *	2447.000	109.50	71.81	37.69	74.00	35.50	100	180	Peak	Vertical		
3	2488.062	67.49	29.67	37.82	74.00	-6.51	100	180	Peak	Vertical		


g_20MHz

CH 8 (Horizontal) Average

CH 8 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m		dBuV/m	dB	cm	deg			
1	2362.156	40.63	3.19	37.44	54.00	-13.37	323	267	Average	Horizontal	
2	2447.000	93.49	55.80	37.69	54.00	39.49	323	267	Average	Horizontal	
3	2486.292	47.63	9.83	37.80	54.00	-6.37	323	267	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m		dBuV/m	dB	cm	deg			
1	2360.976	43.44	6.01	37.43	54.00	-10.56	100	180	Average	Vertical	
2	2447.000	100.22	62.53	37.69	54.00	46.22	100	180	Average	Vertical	
3	2488.062	53.85	16.03	37.82	54.00	-0.15	100	180	Average	Vertical	


g_20MHz

CH 9 (Horizontal) Peak

CH 9 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fengtiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2357.798	52.88	16.46	36.42	74.00	-21.12	322	296	Peak	Horizontal	
2	* 2452.000	102.95	65.89	37.06	74.00	28.95	322	296	Peak	Horizontal	
3	2491.012	58.49	21.48	37.01	74.00	-15.51	322	296	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fengtiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2340.688	54.66	18.35	36.31	74.00	-19.34	100	180	Peak	Vertical	
2	* 2452.000	109.08	72.02	37.06	74.00	35.08	100	180	Peak	Vertical	
3	2492.782	65.58	28.50	37.00	74.00	-8.50	100	180	Peak	Vertical	

g_20MHz

CH 9 (Horizontal) Average

CH 9 (Vertical) Average



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2364.634	39.60	3.13	36.47	54.00	-14.40	322	296	Average	Horizontal	
2	* 2452.000	93.48	56.42	37.06	54.00	39.48	322	296	Average	Horizontal	
3	2491.602	47.20	10.19	37.01	54.00	-6.80	322	296	Average	Horizontal	

Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2360.858	42.56	6.12	36.44	54.00	-11.44	100	180	Average	Vertical	
2	* 2452.000	99.69	62.63	37.06	54.00	45.69	100	180	Average	Vertical	
3	2497.738	53.47	16.47	37.00	54.00	-0.53	100	180	Average	Vertical	


g_20MHz

CH 10 (Horizontal) Peak

CH 10 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2327.110	57.63	21.38	36.25	74.00	-16.37	320	297 Peak	Horizontal			
2	2457.000	103.45	66.40	37.05	74.00	29.45	320	297 Peak	Horizontal			
3	2497.974	59.19	22.19	37.00	74.00	-14.81	320	297 Peak	Horizontal			



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2380.352	54.09	17.46	36.63	74.00	-19.91	100	183 Peak	Vertical			
2	2457.000	107.90	70.85	37.05	74.00	33.90	100	183 Peak	Vertical			
3	2497.502	65.93	28.93	37.00	74.00	-8.07	100	183 Peak	Vertical			

g_20MHz

CH 10 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2326.638	42.40	6.15	36.25	54.00	-11.60	320	297	Average	Horizontal	
2	* 2457.000	93.21	56.16	37.05	54.00	39.21	320	297	Average	Horizontal	
3	2498.682	46.48	9.48	37.00	54.00	-7.52	320	297	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2370.534	42.24	5.74	36.50	54.00	-11.76	100	183	Average	Vertical	
2	* 2457.000	98.53	61.48	37.05	54.00	44.53	100	183	Average	Vertical	
3	! 2497.974	53.14	16.14	37.00	54.00	-0.86	100	183	Average	Vertical	

g_20MHz

CH 11 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fongliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2380.328	52.20	15.59	36.61	74.00	-21.80	288	295	Peak	Horizontal	
2	* 2462.000	102.61	69.82	36.79	74.00	28.61	288	295	Peak	Horizontal	
3	2503.750	58.11	21.21	36.90	74.00	-15.89	288	295	Peak	Horizontal	

CH 11 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fongliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2373.484	53.35	16.78	36.57	74.00	-20.65	116	171	Peak	Vertical	
2	* 2462.000	106.68	69.89	36.79	74.00	32.68	116	171	Peak	Vertical	
3	2505.998	64.15	27.24	36.91	74.00	-9.85	116	171	Peak	Vertical	

g_20MHz

CH 11 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fongliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.296	39.28	2.62	36.66	74.00	-34.72	288	295	Peak	Horizontal	
2	* 2462.000	92.59	55.80	36.79	74.00	18.59	288	295	Peak	Horizontal	
3	2503.755	45.47	8.57	36.90	74.00	-28.53	288	295	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fongliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2388.352	42.74	6.09	36.65	54.00	-11.26	122	175	Average	Vertical	
2	* 2462.000	98.59	61.80	36.79	54.00	44.59	122	175	Average	Vertical	
3	2505.290	53.09	16.19	36.90	54.00	-0.91	122	175	Average	Vertical	


n_10MHz

CH 1 (Horizontal) Peak

CH 1 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2366.168	60.09	23.55	36.54	74.00	-13.91	333	127	Peak	Horizontal	
2	2412.000	109.65	72.93	36.72	74.00	35.65	333	127	Peak	Horizontal	
3	2841.788	54.32	17.19	37.13	74.00	-19.68	333	127	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2370.534	65.29	28.73	36.56	74.00	-8.71	136	290	Peak	Vertical	
2	2412.000	112.69	75.97	36.72	74.00	38.69	136	290	Peak	Vertical	
3	2503.048	54.04	17.14	36.90	74.00	-19.96	136	290	Peak	Vertical	


n_10MHz

CH 1 (Horizontal) Average

CH 1 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2367.112	47.48	10.93	36.55	54.00	-6.52	333	127	Average	Horizontal	
2	2412.000	96.26	61.54	36.72	54.00	46.26	333	127	Average	Horizontal	
3	2808.786	40.38	3.22	37.16	54.00	-13.62	333	127	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2370.534	52.55	15.99	36.56	54.00	-1.45	136	290	Average	Vertical	
2	2412.000	102.20	65.48	36.72	54.00	48.20	136	290	Average	Vertical	
3	2499.980	41.89	4.99	36.90	54.00	-12.11	136	290	Average	Vertical	


n_10MHz

CH 2 (Horizontal) Peak

CH 2 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2373.720	59.05	21.56	37.49	74.00	-14.95	295	270	Peak	Horizontal		
2 *	2417.000	110.85	73.20	37.65	74.00	36.85	295	270	Peak	Horizontal		
3	2706.480	55.17	17.25	37.92	74.00	-18.83	295	270	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2374.546	60.12	30.62	37.50	74.00	-5.88	100	180	Peak	Vertical		
2 *	2417.000	113.56	75.91	37.65	74.00	39.56	100	180	Peak	Vertical		
3	2505.290	56.73	18.87	37.86	74.00	-17.27	100	180	Peak	Vertical		


n_10MHz

CH 2 (Horizontal) Average


CH 2 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




n_10MHz

CH 3 (Horizontal) Peak

CH 3 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2375.726	58.90	22.36	36.54	74.00	-15.10	328	299	Peak	Horizontal	
2	* 2422.000	109.43	72.57	36.86	74.00	35.43	328	299	Peak	Horizontal	
3	2818.934	54.77	17.44	37.33	74.00	-19.23	328	299	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2380.092	65.98	29.41	36.57	74.00	-8.02	100	187	Peak	Vertical	
2	* 2422.000	113.09	76.23	36.86	74.00	39.09	100	187	Peak	Vertical	
3	2497.738	57.38	20.30	37.00	74.00	-16.70	100	187	Peak	Vertical	


n_10MHz

CH 3 (Horizontal) Average

CH 3 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2377.142	45.01	8.46	36.55	54.00	-8.09	328	299	Average	Horizontal	
2	* 2422.000	97.82	80.96	36.86	54.00	43.82	328	299	Average	Horizontal	
3	2843.242	40.91	3.58	37.41	54.00	-13.09	328	299	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2379.502	53.21	16.64	36.57	54.00	-0.79	100	187	Average	Vertical	
2	* 2422.000	102.20	65.34	36.86	54.00	48.20	100	187	Average	Vertical	
3	2509.892	43.44	6.45	36.99	54.00	-10.56	100	187	Average	Vertical	


n_10MHz

CH 4 (Horizontal) Peak

CH 4 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2384.104	61.12	24.53	36.59	74.00	-12.08	299	298 Peak		Horizontal		
2 *	2427.000	107.63	70.74	36.89	74.00	33.63	299	298 Peak		Horizontal		
3	2762.530	53.70	16.53	37.17	74.00	-20.30	299	298 Peak		Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2382.098	66.55	29.97	36.58	74.00	-7.45	100	181 Peak		Vertical		
2 *	2427.000	115.37	78.48	36.89	74.00	41.37	100	181 Peak		Vertical		
3	2512.488	56.14	19.15	36.99	74.00	-17.86	100	181 Peak		Vertical		


n_10MHz

CH 4 (Horizontal) Average

CH 4 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2385.074	47.81	11.19	36.62	54.00	-6.19	299	298	Average	Horizontal	
2	2427.000	96.85	59.95	36.89	54.00	42.85	299	298	Average	Horizontal	
3	2515.084	41.26	4.28	36.98	54.00	-12.74	299	298	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2381.744	53.23	16.65	36.58	54.00	-0.77	100	181	Average	Vertical	
2	2427.000	103.38	66.49	36.89	54.00	49.38	100	181	Average	Vertical	
3	2514.848	43.40	6.42	36.98	54.00	-10.60	100	181	Average	Vertical	


n_10MHz

CH 5 (Horizontal) Peak

CH 5 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2385.756	60.07	23.47	36.60	74.00	-13.93	333	298	Peak	Horizontal	
2	2432.000	110.67	73.74	36.93	74.00	36.67	333	298	Peak	Horizontal	
3	2854.688	54.01	16.58	37.43	74.00	-19.99	333	298	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.768	66.34	29.79	36.54	74.00	-7.66	235	308	Peak	Vertical	
2	2432.000	115.11	78.18	36.93	74.00	41.11	235	308	Peak	Vertical	
3	2530.778	54.81	17.84	36.97	74.00	-19.19	235	308	Peak	Vertical	


n_10MHz

CH 5 (Horizontal) Average

CH 5 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2388.478	47.59	10.96	36.63	54.00	-6.41	333	298	Average	Horizontal	
2	2432.000	99.44	62.51	36.93	54.00	45.44	333	298	Average	Horizontal	
3	2519.804	40.94	3.96	36.98	54.00	-13.06	333	298	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.532	53.76	17.12	36.64	54.00	-0.24	235	308	Average	Vertical	
2	2432.000	103.98	67.05	36.93	54.00	49.98	235	308	Average	Vertical	
3	2483.814	42.69	5.67	37.02	54.00	-11.31	235	308	Average	Vertical	


n_10MHz

CH 6 (Horizontal) Peak

CH 6 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1009 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.768	56.71	19.13	37.58	74.00	-17.29	188	237	Peak	Horizontal	
2	2437.000	107.91	79.23	37.68	74.00	33.91	188	237	Peak	Horizontal	
3	2484.404	56.47	18.67	37.80	74.00	-17.53	188	237	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1009 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.768	57.86	20.28	37.58	74.00	-16.14	268	118	Peak	Vertical	
2	2437.000	115.76	76.08	37.68	74.00	41.76	268	118	Peak	Vertical	
3	2483.578	65.21	27.41	37.80	74.00	-8.79	268	118	Peak	Vertical	


n_10MHz

CH 6 (Horizontal) Average

CH 6 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1009 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.532	44.92	7.34	37.58	54.00	-9.08	188	237	Average	Horizontal	
2	2437.000	98.72	59.04	37.68	54.00	42.72	188	237	Average	Horizontal	
3	2484.640	43.23	5.43	37.80	54.00	-10.77	188	237	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1009 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.060	44.95	7.37	37.58	54.00	-9.05	268	118	Average	Vertical	
2	2437.000	104.90	67.22	37.68	54.00	50.90	268	118	Average	Vertical	
3	2483.578	52.36	14.56	37.80	54.00	-1.64	268	118	Average	Vertical	


n_10MHz

CH 7 (Horizontal) Peak

CH 7 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2342.922	53.89	16.54	37.35	74.00	-20.11	290	118	Peak	Horizontal		
2 *	2442.000	108.04	70.35	37.68	74.00	34.04	290	118	Peak	Horizontal		
3	2488.416	58.80	20.98	37.82	74.00	-15.20	290	118	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2351.418	57.89	20.51	37.38	74.00	-16.11	100	182	Peak	Vertical		
2 *	2442.000	113.96	76.28	37.68	74.00	39.96	100	182	Peak	Vertical		
3	2484.404	67.23	29.43	37.80	74.00	-6.77	100	182	Peak	Vertical		


n_10MHz

CH 7 (Horizontal) Average

CH 7 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2390.004	40.66	3.08	37.58	54.00	-13.34	290	118	Average	Horizontal	
2	* 2442.000	96.94	59.26	37.68	54.00	42.94	290	118	Average	Horizontal	
3	2487.598	45.58	7.76	37.82	54.00	-8.42	290	118	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2352.034	45.07	7.68	37.39	54.00	-8.93	100	182	Average	Vertical	
2	* 2442.000	102.47	64.79	37.68	54.00	48.47	100	182	Average	Vertical	
3	2484.994	53.86	16.96	37.80	54.00	-0.14	100	182	Average	Vertical	

n_10MHz

CH 8 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m		dBuV/m	dB	cm	deg			
1	2314.692	53.91	16.65	37.26	74.00	-20.09	326	272	Peak	Horizontal	
2	2447.000	106.21	68.52	37.69	74.00	32.21	326	272	Peak	Horizontal	
3	2488.778	58.60	20.78	37.82	74.00	-15.40	326	272	Peak	Horizontal	

CH 8 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m		dBuV/m	dB	cm	deg			
1	2369.944	59.28	20.89	37.48	74.00	-15.72	100	186	Peak	Vertical	
2	2447.000	112.84	75.15	37.69	74.00	38.84	100	186	Peak	Vertical	
3	2488.778	66.87	29.05	37.82	74.00	-7.13	100	186	Peak	Vertical	

n_10MHz

CH 8 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2361.212	40.93	3.59	37.43	54.00	-13.07	326	272	Average	Horizontal	
2	2447.000	94.97	57.28	37.69	54.00	40.97	326	272	Average	Horizontal	
3	2489.006	46.10	8.28	37.82	54.00	-7.90	326	272	Average	Horizontal	

CH 8 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2357.436	45.20	7.79	37.41	54.00	-8.80	100	186	Average	Vertical	
2	2447.000	102.14	64.45	37.69	54.00	48.14	100	186	Average	Vertical	
3	2489.596	53.64	15.82	37.82	54.00	-0.36	100	186	Average	Vertical	


n_10MHz

CH 9 (Horizontal) Peak

CH 9 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2333.128	53.89	16.57	37.32	74.00	-20.11	255	123	Peak	Horizontal		
2 *	2452.000	106.12	68.43	37.69	74.00	32.12	255	123	Peak	Horizontal		
3	2498.218	57.88	20.03	37.85	74.00	-16.12	255	123	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2362.038	56.82	19.38	37.44	74.00	-17.18	100	182	Peak	Vertical		
2 *	2452.000	113.56	75.87	37.69	74.00	39.56	100	182	Peak	Vertical		
3	2494.434	67.41	29.58	37.83	74.00	-6.59	100	182	Peak	Vertical		


n_10MHz

CH 9 (Horizontal) Average

CH 9 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.768	41.83	4.25	37.58	54.00	-12.17	255	123	Average	Horizontal	
2	* 2452.000	95.13	57.44	37.69	54.00	41.13	255	123	Average	Horizontal	
3	2497.148	45.25	7.41	37.84	54.00	-8.75	255	123	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2363.218	45.18	7.74	37.44	54.00	-8.82	100	182	Average	Vertical	
2	* 2452.000	102.12	64.43	37.69	54.00	48.12	100	182	Average	Vertical	
3	2494.434	53.87	16.04	37.83	54.00	-0.13	100	182	Average	Vertical	


n_10MHz

CH 10 (Horizontal) Peak

CH 10 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2329.024	57.07	20.81	36.26	74.00	-16.93	323	299	Peak	Horizontal	
2	* 2457.000	105.19	68.14	37.05	74.00	31.19	323	299	Peak	Horizontal	
3	2497.974	57.46	20.46	37.00	74.00	-16.54	323	299	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2366.404	56.78	20.30	36.48	74.00	-17.22	100	183	Peak	Vertical	
2	* 2457.000	112.51	75.46	37.05	74.00	38.51	100	183	Peak	Vertical	
3	2499.036	66.28	29.28	37.00	74.00	-7.72	100	183	Peak	Vertical	