











Mode	22																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5141.05</td><td>57.20</td><td>74.00</td><td>-16.80</td><td>40.90</td><td>34.14</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>171</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5141.05	57.20	74.00	-16.80	40.90	34.14	12.03	29.87	0.00	100	171	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>105.26</td><td>-----</td><td>-----</td><td>88.60</td><td>34.40</td><td>12.16</td><td>29.90</td><td>0.00</td><td>100</td><td>171</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	105.26	-----	-----	88.60	34.40	12.16	29.90	0.00	100	171
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5141.05	57.20	74.00	-16.80	40.90	34.14	12.03	29.87	0.00	100	171	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5310.00	105.26	-----	-----	88.60	34.40	12.16	29.90	0.00	100	171	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5100.00</td><td>45.50</td><td>54.00</td><td>-8.50</td><td>29.05</td><td>34.30</td><td>12.00</td><td>29.85</td><td>0.00</td><td>100</td><td>171</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5100.00	45.50	54.00	-8.50	29.05	34.30	12.00	29.85	0.00	100	171	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>97.54</td><td>-----</td><td>-----</td><td>80.88</td><td>34.40</td><td>12.16</td><td>29.90</td><td>0.00</td><td>100</td><td>171</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	97.54	-----	-----	80.88	34.40	12.16	29.90	0.00	100	171
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5100.00	45.50	54.00	-8.50	29.05	34.30	12.00	29.85	0.00	100	171	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5310.00	97.54	-----	-----	80.88	34.40	12.16	29.90	0.00	100	171	AVERAGE																																																																																																			



Mode	22																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.55</td><td>61.37</td><td>74.00</td><td>-12.63</td><td>44.59</td><td>34.41</td><td>12.21</td><td>29.84</td><td>0.00</td><td>100</td><td>171</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.55	61.37	74.00	-12.63	44.59	34.41	12.21	29.84	0.00	100	171	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5352.55	61.37	74.00	-12.63	44.59	34.41	12.21	29.84	0.00	100	171	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>50.12</td><td>54.00</td><td>-3.88</td><td>33.36</td><td>34.40</td><td>12.20</td><td>29.84</td><td>0.00</td><td>100</td><td>171</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	50.12	54.00	-3.88	33.36	34.40	12.20	29.84	0.00	100	171	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.00	50.12	54.00	-3.88	33.36	34.40	12.20	29.84	0.00	100	171	AVERAGE																																											





Mode	22																																																												
	Band Edge - L																																																												
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz																																																												
Pol.	Vertical						Fundamental																																																						
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5146.49</td><td>57.53</td><td>74.00</td><td>-16.47</td><td>41.26</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>135</td><td>269</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5146.49	57.53	74.00	-16.47	41.26	34.11	12.03	29.87	0.00	135	269	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																			
1	5146.49	57.53	74.00	-16.47	41.26	34.11	12.03	29.87	0.00	135	269	PEAK																																																	
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5103.58</td><td>45.47</td><td>54.00</td><td>-8.53</td><td>29.03</td><td>34.29</td><td>12.00</td><td>29.85</td><td>0.00</td><td>135</td><td>269</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5103.58	45.47	54.00	-8.53	29.03	34.29	12.00	29.85	0.00	135	269	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																			
1	5103.58	45.47	54.00	-8.53	29.03	34.29	12.00	29.85	0.00	135	269	AVERAGE																																																	
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>101.03</td><td>-----</td><td>-----</td><td>84.37</td><td>34.40</td><td>12.16</td><td>29.90</td><td>0.00</td><td>135</td><td>269</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5310.00	101.03	-----	-----	84.37	34.40	12.16	29.90	0.00	135	269	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																			
1	5310.00	101.03	-----	-----	84.37	34.40	12.16	29.90	0.00	135	269	PEAK																																																	
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>93.51</td><td>-----</td><td>-----</td><td>76.84</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>135</td><td>269</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5310.00	93.51	-----	-----	76.84	34.40	12.17	29.90	0.00	135	269	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																			
1	5310.00	93.51	-----	-----	76.84	34.40	12.17	29.90	0.00	135	269	AVERAGE																																																	







Mode	22																																																																	
	Band Edge - R																																																																	
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz																																																																	
Pol.	Vertical											Fundamental																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.75</td><td>56.98</td><td>74.00</td><td>-17.02</td><td>40.20</td><td>34.41</td><td>12.21</td><td>29.84</td><td>0.00</td><td>135</td><td>269</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.75	56.98	74.00	-17.02	40.20	34.41	12.21	29.84	0.00	135	269	PEAK	Blank										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5351.75	56.98	74.00	-17.02	40.20	34.41	12.21	29.84	0.00	135	269	PEAK																																																						
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>47.42</td><td>54.00</td><td>-6.58</td><td>30.66</td><td>34.40</td><td>12.20</td><td>29.84</td><td>0.00</td><td>135</td><td>269</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	47.42	54.00	-6.58	30.66	34.40	12.20	29.84	0.00	135	269	AVERAGE	Blank										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5350.00	47.42	54.00	-6.58	30.66	34.40	12.20	29.84	0.00	135	269	AVERAGE																																																						




Mode	22																																																																																																
	Harmonic																																																																																																
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10620.00</td><td>46.21</td><td>74.00</td><td>-27.79</td><td>57.22</td><td>37.62</td><td>17.79</td><td>66.42</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	46.21	74.00	-27.79	57.22	37.62	17.79	66.42	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10620.00</td><td>46.02</td><td>74.00</td><td>-27.98</td><td>57.03</td><td>37.62</td><td>17.79</td><td>66.42</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	46.02	74.00	-27.98	57.03	37.62	17.79	66.42	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	10620.00	46.21	74.00	-27.79	57.22	37.62	17.79	66.42	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	10620.00	46.02	74.00	-27.98	57.03	37.62	17.79	66.42	0.00	--	PEAK																																																																																						







Mode	23																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5468.00</td><td>58.74</td><td>74.00</td><td>-15.26</td><td>41.71</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>113</td><td>165</td><td>PEAK</td></tr><tr><td>2</td><td>5468.33</td><td>64.16</td><td>68.20</td><td>-4.04</td><td>47.15</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>113</td><td>165</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5468.00	58.74	74.00	-15.26	41.71	34.58	12.33	29.88	0.00	113	165	PEAK	2	5468.33	64.16	68.20	-4.04	47.15	34.56	12.34	29.89	0.00	113	165	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>104.85</td><td>-----</td><td>-----</td><td>87.89</td><td>34.50</td><td>12.39</td><td>29.93</td><td>0.00</td><td>113</td><td>165</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	104.85	-----	-----	87.89	34.50	12.39	29.93	0.00	113	165
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5468.00	58.74	74.00	-15.26	41.71	34.58	12.33	29.88	0.00	113	165	PEAK																																																																																																																
2	5468.33	64.16	68.20	-4.04	47.15	34.56	12.34	29.89	0.00	113	165	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5510.00	104.85	-----	-----	87.89	34.50	12.39	29.93	0.00	113	165	PEAK																																																																																																																
Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.96</td><td>49.15</td><td>54.00</td><td>-4.85</td><td>32.12</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>113</td><td>165</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.96	49.15	54.00	-4.85	32.12	34.58	12.33	29.88	0.00	113	165	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>96.37</td><td>-----</td><td>-----</td><td>79.39</td><td>34.50</td><td>12.40</td><td>29.92</td><td>0.00</td><td>113</td><td>165</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	96.37	-----	-----	79.39	34.50	12.40	29.92	0.00	113	165	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5459.96	49.15	54.00	-4.85	32.12	34.58	12.33	29.88	0.00	113	165	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5510.00	96.37	-----	-----	79.39	34.50	12.40	29.92	0.00	113	165	AVERAGE																																																																																																																




Mode	23																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5757.20</td><td>56.29</td><td>68.20</td><td>-11.91</td><td>38.72</td><td>34.71</td><td>12.72</td><td>29.86</td><td>0.00</td><td>113</td><td>165</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5757.20	56.29	68.20	-11.91	38.72	34.71	12.72	29.86	0.00	113	165	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5757.20	56.29	68.20	-11.91	38.72	34.71	12.72	29.86	0.00	113	165	PEAK																																												





Mode	23																																																																																																											
	Band Edge - L																																																																																																											
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																																																																																											
Pol.	Vertical						Fundamental																																																																																																					
Peak																																																																																																												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.60	57.01	74.00	-16.99	39.97	34.58	12.33	29.87	0.00	100	272	PEAK	2	5464.01	62.69	68.20	-5.51	45.66	34.57	12.34	29.88	0.00	100	272	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	101.49	-----	-----	84.48	34.50	12.41	29.90	0.00	100	272	PEAK					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5457.60	57.01	74.00	-16.99	39.97	34.58	12.33	29.87	0.00	100	272	PEAK																																																																																																
2	5464.01	62.69	68.20	-5.51	45.66	34.57	12.34	29.88	0.00	100	272	PEAK																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5510.00	101.49	-----	-----	84.48	34.50	12.41	29.90	0.00	100	272	PEAK																																																																																																
Avg																																																																																																												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	47.09	54.00	-6.91	30.06	34.58	12.33	29.88	0.00	100	272	AVERAGE		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	92.83	-----	-----	75.85	34.50	12.40	29.92	0.00	100	272	AVERAGE																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5460.00	47.09	54.00	-6.91	30.06	34.58	12.33	29.88	0.00	100	272	AVERAGE																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5510.00	92.83	-----	-----	75.85	34.50	12.40	29.92	0.00	100	272	AVERAGE																																																																																																



Mode	23																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5739.52</td><td>57.55</td><td>68.20</td><td>-10.65</td><td>40.08</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>100</td><td>272</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5739.52	57.55	68.20	-10.65	40.08	34.68	12.69	29.90	0.00	100	272	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5739.52	57.55	68.20	-10.65	40.08	34.68	12.69	29.90	0.00	100	272	PEAK																																		



		23																																																				
Mode		Harmonic																																																				
		U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																																				
Pol.		Horizontal					Vertical																																															
Peak Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>45.76</td><td>74.00</td><td>-28.24</td><td>55.68</td><td>37.82</td><td>18.17</td><td>65.91</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	45.76	74.00	-28.24	55.68	37.82	18.17	65.91	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11020.00	45.76	74.00	-28.24	55.68	37.82	18.17	65.91	0.00	--	PEAK																																											
																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>45.77</td><td>74.00</td><td>-28.23</td><td>55.69</td><td>37.82</td><td>18.17</td><td>65.91</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	45.77	74.00	-28.23	55.69	37.82	18.17	65.91	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11020.00	45.77	74.00	-28.23	55.69	37.82	18.17	65.91	0.00	--	PEAK																																											



24

Mode

Band Edge - L


U-NII-2C_5.47-5.725_802.11n HT40_CH110_Full_5550MHz

Pol.


Horizontal

Fundamental

Peak




	Limit				Read		Ant	Cable		Preamp	Aux	APos	TPos	Remark
	Freq	Level	Line	Margin	Level	Factor		Loss	Factor	Factor				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg	
1	5452.69	56.07	74.00	-17.93	39.02	34.59	12.32	29.86	0.00	100	164	PEAK		
2	5468.91	56.24	68.20	-11.96	39.21	34.58	12.33	29.88	0.00	100	164	PEAK		




	Limit				Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5550.00	105.64	-----	-----	88.52	34.50	12.45	29.83	0.00	100	164	PEAK

Avg



	Limit				Read		Ant		Cable Preamp		Aux		APos		TPos		Remark
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg			
1	5459.91	45.26	54.00	-8.74	28.23	34.58	12.33	29.88	0.00	100	164	AVERAGE					



	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	
	Freq	Level									Line
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	5550.00	98.18	-----	-----	81.06	34.50	12.45	29.83	0.00	100	164 AVERAGE



Mode	24																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_Full_5550MHz																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5759.96</td><td>55.70</td><td>68.20</td><td>-12.50</td><td>38.11</td><td>34.72</td><td>12.72</td><td>29.85</td><td>0.00</td><td>100</td><td>164</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5759.96	55.70	68.20	-12.50	38.11	34.72	12.72	29.85	0.00	100	164	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5759.96	55.70	68.20	-12.50	38.11	34.72	12.72	29.85	0.00	100	164	PEAK																																		



		24									
Mode	Band Edge - L										
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_Full_5550MHz										
Pol.	Fundamental										
Peak	Vertical										
	Fundamental										
Avg	Vertical										
	Fundamental										


Peak												
	U-NII-1-U-NII-2A-U-NII-2C											
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg
1	5398.11	54.78	74.00	-19.22	37.72	34.59	12.25	29.78	0.00	109	271	PEAK
2	5468.71	55.73	68.20	-12.47	38.72	34.56	12.34	29.89	0.00	109	271	PEAK

Peak												
	U-NII-1-U-NII-2A-U-NII-2C											
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg
1	5550.00	102.51	-----	-----	85.41	34.50	12.45	29.85	0.00	109	271	PEAK



Avg												
	U-NII-1-U-NII-2A-U-NII-2C(AVG)											
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg
1	5459.47	44.77	54.00	-9.23	27.74	34.58	12.33	29.88	0.00	109	271	AVERAGE

Avg												
	U-NII-1-U-NII-2A-U-NII-2C(AVG)											
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg
1	5550.00	94.61	-----	-----	77.51	34.50	12.45	29.85	0.00	109	271	AVERAGE







Mode	24																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_Full_5550MHz																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5736.52</td><td>55.95</td><td>68.20</td><td>-12.25</td><td>38.50</td><td>34.67</td><td>12.69</td><td>29.91</td><td>0.00</td><td>109</td><td>271</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5736.52	55.95	68.20	-12.25	38.50	34.67	12.69	29.91	0.00	109	271	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5736.52	55.95	68.20	-12.25	38.50	34.67	12.69	29.91	0.00	109	271	PEAK																																		




Mode	24																																																																																																
	Harmonic																																																																																																
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_Full_5550MHz																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>46.84</td><td>74.00</td><td>-27.16</td><td>56.30</td><td>37.90</td><td>18.24</td><td>65.60</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	46.84	74.00	-27.16	56.30	37.90	18.24	65.60	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>46.63</td><td>74.00</td><td>-27.37</td><td>56.09</td><td>37.90</td><td>18.24</td><td>65.60</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	46.63	74.00	-27.37	56.09	37.90	18.24	65.60	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11100.00	46.84	74.00	-27.16	56.30	37.90	18.24	65.60	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11100.00	46.63	74.00	-27.37	56.09	37.90	18.24	65.60	0.00	--	PEAK																																																																																						







		25																																																																																																														
Mode	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5443.85</td><td>56.34</td><td>74.00</td><td>-17.66</td><td>39.28</td><td>34.60</td><td>12.31</td><td>29.85</td><td>0.00</td><td>100</td><td>155</td><td>PEAK</td></tr><tr><td>2</td><td>5464.17</td><td>54.73</td><td>68.20</td><td>-13.47</td><td>37.70</td><td>34.57</td><td>12.34</td><td>29.88</td><td>0.00</td><td>100</td><td>155</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5443.85	56.34	74.00	-17.66	39.28	34.60	12.31	29.85	0.00	100	155	PEAK	2	5464.17	54.73	68.20	-13.47	37.70	34.57	12.34	29.88	0.00	100	155	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>107.47</td><td>-----</td><td>-----</td><td>90.18</td><td>34.60</td><td>12.61</td><td>29.92</td><td>0.00</td><td>100</td><td>155</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	107.47	-----	-----	90.18	34.60	12.61	29.92	0.00	100	155
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5443.85	56.34	74.00	-17.66	39.28	34.60	12.31	29.85	0.00	100	155	PEAK																																																																																																				
2	5464.17	54.73	68.20	-13.47	37.70	34.57	12.34	29.88	0.00	100	155	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	107.47	-----	-----	90.18	34.60	12.61	29.92	0.00	100	155	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.35</td><td>44.45</td><td>54.00</td><td>-9.55</td><td>27.41</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>100</td><td>155</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.35	44.45	54.00	-9.55	27.41	34.58	12.33	29.87	0.00	100	155	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>99.09</td><td>-----</td><td>-----</td><td>81.00</td><td>34.60</td><td>12.61</td><td>29.92</td><td>0.00</td><td>100</td><td>155</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	99.09	-----	-----	81.00	34.60	12.61	29.92	0.00	100	155	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5458.35	44.45	54.00	-9.55	27.41	34.58	12.33	29.87	0.00	100	155	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	99.09	-----	-----	81.00	34.60	12.61	29.92	0.00	100	155	AVERAGE																																																																																																				




Mode	25																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.68</td><td>61.87</td><td>68.20</td><td>-6.33</td><td>44.48</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>100</td><td>155</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.68	61.87	68.20	-6.33	44.48	34.65	12.68	29.94	0.00	100	155	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5725.68	61.87	68.20	-6.33	44.48	34.65	12.68	29.94	0.00	100	155	PEAK																																		





		25																																																															
Mode	Band Edge - L																																																																
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																																																
Pol.	Fundamental																																																																
Peak	Vertical																																																																
																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.33</td><td>55.72</td><td>74.00</td><td>-18.28</td><td>38.79</td><td>34.51</td><td>12.23</td><td>29.81</td><td>0.00</td><td>102 272 PEAK</td></tr><tr><td>2</td><td>5469.13</td><td>55.63</td><td>68.20</td><td>-12.57</td><td>38.62</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>102 272 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5376.33	55.72	74.00	-18.28	38.79	34.51	12.23	29.81	0.00	102 272 PEAK	2	5469.13	55.63	68.20	-12.57	38.62	34.56	12.34	29.89	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5376.33	55.72	74.00	-18.28	38.79	34.51	12.23	29.81	0.00	102 272 PEAK																																																							
2	5469.13	55.63	68.20	-12.57	38.62	34.56	12.34	29.89	0.00	102 272 PEAK																																																							
Avg	Fundamental																																																																
																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>104.45</td><td>-----</td><td>-----</td><td>87.16</td><td>34.60</td><td>12.60</td><td>29.91</td><td>0.00</td><td>102 272 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	104.45	-----	-----	87.16	34.60	12.60	29.91	0.00	102 272 PEAK										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5670.00	104.45	-----	-----	87.16	34.60	12.60	29.91	0.00	102 272 PEAK																																																							
Peak	Vertical																																																																
																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.33</td><td>55.72</td><td>74.00</td><td>-18.28</td><td>38.79</td><td>34.51</td><td>12.23</td><td>29.81</td><td>0.00</td><td>102 272 PEAK</td></tr><tr><td>2</td><td>5469.13</td><td>55.63</td><td>68.20</td><td>-12.57</td><td>38.62</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>102 272 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5376.33	55.72	74.00	-18.28	38.79	34.51	12.23	29.81	0.00	102 272 PEAK	2	5469.13	55.63	68.20	-12.57	38.62	34.56	12.34	29.89	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5376.33	55.72	74.00	-18.28	38.79	34.51	12.23	29.81	0.00	102 272 PEAK																																																							
2	5469.13	55.63	68.20	-12.57	38.62	34.56	12.34	29.89	0.00	102 272 PEAK																																																							
Avg	Fundamental																																																																
																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>96.38</td><td>-----</td><td>-----</td><td>79.09</td><td>34.60</td><td>12.60</td><td>29.91</td><td>0.00</td><td>102 272 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	96.38	-----	-----	79.09	34.60	12.60	29.91	0.00	102 272 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5670.00	96.38	-----	-----	79.09	34.60	12.60	29.91	0.00	102 272 AVERAGE																																																							







Mode	25																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.12</td><td>57.98</td><td>68.20</td><td>-10.22</td><td>40.59</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>102</td><td>272</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.12	57.98	68.20	-10.22	40.59	34.65	12.68	29.94	0.00	102	272	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5725.12	57.98	68.20	-10.22	40.59	34.65	12.68	29.94	0.00	102	272	PEAK																																												



Mode	25																																																																																																
	Harmonic																																																																																																
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>46.26</td><td>74.00</td><td>-27.74</td><td>54.55</td><td>37.94</td><td>18.45</td><td>64.68</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	46.26	74.00	-27.74	54.55	37.94	18.45	64.68	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>46.89</td><td>74.00</td><td>-27.11</td><td>55.18</td><td>37.94</td><td>18.45</td><td>64.68</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	46.89	74.00	-27.11	55.18	37.94	18.45	64.68	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11340.00	46.26	74.00	-27.74	54.55	37.94	18.45	64.68	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11340.00	46.89	74.00	-27.11	55.18	37.94	18.45	64.68	0.00	--	PEAK																																																																																						







		26																																																																																																													
Mode	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_Full_5210MHz																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5137.85</td><td>59.89</td><td>74.00</td><td>-14.11</td><td>43.58</td><td>34.15</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>182</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5137.85	59.89	74.00	-14.11	43.58	34.15	12.03	29.87	0.00	100	182	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>100.22</td><td>-----</td><td>-----</td><td>83.71</td><td>34.32</td><td>12.08</td><td>29.89</td><td>0.00</td><td>100</td><td>182</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	100.22	-----	-----	83.71	34.32	12.08	29.89	0.00	100	182
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5137.85	59.89	74.00	-14.11	43.58	34.15	12.03	29.87	0.00	100	182	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5210.00	100.22	-----	-----	83.71	34.32	12.08	29.89	0.00	100	182	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.05</td><td>49.65</td><td>54.00</td><td>-4.35</td><td>33.37</td><td>34.12</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>182</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.05	49.65	54.00	-4.35	33.37	34.12	12.03	29.87	0.00	100	182	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>91.53</td><td>-----</td><td>-----</td><td>75.04</td><td>34.31</td><td>12.07</td><td>29.89</td><td>0.00</td><td>100</td><td>182</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	91.53	-----	-----	75.04	34.31	12.07	29.89	0.00	100	182
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5145.05	49.65	54.00	-4.35	33.37	34.12	12.03	29.87	0.00	100	182	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5210.00	91.53	-----	-----	75.04	34.31	12.07	29.89	0.00	100	182	AVERAGE																																																																																																			





Mode	26																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_Full_5210MHz																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5357.26</td><td>55.78</td><td>74.00</td><td>-18.22</td><td>38.98</td><td>34.43</td><td>12.21</td><td>29.84</td><td>0.00</td><td>100</td><td>182</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5357.26	55.78	74.00	-18.22	38.98	34.43	12.21	29.84	0.00	100	182	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5357.26	55.78	74.00	-18.22	38.98	34.43	12.21	29.84	0.00	100	182	PEAK																																												
Avg	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5362.66</td><td>45.39</td><td>54.00</td><td>-8.61</td><td>28.55</td><td>34.45</td><td>12.22</td><td>29.83</td><td>0.00</td><td>100</td><td>182</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5362.66	45.39	54.00	-8.61	28.55	34.45	12.22	29.83	0.00	100	182	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5362.66	45.39	54.00	-8.61	28.55	34.45	12.22	29.83	0.00	100	182	AVERAGE																																												





		26																																																					
Mode	Band Edge - L																																																						
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_Full_5210MHz																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.69</td><td>58.36</td><td>74.00</td><td>-15.64</td><td>42.10</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>274</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.69	58.36	74.00	-15.64	42.10	34.10	12.03	29.87	0.00	100	274
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.69	58.36	74.00	-15.64	42.10	34.10	12.03	29.87	0.00	100	274	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>96.11</td><td>-----</td><td>-----</td><td>79.62</td><td>34.31</td><td>12.07</td><td>29.89</td><td>0.00</td><td>100</td><td>274</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	96.11	-----	-----	79.62	34.31	12.07	29.89	0.00	100	274
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5210.00	96.11	-----	-----	79.62	34.31	12.07	29.89	0.00	100	274	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5143.13</td><td>47.79</td><td>54.00</td><td>-6.21</td><td>31.50</td><td>34.13</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>274</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.13	47.79	54.00	-6.21	31.50	34.13	12.03	29.87	0.00	100	274
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5143.13	47.79	54.00	-6.21	31.50	34.13	12.03	29.87	0.00	100	274	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>87.68</td><td>-----</td><td>-----</td><td>71.21</td><td>34.29</td><td>12.07</td><td>29.89</td><td>0.00</td><td>100</td><td>274</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	87.68	-----	-----	71.21	34.29	12.07	29.89	0.00	100	274
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5210.00	87.68	-----	-----	71.21	34.29	12.07	29.89	0.00	100	274	AVERAGE																																											







Mode	26																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_Full_5210MHz																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5373.10</td><td>54.12</td><td>74.00</td><td>-19.88</td><td>37.21</td><td>34.49</td><td>12.23</td><td>29.81</td><td>0.00</td><td>100</td><td>274</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5373.10	54.12	74.00	-19.88	37.21	34.49	12.23	29.81	0.00	100	274	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5373.10	54.12	74.00	-19.88	37.21	34.49	12.23	29.81	0.00	100	274	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5391.28</td><td>45.27</td><td>54.00</td><td>-8.73</td><td>28.25</td><td>34.57</td><td>12.24</td><td>29.79</td><td>0.00</td><td>100</td><td>274</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5391.28	45.27	54.00	-8.73	28.25	34.57	12.24	29.79	0.00	100	274	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5391.28	45.27	54.00	-8.73	28.25	34.57	12.24	29.79	0.00	100	274	AVERAGE																																												





		26																																																				
Mode		Harmonic																																																				
		U-NII-1_5.15-5.25_802.11ac VHT80_CH42_Full_5210MHz																																																				
Pol.		Horizontal					Vertical																																															
Peak Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>45.24</td><td>68.20</td><td>-22.96</td><td>56.75</td><td>37.48</td><td>17.56</td><td>66.55</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	45.24	68.20	-22.96	56.75	37.48	17.56	66.55	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10420.00	45.24	68.20	-22.96	56.75	37.48	17.56	66.55	0.00	--	PEAK																																											
																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>46.00</td><td>68.20</td><td>-22.20</td><td>57.44</td><td>37.52</td><td>17.59</td><td>66.55</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	46.00	68.20	-22.20	57.44	37.52	17.59	66.55	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10420.00	46.00	68.20	-22.20	57.44	37.52	17.59	66.55	0.00	--	PEAK																																											



Mode	27																																																																																																
	Band Edge - L																																																																																																
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full_5290MHz																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5102.17</td><td>57.30</td><td>74.00</td><td>-16.70</td><td>40.86</td><td>34.29</td><td>12.00</td><td>29.85</td><td>0.00</td><td>108</td><td>172 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5102.17	57.30	74.00	-16.70	40.86	34.29	12.00	29.85	0.00	108	172 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>101.01</td><td>-----</td><td>-----</td><td>84.38</td><td>34.40</td><td>12.14</td><td>29.91</td><td>0.00</td><td>108</td><td>172 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5290.00	101.01	-----	-----	84.38	34.40	12.14	29.91	0.00	108
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5102.17	57.30	74.00	-16.70	40.86	34.29	12.00	29.85	0.00	108	172 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5290.00	101.01	-----	-----	84.38	34.40	12.14	29.91	0.00	108	172 PEAK																																																																																						
Avg																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5105.52</td><td>46.85</td><td>54.00</td><td>-7.15</td><td>30.42</td><td>34.28</td><td>12.00</td><td>29.85</td><td>0.00</td><td>108</td><td>172 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5105.52	46.85	54.00	-7.15	30.42	34.28	12.00	29.85	0.00	108	172 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>92.66</td><td>-----</td><td>-----</td><td>76.03</td><td>34.40</td><td>12.14</td><td>29.91</td><td>0.00</td><td>108</td><td>172 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5290.00	92.66	-----	-----	76.03	34.40	12.14	29.91	0.00	108
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5105.52	46.85	54.00	-7.15	30.42	34.28	12.00	29.85	0.00	108	172 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5290.00	92.66	-----	-----	76.03	34.40	12.14	29.91	0.00	108	172 AVERAGE																																																																																						



Mode	27																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full_5290MHz																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.05</td><td>62.11</td><td>74.00</td><td>-11.89</td><td>45.33</td><td>34.41</td><td>12.21</td><td>29.84</td><td>0.00</td><td>108</td><td>172</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.05	62.11	74.00	-11.89	45.33	34.41	12.21	29.84	0.00	108	172	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5353.05	62.11	74.00	-11.89	45.33	34.41	12.21	29.84	0.00	108	172	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.05</td><td>50.67</td><td>54.00</td><td>-3.33</td><td>33.88</td><td>34.42</td><td>12.21</td><td>29.84</td><td>0.00</td><td>108</td><td>172</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.05	50.67	54.00	-3.33	33.88	34.42	12.21	29.84	0.00	108	172	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5354.05	50.67	54.00	-3.33	33.88	34.42	12.21	29.84	0.00	108	172	AVERAGE																																											





		27																																																				
Mode	Band Edge - L																																																					
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full_5290MHz																																																					
Pol.	Vertical					Fundamental																																																
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5114.97</td><td>56.22</td><td>74.00</td><td>-17.78</td><td>39.83</td><td>34.24</td><td>12.01</td><td>29.86</td><td>0.00</td><td>112</td><td>267</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5114.97	56.22	74.00	-17.78	39.83	34.24	12.01	29.86	0.00	112	267
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5114.97	56.22	74.00	-17.78	39.83	34.24	12.01	29.86	0.00	112	267	PEAK																																										
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>96.71</td><td>-----</td><td>-----</td><td>80.07</td><td>34.40</td><td>12.15</td><td>29.91</td><td>0.00</td><td>112</td><td>267</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	96.71	-----	-----	80.07	34.40	12.15	29.91	0.00	112	267
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5290.00	96.71	-----	-----	80.07	34.40	12.15	29.91	0.00	112	267	PEAK																																										
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5107.93</td><td>46.99</td><td>54.00</td><td>-7.01</td><td>30.56</td><td>34.27</td><td>12.01</td><td>29.85</td><td>0.00</td><td>112</td><td>267</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5107.93	46.99	54.00	-7.01	30.56	34.27	12.01	29.85	0.00	112	267
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5107.93	46.99	54.00	-7.01	30.56	34.27	12.01	29.85	0.00	112	267	AVERAGE																																										
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>88.61</td><td>-----</td><td>-----</td><td>71.97</td><td>34.40</td><td>12.15</td><td>29.91</td><td>0.00</td><td>112</td><td>267</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	88.61	-----	-----	71.97	34.40	12.15	29.91	0.00	112	267
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5290.00	88.61	-----	-----	71.97	34.40	12.15	29.91	0.00	112	267	AVERAGE																																										







Mode	27																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full_5290MHz																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.75</td><td>60.49</td><td>74.00</td><td>-13.51</td><td>43.56</td><td>34.51</td><td>12.23</td><td>29.81</td><td>0.00</td><td>112</td><td>267</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5376.75	60.49	74.00	-13.51	43.56	34.51	12.23	29.81	0.00	112	267	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5376.75	60.49	74.00	-13.51	43.56	34.51	12.23	29.81	0.00	112	267	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5358.65</td><td>48.35</td><td>54.00</td><td>-5.65</td><td>31.54</td><td>34.43</td><td>12.21</td><td>29.83</td><td>0.00</td><td>112</td><td>267</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5358.65	48.35	54.00	-5.65	31.54	34.43	12.21	29.83	0.00	112	267	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5358.65	48.35	54.00	-5.65	31.54	34.43	12.21	29.83	0.00	112	267	AVERAGE																																												




Mode	27																																																																																																
	Harmonic																																																																																																
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full_5290MHz																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>45.61</td><td>68.20</td><td>-22.59</td><td>56.75</td><td>37.60</td><td>17.74</td><td>66.48</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>46.12</td><td>68.20</td><td>-22.08</td><td>57.24</td><td>37.60</td><td>17.75</td><td>66.47</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10580.00	45.61	68.20	-22.59	56.75	37.60	17.74	66.48	0.00	--	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10580.00	46.12	68.20	-22.08	57.24	37.60	17.75	66.47	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	10580.00	45.61	68.20	-22.59	56.75	37.60	17.74	66.48	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	10580.00	46.12	68.20	-22.08	57.24	37.60	17.75	66.47	0.00	--	PEAK																																																																																						







Mode	28																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full_5530MHz																																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.49</td><td>62.35</td><td>74.00</td><td>-11.65</td><td>45.29</td><td>34.60</td><td>12.32</td><td>29.86</td><td>0.00</td><td>100</td><td>164</td><td>PEAK</td></tr><tr><td>2</td><td>5467.85</td><td>62.34</td><td>68.20</td><td>-5.86</td><td>45.33</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>100</td><td>164</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.49	62.35	74.00	-11.65	45.29	34.60	12.32	29.86	0.00	100	164	PEAK	2	5467.85	62.34	68.20	-5.86	45.33	34.56	12.34	29.89	0.00	100	164	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>99.92</td><td>-----</td><td>-----</td><td>82.91</td><td>34.50</td><td>12.41</td><td>29.90</td><td>0.00</td><td>100</td><td>164</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	99.92	-----	-----	82.91	34.50	12.41	29.90	0.00	100	164
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5452.49	62.35	74.00	-11.65	45.29	34.60	12.32	29.86	0.00	100	164	PEAK																																																																																																																
2	5467.85	62.34	68.20	-5.86	45.33	34.56	12.34	29.89	0.00	100	164	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5530.00	99.92	-----	-----	82.91	34.50	12.41	29.90	0.00	100	164	PEAK																																																																																																																
Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.73</td><td>50.76</td><td>54.00</td><td>-3.24</td><td>33.72</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>100</td><td>164</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.73	50.76	54.00	-3.24	33.72	34.58	12.33	29.87	0.00	100	164	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>90.99</td><td>-----</td><td>-----</td><td>73.95</td><td>34.50</td><td>12.42</td><td>29.88</td><td>0.00</td><td>100</td><td>164</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	90.99	-----	-----	73.95	34.50	12.42	29.88	0.00	100	164	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5458.73	50.76	54.00	-3.24	33.72	34.58	12.33	29.87	0.00	100	164	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5530.00	90.99	-----	-----	73.95	34.50	12.42	29.88	0.00	100	164	AVERAGE																																																																																																																




Mode	28																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full_5530MHz																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5743.60</td><td>57.00</td><td>68.20</td><td>-11.20</td><td>39.50</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>100</td><td>164</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5743.60	57.00	68.20	-11.20	39.50	34.69	12.70	29.89	0.00	100	164	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5743.60	57.00	68.20	-11.20	39.50	34.69	12.70	29.89	0.00	100	164	PEAK																																		





Mode	28																																																																																																																															
	Band Edge - L																																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full_5530MHz																																																																																																																															
Pol.	Vertical						Fundamental																																																																																																																									
Peak																																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5451.85</td><td>60.25</td><td>74.00</td><td>-13.75</td><td>43.19</td><td>34.60</td><td>12.32</td><td>29.86</td><td>0.00</td><td>103</td><td>271</td><td>PEAK</td></tr><tr><td>2</td><td>5468.97</td><td>59.20</td><td>68.20</td><td>-9.00</td><td>42.17</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>103</td><td>271</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5451.85	60.25	74.00	-13.75	43.19	34.60	12.32	29.86	0.00	103	271	PEAK	2	5468.97	59.20	68.20	-9.00	42.17	34.58	12.33	29.88	0.00	103	271	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>96.02</td><td>-----</td><td>-----</td><td>79.01</td><td>34.50</td><td>12.41</td><td>29.90</td><td>0.00</td><td>103</td><td>271</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	96.02	-----	-----	79.01	34.50	12.41	29.90	0.00	103	271
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	5451.85	60.25	74.00	-13.75	43.19	34.60	12.32	29.86	0.00	103	271	PEAK																																																																																																																				
2	5468.97	59.20	68.20	-9.00	42.17	34.58	12.33	29.88	0.00	103	271	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	5530.00	96.02	-----	-----	79.01	34.50	12.41	29.90	0.00	103	271	PEAK																																																																																																																				
Avg																																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5452.97</td><td>48.95</td><td>54.00</td><td>-5.05</td><td>31.90</td><td>34.59</td><td>12.32</td><td>29.86</td><td>0.00</td><td>103</td><td>271</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5452.97	48.95	54.00	-5.05	31.90	34.59	12.32	29.86	0.00	103	271	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>88.09</td><td>-----</td><td>-----</td><td>71.05</td><td>34.50</td><td>12.42</td><td>29.88</td><td>0.00</td><td>103</td><td>271</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	88.09	-----	-----	71.05	34.50	12.42	29.88	0.00	103	271	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	5452.97	48.95	54.00	-5.05	31.90	34.59	12.32	29.86	0.00	103	271	AVERAGE																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	5530.00	88.09	-----	-----	71.05	34.50	12.42	29.88	0.00	103	271	AVERAGE																																																																																																																				



Mode	28																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full_5530MHz																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.64</td><td>55.33</td><td>68.20</td><td>-12.87</td><td>37.88</td><td>34.67</td><td>12.69</td><td>29.91</td><td>0.00</td><td>103</td><td>271</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5734.64	55.33	68.20	-12.87	37.88	34.67	12.69	29.91	0.00	103	271	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5734.64	55.33	68.20	-12.87	37.88	34.67	12.69	29.91	0.00	103	271	PEAK																																		




		28																																																				
Mode		Harmonic																																																				
		U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full_5530MHz																																																				
Pol.		Horizontal					Vertical																																															
Peak Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>45.98</td><td>74.00</td><td>-28.02</td><td>55.68</td><td>37.86</td><td>18.20</td><td>65.76</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	45.98	74.00	-28.02	55.68	37.86	18.20	65.76	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11060.00	45.98	74.00	-28.02	55.68	37.86	18.20	65.76	0.00	--	PEAK																																											
																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>46.99</td><td>74.00</td><td>-27.01</td><td>56.69</td><td>37.86</td><td>18.20</td><td>65.76</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	46.99	74.00	-27.01	56.69	37.86	18.20	65.76	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11060.00	46.99	74.00	-27.01	56.69	37.86	18.20	65.76	0.00	--	PEAK																																											







Mode	29																																																																						
	Band Edge - L																																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_Full_5610MHz																																																																						
Pol.	Horizontal						Fundamental																																																																
Peak																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5458.89</td><td>55.83</td><td>74.00</td><td>-18.17</td><td>38.77</td><td>34.60</td><td>12.32</td><td>29.86</td><td>0.00</td><td>100</td><td>161 PEAK</td></tr><tr><td>2</td><td>5463.53</td><td>55.15</td><td>68.20</td><td>-13.05</td><td>38.12</td><td>34.57</td><td>12.34</td><td>29.88</td><td>0.00</td><td>100</td><td>161 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5458.89	55.83	74.00	-18.17	38.77	34.60	12.32	29.86	0.00	100	161 PEAK	2	5463.53	55.15	68.20	-13.05	38.12	34.57	12.34	29.88	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5458.89	55.83	74.00	-18.17	38.77	34.60	12.32	29.86	0.00	100	161 PEAK																																																												
2	5463.53	55.15	68.20	-13.05	38.12	34.57	12.34	29.88	0.00	100	161 PEAK																																																												
Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5458.89</td><td>46.10</td><td>54.00</td><td>-7.90</td><td>29.06</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>100</td><td>161 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5458.89	46.10	54.00	-7.90	29.06	34.58	12.33	29.87	0.00	100	161 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5458.89	46.10	54.00	-7.90	29.06	34.58	12.33	29.87	0.00	100	161 AVERAGE																																																												
Peak																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5610.00</td><td>101.25</td><td>-----</td><td>-----</td><td>83.96</td><td>34.50</td><td>12.52</td><td>29.73</td><td>0.00</td><td>100</td><td>161 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5610.00	101.25	-----	-----	83.96	34.50	12.52	29.73	0.00	100	161 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5610.00	101.25	-----	-----	83.96	34.50	12.52	29.73	0.00	100	161 PEAK																																																												
Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5610.00</td><td>92.96</td><td>-----</td><td>-----</td><td>75.67</td><td>34.50</td><td>12.52</td><td>29.73</td><td>0.00</td><td>100</td><td>161 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5610.00	92.96	-----	-----	75.67	34.50	12.52	29.73	0.00	100	161 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5610.00	92.96	-----	-----	75.67	34.50	12.52	29.73	0.00	100	161 AVERAGE																																																												




Mode	29																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_Full_5610MHz																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5759.52</td><td>56.53</td><td>68.20</td><td>-11.67</td><td>38.94</td><td>34.72</td><td>12.72</td><td>29.85</td><td>0.00</td><td>100</td><td>161</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5759.52	56.53	68.20	-11.67	38.94	34.72	12.72	29.85	0.00	100	161	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5759.52	56.53	68.20	-11.67	38.94	34.72	12.72	29.85	0.00	100	161	PEAK																																												





Mode	29																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_Full_5610MHz																																																																																																																											
Pol.	Vertical						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5446.73</td><td>55.87</td><td>74.00</td><td>-18.13</td><td>38.81</td><td>34.60</td><td>12.31</td><td>29.85</td><td>0.00</td><td>106</td><td>272</td><td>PEAK</td></tr><tr><td>2</td><td>5462.57</td><td>55.36</td><td>68.20</td><td>-12.84</td><td>38.34</td><td>34.57</td><td>12.33</td><td>29.88</td><td>0.00</td><td>106</td><td>272</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5446.73	55.87	74.00	-18.13	38.81	34.60	12.31	29.85	0.00	106	272	PEAK	2	5462.57	55.36	68.20	-12.84	38.34	34.57	12.33	29.88	0.00	106	272	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>98.14</td><td>-----</td><td>-----</td><td>80.85</td><td>34.52</td><td>12.53</td><td>29.76</td><td>0.00</td><td>106</td><td>272</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	98.14	-----	-----	80.85	34.52	12.53	29.76	0.00	106	272
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5446.73	55.87	74.00	-18.13	38.81	34.60	12.31	29.85	0.00	106	272	PEAK																																																																																																																
2	5462.57	55.36	68.20	-12.84	38.34	34.57	12.33	29.88	0.00	106	272	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5610.00	98.14	-----	-----	80.85	34.52	12.53	29.76	0.00	106	272	PEAK																																																																																																																
Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.85</td><td>45.81</td><td>54.00</td><td>-8.19</td><td>28.78</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>106</td><td>272</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.85	45.81	54.00	-8.19	28.78	34.58	12.33	29.88	0.00	106	272	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>98.04</td><td>-----</td><td>-----</td><td>72.75</td><td>34.52</td><td>12.53</td><td>29.76</td><td>0.00</td><td>106</td><td>272</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	98.04	-----	-----	72.75	34.52	12.53	29.76	0.00	106	272	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5459.85	45.81	54.00	-8.19	28.78	34.58	12.33	29.88	0.00	106	272	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5610.00	98.04	-----	-----	72.75	34.52	12.53	29.76	0.00	106	272	AVERAGE																																																																																																																






Mode	29																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_Full_5610MHz																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5746.56</td><td>56.75</td><td>68.20</td><td>-11.45</td><td>39.24</td><td>34.69</td><td>12.70</td><td>29.88</td><td>0.00</td><td>106</td><td>272</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5746.56	56.75	68.20	-11.45	39.24	34.69	12.70	29.88	0.00	106	272	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5746.56	56.75	68.20	-11.45	39.24	34.69	12.70	29.88	0.00	106	272	PEAK																																												






		29																																																				
Mode		Harmonic																																																				
		U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_Full_5610MHz																																																				
Pol.		Horizontal					Vertical																																															
Peak Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>46.88</td><td>74.00</td><td>-27.12</td><td>55.70</td><td>37.98</td><td>18.34</td><td>65.14</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	46.88	74.00	-27.12	55.70	37.98	18.34	65.14	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11220.00	46.88	74.00	-27.12	55.70	37.98	18.34	65.14	0.00	--	PEAK																																											
																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>46.56</td><td>74.00</td><td>-27.44</td><td>55.38</td><td>37.98</td><td>18.34</td><td>65.14</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	46.56	74.00	-27.44	55.38	37.98	18.34	65.14	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11220.00	46.56	74.00	-27.44	55.38	37.98	18.34	65.14	0.00	--	PEAK																																											




Mode	30																																																																																												
	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																												
Pol.	Horizontal																																																																																												
Peak																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5604.40</td><td>56.24</td><td>68.20</td><td>-11.96</td><td>38.94</td><td>34.51</td><td>12.53</td><td>29.74</td><td>0.00</td><td>305</td><td>292</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>53.27</td><td>68.20</td><td>-14.93</td><td>35.95</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>305</td><td>292</td><td>PEAK</td></tr><tr><td>3</td><td>5720.00</td><td>65.87</td><td>110.90</td><td>-45.03</td><td>48.51</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>305</td><td>292</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>65.87</td><td>110.90</td><td>-45.03</td><td>48.51</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>305</td><td>292</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5604.40	56.24	68.20	-11.96	38.94	34.51	12.53	29.74	0.00	305	292	PEAK	2	5650.00	53.27	68.20	-14.93	35.95	34.60	12.58	29.86	0.00	305	292	PEAK	3	5720.00	65.87	110.90	-45.03	48.51	34.64	12.67	29.95	0.00	305	292	PEAK	4	5720.00	65.87	110.90	-45.03	48.51	34.64	12.67	29.95	0.00	305	292	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																				
1	5604.40	56.24	68.20	-11.96	38.94	34.51	12.53	29.74	0.00	305	292	PEAK																																																																																	
2	5650.00	53.27	68.20	-14.93	35.95	34.60	12.58	29.86	0.00	305	292	PEAK																																																																																	
3	5720.00	65.87	110.90	-45.03	48.51	34.64	12.67	29.95	0.00	305	292	PEAK																																																																																	
4	5720.00	65.87	110.90	-45.03	48.51	34.64	12.67	29.95	0.00	305	292	PEAK																																																																																	
Fundamental																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>106.55</td><td>-----</td><td>-----</td><td>89.05</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>305</td><td>292</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5745.00	106.55	-----	-----	89.05	34.69	12.70	29.89	0.00	305	292	PEAK																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																				
1	5745.00	106.55	-----	-----	89.05	34.69	12.70	29.89	0.00	305	292	PEAK																																																																																	
Avg	Blank																																																																																												
																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>98.52</td><td>-----</td><td>-----</td><td>81.02</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>305</td><td>292</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5745.00	98.52	-----	-----	81.02	34.69	12.70	29.89	0.00	305	292	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																				
1	5745.00	98.52	-----	-----	81.02	34.69	12.70	29.89	0.00	305	292	AVERAGE																																																																																	






		30																																																																																					
Mode	Band Edge																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																						
Pol.	Vertical																																																																																						
Peak																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5625.00</td><td>56.90</td><td>68.20</td><td>-11.30</td><td>39.60</td><td>34.55</td><td>12.55</td><td>29.80</td><td>0.00</td><td>276 178 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>56.15</td><td>68.20</td><td>-12.05</td><td>38.83</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>276 178 PEAK</td></tr><tr><td>3</td><td>5716.00</td><td>71.24</td><td>110.01</td><td>-38.77</td><td>53.90</td><td>34.63</td><td>12.67</td><td>29.96</td><td>0.00</td><td>276 178 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>72.03</td><td>110.90</td><td>-38.87</td><td>54.67</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>276 178 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5625.00	56.90	68.20	-11.30	39.60	34.55	12.55	29.80	0.00	276 178 PEAK	2	5650.00	56.15	68.20	-12.05	38.83	34.60	12.58	29.86	0.00	276 178 PEAK	3	5716.00	71.24	110.01	-38.77	53.90	34.63	12.67	29.96	0.00	276 178 PEAK	4	5720.00	72.03	110.90	-38.87	54.67	34.64	12.67	29.95	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5625.00	56.90	68.20	-11.30	39.60	34.55	12.55	29.80	0.00	276 178 PEAK																																																																													
2	5650.00	56.15	68.20	-12.05	38.83	34.60	12.58	29.86	0.00	276 178 PEAK																																																																													
3	5716.00	71.24	110.01	-38.77	53.90	34.63	12.67	29.96	0.00	276 178 PEAK																																																																													
4	5720.00	72.03	110.90	-38.87	54.67	34.64	12.67	29.95	0.00	276 178 PEAK																																																																													
Fundamental																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>113.16</td><td>-----</td><td>-----</td><td>95.69</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>276 178 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	113.16	-----	-----	95.69	34.68	12.69	29.90	0.00	276 178 PEAK																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5745.00	113.16	-----	-----	95.69	34.68	12.69	29.90	0.00	276 178 PEAK																																																																													
Avg	Blank																																																																																						
																																																																																							
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.20</td><td>-----</td><td>-----</td><td>87.70</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>276 178 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	105.20	-----	-----	87.70	34.69	12.70	29.89	0.00	276 178 AVERAGE																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5745.00	105.20	-----	-----	87.70	34.69	12.70	29.89	0.00	276 178 AVERAGE																																																																													



Mode	30																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>48.12</td><td>74.00</td><td>-25.88</td><td>55.64</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>37.41</td><td>54.00</td><td>-16.59</td><td>44.92</td><td>38.00</td><td>18.58</td><td>64.09</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	48.12	74.00	-25.88	55.64	38.00	18.58	64.10	0.00	100	0	PEAK	2	11490.00	37.41	54.00	-16.59	44.92	38.00	18.58	64.09	0.00	100	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>47.98</td><td>74.00</td><td>-26.02</td><td>55.50</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>37.32</td><td>54.00</td><td>-16.68</td><td>44.83</td><td>38.00</td><td>18.58</td><td>64.09</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	47.98	74.00	-26.02	55.50	38.00	18.58	64.10	0.00	300	0	PEAK	2	11490.00	37.32	54.00	-16.68	44.83	38.00	18.58	64.09	0.00	300	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	11490.00	48.12	74.00	-25.88	55.64	38.00	18.58	64.10	0.00	100	0	PEAK																																																																																																																	
2	11490.00	37.41	54.00	-16.59	44.92	38.00	18.58	64.09	0.00	100	0	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	11490.00	47.98	74.00	-26.02	55.50	38.00	18.58	64.10	0.00	300	0	PEAK																																																																																																																	
2	11490.00	37.32	54.00	-16.68	44.83	38.00	18.58	64.09	0.00	300	0	AVERAGE																																																																																																																	









		32																																																																																																																						
Mode	Band Edge																																																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																							
Pol.	Horizontal											Fundamental																																																																																																												
Peak																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>55.71</td><td>113.18</td><td>-57.47</td><td>37.84</td><td>34.82</td><td>12.86</td><td>29.81</td><td>0.00</td><td>287</td><td>295 PEAK</td></tr><tr><td>2</td><td>5868.00</td><td>57.21</td><td>107.26</td><td>-50.05</td><td>39.24</td><td>34.91</td><td>12.89</td><td>29.83</td><td>0.00</td><td>287</td><td>295 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>54.18</td><td>68.35</td><td>-14.17</td><td>35.95</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>287</td><td>295 PEAK</td></tr><tr><td>4</td><td>5991.20</td><td>57.56</td><td>68.20</td><td>-10.64</td><td>39.16</td><td>35.10</td><td>13.10</td><td>29.80</td><td>0.00</td><td>287</td><td>295 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5854.00	55.71	113.18	-57.47	37.84	34.82	12.86	29.81	0.00	287	295 PEAK	2	5868.00	57.21	107.26	-50.05	39.24	34.91	12.89	29.83	0.00	287	295 PEAK	3	5924.00	54.18	68.35	-14.17	35.95	35.10	12.98	29.85	0.00	287	295 PEAK	4	5991.20	57.56	68.20	-10.64	39.16	35.10	13.10	29.80	0.00	287	295 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>106.05</td><td>-----</td><td>-----</td><td>88.22</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>287</td><td>295 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5825.00	106.05	-----	-----	88.22	34.80	12.81	29.78	0.00	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																																													
1	5854.00	55.71	113.18	-57.47	37.84	34.82	12.86	29.81	0.00	287	295 PEAK																																																																																																													
2	5868.00	57.21	107.26	-50.05	39.24	34.91	12.89	29.83	0.00	287	295 PEAK																																																																																																													
3	5924.00	54.18	68.35	-14.17	35.95	35.10	12.98	29.85	0.00	287	295 PEAK																																																																																																													
4	5991.20	57.56	68.20	-10.64	39.16	35.10	13.10	29.80	0.00	287	295 PEAK																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																																													
1	5825.00	106.05	-----	-----	88.22	34.80	12.81	29.78	0.00	287	295 PEAK																																																																																																													
Avg	Blank																																																																																																																							
													<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>97.97</td><td>-----</td><td>-----</td><td>80.14</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>287</td><td>295 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5825.00	97.97	-----	-----	80.14	34.80	12.81	29.78	0.00	287	295 AVERAGE																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																																													
1	5825.00	97.97	-----	-----	80.14	34.80	12.81	29.78	0.00	287	295 AVERAGE																																																																																																													







Mode	32																																																																																																															
	Band Edge																																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																															
Pol.	Vertical	Fundamental																																																																																																														
Peak	Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue trace with a peak at 5825 MHz. The peak level is 112.68 dBuV/m. The plot also shows four other peaks at 5854.00, 5873.20, 5922.00, and 5943.60 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>59.91</td><td>111.36</td><td>-51.45</td><td>42.04</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td></tr><tr><td>2</td><td>5873.20</td><td>59.02</td><td>105.80</td><td>-46.78</td><td>41.03</td><td>34.94</td><td>12.89</td><td>29.84</td><td>0.00</td></tr><tr><td>3</td><td>5922.00</td><td>56.30</td><td>69.83</td><td>-13.53</td><td>38.07</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td></tr><tr><td>4</td><td>5943.60</td><td>57.00</td><td>68.20</td><td>-11.20</td><td>38.73</td><td>35.10</td><td>13.01</td><td>29.84</td><td>0.00</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5854.00	59.91	111.36	-51.45	42.04	34.83	12.86	29.82	0.00	2	5873.20	59.02	105.80	-46.78	41.03	34.94	12.89	29.84	0.00	3	5922.00	56.30	69.83	-13.53	38.07	35.10	12.98	29.85	0.00	4	5943.60	57.00	68.20	-11.20	38.73	35.10	13.01	29.84	0.00	Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue trace with a peak at 5825 MHz. The peak level is 112.68 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>112.68</td><td>-----</td><td>-----</td><td>94.85</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5825.00	112.68	-----	-----	94.85	34.80	12.81	29.78	0.00
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																							
1	5854.00	59.91	111.36	-51.45	42.04	34.83	12.86	29.82	0.00																																																																																																							
2	5873.20	59.02	105.80	-46.78	41.03	34.94	12.89	29.84	0.00																																																																																																							
3	5922.00	56.30	69.83	-13.53	38.07	35.10	12.98	29.85	0.00																																																																																																							
4	5943.60	57.00	68.20	-11.20	38.73	35.10	13.01	29.84	0.00																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																							
1	5825.00	112.68	-----	-----	94.85	34.80	12.81	29.78	0.00																																																																																																							
Avg	Blank	Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue trace with a peak at 5825 MHz. The peak level is 104.72 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>104.72</td><td>-----</td><td>-----</td><td>86.89</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5825.00	104.72	-----	-----	86.89	34.80	12.81	29.78	0.00																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																							
1	5825.00	104.72	-----	-----	86.89	34.80	12.81	29.78	0.00																																																																																																							





Mode	33																																																																																															
	Band Edge																																																																																															
	U-NII-3_5.725-5.85_802.11n HT20_CH149_Full_5745MHz																																																																																															
Pol.	Horizontal																																																																																															
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5622.40</td><td>55.59</td><td>68.20</td><td>-12.61</td><td>38.29</td><td>34.54</td><td>12.55</td><td>29.79</td><td>0.00</td><td>308</td><td>296</td><td>PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>54.26</td><td>69.39</td><td>-15.13</td><td>36.95</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>308</td><td>296</td><td>PEAK</td></tr><tr><td>3</td><td>5719.60</td><td>61.72</td><td>110.79</td><td>-49.07</td><td>44.36</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>308</td><td>296</td><td>PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>63.73</td><td>112.72</td><td>-48.99</td><td>46.37</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>308</td><td>296</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5622.40	55.59	68.20	-12.61	38.29	34.54	12.55	29.79	0.00	308	296	PEAK	2	5651.60	54.26	69.39	-15.13	36.95	34.60	12.58	29.87	0.00	308	296	PEAK	3	5719.60	61.72	110.79	-49.07	44.36	34.64	12.67	29.95	0.00	308	296	PEAK	4	5720.80	63.73	112.72	-48.99	46.37	34.64	12.67	29.95	0.00	308	296	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5622.40	55.59	68.20	-12.61	38.29	34.54	12.55	29.79	0.00	308	296	PEAK																																																																																				
2	5651.60	54.26	69.39	-15.13	36.95	34.60	12.58	29.87	0.00	308	296	PEAK																																																																																				
3	5719.60	61.72	110.79	-49.07	44.36	34.64	12.67	29.95	0.00	308	296	PEAK																																																																																				
4	5720.80	63.73	112.72	-48.99	46.37	34.64	12.67	29.95	0.00	308	296	PEAK																																																																																				
Avg	Blank																																																																																															
																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>104.32</td><td>-----</td><td>-----</td><td>86.85</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>308</td><td>296</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	104.32	-----	-----	86.85	34.68	12.69	29.90	0.00	308	296	PEAK																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5745.00	104.32	-----	-----	86.85	34.68	12.69	29.90	0.00	308	296	PEAK																																																																																				
Avg	Blank																																																																																															
																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>97.04</td><td>-----</td><td>-----</td><td>79.54</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>308</td><td>296</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	97.04	-----	-----	79.54	34.69	12.70	29.89	0.00	308	296	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5745.00	97.04	-----	-----	79.54	34.69	12.70	29.89	0.00	308	296	AVERAGE																																																																																				





		33																																																																																																																																																	
Mode		Band Edge																																																																																																																																																	
		U-NII-3_5.725-5.85_802.11n HT20_CH149_Full_5745MHz																																																																																																																																																	
Pol.		Vertical					Fundamental																																																																																																																																												
Peak																																																																																																																																																			
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5606.00</td><td>57.34</td><td>68.20</td><td>-10.86</td><td>40.05</td><td>34.51</td><td>12.53</td><td>29.75</td><td>0.00</td><td>291</td><td>171</td><td>PEAK</td></tr><tr><td>2</td><td>5650.80</td><td>54.37</td><td>68.00</td><td>-14.43</td><td>37.06</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>291</td><td>171</td><td>PEAK</td></tr><tr><td>3</td><td>5719.20</td><td>68.81</td><td>110.68</td><td>-41.87</td><td>51.45</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>291</td><td>171</td><td>PEAK</td></tr><tr><td>4</td><td>5724.40</td><td>78.99</td><td>120.93</td><td>-41.94</td><td>61.60</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>291</td><td>171</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5606.00	57.34	68.20	-10.86	40.05	34.51	12.53	29.75	0.00	291	171	PEAK	2	5650.80	54.37	68.00	-14.43	37.06	34.60	12.58	29.87	0.00	291	171	PEAK	3	5719.20	68.81	110.68	-41.87	51.45	34.64	12.67	29.95	0.00	291	171	PEAK	4	5724.40	78.99	120.93	-41.94	61.60	34.65	12.68	29.94	0.00	291	171	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>112.01</td><td>-----</td><td>-----</td><td>94.51</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>291</td><td>171</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	112.01	-----	-----	94.51	34.69	12.70	29.89	0.00	291	171
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																									
1	5606.00	57.34	68.20	-10.86	40.05	34.51	12.53	29.75	0.00	291	171	PEAK																																																																																																																																							
2	5650.80	54.37	68.00	-14.43	37.06	34.60	12.58	29.87	0.00	291	171	PEAK																																																																																																																																							
3	5719.20	68.81	110.68	-41.87	51.45	34.64	12.67	29.95	0.00	291	171	PEAK																																																																																																																																							
4	5724.40	78.99	120.93	-41.94	61.60	34.65	12.68	29.94	0.00	291	171	PEAK																																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																									
1	5745.00	112.01	-----	-----	94.51	34.69	12.70	29.89	0.00	291	171	PEAK																																																																																																																																							
Avg																																																																																																																																																			
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.89</td><td>-----</td><td>-----</td><td>86.39</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>291</td><td>171</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	103.89	-----	-----	86.39	34.69	12.70	29.89	0.00	291	171	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.89</td><td>-----</td><td>-----</td><td>86.39</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>291</td><td>171</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	103.89	-----	-----	86.39	34.69	12.70	29.89	0.00	291	171	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																									
1	5745.00	103.89	-----	-----	86.39	34.69	12.70	29.89	0.00	291	171	AVERAGE																																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																									
1	5745.00	103.89	-----	-----	86.39	34.69	12.70	29.89	0.00	291	171	AVERAGE																																																																																																																																							






		33																																																																																																																																						
Mode		Harmonic																																																																																																																																						
		U-NII-3_5.725-5.85_802.11n HT20_CH149_Full_5745MHz																																																																																																																																						
Pol.		Horizontal						Vertical																																																																																																																																
Peak Avg																																																																																																																																								
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>47.37</td><td>74.00</td><td>-26.63</td><td>54.89</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>37.42</td><td>54.00</td><td>-16.58</td><td>44.91</td><td>38.00</td><td>18.59</td><td>64.08</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	47.37	74.00	-26.63	54.89	38.00	18.58	64.10	0.00	100	0	PEAK	2	11490.00	37.42	54.00	-16.58	44.91	38.00	18.59	64.08	0.00	100	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>47.81</td><td>74.00</td><td>-26.19</td><td>55.33</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>37.33</td><td>54.00</td><td>-16.67</td><td>44.83</td><td>38.00</td><td>18.58</td><td>64.08</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	47.81	74.00	-26.19	55.33	38.00	18.58	64.10	0.00	300	0	PEAK	2	11490.00	37.33	54.00	-16.67	44.83	38.00	18.58	64.08	0.00	300	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	11490.00	47.37	74.00	-26.63	54.89	38.00	18.58	64.10	0.00	100	0	PEAK																																																																																																																												
2	11490.00	37.42	54.00	-16.58	44.91	38.00	18.59	64.08	0.00	100	0	AVERAGE																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	11490.00	47.81	74.00	-26.19	55.33	38.00	18.58	64.10	0.00	300	0	PEAK																																																																																																																												
2	11490.00	37.33	54.00	-16.67	44.83	38.00	18.58	64.08	0.00	300	0	AVERAGE																																																																																																																												






Mode	34																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11n HT20_CH157_Full_5785MHz																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>47.81</td><td>74.00</td><td>-26.19</td><td>55.19</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>37.21</td><td>54.00</td><td>-16.79</td><td>44.57</td><td>38.08</td><td>18.66</td><td>64.10</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	47.81	74.00	-26.19	55.19	38.07	18.65	64.10	0.00	100	0	PEAK	2	11570.00	37.21	54.00	-16.79	44.57	38.08	18.66	64.10	0.00	100	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>47.84</td><td>74.00</td><td>-26.16</td><td>55.22</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>37.20</td><td>54.00</td><td>-16.80</td><td>44.56</td><td>38.08</td><td>18.66</td><td>64.10</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	47.84	74.00	-26.16	55.22	38.07	18.65	64.10	0.00	300	0	PEAK	2	11570.00	37.20	54.00	-16.80	44.56	38.08	18.66	64.10	0.00	300	0	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11570.00	47.81	74.00	-26.19	55.19	38.07	18.65	64.10	0.00	100	0	PEAK																																																																																																																		
2	11570.00	37.21	54.00	-16.79	44.57	38.08	18.66	64.10	0.00	100	0	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11570.00	47.84	74.00	-26.16	55.22	38.07	18.65	64.10	0.00	300	0	PEAK																																																																																																																		
2	11570.00	37.20	54.00	-16.80	44.56	38.08	18.66	64.10	0.00	300	0	AVERAGE																																																																																																																		





		35																																																																																																																																																						
Mode		Band Edge																																																																																																																																																						
		U-NII-3_5.725-5.85_802.11n HT20_CH165_Full_5825MHz																																																																																																																																																						
Pol.	Horizontal											Fundamental																																																																																																																																												
Peak																																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>55.23</td><td>111.36</td><td>-56.13</td><td>37.36</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>290</td><td>294</td><td>PEAK</td></tr><tr><td>2</td><td>5869.60</td><td>56.79</td><td>106.81</td><td>-50.02</td><td>38.81</td><td>34.92</td><td>12.89</td><td>29.83</td><td>0.00</td><td>290</td><td>294</td><td>PEAK</td></tr><tr><td>3</td><td>5922.00</td><td>56.50</td><td>69.83</td><td>-13.33</td><td>38.27</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>290</td><td>294</td><td>PEAK</td></tr><tr><td>4</td><td>5926.40</td><td>58.17</td><td>68.20</td><td>-10.03</td><td>39.94</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>290</td><td>294</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	55.23	111.36	-56.13	37.36	34.83	12.86	29.82	0.00	290	294	PEAK	2	5869.60	56.79	106.81	-50.02	38.81	34.92	12.89	29.83	0.00	290	294	PEAK	3	5922.00	56.50	69.83	-13.33	38.27	35.10	12.98	29.85	0.00	290	294	PEAK	4	5926.40	58.17	68.20	-10.03	39.94	35.10	12.98	29.85	0.00	290	294	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>106.12</td><td>-----</td><td>-----</td><td>88.29</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>290</td><td>294</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	106.12	-----	-----	88.29	34.80	12.81	29.78	0.00	290	294
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	5854.00	55.23	111.36	-56.13	37.36	34.83	12.86	29.82	0.00	290	294	PEAK																																																																																																																																												
2	5869.60	56.79	106.81	-50.02	38.81	34.92	12.89	29.83	0.00	290	294	PEAK																																																																																																																																												
3	5922.00	56.50	69.83	-13.33	38.27	35.10	12.98	29.85	0.00	290	294	PEAK																																																																																																																																												
4	5926.40	58.17	68.20	-10.03	39.94	35.10	12.98	29.85	0.00	290	294	PEAK																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	5825.00	106.12	-----	-----	88.29	34.80	12.81	29.78	0.00	290	294	PEAK																																																																																																																																												
Avg	Blank																																																																																																																																																							
												<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>97.66</td><td>-----</td><td>-----</td><td>79.83</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>290</td><td>294</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	97.66	-----	-----	79.83	34.80	12.81	29.78	0.00	290	294	AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	5825.00	97.66	-----	-----	79.83	34.80	12.81	29.78	0.00	290	294	AVERAGE																																																																																																																																												






		35																																																																																													
Mode	Band Edge																																																																																														
	U-NII-3_5.725-5.85_802.11n HT20_CH165_Full_5825MHz																																																																																														
Pol.	Vertical																																																																																														
Peak																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>60.14</td><td>112.27</td><td>-52.13</td><td>42.27</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>300</td><td>176</td><td>PEAK</td></tr><tr><td>2</td><td>5873.20</td><td>57.68</td><td>105.80</td><td>-48.12</td><td>39.69</td><td>34.94</td><td>12.89</td><td>29.84</td><td>0.00</td><td>300</td><td>176</td><td>PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>54.63</td><td>69.53</td><td>-14.90</td><td>36.40</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>300</td><td>176</td><td>PEAK</td></tr><tr><td>4</td><td>5955.60</td><td>57.83</td><td>68.20</td><td>-10.37</td><td>39.53</td><td>35.10</td><td>13.03</td><td>29.83</td><td>0.00</td><td>300</td><td>176</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	60.14	112.27	-52.13	42.27	34.83	12.86	29.82	0.00	300	176	PEAK	2	5873.20	57.68	105.80	-48.12	39.69	34.94	12.89	29.84	0.00	300	176	PEAK	3	5923.20	54.63	69.53	-14.90	36.40	35.10	12.98	29.85	0.00	300	176	PEAK	4	5955.60	57.83	68.20	-10.37	39.53	35.10	13.03	29.83	0.00	300	176
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.40	60.14	112.27	-52.13	42.27	34.83	12.86	29.82	0.00	300	176	PEAK																																																																																			
2	5873.20	57.68	105.80	-48.12	39.69	34.94	12.89	29.84	0.00	300	176	PEAK																																																																																			
3	5923.20	54.63	69.53	-14.90	36.40	35.10	12.98	29.85	0.00	300	176	PEAK																																																																																			
4	5955.60	57.83	68.20	-10.37	39.53	35.10	13.03	29.83	0.00	300	176	PEAK																																																																																			
																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>112.91</td><td>-----</td><td>-----</td><td>95.08</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>300</td><td>176</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	112.91	-----	-----	95.08	34.80	12.81	29.78	0.00	300	176	PEAK																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5825.00	112.91	-----	-----	95.08	34.80	12.81	29.78	0.00	300	176	PEAK																																																																																			
Avg	Blank																																																																																														
																																																																																															
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>104.20</td><td>-----</td><td>-----</td><td>86.37</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>300</td><td>176</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	104.20	-----	-----	86.37	34.80	12.81	29.78	0.00	300	176	AVERAGE																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5825.00	104.20	-----	-----	86.37	34.80	12.81	29.78	0.00	300	176	AVERAGE																																																																																			




Mode	35																																																																																																				
	Harmonic																																																																																																				
	U-NII-3_5.725-5.85_802.11n HT20_CH165_Full_5825MHz																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.96</td><td>74.00</td><td>-27.04</td><td>54.18</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.89</td><td>74.00</td><td>-27.11</td><td>54.11</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	46.96	74.00	-27.04	54.18	38.20	18.72	64.14	0.00	--	--	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	46.89	74.00	-27.11	54.11	38.20	18.72	64.14	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	11650.00	46.96	74.00	-27.04	54.18	38.20	18.72	64.14	0.00	--	--	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	11650.00	46.89	74.00	-27.11	54.11	38.20	18.72	64.14	0.00	--	--	PEAK																																																																																									






		36																																																																																																																																										
Mode	Band Edge - L																																																																																																																																											
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																																																																											
Pol.	Horizontal											Fundamental																																																																																																																																
Peak																																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5620.62</td><td>56.64</td><td>68.20</td><td>-11.56</td><td>39.34</td><td>34.54</td><td>12.55</td><td>29.79</td><td>0.00</td><td>307</td><td>295</td><td>PEAK</td></tr><tr><td>2</td><td>5650.22</td><td>55.78</td><td>68.36</td><td>-12.58</td><td>38.47</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>307</td><td>295</td><td>PEAK</td></tr><tr><td>3</td><td>5710.21</td><td>70.29</td><td>108.16</td><td>-37.87</td><td>52.98</td><td>34.62</td><td>12.66</td><td>29.97</td><td>0.00</td><td>307</td><td>295</td><td>PEAK</td></tr><tr><td>4</td><td>5720.28</td><td>71.66</td><td>111.54</td><td>-39.88</td><td>54.30</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>307</td><td>295</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5620.62	56.64	68.20	-11.56	39.34	34.54	12.55	29.79	0.00	307	295	PEAK	2	5650.22	55.78	68.36	-12.58	38.47	34.60	12.58	29.87	0.00	307	295	PEAK	3	5710.21	70.29	108.16	-37.87	52.98	34.62	12.66	29.97	0.00	307	295	PEAK	4	5720.28	71.66	111.54	-39.88	54.30	34.64	12.67	29.95	0.00	307	295	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>101.31</td><td>-----</td><td>-----</td><td>83.72</td><td>34.72</td><td>12.72</td><td>29.85</td><td>0.00</td><td>307</td><td>295</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	101.31	-----	-----	83.72	34.72	12.72	29.85	0.00	307	295
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																		
1	5620.62	56.64	68.20	-11.56	39.34	34.54	12.55	29.79	0.00	307	295	PEAK																																																																																																																																
2	5650.22	55.78	68.36	-12.58	38.47	34.60	12.58	29.87	0.00	307	295	PEAK																																																																																																																																
3	5710.21	70.29	108.16	-37.87	52.98	34.62	12.66	29.97	0.00	307	295	PEAK																																																																																																																																
4	5720.28	71.66	111.54	-39.88	54.30	34.64	12.67	29.95	0.00	307	295	PEAK																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5755.00	101.31	-----	-----	83.72	34.72	12.72	29.85	0.00	307	295	PEAK																																																																																																																																
Avg	Blank																																																																																																																																											
													<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>93.84</td><td>-----</td><td>-----</td><td>76.30</td><td>34.70</td><td>12.71</td><td>29.87</td><td>0.00</td><td>307</td><td>295</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	93.84	-----	-----	76.30	34.70	12.71	29.87	0.00	307	295	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5755.00	93.84	-----	-----	76.30	34.70	12.71	29.87	0.00	307	295	AVERAGE																																																																																																																																



Mode	36																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.26</td><td>56.76</td><td>112.60</td><td>-55.84</td><td>38.89</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>307</td><td>295</td><td>PEAK</td></tr><tr><td>2</td><td>5869.66</td><td>56.08</td><td>106.79</td><td>-50.71</td><td>38.10</td><td>34.92</td><td>12.89</td><td>29.83</td><td>0.00</td><td>307</td><td>295</td><td>PEAK</td></tr><tr><td>3</td><td>5924.65</td><td>55.72</td><td>68.46</td><td>-12.74</td><td>37.49</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>307</td><td>295</td><td>PEAK</td></tr><tr><td>4</td><td>5943.18</td><td>57.19</td><td>68.20</td><td>-11.01</td><td>38.92</td><td>35.10</td><td>13.01</td><td>29.84</td><td>0.00</td><td>307</td><td>295</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.26	56.76	112.60	-55.84	38.89	34.83	12.86	29.82	0.00	307	295	PEAK	2	5869.66	56.08	106.79	-50.71	38.10	34.92	12.89	29.83	0.00	307	295	PEAK	3	5924.65	55.72	68.46	-12.74	37.49	35.10	12.98	29.85	0.00	307	295	PEAK	4	5943.18	57.19	68.20	-11.01	38.92	35.10	13.01	29.84	0.00	307	295	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5854.26	56.76	112.60	-55.84	38.89	34.83	12.86	29.82	0.00	307	295	PEAK																																																																																		
2	5869.66	56.08	106.79	-50.71	38.10	34.92	12.89	29.83	0.00	307	295	PEAK																																																																																		
3	5924.65	55.72	68.46	-12.74	37.49	35.10	12.98	29.85	0.00	307	295	PEAK																																																																																		
4	5943.18	57.19	68.20	-11.01	38.92	35.10	13.01	29.84	0.00	307	295	PEAK																																																																																		





		36																																																																																													
Mode	Band Edge - L																																																																																														
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																														
Pol.	Vertical																																																																																														
Peak																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5644.64</td><td>57.25</td><td>68.20</td><td>-10.95</td><td>39.93</td><td>34.59</td><td>12.58</td><td>29.85</td><td>0.00</td><td>300</td><td>176</td><td>PEAK</td></tr><tr><td>2</td><td>5650.38</td><td>56.63</td><td>68.48</td><td>-11.85</td><td>39.32</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>300</td><td>176</td><td>PEAK</td></tr><tr><td>3</td><td>5716.41</td><td>77.88</td><td>109.89</td><td>-32.01</td><td>60.54</td><td>34.63</td><td>12.67</td><td>29.96</td><td>0.00</td><td>300</td><td>176</td><td>PEAK</td></tr><tr><td>4</td><td>5720.28</td><td>78.94</td><td>111.54</td><td>-32.60</td><td>61.58</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>300</td><td>176</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5644.64	57.25	68.20	-10.95	39.93	34.59	12.58	29.85	0.00	300	176	PEAK	2	5650.38	56.63	68.48	-11.85	39.32	34.60	12.58	29.87	0.00	300	176	PEAK	3	5716.41	77.88	109.89	-32.01	60.54	34.63	12.67	29.96	0.00	300	176	PEAK	4	5720.28	78.94	111.54	-32.60	61.58	34.64	12.67	29.95	0.00	300	176
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5644.64	57.25	68.20	-10.95	39.93	34.59	12.58	29.85	0.00	300	176	PEAK																																																																																			
2	5650.38	56.63	68.48	-11.85	39.32	34.60	12.58	29.87	0.00	300	176	PEAK																																																																																			
3	5716.41	77.88	109.89	-32.01	60.54	34.63	12.67	29.96	0.00	300	176	PEAK																																																																																			
4	5720.28	78.94	111.54	-32.60	61.58	34.64	12.67	29.95	0.00	300	176	PEAK																																																																																			
Fundamental																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>109.46</td><td>-----</td><td>-----</td><td>91.87</td><td>34.72</td><td>12.72</td><td>29.85</td><td>0.00</td><td>300</td><td>176</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	109.46	-----	-----	91.87	34.72	12.72	29.85	0.00	300	176	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5755.00	109.46	-----	-----	91.87	34.72	12.72	29.85	0.00	300	176	PEAK																																																																																			
Avg	Blank																																																																																														
																																																																																															
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>100.30</td><td>-----</td><td>-----</td><td>82.76</td><td>34.70</td><td>12.71</td><td>29.87</td><td>0.00</td><td>300</td><td>176</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	100.30	-----	-----	82.76	34.70	12.71	29.87	0.00	300	176	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5755.00	100.30	-----	-----	82.76	34.70	12.71	29.87	0.00	300	176	AVERAGE																																																																																			






Mode	36																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>56.56</td><td>111.26</td><td>-54.70</td><td>38.69</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>300</td><td>176</td><td>PEAK</td></tr><tr><td>2</td><td>5872.78</td><td>57.42</td><td>105.92</td><td>-48.50</td><td>39.43</td><td>34.94</td><td>12.89</td><td>29.84</td><td>0.00</td><td>300</td><td>176</td><td>PEAK</td></tr><tr><td>3</td><td>5924.46</td><td>55.43</td><td>68.60</td><td>-13.17</td><td>37.20</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>300</td><td>176</td><td>PEAK</td></tr><tr><td>4</td><td>5943.37</td><td>56.55</td><td>68.20</td><td>-11.65</td><td>38.28</td><td>35.10</td><td>13.01</td><td>29.84</td><td>0.00</td><td>300</td><td>176</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.84	56.56	111.26	-54.70	38.69	34.83	12.86	29.82	0.00	300	176	PEAK	2	5872.78	57.42	105.92	-48.50	39.43	34.94	12.89	29.84	0.00	300	176	PEAK	3	5924.46	55.43	68.60	-13.17	37.20	35.10	12.98	29.85	0.00	300	176	PEAK	4	5943.37	56.55	68.20	-11.65	38.28	35.10	13.01	29.84	0.00	300	176	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.84	56.56	111.26	-54.70	38.69	34.83	12.86	29.82	0.00	300	176	PEAK																																																																									
2	5872.78	57.42	105.92	-48.50	39.43	34.94	12.89	29.84	0.00	300	176	PEAK																																																																									
3	5924.46	55.43	68.60	-13.17	37.20	35.10	12.98	29.85	0.00	300	176	PEAK																																																																									
4	5943.37	56.55	68.20	-11.65	38.28	35.10	13.01	29.84	0.00	300	176	PEAK																																																																									




Mode	36																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>47.35</td><td>74.00</td><td>-26.65</td><td>54.81</td><td>38.01</td><td>18.60</td><td>64.07</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>37.35</td><td>54.00</td><td>-16.65</td><td>44.83</td><td>38.00</td><td>18.59</td><td>64.07</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	47.35	74.00	-26.65	54.81	38.01	18.60	64.07	0.00	100	0	PEAK	2	11510.00	37.35	54.00	-16.65	44.83	38.00	18.59	64.07	0.00	100	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>54.99</td><td>38.01</td><td>18.60</td><td>64.07</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>37.32</td><td>54.00</td><td>-16.68</td><td>44.81</td><td>38.00</td><td>18.59</td><td>64.00</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	47.53	74.00	-26.47	54.99	38.01	18.60	64.07	0.00	300	0	PEAK	2	11510.00	37.32	54.00	-16.68	44.81	38.00	18.59	64.00	0.00	300	0	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11510.00	47.35	74.00	-26.65	54.81	38.01	18.60	64.07	0.00	100	0	PEAK																																																																																																																		
2	11510.00	37.35	54.00	-16.65	44.83	38.00	18.59	64.07	0.00	100	0	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11510.00	47.53	74.00	-26.47	54.99	38.01	18.60	64.07	0.00	300	0	PEAK																																																																																																																		
2	11510.00	37.32	54.00	-16.68	44.81	38.00	18.59	64.00	0.00	300	0	AVERAGE																																																																																																																		






		37																																																																																																																																																								
Mode	Band Edge - L																																																																																																																																																									
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																																																																																																									
Pol.	Horizontal																																																																																																																																																									
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue measured signal. Four peaks are marked with vertical lines and numbered 1 to 4. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5615.20</td><td>55.65</td><td>68.20</td><td>-12.55</td><td>38.35</td><td>34.53</td><td>12.54</td><td>29.77</td><td>0.00</td><td>289</td><td>296</td><td>PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>54.54</td><td>69.09</td><td>-14.55</td><td>37.23</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>289</td><td>296</td><td>PEAK</td></tr><tr><td>3</td><td>5700.40</td><td>56.53</td><td>105.41</td><td>-48.88</td><td>39.28</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>289</td><td>296</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>55.49</td><td>110.90</td><td>-55.41</td><td>38.13</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>289</td><td>296</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5615.20	55.65	68.20	-12.55	38.35	34.53	12.54	29.77	0.00	289	296	PEAK	2	5651.20	54.54	69.09	-14.55	37.23	34.60	12.58	29.87	0.00	289	296	PEAK	3	5700.40	56.53	105.41	-48.88	39.28	34.60	12.65	30.00	0.00	289	296	PEAK	4	5720.00	55.49	110.90	-55.41	38.13	34.64	12.67	29.95	0.00	289	296	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is marked with a vertical line and labeled 1. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>101.70</td><td>-----</td><td>-----</td><td>83.88</td><td>34.80</td><td>12.77</td><td>29.75</td><td>0.00</td><td>289</td><td>296</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5795.00	101.70	-----	-----	83.88	34.80	12.77	29.75	0.00	289	296	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																		
1	5615.20	55.65	68.20	-12.55	38.35	34.53	12.54	29.77	0.00	289	296	PEAK																																																																																																																																														
2	5651.20	54.54	69.09	-14.55	37.23	34.60	12.58	29.87	0.00	289	296	PEAK																																																																																																																																														
3	5700.40	56.53	105.41	-48.88	39.28	34.60	12.65	30.00	0.00	289	296	PEAK																																																																																																																																														
4	5720.00	55.49	110.90	-55.41	38.13	34.64	12.67	29.95	0.00	289	296	PEAK																																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																															
1	5795.00	101.70	-----	-----	83.88	34.80	12.77	29.75	0.00	289	296	PEAK																																																																																																																																														
Avg	Blank											 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is marked with a vertical line and labeled 1. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>93.55</td><td>-----</td><td>-----</td><td>75.76</td><td>34.79</td><td>12.76</td><td>29.76</td><td>0.00</td><td>289</td><td>296</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5795.00	93.55	-----	-----	75.76	34.79	12.76	29.76	0.00	289	296	AVERAGE																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																															
1	5795.00	93.55	-----	-----	75.76	34.79	12.76	29.76	0.00	289	296	AVERAGE																																																																																																																																														




Mode	37																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>58.34</td><td>112.27</td><td>-53.93</td><td>40.47</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>289</td><td>296</td><td>PEAK</td></tr><tr><td>2</td><td>5864.80</td><td>59.03</td><td>108.15</td><td>-49.12</td><td>41.09</td><td>34.09</td><td>12.88</td><td>29.83</td><td>0.00</td><td>289</td><td>296</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>53.43</td><td>68.35</td><td>-14.92</td><td>35.20</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>289</td><td>296</td><td>PEAK</td></tr><tr><td>4</td><td>5990.00</td><td>56.71</td><td>68.20</td><td>-11.49</td><td>38.32</td><td>35.10</td><td>13.09</td><td>29.80</td><td>0.00</td><td>289</td><td>296</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	58.34	112.27	-53.93	40.47	34.83	12.86	29.82	0.00	289	296	PEAK	2	5864.80	59.03	108.15	-49.12	41.09	34.09	12.88	29.83	0.00	289	296	PEAK	3	5924.80	53.43	68.35	-14.92	35.20	35.10	12.98	29.85	0.00	289	296	PEAK	4	5990.00	56.71	68.20	-11.49	38.32	35.10	13.09	29.80	0.00	289	296	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.40	58.34	112.27	-53.93	40.47	34.83	12.86	29.82	0.00	289	296	PEAK																																																																									
2	5864.80	59.03	108.15	-49.12	41.09	34.09	12.88	29.83	0.00	289	296	PEAK																																																																									
3	5924.80	53.43	68.35	-14.92	35.20	35.10	12.98	29.85	0.00	289	296	PEAK																																																																									
4	5990.00	56.71	68.20	-11.49	38.32	35.10	13.09	29.80	0.00	289	296	PEAK																																																																									





Mode	37																																																																																							
	Band Edge - L																																																																																							
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																																							
Pol.	Vertical																																																																																							
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5608.00</td><td>56.56</td><td>68.20</td><td>-11.64</td><td>39.26</td><td>34.52</td><td>12.53</td><td>29.75</td><td>0.00</td><td>298 183 PEAK</td></tr><tr><td>2</td><td>5654.40</td><td>56.40</td><td>71.48</td><td>-15.08</td><td>39.09</td><td>34.60</td><td>12.59</td><td>29.88</td><td>0.00</td><td>298 183 PEAK</td></tr><tr><td>3</td><td>5712.00</td><td>58.54</td><td>108.66</td><td>-50.12</td><td>41.23</td><td>34.62</td><td>12.66</td><td>29.97</td><td>0.00</td><td>298 183 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>59.12</td><td>110.90</td><td>-51.78</td><td>41.76</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>298 183 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5608.00	56.56	68.20	-11.64	39.26	34.52	12.53	29.75	0.00	298 183 PEAK	2	5654.40	56.40	71.48	-15.08	39.09	34.60	12.59	29.88	0.00	298 183 PEAK	3	5712.00	58.54	108.66	-50.12	41.23	34.62	12.66	29.97	0.00	298 183 PEAK	4	5720.00	59.12	110.90	-51.78	41.76	34.64	12.67	29.95	0.00	298 183 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5608.00	56.56	68.20	-11.64	39.26	34.52	12.53	29.75	0.00	298 183 PEAK																																																																														
2	5654.40	56.40	71.48	-15.08	39.09	34.60	12.59	29.88	0.00	298 183 PEAK																																																																														
3	5712.00	58.54	108.66	-50.12	41.23	34.62	12.66	29.97	0.00	298 183 PEAK																																																																														
4	5720.00	59.12	110.90	-51.78	41.76	34.64	12.67	29.95	0.00	298 183 PEAK																																																																														
Fundamental																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>108.65</td><td>-----</td><td>-----</td><td>90.86</td><td>34.79</td><td>12.76</td><td>29.76</td><td>0.00</td><td>298 183 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	108.65	-----	-----	90.86	34.79	12.76	29.76	0.00	298 183 PEAK																																
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	5795.00	108.65	-----	-----	90.86	34.79	12.76	29.76	0.00	298 183 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>100.69</td><td>-----</td><td>-----</td><td>82.90</td><td>34.79</td><td>12.76</td><td>29.76</td><td>0.00</td><td>298 183 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	100.69	-----	-----	82.90	34.79	12.76	29.76	0.00	298 183 AVERAGE																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	5795.00	100.69	-----	-----	82.90	34.79	12.76	29.76	0.00	298 183 AVERAGE																																																																														






Mode	37																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																																													
Pol.	Vertical																																																																																													
Peak																																																																																														
	Blank																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.80</td><td>59.93</td><td>111.36</td><td>-51.43</td><td>42.06</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>298</td><td>183</td><td>PEAK</td></tr><tr><td>2</td><td>5868.40</td><td>62.24</td><td>109.39</td><td>-47.15</td><td>44.33</td><td>34.86</td><td>12.87</td><td>29.82</td><td>0.00</td><td>298</td><td>183</td><td>PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>55.89</td><td>68.53</td><td>-13.64</td><td>37.66</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>298</td><td>183</td><td>PEAK</td></tr><tr><td>4</td><td>5955.60</td><td>57.47</td><td>68.20</td><td>-10.73</td><td>39.17</td><td>35.10</td><td>13.03</td><td>29.83</td><td>0.00</td><td>298</td><td>183</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	59.93	111.36	-51.43	42.06	34.83	12.86	29.82	0.00	298	183	PEAK	2	5868.40	62.24	109.39	-47.15	44.33	34.86	12.87	29.82	0.00	298	183	PEAK	3	5923.20	55.89	68.53	-13.64	37.66	35.10	12.98	29.85	0.00	298	183	PEAK	4	5955.60	57.47	68.20	-10.73	39.17	35.10	13.03	29.83	0.00	298	183	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5854.80	59.93	111.36	-51.43	42.06	34.83	12.86	29.82	0.00	298	183	PEAK																																																																																		
2	5868.40	62.24	109.39	-47.15	44.33	34.86	12.87	29.82	0.00	298	183	PEAK																																																																																		
3	5923.20	55.89	68.53	-13.64	37.66	35.10	12.98	29.85	0.00	298	183	PEAK																																																																																		
4	5955.60	57.47	68.20	-10.73	39.17	35.10	13.03	29.83	0.00	298	183	PEAK																																																																																		



Mode	37																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																		
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>48.04</td><td>74.00</td><td>-25.96</td><td>55.39</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>37.33</td><td>54.00</td><td>-16.67</td><td>44.68</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	48.04	74.00	-25.96	55.39	38.09	18.67	64.11	0.00	100	0	PEAK	2	11590.00	37.33	54.00	-16.67	44.68	38.09	18.67	64.11	0.00	100	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>47.56</td><td>74.00</td><td>-26.44</td><td>54.91</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>304</td><td>161</td><td>PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>37.46</td><td>54.00</td><td>-16.54</td><td>44.81</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>304</td><td>161</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	47.56	74.00	-26.44	54.91	38.09	18.67	64.11	0.00	304	161	PEAK	2	11590.00	37.46	54.00	-16.54	44.81	38.09	18.67	64.11	0.00	304	161	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	11590.00	48.04	74.00	-25.96	55.39	38.09	18.67	64.11	0.00	100	0	PEAK																																																																																																								
2	11590.00	37.33	54.00	-16.67	44.68	38.09	18.67	64.11	0.00	100	0	AVERAGE																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	11590.00	47.56	74.00	-26.44	54.91	38.09	18.67	64.11	0.00	304	161	PEAK																																																																																																								
2	11590.00	37.46	54.00	-16.54	44.81	38.09	18.67	64.11	0.00	304	161	AVERAGE																																																																																																								






		38																																																																																																																																
Mode		Band Edge - L																																																																																																																																
		U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																																																																
Pol.	Horizontal											Fundamental																																																																																																																						
Peak																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5640.40</td><td>56.27</td><td>68.20</td><td>-11.93</td><td>38.96</td><td>34.58</td><td>12.57</td><td>29.84</td><td>0.00</td><td>300</td><td>291</td><td>PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>54.32</td><td>69.39</td><td>-15.07</td><td>37.01</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>300</td><td>291</td><td>PEAK</td></tr><tr><td>3</td><td>5706.00</td><td>67.32</td><td>106.98</td><td>-39.66</td><td>50.05</td><td>34.61</td><td>12.65</td><td>29.99</td><td>0.00</td><td>300</td><td>291</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>68.83</td><td>110.90</td><td>-42.07</td><td>51.47</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>300</td><td>291</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5640.40	56.27	68.20	-11.93	38.96	34.58	12.57	29.84	0.00	300	291	PEAK	2	5651.60	54.32	69.39	-15.07	37.01	34.60	12.58	29.87	0.00	300	291	PEAK	3	5706.00	67.32	106.98	-39.66	50.05	34.61	12.65	29.99	0.00	300	291	PEAK	4	5720.00	68.83	110.90	-42.07	51.47	34.64	12.67	29.95	0.00	300	291	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>97.19</td><td>-----</td><td>-----</td><td>79.55</td><td>34.74</td><td>12.73</td><td>29.83</td><td>0.00</td><td>300</td><td>291</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5775.00	97.19	-----	-----	79.55	34.74	12.73	29.83	0.00	300	291
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																								
1	5640.40	56.27	68.20	-11.93	38.96	34.58	12.57	29.84	0.00	300	291	PEAK																																																																																																																						
2	5651.60	54.32	69.39	-15.07	37.01	34.60	12.58	29.87	0.00	300	291	PEAK																																																																																																																						
3	5706.00	67.32	106.98	-39.66	50.05	34.61	12.65	29.99	0.00	300	291	PEAK																																																																																																																						
4	5720.00	68.83	110.90	-42.07	51.47	34.64	12.67	29.95	0.00	300	291	PEAK																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																								
1	5775.00	97.19	-----	-----	79.55	34.74	12.73	29.83	0.00	300	291	PEAK																																																																																																																						
Avg	Blank																																																																																																																																	
												<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>88.81</td><td>-----</td><td>-----</td><td>71.17</td><td>34.74</td><td>12.73</td><td>29.83</td><td>0.00</td><td>300</td><td>291</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5775.00	88.81	-----	-----	71.17	34.74	12.73	29.83	0.00	300	291	AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																								
1	5775.00	88.81	-----	-----	71.17	34.74	12.73	29.83	0.00	300	291	AVERAGE																																																																																																																						




Mode	38																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>63.52</td><td>112.27</td><td>-48.75</td><td>45.65</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>300</td><td>291</td><td>PEAK</td></tr><tr><td>2</td><td>5867.20</td><td>61.46</td><td>107.48</td><td>-46.02</td><td>43.51</td><td>34.90</td><td>12.88</td><td>29.83</td><td>0.00</td><td>300</td><td>291</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>54.96</td><td>68.64</td><td>-13.68</td><td>36.73</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>300</td><td>291</td><td>PEAK</td></tr><tr><td>4</td><td>5933.60</td><td>57.75</td><td>68.20</td><td>-10.45</td><td>39.49</td><td>35.10</td><td>13.00</td><td>29.84</td><td>0.00</td><td>300</td><td>291</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	63.52	112.27	-48.75	45.65	34.83	12.86	29.82	0.00	300	291	PEAK	2	5867.20	61.46	107.48	-46.02	43.51	34.90	12.88	29.83	0.00	300	291	PEAK	3	5924.40	54.96	68.64	-13.68	36.73	35.10	12.98	29.85	0.00	300	291	PEAK	4	5933.60	57.75	68.20	-10.45	39.49	35.10	13.00	29.84	0.00	300	291	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.40	63.52	112.27	-48.75	45.65	34.83	12.86	29.82	0.00	300	291	PEAK																																																																									
2	5867.20	61.46	107.48	-46.02	43.51	34.90	12.88	29.83	0.00	300	291	PEAK																																																																									
3	5924.40	54.96	68.64	-13.68	36.73	35.10	12.98	29.85	0.00	300	291	PEAK																																																																									
4	5933.60	57.75	68.20	-10.45	39.49	35.10	13.00	29.84	0.00	300	291	PEAK																																																																									






		38																																																																										
Mode	Band Edge - L																																																																											
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																											
Pol.	Vertical																																																																											
Peak																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5627.20</td><td>57.81</td><td>68.20</td><td>-10.39</td><td>40.51</td><td>34.55</td><td>12.55</td><td>29.80</td><td>0.00</td><td>274 183 PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>55.91</td><td>69.39</td><td>-13.48</td><td>38.60</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>274 183 PEAK</td></tr><tr><td>3</td><td>5713.60</td><td>74.96</td><td>109.11</td><td>-34.15</td><td>57.64</td><td>34.63</td><td>12.66</td><td>29.97</td><td>0.00</td><td>274 183 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>72.01</td><td>110.90</td><td>-38.89</td><td>54.65</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>274 183 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5627.20	57.81	68.20	-10.39	40.51	34.55	12.55	29.80	0.00	274 183 PEAK	2	5651.60	55.91	69.39	-13.48	38.60	34.60	12.58	29.87	0.00	274 183 PEAK	3	5713.60	74.96	109.11	-34.15	57.64	34.63	12.66	29.97	0.00	274 183 PEAK	4	5720.00	72.01	110.90	-38.89	54.65	34.64	12.67	29.95	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																		
1	5627.20	57.81	68.20	-10.39	40.51	34.55	12.55	29.80	0.00	274 183 PEAK																																																																		
2	5651.60	55.91	69.39	-13.48	38.60	34.60	12.58	29.87	0.00	274 183 PEAK																																																																		
3	5713.60	74.96	109.11	-34.15	57.64	34.63	12.66	29.97	0.00	274 183 PEAK																																																																		
4	5720.00	72.01	110.90	-38.89	54.65	34.64	12.67	29.95	0.00	274 183 PEAK																																																																		
Fundamental																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>103.74</td><td>-----</td><td>-----</td><td>86.10</td><td>34.74</td><td>12.73</td><td>29.83</td><td>0.00</td><td>274 183 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5775.00	103.74	-----	-----	86.10	34.74	12.73	29.83	0.00	274 183 PEAK																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																		
1	5775.00	103.74	-----	-----	86.10	34.74	12.73	29.83	0.00	274 183 PEAK																																																																		
Avg	Blank																																																																											
																																																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>95.75</td><td>-----</td><td>-----</td><td>78.11</td><td>34.74</td><td>12.73</td><td>29.83</td><td>0.00</td><td>274 183 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5775.00	95.75	-----	-----	78.11	34.74	12.73	29.83	0.00	274 183 AVERAGE																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																		
1	5775.00	95.75	-----	-----	78.11	34.74	12.73	29.83	0.00	274 183 AVERAGE																																																																		





Mode	38																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>68.02</td><td>112.27</td><td>-44.25</td><td>50.15</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>274</td><td>183</td><td>PEAK</td></tr><tr><td>2</td><td>5860.40</td><td>71.43</td><td>109.39</td><td>-37.96</td><td>53.52</td><td>34.06</td><td>12.87</td><td>29.82</td><td>0.00</td><td>274</td><td>183</td><td>PEAK</td></tr><tr><td>3</td><td>5922.80</td><td>58.21</td><td>69.83</td><td>-11.62</td><td>39.98</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>274</td><td>183</td><td>PEAK</td></tr><tr><td>4</td><td>5932.40</td><td>57.36</td><td>68.20</td><td>-10.84</td><td>39.10</td><td>35.10</td><td>13.00</td><td>29.84</td><td>0.00</td><td>274</td><td>183</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	68.02	112.27	-44.25	50.15	34.83	12.86	29.82	0.00	274	183	PEAK	2	5860.40	71.43	109.39	-37.96	53.52	34.06	12.87	29.82	0.00	274	183	PEAK	3	5922.80	58.21	69.83	-11.62	39.98	35.10	12.98	29.85	0.00	274	183	PEAK	4	5932.40	57.36	68.20	-10.84	39.10	35.10	13.00	29.84	0.00	274	183	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.40	68.02	112.27	-44.25	50.15	34.83	12.86	29.82	0.00	274	183	PEAK																																																																									
2	5860.40	71.43	109.39	-37.96	53.52	34.06	12.87	29.82	0.00	274	183	PEAK																																																																									
3	5922.80	58.21	69.83	-11.62	39.98	35.10	12.98	29.85	0.00	274	183	PEAK																																																																									
4	5932.40	57.36	68.20	-10.84	39.10	35.10	13.00	29.84	0.00	274	183	PEAK																																																																									



Mode	38																																																																																																
	Harmonic																																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>46.69</td><td>74.00</td><td>-27.31</td><td>54.10</td><td>38.05</td><td>18.63</td><td>64.09</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	46.69	74.00	-27.31	54.10	38.05	18.63	64.09	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>46.89</td><td>74.00</td><td>-27.11</td><td>54.30</td><td>38.05</td><td>18.63</td><td>64.09</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	46.89	74.00	-27.11	54.30	38.05	18.63	64.09	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11550.00	46.69	74.00	-27.31	54.10	38.05	18.63	64.09	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11550.00	46.89	74.00	-27.11	54.30	38.05	18.63	64.09	0.00	--	PEAK																																																																																						







		39																																																																																																																												
Mode		Harmonic																																																																																																																												
		U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																																																												
Pol.		Horizontal										Vertical																																																																																																																		
Peak Avg																																																																																																																														
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>47.10</td><td>74.00</td><td>-26.90</td><td>54.85</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>37.18</td><td>54.00</td><td>-16.82</td><td>44.88</td><td>38.00</td><td>18.55</td><td>64.25</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	47.10	74.00	-26.90	54.85	38.00	18.54	64.29	0.00	100	0	PEAK	2	11440.00	37.18	54.00	-16.82	44.88	38.00	18.55	64.25	0.00	100	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>47.49</td><td>74.00</td><td>-26.51</td><td>55.24</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>37.14</td><td>54.00</td><td>-16.86</td><td>44.84</td><td>38.00</td><td>18.55</td><td>64.25</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	47.49	74.00	-26.51	55.24	38.00	18.54	64.29	0.00	300	0	PEAK	2	11440.00	37.14	54.00	-16.86	44.84	38.00	18.55	64.25	0.00	300	0	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11440.00	47.10	74.00	-26.90	54.85	38.00	18.54	64.29	0.00	100	0	PEAK																																																																																																																		
2	11440.00	37.18	54.00	-16.82	44.88	38.00	18.55	64.25	0.00	100	0	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11440.00	47.49	74.00	-26.51	55.24	38.00	18.54	64.29	0.00	300	0	PEAK																																																																																																																		
2	11440.00	37.14	54.00	-16.86	44.84	38.00	18.55	64.25	0.00	300	0	AVERAGE																																																																																																																		



Mode	40																																																																																																					
	Harmonic																																																																																																					
	U-NII-2C_5.47-5.85_802.11n HT20_CH144_5720MHz																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>11440.00</td><td>47.39</td><td>74.00</td><td>-26.61</td><td>55.14</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td></tr><tr><td>2</td><td>11440.00</td><td>37.37</td><td>54.00</td><td>-16.63</td><td>45.07</td><td>38.00</td><td>18.55</td><td>64.25</td><td>0.00</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11440.00	47.39	74.00	-26.61	55.14	38.00	18.54	64.29	0.00	2	11440.00	37.37	54.00	-16.63	45.07	38.00	18.55	64.25	0.00	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>11440.00</td><td>47.87</td><td>74.00</td><td>-26.13</td><td>55.62</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td></tr><tr><td>2</td><td>11440.00</td><td>37.16</td><td>54.00</td><td>-16.84</td><td>44.86</td><td>38.00</td><td>18.55</td><td>64.25</td><td>0.00</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11440.00	47.87	74.00	-26.13	55.62	38.00	18.54	64.29	0.00	2	11440.00	37.16	54.00	-16.84	44.86	38.00	18.55	64.25	0.00
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																													
1	11440.00	47.39	74.00	-26.61	55.14	38.00	18.54	64.29	0.00																																																																																													
2	11440.00	37.37	54.00	-16.63	45.07	38.00	18.55	64.25	0.00																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																													
1	11440.00	47.87	74.00	-26.13	55.62	38.00	18.54	64.29	0.00																																																																																													
2	11440.00	37.16	54.00	-16.84	44.86	38.00	18.55	64.25	0.00																																																																																													



		41																																																																																																																																							
Mode		Harmonic																																																																																																																																							
		U-NII-2C_5.47-5.85_802.11n HT40_CH142_5710MHz																																																																																																																																							
Pol.		Horizontal											Vertical																																																																																																																												
Peak Avg																																																																																																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>47.45</td><td>74.00</td><td>-26.55</td><td>55.30</td><td>38.00</td><td>18.52</td><td>64.37</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>37.26</td><td>54.00</td><td>-16.74</td><td>45.12</td><td>38.00</td><td>18.52</td><td>64.38</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	47.45	74.00	-26.55	55.30	38.00	18.52	64.37	0.00	100	0	PEAK	2	11420.00	37.26	54.00	-16.74	45.12	38.00	18.52	64.38	0.00	100	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>47.16</td><td>74.00</td><td>-26.84</td><td>55.01</td><td>38.00</td><td>18.52</td><td>64.37</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>37.19</td><td>54.00</td><td>-16.81</td><td>45.04</td><td>38.00</td><td>18.52</td><td>64.37</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	47.16	74.00	-26.84	55.01	38.00	18.52	64.37	0.00	300	0	PEAK	2	11420.00	37.19	54.00	-16.81	45.04	38.00	18.52	64.37	0.00	300	0	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	11420.00	47.45	74.00	-26.55	55.30	38.00	18.52	64.37	0.00	100	0	PEAK																																																																																																																													
2	11420.00	37.26	54.00	-16.74	45.12	38.00	18.52	64.38	0.00	100	0	AVERAGE																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	11420.00	47.16	74.00	-26.84	55.01	38.00	18.52	64.37	0.00	300	0	PEAK																																																																																																																													
2	11420.00	37.19	54.00	-16.81	45.04	38.00	18.52	64.37	0.00	300	0	AVERAGE																																																																																																																													




		42																																																																
Mode		Harmonic																																																																
		U-NII-2C_5.47-5.85_802.11ac VHT80_CH138_5690MHz																																																																
Pol.		Horizontal																																																																
Peak Avg		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11380.00</td><td>46.73</td><td>74.00</td><td>-27.27</td><td>54.79</td><td>37.98</td><td>18.48</td><td>64.52</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11380.00	46.73	74.00	-27.27	54.79	37.98	18.48	64.52	0.00	--	--	PEAK												
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1 11380.00	46.73	74.00	-27.27	54.79	37.98	18.48	64.52	0.00	--	--	PEAK																																																							
		Vertical																																																																
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11380.00</td><td>47.40</td><td>74.00</td><td>-26.60</td><td>55.46</td><td>37.98</td><td>18.48</td><td>64.52</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>2 11380.00</td><td>37.14</td><td>54.00</td><td>-16.86</td><td>45.00</td><td>38.00</td><td>18.52</td><td>64.38</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11380.00	47.40	74.00	-26.60	55.46	37.98	18.48	64.52	0.00	300	0	PEAK	2 11380.00	37.14	54.00	-16.86	45.00	38.00	18.52	64.38	0.00	300	0	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1 11380.00	47.40	74.00	-26.60	55.46	37.98	18.48	64.52	0.00	300	0	PEAK																																																							
2 11380.00	37.14	54.00	-16.86	45.00	38.00	18.52	64.38	0.00	300	0	AVERAGE																																																							

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	97.92	2.044	0.490	0.51kHz
802.11n HT20	97.77	1.899	0.527	0.62kHz
802.11n HT40	96.30	0.942	1.062	1.1kHz
802.11ac VHT80	92.71	0.461	2.170	2.2kHz

802.11a






802.11n HT20



802.11n HT40



802.11ac VHT80

