


Appendix C:

Test Results of Radiated Spurious Emissions for PCB Antenna (ECC) Band Edges, 2.31GHz ~ 2.9GHz




250kbps

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2384.01	39.98	2.40	37.58	54.00	-14.02	105	213	Average	Horizontal		
2 *	2480.00	102.26	64.65	37.61	54.00	48.26	105	213	Average	Horizontal		
3 †	2483.50	50.53	12.93	37.60	54.00	-3.47	105	213	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2379.62	39.67	2.36	37.31	54.00	-14.33	104	177	Average	Vertical		
2 *	2480.00	97.86	60.15	37.71	54.00	43.86	104	177	Average	Vertical		
3	2483.50	46.22	8.49	37.73	54.00	-7.78	104	177	Average	Vertical		

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


250kbps

High Channel (Open) 9kHz~150kHz

High Channel (Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.03	43.74	23.43	20.31	118.07	-74.33	100	31	QP	Open		
2	0.06	42.18	21.89	20.29	111.83	-69.65	100	54	QP	Open		
3	0.09	43.08	22.82	20.26	108.87	-65.79	100	138	QP	Open		
4	0.10	43.63	23.39	20.24	107.33	-63.70	100	155	QP	Open		
5	0.12	39.03	18.81	20.22	106.15	-67.12	100	149	QP	Open		
6	0.14	38.76	18.56	20.20	104.75	-65.99	100	149	QP	Open		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.50	55.36	35.24	20.12	73.59	-18.23	100	128	QP	Open		
2	1.01	47.91	27.70	20.21	67.52	-19.61	100	128	QP	Open		
3	2.79	37.47	17.31	20.16	69.50	-32.03	100	0	QP	Open		
4	11.11	33.61	13.24	20.37	69.50	-35.89	100	205	QP	Open		
5	17.49	33.50	13.03	20.47	69.50	-36.00	100	197	QP	Open		
6	25.27	33.60	13.05	20.55	69.50	-35.90	100	339	QP	Open		

250kbps

High Channel (Close) 9kHz~150kHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	52.96	32.99	19.97	127.55	-74.59	100	328	Q°	Close		
2	0.03	44.59	24.28	20.31	118.06	-73.47	100	232	Q°	Close		
3	0.06	40.36	20.07	20.29	111.82	-71.46	100	25	Q°	Close		
4	0.09	36.88	16.62	20.26	108.89	-72.01	100	99	Q°	Close		
5	0.10	37.20	16.96	20.24	107.33	-70.13	100	105	Q°	Close		
6	0.12	33.99	13.77	20.22	105.78	-71.79	100	115	Q°	Close		

High Channel (Close) 150kHz~30MHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.17	45.97	25.78	20.19	102.94	-56.97	100	67	Q°	Close		
2	4.26	33.17	12.94	20.23	69.50	-36.33	100	132	Q°	Close		
3	9.08	33.10	12.77	20.33	69.50	-36.40	100	220	Q°	Close		
4	18.00	33.42	12.94	20.48	69.50	-36.08	100	48	Q°	Close		
5	23.32	33.55	13.02	20.53	69.50	-35.95	100	190	Q°	Close		
6	28.76	35.16	14.64	20.52	69.50	-34.34	100	146	Q°	Close		


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

250kbps

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	46.78	22.31	29.87	-7.56	40.00	-17.69	100	143	QP	Horizontal		
2	174.92	29.06	36.75	-7.69	43.50	-14.44	400	8	QP	Horizontal		
3	240.01	42.81	51.12	-8.31	46.00	-3.19	100	272	QP	Horizontal		
4	448.17	26.61	30.36	-3.75	46.00	-19.39	300	95	QP	Horizontal		
5	625.68	29.82	30.58	-0.76	46.00	-16.18	400	184	QP	Horizontal		
6	717.92	39.85	39.35	0.50	46.00	-6.15	100	159	QP	Horizontal		

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	34.07	25.88	34.74	-8.86	40.00	-14.12	100	199	QP	Vertical		
2	149.99	37.76	45.24	-7.48	43.50	-5.74	100	126	QP	Vertical		
3	239.04	40.27	48.60	-8.33	46.00	-5.73	200	78	QP	Vertical		
4	399.38	30.47	34.69	-4.22	46.00	-15.53	166	360	QP	Vertical		
5	566.60	29.00	30.99	-1.99	46.00	-17.00	100	229	QP	Vertical		
6	720.06	36.33	35.79	0.54	46.00	-9.67	200	199	QP	Vertical		

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


250kbps

High Channel (Horizontal)


High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Test Results of Radiated Spurious Emissions for PCB Antenna (Non-ECC)

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


250kbps

High Channel (Open) 9kHz~150kHz

High Channel (Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	51.71	31.74	19.97	127.55	-75.84	100	312 QP	Open		
2	0.04	43.79	23.47	20.32	115.01	-71.22	100	181 QP	Open		
3	0.06	43.70	23.41	20.29	111.83	-68.13	100	214 QP	Open		
4	0.09	44.66	24.40	20.26	108.51	-63.85	100	187 QP	Open		
5	0.11	45.05	24.82	20.23	106.43	-61.38	100	193 QP	Open		
6	0.13	41.30	21.09	20.21	105.27	-63.97	100	210 QP	Open		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.59	56.16	36.05	20.11	72.25	-16.09	100	166 QP	Open		
2	1.17	46.10	25.89	20.21	66.23	-20.13	100	166 QP	Open		
3	2.86	39.72	19.55	20.17	69.50	-29.78	100	321 QP	Open		
4	12.24	33.88	13.49	20.39	69.50	-35.62	100	332 QP	Open		
5	15.95	33.95	13.51	20.44	69.50	-35.55	100	334 QP	Open		
6	22.41	34.57	14.05	20.52	69.50	-34.93	100	58 QP	Open		

250kbps

High Channel (Close) 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	53.33	33.36	19.97	127.61	-74.28	100	167	QP	Close		
2	0.03	45.19	24.88	20.31	118.06	-72.87	100	188	QP	Close		
3	0.06	40.25	19.96	20.29	111.82	-71.57	100	281	QP	Close		
4	0.08	40.18	19.92	20.26	109.03	-68.85	100	100	QP	Close		
5	0.11	35.74	15.51	20.23	106.76	-71.02	100	113	QP	Close		
6	0.12	35.48	15.26	20.22	105.73	-70.25	100	97	QP	Close		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.54	50.86	30.75	20.11	72.99	-22.13	100	85	QP	Close		
2	1.08	43.14	22.93	20.21	66.95	-23.81	100	86	QP	Close		
3	4.28	32.79	12.56	20.23	69.50	-36.71	100	59	QP	Close		
4	10.06	33.12	12.76	20.36	69.50	-36.38	100	211	QP	Close		
5	17.55	34.19	13.72	20.47	69.50	-35.31	100	236	QP	Close		
6	23.92	33.73	13.20	20.53	69.50	-35.77	100	82	QP	Close		

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


250kbps

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	173.66	28.46	36.22	-7.76	43.50	-15.04	200	4	QP	Horizontal		
2	240.01	42.02	50.33	-8.31	46.00	-3.98	100	119	QP	Horizontal		
3	255.33	37.47	45.51	-8.04	46.00	-8.53	100	179	QP	Horizontal		
4	566.51	28.85	30.84	-1.99	46.00	-17.15	100	154	QP	Horizontal		
5	720.06	38.79	38.25	0.54	46.00	-7.21	100	150	QP	Horizontal		
6	837.04	32.38	29.88	2.50	46.00	-13.62	100	198	QP	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	146.98	36.29	43.69	-7.40	43.50	-7.21	100	135	QP	Vertical		
2	237.39	41.93	50.30	-8.37	46.00	-4.07	100	38	QP	Vertical		
3	251.35	39.90	48.03	-8.13	46.00	-6.10	100	60	QP	Vertical		
4	358.35	29.08	34.53	-5.45	46.00	-16.92	100	79	QP	Vertical		
5	399.86	29.20	33.42	-4.22	46.00	-16.80	137	360	QP	Vertical		
6	720.06	35.87	35.33	0.54	46.00	-10.13	200	184	QP	Vertical		

Test Results of Radiated Spurious Emissions for PCB Antenna (ECC)_2nd Source

Band Edges, 2.31GHz ~ 2.9GHz


250kbps

High Channel (Horizontal) Peak

High Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2374.90	52.27	14.72	37.55	74.00	-21.73	266	214	Peak	Horizontal	
2 *	2480.00	107.94	70.33	37.61	74.00	33.94	266	214	Peak	Horizontal	
3	2483.46	62.01	24.41	37.60	74.00	-11.99	266	214	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2373.25	52.81	15.51	37.30	74.00	-21.19	103	166	Peak	Vertical	
2 *	2480.00	106.59	68.08	37.71	74.00	32.59	103	166	Peak	Vertical	
3	2483.58	58.27	20.54	37.73	74.00	-15.73	103	166	Peak	Vertical	

250kbps

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2381.15	39.44	1.87	37.57	54.00	-14.56	266	214	Average	Horizontal		
2 *	2480.00	104.16	66.55	37.61	54.00	50.16	266	214	Average	Horizontal		
3	2483.46	47.34	9.74	37.60	54.00	-6.66	266	214	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2382.81	39.27	1.96	37.31	54.00	-14.73	183	166	Average	Vertical		
2 *	2480.00	102.98	65.27	37.71	54.00	48.98	183	166	Average	Vertical		
3	2483.46	46.77	9.84	37.73	54.00	-7.23	183	166	Average	Vertical		

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


250kbps

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4960.00	41.69	50.98	-9.38	74.00	-32.40	180	331	Peak	Horizontal		
2	7440.00	42.87	50.02	-7.15	74.00	-31.13	180	243	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4960.00	41.81	51.57	-9.76	74.00	-32.19	285	358	Peak	Vertical		
2	7440.00	43.36	50.87	-7.51	74.00	-30.64	380	257	Peak	Vertical		


Test Results of Radiated Spurious Emissions for PCB Antenna (Non-ECC)_2nd Source

Band Edges, 2.31GHz ~ 2.9GHz


250kbps

High Channel (Horizontal) Peak

High Channel (Vertical) Peak


 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2371.01	52.57	15.03	37.54	74.00	-21.43	194	216	Peak	Horizontal	
2 *	2480.00	100.00	70.39	37.61	74.00	34.00	194	216	Peak	Horizontal	
3	2483.46	59.02	21.42	37.60	74.00	-14.98	104	216	Peak	Horizontal	


 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2305.40	52.47	15.16	37.31	74.00	-21.53	105	175	Peak	Vertical	
2 *	2480.00	106.30	68.59	37.71	74.00	32.30	105	175	Peak	Vertical	
3	2483.46	58.21	20.48	37.73	74.00	-15.79	105	175	Peak	Vertical	

250kbps

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2385.52	39.52	1.94	37.58	54.00	-14.48	194	216	Average	Horizontal		
2 *	2480.00	104.46	66.85	37.61	54.00	50.46	194	216	Average	Horizontal		
3	2483.46	47.72	10.12	37.60	54.00	-6.28	184	216	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2385.52	39.46	2.18	37.28	54.00	-14.54	185	175	Average	Vertical		
2 *	2480.00	102.78	65.07	37.71	54.00	48.78	185	175	Average	Vertical		
3	2483.46	46.87	9.14	37.73	54.00	-7.13	185	175	Average	Vertical		

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


250kbps

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	45.94	55.32	-9.38	74.00	-28.06	180	348	Peak	Horizontal		
2	7440.00	43.04	50.19	-7.15	74.00	-30.96	180	111	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	45.76	55.52	-9.76	74.00	-28.24	300	84	Peak	Vertical		
2	7440.00	42.71	50.22	-7.51	74.00	-31.29	300	106	Peak	Vertical		