









Mode	34																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE20_CH181_6855MHz																																																																																																															
ANT	1 + 2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13710.00</td><td>54.23</td><td>88.20</td><td>-33.97</td><td>33.00</td><td>41.20</td><td>21.29</td><td>42.45</td><td>0.39</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 20565.00</td><td>39.96</td><td>74.00</td><td>-34.04</td><td>46.71</td><td>38.10</td><td>26.66</td><td>61.97</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13710.00	54.23	88.20	-33.97	33.00	41.20	21.29	42.45	0.39	--	--	PEAK	2 20565.00	39.96	74.00	-34.04	46.71	38.10	26.66	61.97	-9.54	--	--	PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13710.00</td><td>53.91</td><td>88.20</td><td>-34.29</td><td>33.48</td><td>41.20</td><td>21.29</td><td>42.45</td><td>0.39</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 20565.00</td><td>38.27</td><td>74.00</td><td>-35.73</td><td>45.02</td><td>38.10</td><td>26.66</td><td>61.97</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13710.00	53.91	88.20	-34.29	33.48	41.20	21.29	42.45	0.39	--	--	PEAK	2 20565.00	38.27	74.00	-35.73	45.02	38.10	26.66	61.97	-9.54	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1 13710.00	54.23	88.20	-33.97	33.00	41.20	21.29	42.45	0.39	--	--	PEAK																																																																																																					
2 20565.00	39.96	74.00	-34.04	46.71	38.10	26.66	61.97	-9.54	--	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1 13710.00	53.91	88.20	-34.29	33.48	41.20	21.29	42.45	0.39	--	--	PEAK																																																																																																					
2 20565.00	38.27	74.00	-35.73	45.02	38.10	26.66	61.97	-9.54	--	--	PEAK																																																																																																					





Mode	34	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH181_6855MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





Mode	35																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-7_6.525-6.875_802.11ax HE40_CH123_6565MHz																																																																																																																																	
ANT	1 + 2																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																
Peak Avg	 Site : 03CH22-HY Condition: PEAK(U-NII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13130.00</td><td>52.90</td><td>88.20</td><td>-35.30</td><td>32.04</td><td>41.10</td><td>20.84</td><td>41.48</td><td>0.40</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19695.00</td><td>39.96</td><td>74.00</td><td>-34.04</td><td>48.50</td><td>38.10</td><td>26.00</td><td>63.10</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	13130.00	52.90	88.20	-35.30	32.04	41.10	20.84	41.48	0.40	--	--	PEAK	2	19695.00	39.96	74.00	-34.04	48.50	38.10	26.00	63.10	-9.54	--	--	PEAK	 Site : 03CH22-HY Condition: PEAK(U-NII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13130.00</td><td>51.77</td><td>88.20</td><td>-36.43</td><td>30.91</td><td>41.10</td><td>20.84</td><td>41.48</td><td>0.40</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19695.00</td><td>40.15</td><td>74.00</td><td>-33.85</td><td>48.69</td><td>38.10</td><td>26.00</td><td>63.10</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	13130.00	51.77	88.20	-36.43	30.91	41.10	20.84	41.48	0.40	--	--	PEAK	2	19695.00	40.15	74.00	-33.85	48.69	38.10	26.00	63.10	-9.54	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																							
1	13130.00	52.90	88.20	-35.30	32.04	41.10	20.84	41.48	0.40	--	--	PEAK																																																																																																																						
2	19695.00	39.96	74.00	-34.04	48.50	38.10	26.00	63.10	-9.54	--	--	PEAK																																																																																																																						
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																							
1	13130.00	51.77	88.20	-36.43	30.91	41.10	20.84	41.48	0.40	--	--	PEAK																																																																																																																						
2	19695.00	40.15	74.00	-33.85	48.69	38.10	26.00	63.10	-9.54	--	--	PEAK																																																																																																																						





Mode	35	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH123_6565MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





Mode	36																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11ax HE40_CH147_6685MHz																																																																																																																									
ANT	1 + 2																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13370.00</td><td>52.64</td><td>74.00 -21.36</td><td>32.25</td><td>40.92</td><td>21.03</td><td>41.96</td><td>0.40</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 13370.00</td><td>43.31</td><td>54.00 -10.69</td><td>22.92</td><td>40.92</td><td>21.03</td><td>41.96</td><td>0.40</td><td>--</td><td>-- Average</td></tr><tr><td>3 20055.00</td><td>39.47</td><td>74.00 -34.53</td><td>47.41</td><td>38.02</td><td>26.29</td><td>62.71</td><td>-9.54</td><td>--</td><td>-- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13370.00	52.64	74.00 -21.36	32.25	40.92	21.03	41.96	0.40	--	-- PEAK	2 13370.00	43.31	54.00 -10.69	22.92	40.92	21.03	41.96	0.40	--	-- Average	3 20055.00	39.47	74.00 -34.53	47.41	38.02	26.29	62.71	-9.54	--	-- PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13370.00</td><td>52.45</td><td>74.00 -21.55</td><td>32.06</td><td>40.92</td><td>21.03</td><td>41.96</td><td>0.40</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 13370.00</td><td>43.25</td><td>54.00 -10.75</td><td>22.86</td><td>40.92</td><td>21.03</td><td>41.96</td><td>0.40</td><td>--</td><td>-- Average</td></tr><tr><td>3 20055.00</td><td>41.22</td><td>74.00 -32.78</td><td>49.16</td><td>38.02</td><td>26.29</td><td>62.71</td><td>-9.54</td><td>--</td><td>-- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13370.00	52.45	74.00 -21.55	32.06	40.92	21.03	41.96	0.40	--	-- PEAK	2 13370.00	43.25	54.00 -10.75	22.86	40.92	21.03	41.96	0.40	--	-- Average	3 20055.00	41.22	74.00 -32.78	49.16	38.02	26.29	62.71	-9.54	--	-- PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13370.00	52.64	74.00 -21.36	32.25	40.92	21.03	41.96	0.40	--	-- PEAK																																																																																																																	
2 13370.00	43.31	54.00 -10.69	22.92	40.92	21.03	41.96	0.40	--	-- Average																																																																																																																	
3 20055.00	39.47	74.00 -34.53	47.41	38.02	26.29	62.71	-9.54	--	-- PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13370.00	52.45	74.00 -21.55	32.06	40.92	21.03	41.96	0.40	--	-- PEAK																																																																																																																	
2 13370.00	43.25	54.00 -10.75	22.86	40.92	21.03	41.96	0.40	--	-- Average																																																																																																																	
3 20055.00	41.22	74.00 -32.78	49.16	38.02	26.29	62.71	-9.54	--	-- PEAK																																																																																																																	
Avg																																																																																																																										





Mode	36	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH147_6685MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





Mode	37																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE40_CH179_6845MHz																																																																																																															
ANT	1 + 2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1230_241025 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13690.00</td><td>53.85</td><td>88.20</td><td>-34.35</td><td>33.45</td><td>41.16</td><td>21.28</td><td>42.43</td><td>0.39</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20535.00</td><td>39.69</td><td>74.00</td><td>-34.31</td><td>46.48</td><td>38.10</td><td>26.64</td><td>61.99</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13690.00	53.85	88.20	-34.35	33.45	41.16	21.28	42.43	0.39	--	PEAK	2	20535.00	39.69	74.00	-34.31	46.48	38.10	26.64	61.99	-9.54	--	PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1230_241025 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13690.00</td><td>54.51</td><td>88.20</td><td>-33.69</td><td>34.11</td><td>41.16</td><td>21.28</td><td>42.43</td><td>0.39</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20535.00</td><td>40.11</td><td>74.00</td><td>-33.89</td><td>46.90</td><td>38.10</td><td>26.64</td><td>61.99</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13690.00	54.51	88.20	-33.69	34.11	41.16	21.28	42.43	0.39	--	PEAK	2	20535.00	40.11	74.00	-33.89	46.90	38.10	26.64	61.99	-9.54	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	13690.00	53.85	88.20	-34.35	33.45	41.16	21.28	42.43	0.39	--	PEAK																																																																																																					
2	20535.00	39.69	74.00	-34.31	46.48	38.10	26.64	61.99	-9.54	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	13690.00	54.51	88.20	-33.69	34.11	41.16	21.28	42.43	0.39	--	PEAK																																																																																																					
2	20535.00	40.11	74.00	-33.89	46.90	38.10	26.64	61.99	-9.54	--	PEAK																																																																																																					





Mode	37	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH179_6845MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





Mode	38																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11ax HE80_CH135_6625MHz																																																																																																																									
ANT	1 + 2																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UINI)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13250.00</td><td>53.23</td><td>74.00</td><td>-20.77</td><td>32.72</td><td>40.90</td><td>20.93</td><td>41.72</td><td>0.40</td><td>-- PEAK</td></tr><tr><td>2 13250.00</td><td>43.66</td><td>54.00</td><td>-10.34</td><td>23.15</td><td>40.90</td><td>20.93</td><td>41.72</td><td>0.40</td><td>-- Average</td></tr><tr><td>3 19875.00</td><td>39.27</td><td>74.00</td><td>-34.73</td><td>47.48</td><td>38.10</td><td>26.15</td><td>62.92</td><td>-9.54</td><td>-- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13250.00	53.23	74.00	-20.77	32.72	40.90	20.93	41.72	0.40	-- PEAK	2 13250.00	43.66	54.00	-10.34	23.15	40.90	20.93	41.72	0.40	-- Average	3 19875.00	39.27	74.00	-34.73	47.48	38.10	26.15	62.92	-9.54	-- PEAK	 Site : 03CH22-HY Condition: PEAK(UINI)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13250.00</td><td>53.26</td><td>74.00</td><td>-20.74</td><td>32.75</td><td>40.90</td><td>20.93</td><td>41.72</td><td>0.40</td><td>-- PEAK</td></tr><tr><td>2 13250.00</td><td>43.58</td><td>54.00</td><td>-10.42</td><td>23.07</td><td>40.90</td><td>20.93</td><td>41.72</td><td>0.40</td><td>-- Average</td></tr><tr><td>3 19875.00</td><td>39.12</td><td>74.00</td><td>-34.88</td><td>47.33</td><td>38.10</td><td>26.15</td><td>62.92</td><td>-9.54</td><td>-- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13250.00	53.26	74.00	-20.74	32.75	40.90	20.93	41.72	0.40	-- PEAK	2 13250.00	43.58	54.00	-10.42	23.07	40.90	20.93	41.72	0.40	-- Average	3 19875.00	39.12	74.00	-34.88	47.33	38.10	26.15	62.92	-9.54	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13250.00	53.23	74.00	-20.77	32.72	40.90	20.93	41.72	0.40	-- PEAK																																																																																																																	
2 13250.00	43.66	54.00	-10.34	23.15	40.90	20.93	41.72	0.40	-- Average																																																																																																																	
3 19875.00	39.27	74.00	-34.73	47.48	38.10	26.15	62.92	-9.54	-- PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13250.00	53.26	74.00	-20.74	32.75	40.90	20.93	41.72	0.40	-- PEAK																																																																																																																	
2 13250.00	43.58	54.00	-10.42	23.07	40.90	20.93	41.72	0.40	-- Average																																																																																																																	
3 19875.00	39.12	74.00	-34.88	47.33	38.10	26.15	62.92	-9.54	-- PEAK																																																																																																																	



Mode	38	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH135_6625MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





Mode	39																																																																																																					
	Harmonic																																																																																																					
	U-NII-7_6.525-6.875_802.11ax HE80_CH151_6705MHz																																																																																																					
ANT	1 + 2																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak																																																																																																						
Avg	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 13410.00</td><td>52.82</td><td>88.20</td><td>-35.38</td><td>32.56</td><td>40.84</td><td>21.06</td><td>42.04</td><td>0.40</td><td>-- PEAK</td></tr><tr><td>2 20115.00</td><td>39.91</td><td>74.00</td><td>-34.09</td><td>47.57</td><td>38.17</td><td>26.33</td><td>62.62</td><td>-9.54</td><td>-- PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 13410.00	52.82	88.20	-35.38	32.56	40.84	21.06	42.04	0.40	-- PEAK	2 20115.00	39.91	74.00	-34.09	47.57	38.17	26.33	62.62	-9.54	-- PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 13410.00</td><td>52.33</td><td>88.20</td><td>-35.87</td><td>32.07</td><td>40.84</td><td>21.06</td><td>42.04</td><td>0.40</td><td>-- PEAK</td></tr><tr><td>2 20115.00</td><td>39.96</td><td>74.00</td><td>-34.04</td><td>47.62</td><td>38.17</td><td>26.33</td><td>62.62</td><td>-9.54</td><td>-- PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 13410.00	52.33	88.20	-35.87	32.07	40.84	21.06	42.04	0.40	-- PEAK	2 20115.00	39.96	74.00	-34.04	47.62	38.17	26.33	62.62	-9.54	-- PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																													
1 13410.00	52.82	88.20	-35.38	32.56	40.84	21.06	42.04	0.40	-- PEAK																																																																																													
2 20115.00	39.91	74.00	-34.09	47.57	38.17	26.33	62.62	-9.54	-- PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																													
1 13410.00	52.33	88.20	-35.87	32.07	40.84	21.06	42.04	0.40	-- PEAK																																																																																													
2 20115.00	39.96	74.00	-34.04	47.62	38.17	26.33	62.62	-9.54	-- PEAK																																																																																													



Mode	39	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH151_6705MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





Mode	40																																																																																																					
	Harmonic																																																																																																					
	U-NII-7_6.525-6.875_802.11ax HE80_CH167_6785MHz																																																																																																					
ANT	1 + 2																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 13570.00</td><td>53.42</td><td>88.20</td><td>-34.78</td><td>33.06</td><td>41.08</td><td>21.18</td><td>42.30</td><td>0.40</td><td>--</td></tr><tr><td>2 20355.00</td><td>40.78</td><td>74.00</td><td>-33.22</td><td>47.94</td><td>38.10</td><td>26.51</td><td>62.23</td><td>-9.54</td><td>--</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 13570.00	53.42	88.20	-34.78	33.06	41.08	21.18	42.30	0.40	--	2 20355.00	40.78	74.00	-33.22	47.94	38.10	26.51	62.23	-9.54	--	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 13570.00</td><td>52.78</td><td>88.20</td><td>-35.42</td><td>32.42</td><td>41.08</td><td>21.18</td><td>42.30</td><td>0.40</td><td>--</td></tr><tr><td>2 20355.00</td><td>40.08</td><td>74.00</td><td>-33.92</td><td>47.24</td><td>38.10</td><td>26.51</td><td>62.23</td><td>-9.54</td><td>--</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 13570.00	52.78	88.20	-35.42	32.42	41.08	21.18	42.30	0.40	--	2 20355.00	40.08	74.00	-33.92	47.24	38.10	26.51	62.23	-9.54	--
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																													
1 13570.00	53.42	88.20	-34.78	33.06	41.08	21.18	42.30	0.40	--																																																																																													
2 20355.00	40.78	74.00	-33.22	47.94	38.10	26.51	62.23	-9.54	--																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																													
1 13570.00	52.78	88.20	-35.42	32.42	41.08	21.18	42.30	0.40	--																																																																																													
2 20355.00	40.08	74.00	-33.92	47.24	38.10	26.51	62.23	-9.54	--																																																																																													





Mode	40	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH167_6785MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





Mode	41																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11ax HE160_CH143_6665MHz																																																																																																																									
ANT	1 + 2																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13330.00</td><td>53.25</td><td>74.00</td><td>-20.75</td><td>32.73</td><td>41.00</td><td>21.00</td><td>41.88</td><td>0.40</td><td>-- -- PEAK</td></tr><tr><td>2 13330.00</td><td>43.72</td><td>54.00</td><td>-10.28</td><td>23.20</td><td>41.00</td><td>21.00</td><td>41.88</td><td>0.40</td><td>-- -- Average</td></tr><tr><td>3 19995.00</td><td>40.88</td><td>74.00</td><td>-33.12</td><td>48.88</td><td>38.10</td><td>26.25</td><td>62.81</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13330.00	53.25	74.00	-20.75	32.73	41.00	21.00	41.88	0.40	-- -- PEAK	2 13330.00	43.72	54.00	-10.28	23.20	41.00	21.00	41.88	0.40	-- -- Average	3 19995.00	40.88	74.00	-33.12	48.88	38.10	26.25	62.81	-9.54	-- -- PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13330.00</td><td>53.55</td><td>74.00</td><td>-20.45</td><td>33.03</td><td>41.00</td><td>21.00</td><td>41.88</td><td>0.40</td><td>-- -- PEAK</td></tr><tr><td>2 13330.00</td><td>43.62</td><td>54.00</td><td>-10.38</td><td>23.30</td><td>41.00</td><td>21.00</td><td>41.88</td><td>0.40</td><td>-- -- Average</td></tr><tr><td>3 19995.00</td><td>39.72</td><td>74.00</td><td>-34.28</td><td>47.72</td><td>38.10</td><td>26.25</td><td>62.81</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13330.00	53.55	74.00	-20.45	33.03	41.00	21.00	41.88	0.40	-- -- PEAK	2 13330.00	43.62	54.00	-10.38	23.30	41.00	21.00	41.88	0.40	-- -- Average	3 19995.00	39.72	74.00	-34.28	47.72	38.10	26.25	62.81	-9.54	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13330.00	53.25	74.00	-20.75	32.73	41.00	21.00	41.88	0.40	-- -- PEAK																																																																																																																	
2 13330.00	43.72	54.00	-10.28	23.20	41.00	21.00	41.88	0.40	-- -- Average																																																																																																																	
3 19995.00	40.88	74.00	-33.12	48.88	38.10	26.25	62.81	-9.54	-- -- PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13330.00	53.55	74.00	-20.45	33.03	41.00	21.00	41.88	0.40	-- -- PEAK																																																																																																																	
2 13330.00	43.62	54.00	-10.38	23.30	41.00	21.00	41.88	0.40	-- -- Average																																																																																																																	
3 19995.00	39.72	74.00	-34.28	47.72	38.10	26.25	62.81	-9.54	-- -- PEAK																																																																																																																	





Mode	41	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE160_CH143_6665MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL



Mode	42																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE160_CH175_6825MHz																																																																																																															
ANT	1 + 2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13650.00</td><td>54.71</td><td>88.20</td><td>-33.49</td><td>34.44</td><td>41.00</td><td>21.25</td><td>42.38</td><td>0.40</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20475.00</td><td>39.77</td><td>74.00</td><td>-34.23</td><td>46.65</td><td>38.10</td><td>26.60</td><td>62.04</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13650.00	54.71	88.20	-33.49	34.44	41.00	21.25	42.38	0.40	--	PEAK	2	20475.00	39.77	74.00	-34.23	46.65	38.10	26.60	62.04	-9.54	--	PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13650.00</td><td>53.99</td><td>88.20</td><td>-34.21</td><td>33.72</td><td>41.00</td><td>21.25</td><td>42.38</td><td>0.40</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20475.00</td><td>40.96</td><td>74.00</td><td>-33.04</td><td>47.84</td><td>38.10</td><td>26.60</td><td>62.04</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13650.00	53.99	88.20	-34.21	33.72	41.00	21.25	42.38	0.40	--	PEAK	2	20475.00	40.96	74.00	-33.04	47.84	38.10	26.60	62.04	-9.54	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13650.00	54.71	88.20	-33.49	34.44	41.00	21.25	42.38	0.40	--	PEAK																																																																																																					
2	20475.00	39.77	74.00	-34.23	46.65	38.10	26.60	62.04	-9.54	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13650.00	53.99	88.20	-34.21	33.72	41.00	21.25	42.38	0.40	--	PEAK																																																																																																					
2	20475.00	40.96	74.00	-33.04	47.84	38.10	26.60	62.04	-9.54	--	PEAK																																																																																																					





Mode	42	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE160_CH175_6825MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





Mode	43																																																																
	Harmonic																																																																
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz																																																																
ANT	1 + 2																																																																
Pol.	Horizontal						Vertical																																																										
Peak Avg																																																																	
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>53.83</td><td>88.20</td><td>-34.37</td><td>33.41</td><td>41.20</td><td>21.36</td><td>42.53</td><td>0.39</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20685.00</td><td>38.91</td><td>74.00</td><td>-35.09</td><td>45.53</td><td>38.10</td><td>26.75</td><td>61.93</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	53.83	88.20	-34.37	33.41	41.20	21.36	42.53	0.39	--	PEAK	2	20685.00	38.91	74.00	-35.09	45.53	38.10	26.75	61.93	-9.54	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	13790.00	53.83	88.20	-34.37	33.41	41.20	21.36	42.53	0.39	--	PEAK																																																						
2	20685.00	38.91	74.00	-35.09	45.53	38.10	26.75	61.93	-9.54	--	PEAK																																																						
Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>53.62</td><td>88.20</td><td>-34.58</td><td>33.20</td><td>41.20</td><td>21.36</td><td>42.53</td><td>0.39</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20685.00</td><td>40.45</td><td>74.00</td><td>-33.55</td><td>47.07</td><td>38.10</td><td>26.75</td><td>61.93</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	53.62	88.20	-34.58	33.20	41.20	21.36	42.53	0.39	--	PEAK	2	20685.00	40.45	74.00	-33.55	47.07	38.10	26.75	61.93	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	13790.00	53.62	88.20	-34.58	33.20	41.20	21.36	42.53	0.39	--	PEAK																																																						
2	20685.00	40.45	74.00	-33.55	47.07	38.10	26.75	61.93	-9.54	--	PEAK																																																						





Mode	43	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL



Mode	44																																																																																																															
	Harmonic																																																																																																															
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz																																																																																																															
ANT	1 + 2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>54.47</td><td>88.20</td><td>-33.73</td><td>33.46</td><td>41.86</td><td>21.51</td><td>42.75</td><td>0.39</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20905.00</td><td>39.29</td><td>74.00</td><td>-34.71</td><td>45.63</td><td>38.04</td><td>26.97</td><td>61.81</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	54.47	88.20	-33.73	33.46	41.86	21.51	42.75	0.39	--	PEAK	2	20905.00	39.29	74.00	-34.71	45.63	38.04	26.97	61.81	-9.54	--	PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>54.08</td><td>88.20</td><td>-34.12</td><td>33.07</td><td>41.86</td><td>21.51</td><td>42.75</td><td>0.39</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20905.00</td><td>38.96</td><td>74.00</td><td>-35.04</td><td>45.30</td><td>38.04</td><td>26.97</td><td>61.81</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	54.08	88.20	-34.12	33.07	41.86	21.51	42.75	0.39	--	PEAK	2	20905.00	38.96	74.00	-35.04	45.30	38.04	26.97	61.81	-9.54	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13990.00	54.47	88.20	-33.73	33.46	41.86	21.51	42.75	0.39	--	PEAK																																																																																																					
2	20905.00	39.29	74.00	-34.71	45.63	38.04	26.97	61.81	-9.54	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13990.00	54.08	88.20	-34.12	33.07	41.86	21.51	42.75	0.39	--	PEAK																																																																																																					
2	20905.00	38.96	74.00	-35.04	45.30	38.04	26.97	61.81	-9.54	--	PEAK																																																																																																					







Mode	44	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





Mode	45																																																																																									
	Band Edge																																																																																									
	U-NII-8 6.875-7.125 802.11a CH233 7115MHz																																																																																									
ANT	1 + 2																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7125.53</td><td>73.61</td><td>88.20 -14.59</td><td>57.99</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>385</td><td>109 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg	1 7125.53	73.61	88.20 -14.59	57.99	36.75	15.18	36.31	0.00	385	109 PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7115.00</td><td>96.51</td><td>-----</td><td>80.90</td><td>36.73</td><td>15.17</td><td>36.29</td><td>0.00</td><td>385</td><td>109 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg	1 7115.00	96.51	-----	80.90	36.73	15.17	36.29	0.00	385	109 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg																																																																																	
1 7125.53	73.61	88.20 -14.59	57.99	36.75	15.18	36.31	0.00	385	109 PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg																																																																																	
1 7115.00	96.51	-----	80.90	36.73	15.17	36.29	0.00	385	109 PEAK																																																																																	
Avg	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7125.01</td><td>62.01</td><td>68.20 -6.19</td><td>46.39</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>385</td><td>109 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg	1 7125.01	62.01	68.20 -6.19	46.39	36.75	15.18	36.31	0.00	385	109 AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7115.00</td><td>89.83</td><td>-----</td><td>74.22</td><td>36.73</td><td>15.17</td><td>36.29</td><td>0.00</td><td>385</td><td>109 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg	1 7115.00	89.83	-----	74.22	36.73	15.17	36.29	0.00	385	109 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg																																																																																	
1 7125.01	62.01	68.20 -6.19	46.39	36.75	15.18	36.31	0.00	385	109 AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg																																																																																	
1 7115.00	89.83	-----	74.22	36.73	15.17	36.29	0.00	385	109 AVERAGE																																																																																	





Mode	45																																																																																								
	Band Edge																																																																																								
	U-NII-8 6.875-7.125 802.11a CH233 7115MHz																																																																																								
ANT	1 + 2																																																																																								
Pol.	Vertical					Fundamental																																																																																			
Peak																																																																																									
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 7125.40</td><td>73.93</td><td>88.20 -14.27</td><td>58.31</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>100</td><td>60 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg	1 7125.40	73.93	88.20 -14.27	58.31	36.75	15.18	36.31	0.00	100	60 PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 7115.00</td><td>97.95</td><td>-----</td><td>82.33</td><td>36.74</td><td>15.18</td><td>36.30</td><td>0.00</td><td>100</td><td>60 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg	1 7115.00	97.95	-----	82.33	36.74	15.18	36.30	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg																																																																																
1 7125.40	73.93	88.20 -14.27	58.31	36.75	15.18	36.31	0.00	100	60 PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg																																																																																
1 7115.00	97.95	-----	82.33	36.74	15.18	36.30	0.00	100	60 PEAK																																																																																
Avg																																																																																									
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 7125.01</td><td>63.31</td><td>68.20 -4.89</td><td>47.69</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>100</td><td>60 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg	1 7125.01	63.31	68.20 -4.89	47.69	36.75	15.18	36.31	0.00	100	60 AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 7115.00</td><td>90.73</td><td>-----</td><td>75.11</td><td>36.74</td><td>15.18</td><td>36.30</td><td>0.00</td><td>100</td><td>60 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg	1 7115.00	90.73	-----	75.11	36.74	15.18	36.30	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg																																																																																
1 7125.01	63.31	68.20 -4.89	47.69	36.75	15.18	36.31	0.00	100	60 AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg																																																																																
1 7115.00	90.73	-----	75.11	36.74	15.18	36.30	0.00	100	60 AVERAGE																																																																																





Mode	45																																																																																																															
	Harmonic																																																																																																															
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																																															
ANT	1 + 2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>54.02</td><td>88.20</td><td>-34.18</td><td>32.93</td><td>42.00</td><td>21.72</td><td>43.05</td><td>0.42</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>21345.00</td><td>39.34</td><td>74.00</td><td>-34.66</td><td>45.04</td><td>38.00</td><td>27.16</td><td>61.32</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	14230.00	54.02	88.20	-34.18	32.93	42.00	21.72	43.05	0.42	--	PEAK	2	21345.00	39.34	74.00	-34.66	45.04	38.00	27.16	61.32	-9.54	--	PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>55.20</td><td>88.20</td><td>-33.00</td><td>34.11</td><td>42.00</td><td>21.72</td><td>43.05</td><td>0.42</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>21345.00</td><td>39.64</td><td>74.00</td><td>-34.36</td><td>45.34</td><td>38.00</td><td>27.16</td><td>61.32</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	14230.00	55.20	88.20	-33.00	34.11	42.00	21.72	43.05	0.42	--	PEAK	2	21345.00	39.64	74.00	-34.36	45.34	38.00	27.16	61.32	-9.54	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	14230.00	54.02	88.20	-34.18	32.93	42.00	21.72	43.05	0.42	--	PEAK																																																																																																					
2	21345.00	39.34	74.00	-34.66	45.04	38.00	27.16	61.32	-9.54	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	14230.00	55.20	88.20	-33.00	34.11	42.00	21.72	43.05	0.42	--	PEAK																																																																																																					
2	21345.00	39.64	74.00	-34.36	45.34	38.00	27.16	61.32	-9.54	--	PEAK																																																																																																					





Mode	45	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





Mode	46																																																																																																															
	Harmonic																																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE20_CH189_6895MHz																																																																																																															
ANT	1 + 2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>53.67</td><td>88.20</td><td>-34.53</td><td>33.25</td><td>41.20</td><td>21.36</td><td>42.53</td><td>0.39</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20685.00</td><td>39.46</td><td>74.00</td><td>-34.54</td><td>46.08</td><td>38.10</td><td>26.75</td><td>61.93</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13790.00	53.67	88.20	-34.53	33.25	41.20	21.36	42.53	0.39	--	PEAK	2	20685.00	39.46	74.00	-34.54	46.08	38.10	26.75	61.93	-9.54	--	PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>53.49</td><td>88.20</td><td>-34.71</td><td>33.07</td><td>41.20</td><td>21.36</td><td>42.53</td><td>0.39</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20685.00</td><td>39.40</td><td>74.00</td><td>-34.60</td><td>46.02</td><td>38.10</td><td>26.75</td><td>61.93</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13790.00	53.49	88.20	-34.71	33.07	41.20	21.36	42.53	0.39	--	PEAK	2	20685.00	39.40	74.00	-34.60	46.02	38.10	26.75	61.93	-9.54	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	13790.00	53.67	88.20	-34.53	33.25	41.20	21.36	42.53	0.39	--	PEAK																																																																																																					
2	20685.00	39.46	74.00	-34.54	46.08	38.10	26.75	61.93	-9.54	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	13790.00	53.49	88.20	-34.71	33.07	41.20	21.36	42.53	0.39	--	PEAK																																																																																																					
2	20685.00	39.40	74.00	-34.60	46.02	38.10	26.75	61.93	-9.54	--	PEAK																																																																																																					





Mode	46	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH189_6895MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL







Mode	47																																																																																																					
	Harmonic																																																																																																					
	U-NII-8_6.875-7.125_802.11ax HE20_CH209_6995MHz																																																																																																					
ANT	1 + 2																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 13990.00</td><td>54.19</td><td>88.20</td><td>-34.01</td><td>33.18</td><td>41.86</td><td>21.51</td><td>42.75</td><td>0.39</td><td>--</td></tr><tr><td>2 20985.00</td><td>39.61</td><td>74.00</td><td>-34.39</td><td>45.95</td><td>38.04</td><td>26.97</td><td>61.81</td><td>-9.54</td><td>--</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 13990.00	54.19	88.20	-34.01	33.18	41.86	21.51	42.75	0.39	--	2 20985.00	39.61	74.00	-34.39	45.95	38.04	26.97	61.81	-9.54	--	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 13990.00</td><td>54.19</td><td>88.20</td><td>-34.01</td><td>33.18</td><td>41.86</td><td>21.51</td><td>42.75</td><td>0.39</td><td>--</td></tr><tr><td>2 20985.00</td><td>39.18</td><td>74.00</td><td>-34.82</td><td>45.52</td><td>38.04</td><td>26.97</td><td>61.81</td><td>-9.54</td><td>--</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 13990.00	54.19	88.20	-34.01	33.18	41.86	21.51	42.75	0.39	--	2 20985.00	39.18	74.00	-34.82	45.52	38.04	26.97	61.81	-9.54	--
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																													
1 13990.00	54.19	88.20	-34.01	33.18	41.86	21.51	42.75	0.39	--																																																																																													
2 20985.00	39.61	74.00	-34.39	45.95	38.04	26.97	61.81	-9.54	--																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																													
1 13990.00	54.19	88.20	-34.01	33.18	41.86	21.51	42.75	0.39	--																																																																																													
2 20985.00	39.18	74.00	-34.82	45.52	38.04	26.97	61.81	-9.54	--																																																																																													







Mode	47	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH209_6995MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





Mode	48																																																																																																					
	Band Edge																																																																																																					
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_7115MHz																																																																																																					
ANT	1 + 2																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak																																																																																																						
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7125.01</td><td>72.73</td><td>88.20</td><td>-15.47</td><td>57.11</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>352</td><td>111</td><td>PEAK</td></tr><tr><td>2</td><td>7126.57</td><td>72.06</td><td>88.20</td><td>-16.14</td><td>56.43</td><td>36.75</td><td>15.19</td><td>36.31</td><td>0.00</td><td>352</td><td>111</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7125.01	72.73	88.20	-15.47	57.11	36.75	15.18	36.31	0.00	352	111	PEAK	2	7126.57	72.06	88.20	-16.14	56.43	36.75	15.19	36.31	0.00	352	111	Peak	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7115.00</td><td>98.45</td><td>-----</td><td>-----</td><td>82.86</td><td>36.71</td><td>15.16</td><td>36.28</td><td>0.00</td><td>352</td><td>111</td><td>PEAK</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7115.00	98.45	-----	-----	82.86	36.71	15.16	36.28	0.00	352	111
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	7125.01	72.73	88.20	-15.47	57.11	36.75	15.18	36.31	0.00	352	111	PEAK																																																																																										
2	7126.57	72.06	88.20	-16.14	56.43	36.75	15.19	36.31	0.00	352	111	Peak																																																																																										
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	7115.00	98.45	-----	-----	82.86	36.71	15.16	36.28	0.00	352	111	PEAK																																																																																										
Avg																																																																																																						
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7125.01</td><td>59.53</td><td>68.20</td><td>-8.67</td><td>43.91</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>352</td><td>111</td><td>AVERAGE</td></tr><tr><td>2</td><td>7126.05</td><td>57.26</td><td>68.20</td><td>-10.94</td><td>41.64</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>352</td><td>111</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7125.01	59.53	68.20	-8.67	43.91	36.75	15.18	36.31	0.00	352	111	AVERAGE	2	7126.05	57.26	68.20	-10.94	41.64	36.75	15.18	36.31	0.00	352	111	Average	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7115.00</td><td>88.76</td><td>-----</td><td>-----</td><td>73.15</td><td>36.73</td><td>15.17</td><td>36.29</td><td>0.00</td><td>352</td><td>111</td><td>AVERAGE</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7115.00	88.76	-----	-----	73.15	36.73	15.17	36.29	0.00	352	111
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	7125.01	59.53	68.20	-8.67	43.91	36.75	15.18	36.31	0.00	352	111	AVERAGE																																																																																										
2	7126.05	57.26	68.20	-10.94	41.64	36.75	15.18	36.31	0.00	352	111	Average																																																																																										
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	7115.00	88.76	-----	-----	73.15	36.73	15.17	36.29	0.00	352	111	AVERAGE																																																																																										





Mode	48																																																																																																															
	Band Edge																																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_7115MHz																																																																																																															
ANT	1 + 2																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.01</td><td>72.73</td><td>88.20</td><td>-15.47</td><td>57.11</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>125</td><td>65</td><td>PEAK</td></tr><tr><td>2</td><td>7126.18</td><td>71.95</td><td>88.20</td><td>-16.25</td><td>56.32</td><td>36.75</td><td>15.19</td><td>36.31</td><td>0.00</td><td>125</td><td>65</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	72.73	88.20	-15.47	57.11	36.75	15.18	36.31	0.00	125	65	PEAK	2	7126.18	71.95	88.20	-16.25	56.32	36.75	15.19	36.31	0.00	125	65	Peak	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>95.06</td><td>-----</td><td>-----</td><td>79.45</td><td>36.73</td><td>15.17</td><td>36.29</td><td>0.00</td><td>125</td><td>65</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	95.06	-----	-----	79.45	36.73	15.17	36.29	0.00	125	65
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7125.01	72.73	88.20	-15.47	57.11	36.75	15.18	36.31	0.00	125	65	PEAK																																																																																																				
2	7126.18	71.95	88.20	-16.25	56.32	36.75	15.19	36.31	0.00	125	65	Peak																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7115.00	95.06	-----	-----	79.45	36.73	15.17	36.29	0.00	125	65	PEAK																																																																																																				
Avg																																																																																																																
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.01</td><td>60.51</td><td>68.20</td><td>-7.69</td><td>44.89</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>125</td><td>65</td><td>AVERAGE</td></tr><tr><td>2</td><td>7126.05</td><td>57.13</td><td>68.20</td><td>-11.07</td><td>41.51</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>125</td><td>65</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	60.51	68.20	-7.69	44.89	36.75	15.18	36.31	0.00	125	65	AVERAGE	2	7126.05	57.13	68.20	-11.07	41.51	36.75	15.18	36.31	0.00	125	65	Average	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>89.08</td><td>-----</td><td>-----</td><td>73.47</td><td>36.73</td><td>15.17</td><td>36.29</td><td>0.00</td><td>125</td><td>65</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	89.08	-----	-----	73.47	36.73	15.17	36.29	0.00	125	65
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7125.01	60.51	68.20	-7.69	44.89	36.75	15.18	36.31	0.00	125	65	AVERAGE																																																																																																				
2	7126.05	57.13	68.20	-11.07	41.51	36.75	15.18	36.31	0.00	125	65	Average																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7115.00	89.08	-----	-----	73.47	36.73	15.17	36.29	0.00	125	65	AVERAGE																																																																																																				







Mode	48																																																																																																															
	Harmonic																																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_7115MHz																																																																																																															
ANT	1 + 2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>14230.00</td><td>53.05</td><td>88.20</td><td>-34.35</td><td>32.76</td><td>42.00</td><td>21.72</td><td>43.05</td><td>0.42</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>21345.00</td><td>40.18</td><td>74.00</td><td>-33.82</td><td>45.88</td><td>38.00</td><td>27.16</td><td>61.32</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	14230.00	53.05	88.20	-34.35	32.76	42.00	21.72	43.05	0.42	--	PEAK	2	21345.00	40.18	74.00	-33.82	45.88	38.00	27.16	61.32	-9.54	--	PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>14230.00</td><td>54.50</td><td>88.20</td><td>-33.70</td><td>33.41</td><td>42.00</td><td>21.72</td><td>43.05</td><td>0.42</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>21345.00</td><td>40.52</td><td>74.00</td><td>-33.48</td><td>46.22</td><td>38.00</td><td>27.16</td><td>61.32</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	14230.00	54.50	88.20	-33.70	33.41	42.00	21.72	43.05	0.42	--	PEAK	2	21345.00	40.52	74.00	-33.48	46.22	38.00	27.16	61.32	-9.54	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	14230.00	53.05	88.20	-34.35	32.76	42.00	21.72	43.05	0.42	--	PEAK																																																																																																					
2	21345.00	40.18	74.00	-33.82	45.88	38.00	27.16	61.32	-9.54	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	14230.00	54.50	88.20	-33.70	33.41	42.00	21.72	43.05	0.42	--	PEAK																																																																																																					
2	21345.00	40.52	74.00	-33.48	46.22	38.00	27.16	61.32	-9.54	--	PEAK																																																																																																					



Mode	48	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_7115MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL







Mode	49																																																																																																				
	Band Edge																																																																																																				
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_26/8_7115MHz																																																																																																				
ANT	1 + 2																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7125.14</td><td>69.13</td><td>88.20</td><td>-19.07</td><td>53.51</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>300</td><td>75</td><td>PEAK</td></tr><tr><td>2</td><td>7126.01</td><td>72.63</td><td>88.20</td><td>-15.57</td><td>57.01</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>300</td><td>75</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7125.14	69.13	88.20	-19.07	53.51	36.75	15.18	36.31	0.00	300	75	PEAK	2	7126.01	72.63	88.20	-15.57	57.01	36.75	15.18	36.31	0.00	300	75	Peak	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7115.00</td><td>93.79</td><td>-----</td><td>-----</td><td>78.17</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>300</td><td>75</td><td>PEAK</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7115.00	93.79	-----	-----	78.17	36.75	15.18	36.31	0.00	300	75
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	7125.14	69.13	88.20	-19.07	53.51	36.75	15.18	36.31	0.00	300	75	PEAK																																																																																									
2	7126.01	72.63	88.20	-15.57	57.01	36.75	15.18	36.31	0.00	300	75	Peak																																																																																									
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	7115.00	93.79	-----	-----	78.17	36.75	15.18	36.31	0.00	300	75	PEAK																																																																																									
Avg																																																																																																					
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7125.01</td><td>57.29</td><td>68.20</td><td>-10.91</td><td>41.67</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>300</td><td>75</td><td>AVERAGE</td></tr><tr><td>2</td><td>7126.01</td><td>57.90</td><td>68.20</td><td>-10.30</td><td>42.28</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>300</td><td>75</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7125.01	57.29	68.20	-10.91	41.67	36.75	15.18	36.31	0.00	300	75	AVERAGE	2	7126.01	57.90	68.20	-10.30	42.28	36.75	15.18	36.31	0.00	300	75	Average	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7115.00</td><td>86.98</td><td>-----</td><td>-----</td><td>71.36</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>300</td><td>75</td><td>AVERAGE</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7115.00	86.98	-----	-----	71.36	36.75	15.18	36.31	0.00	300	75
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	7125.01	57.29	68.20	-10.91	41.67	36.75	15.18	36.31	0.00	300	75	AVERAGE																																																																																									
2	7126.01	57.90	68.20	-10.30	42.28	36.75	15.18	36.31	0.00	300	75	Average																																																																																									
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	7115.00	86.98	-----	-----	71.36	36.75	15.18	36.31	0.00	300	75	AVERAGE																																																																																									







		49									
Mode	Band Edge										
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_26/8_7115MHz										
ANT	1 + 2										
Pol.	Vertical										
Peak											





Mode	50																																																																																																															
	Band Edge																																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_106/54_7115MHz																																																																																																															
ANT	1 + 2																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.01</td><td>70.12</td><td>88.20</td><td>-18.08</td><td>54.50</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>400</td><td>111</td><td>PEAK</td></tr><tr><td>2</td><td>7126.31</td><td>69.61</td><td>88.20</td><td>-18.59</td><td>53.90</td><td>36.75</td><td>15.19</td><td>36.31</td><td>0.00</td><td>400</td><td>111</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	70.12	88.20	-18.08	54.50	36.75	15.18	36.31	0.00	400	111	PEAK	2	7126.31	69.61	88.20	-18.59	53.90	36.75	15.19	36.31	0.00	400	111	Peak	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>95.75</td><td>-----</td><td>-----</td><td>80.13</td><td>36.74</td><td>15.18</td><td>36.30</td><td>0.00</td><td>400</td><td>111</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	95.75	-----	-----	80.13	36.74	15.18	36.30	0.00	400	111
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7125.01	70.12	88.20	-18.08	54.50	36.75	15.18	36.31	0.00	400	111	PEAK																																																																																																				
2	7126.31	69.61	88.20	-18.59	53.90	36.75	15.19	36.31	0.00	400	111	Peak																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7115.00	95.75	-----	-----	80.13	36.74	15.18	36.30	0.00	400	111	PEAK																																																																																																				
Avg																																																																																																																
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.01</td><td>58.42</td><td>68.20</td><td>-9.78</td><td>42.00</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>400</td><td>111</td><td>AVERAGE</td></tr><tr><td>2</td><td>7126.01</td><td>57.59</td><td>68.20</td><td>-10.61</td><td>41.97</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>400</td><td>111</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	58.42	68.20	-9.78	42.00	36.75	15.18	36.31	0.00	400	111	AVERAGE	2	7126.01	57.59	68.20	-10.61	41.97	36.75	15.18	36.31	0.00	400	111	Average	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>88.16</td><td>-----</td><td>-----</td><td>72.54</td><td>36.74</td><td>15.18</td><td>36.30</td><td>0.00</td><td>400</td><td>111</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	88.16	-----	-----	72.54	36.74	15.18	36.30	0.00	400	111
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7125.01	58.42	68.20	-9.78	42.00	36.75	15.18	36.31	0.00	400	111	AVERAGE																																																																																																				
2	7126.01	57.59	68.20	-10.61	41.97	36.75	15.18	36.31	0.00	400	111	Average																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7115.00	88.16	-----	-----	72.54	36.74	15.18	36.30	0.00	400	111	AVERAGE																																																																																																				





Mode	50																																																																																																					
	Band Edge																																																																																																					
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_106/54_7115MHz																																																																																																					
ANT	1 + 2																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak																																																																																																						
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7125.01</td><td>73.03</td><td>88.20</td><td>-15.17</td><td>57.41</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>100</td><td>55</td><td>PEAK</td></tr><tr><td>2</td><td>7126.01</td><td>72.39</td><td>88.20</td><td>-15.81</td><td>56.77</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>100</td><td>55</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7125.01	73.03	88.20	-15.17	57.41	36.75	15.18	36.31	0.00	100	55	PEAK	2	7126.01	72.39	88.20	-15.81	56.77	36.75	15.18	36.31	0.00	100	55	Peak	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7115.00</td><td>97.39</td><td>-----</td><td>-----</td><td>81.77</td><td>36.74</td><td>15.18</td><td>36.30</td><td>0.00</td><td>100</td><td>55</td><td>PEAK</td></tr></table>							Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7115.00	97.39	-----	-----	81.77	36.74	15.18	36.30	0.00	100	55
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	7125.01	73.03	88.20	-15.17	57.41	36.75	15.18	36.31	0.00	100	55	PEAK																																																																																										
2	7126.01	72.39	88.20	-15.81	56.77	36.75	15.18	36.31	0.00	100	55	Peak																																																																																										
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	7115.00	97.39	-----	-----	81.77	36.74	15.18	36.30	0.00	100	55	PEAK																																																																																										
Avg																																																																																																						
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7125.01</td><td>61.33</td><td>68.20</td><td>-6.87</td><td>45.71</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>100</td><td>55</td><td>AVERAGE</td></tr><tr><td>2</td><td>7126.01</td><td>60.49</td><td>68.20</td><td>-7.71</td><td>44.87</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>100</td><td>55</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7125.01	61.33	68.20	-6.87	45.71	36.75	15.18	36.31	0.00	100	55	AVERAGE	2	7126.01	60.49	68.20	-7.71	44.87	36.75	15.18	36.31	0.00	100	55	Average	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7115.00</td><td>90.18</td><td>-----</td><td>-----</td><td>74.56</td><td>36.74</td><td>15.18</td><td>36.30</td><td>0.00</td><td>100</td><td>55</td><td>AVERAGE</td></tr></table>							Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7115.00	90.18	-----	-----	74.56	36.74	15.18	36.30	0.00	100	55
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	7125.01	61.33	68.20	-6.87	45.71	36.75	15.18	36.31	0.00	100	55	AVERAGE																																																																																										
2	7126.01	60.49	68.20	-7.71	44.87	36.75	15.18	36.31	0.00	100	55	Average																																																																																										
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	7115.00	90.18	-----	-----	74.56	36.74	15.18	36.30	0.00	100	55	AVERAGE																																																																																										





Mode	51																																																																																																															
	Harmonic																																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE40_CH195_6925MHz																																																																																																															
ANT	1 + 2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13850.00</td><td>54.15</td><td>88.20</td><td>-34.05</td><td>33.66</td><td>41.30</td><td>21.40</td><td>42.60</td><td>0.39</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20775.00</td><td>39.09</td><td>74.00</td><td>-34.91</td><td>45.65</td><td>38.05</td><td>26.82</td><td>61.89</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13850.00	54.15	88.20	-34.05	33.66	41.30	21.40	42.60	0.39	--	PEAK	2	20775.00	39.09	74.00	-34.91	45.65	38.05	26.82	61.89	-9.54	--	PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13850.00</td><td>54.39</td><td>88.20</td><td>-33.81</td><td>33.90</td><td>41.30</td><td>21.40</td><td>42.60</td><td>0.39</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20775.00</td><td>39.92</td><td>74.00</td><td>-34.08</td><td>46.48</td><td>38.05</td><td>26.82</td><td>61.89</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13850.00	54.39	88.20	-33.81	33.90	41.30	21.40	42.60	0.39	--	PEAK	2	20775.00	39.92	74.00	-34.08	46.48	38.05	26.82	61.89	-9.54	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	13850.00	54.15	88.20	-34.05	33.66	41.30	21.40	42.60	0.39	--	PEAK																																																																																																					
2	20775.00	39.09	74.00	-34.91	45.65	38.05	26.82	61.89	-9.54	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	13850.00	54.39	88.20	-33.81	33.90	41.30	21.40	42.60	0.39	--	PEAK																																																																																																					
2	20775.00	39.92	74.00	-34.08	46.48	38.05	26.82	61.89	-9.54	--	PEAK																																																																																																					





Mode	51	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE40_CH195_6925MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL







Mode	52																																																																																																															
	Harmonic																																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE40_CH211_7005MHz																																																																																																															
ANT	1 + 2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14010.00</td><td>54.57</td><td>88.20</td><td>-33.63</td><td>33.54</td><td>41.88</td><td>21.53</td><td>42.77</td><td>0.39</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>21015.00</td><td>40.21</td><td>74.00</td><td>-33.79</td><td>46.47</td><td>38.07</td><td>26.99</td><td>61.78</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	14010.00	54.57	88.20	-33.63	33.54	41.88	21.53	42.77	0.39	--	PEAK	2	21015.00	40.21	74.00	-33.79	46.47	38.07	26.99	61.78	-9.54	--	PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14010.00</td><td>54.67</td><td>88.20</td><td>-33.53</td><td>33.64</td><td>41.88</td><td>21.53</td><td>42.77</td><td>0.39</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>21015.00</td><td>39.95</td><td>74.00</td><td>-34.05</td><td>46.21</td><td>38.07</td><td>26.99</td><td>61.78</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	14010.00	54.67	88.20	-33.53	33.64	41.88	21.53	42.77	0.39	--	PEAK	2	21015.00	39.95	74.00	-34.05	46.21	38.07	26.99	61.78	-9.54	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	14010.00	54.57	88.20	-33.63	33.54	41.88	21.53	42.77	0.39	--	PEAK																																																																																																					
2	21015.00	40.21	74.00	-33.79	46.47	38.07	26.99	61.78	-9.54	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	14010.00	54.67	88.20	-33.53	33.64	41.88	21.53	42.77	0.39	--	PEAK																																																																																																					
2	21015.00	39.95	74.00	-34.05	46.21	38.07	26.99	61.78	-9.54	--	PEAK																																																																																																					







Mode	52	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE40_CH211_7005MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





		53																																																																																								
Mode	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_7085MHz																																																																																									
ANT	1 + 2																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak																																																																																										
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7181.48</td><td>53.62</td><td>88.20 -34.58</td><td>37.97</td><td>36.00</td><td>15.25</td><td>36.40</td><td>0.00</td><td>367</td><td>111 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7181.48	53.62	88.20 -34.58	37.97	36.00	15.25	36.40	0.00	367	111 PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7085.00</td><td>97.96</td><td>-----</td><td>82.42</td><td>36.65</td><td>15.14</td><td>36.25</td><td>0.00</td><td>367</td><td>111 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7085.00	97.96	-----	82.42	36.65	15.14	36.25	0.00	367
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 7181.48	53.62	88.20 -34.58	37.97	36.00	15.25	36.40	0.00	367	111 PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 7085.00	97.96	-----	82.42	36.65	15.14	36.25	0.00	367	111 PEAK																																																																																	
Avg																																																																																										
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7225.96</td><td>44.92</td><td>68.20 -23.28</td><td>29.18</td><td>36.90</td><td>15.30</td><td>36.46</td><td>0.00</td><td>367</td><td>111 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7225.96	44.92	68.20 -23.28	29.18	36.90	15.30	36.46	0.00	367	111 AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7085.00</td><td>90.82</td><td>-----</td><td>75.30</td><td>36.63</td><td>15.13</td><td>36.24</td><td>0.00</td><td>367</td><td>111 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7085.00	90.82	-----	75.30	36.63	15.13	36.24	0.00	367
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 7225.96	44.92	68.20 -23.28	29.18	36.90	15.30	36.46	0.00	367	111 AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 7085.00	90.82	-----	75.30	36.63	15.13	36.24	0.00	367	111 AVERAGE																																																																																	





Mode	53																																																																																									
	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_7085MHz																																																																																									
ANT	1 + 2																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7157.00</td><td>53.60</td><td>88.20</td><td>-34.60</td><td>37.94</td><td>36.00</td><td>15.22</td><td>36.36</td><td>0.00</td><td>109 62 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg	1 7157.00	53.60	88.20	-34.60	37.94	36.00	15.22	36.36	0.00	109 62 PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7085.00</td><td>99.04</td><td>-----</td><td>-----</td><td>83.50</td><td>36.65</td><td>15.14</td><td>36.25</td><td>0.00</td><td>109 62 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg	1 7085.00	99.04	-----	-----	83.50	36.65	15.14	36.25	0.00	109 62 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg																																																																																	
1 7157.00	53.60	88.20	-34.60	37.94	36.00	15.22	36.36	0.00	109 62 PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg																																																																																	
1 7085.00	99.04	-----	-----	83.50	36.65	15.14	36.25	0.00	109 62 PEAK																																																																																	
Avg	 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7238.76</td><td>44.85</td><td>68.20</td><td>-23.35</td><td>29.06</td><td>36.96</td><td>15.31</td><td>36.48</td><td>0.00</td><td>109 62 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg	1 7238.76	44.85	68.20	-23.35	29.06	36.96	15.31	36.48	0.00	109 62 AVERAGE	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7085.00</td><td>91.96</td><td>-----</td><td>-----</td><td>76.44</td><td>36.63</td><td>15.13</td><td>36.24</td><td>0.00</td><td>109 62 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg	1 7085.00	91.96	-----	-----	76.44	36.63	15.13	36.24	0.00	109 62 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg																																																																																	
1 7238.76	44.85	68.20	-23.35	29.06	36.96	15.31	36.48	0.00	109 62 AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg																																																																																	
1 7085.00	91.96	-----	-----	76.44	36.63	15.13	36.24	0.00	109 62 AVERAGE																																																																																	





Mode	53																																																																																																															
	Harmonic																																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_7085MHz																																																																																																															
ANT	1 + 2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14170.00</td><td>54.53</td><td>88.20</td><td>-33.67</td><td>33.42</td><td>42.00</td><td>21.67</td><td>42.97</td><td>0.41</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>21255.00</td><td>39.06</td><td>74.00</td><td>-34.94</td><td>44.92</td><td>38.00</td><td>27.12</td><td>61.44</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14170.00	54.53	88.20	-33.67	33.42	42.00	21.67	42.97	0.41	--	PEAK	2	21255.00	39.06	74.00	-34.94	44.92	38.00	27.12	61.44	-9.54	--	PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14170.00</td><td>54.44</td><td>88.20</td><td>-33.76</td><td>33.33</td><td>42.00</td><td>21.67</td><td>42.97</td><td>0.41</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>21255.00</td><td>39.93</td><td>74.00</td><td>-34.07</td><td>45.79</td><td>38.00</td><td>27.12</td><td>61.44</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14170.00	54.44	88.20	-33.76	33.33	42.00	21.67	42.97	0.41	--	PEAK	2	21255.00	39.93	74.00	-34.07	45.79	38.00	27.12	61.44	-9.54	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	14170.00	54.53	88.20	-33.67	33.42	42.00	21.67	42.97	0.41	--	PEAK																																																																																																					
2	21255.00	39.06	74.00	-34.94	44.92	38.00	27.12	61.44	-9.54	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	14170.00	54.44	88.20	-33.76	33.33	42.00	21.67	42.97	0.41	--	PEAK																																																																																																					
2	21255.00	39.93	74.00	-34.07	45.79	38.00	27.12	61.44	-9.54	--	PEAK																																																																																																					





Mode	53	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_7085MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL







Mode	54																																																																
	Harmonic																																																																
	U-NII-8_6.875-7.125_802.11ax HE80_CH199_6945MHz																																																																
ANT	1 + 2																																																																
Pol.	Horizontal						Vertical																																																										
Peak Avg																																																																	
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13890.00</td><td>54.71</td><td>88.20</td><td>-33.49</td><td>33.91</td><td>41.62</td><td>21.43</td><td>42.64</td><td>0.39</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20835.00</td><td>39.96</td><td>74.00</td><td>-34.04</td><td>46.44</td><td>38.07</td><td>26.86</td><td>61.87</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13890.00	54.71	88.20	-33.49	33.91	41.62	21.43	42.64	0.39	--	PEAK	2	20835.00	39.96	74.00	-34.04	46.44	38.07	26.86	61.87	-9.54	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																							
1	13890.00	54.71	88.20	-33.49	33.91	41.62	21.43	42.64	0.39	--	PEAK																																																						
2	20835.00	39.96	74.00	-34.04	46.44	38.07	26.86	61.87	-9.54	--	PEAK																																																						
Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13890.00</td><td>54.34</td><td>88.20</td><td>-33.86</td><td>33.54</td><td>41.62</td><td>21.43</td><td>42.64</td><td>0.39</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20835.00</td><td>40.55</td><td>74.00</td><td>-33.45</td><td>47.03</td><td>38.07</td><td>26.86</td><td>61.87</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13890.00	54.34	88.20	-33.86	33.54	41.62	21.43	42.64	0.39	--	PEAK	2	20835.00	40.55	74.00	-33.45	47.03	38.07	26.86	61.87	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																							
1	13890.00	54.34	88.20	-33.86	33.54	41.62	21.43	42.64	0.39	--	PEAK																																																						
2	20835.00	40.55	74.00	-33.45	47.03	38.07	26.86	61.87	-9.54	--	PEAK																																																						







Mode	54	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE80_CH199_6945MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





Mode	55																																																																																								
	Band Edge																																																																																								
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_7025MHz																																																																																								
ANT	1 + 2																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak																																																																																									
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7203.64</td><td>55.20</td><td>88.20 -33.00</td><td>39.55</td><td>36.81</td><td>15.27</td><td>36.43</td><td>0.00</td><td>369</td><td>113 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7203.64	55.20	88.20 -33.00	39.55	36.81	15.27	36.43	0.00	369	113 PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7025.00</td><td>98.35</td><td>-----</td><td>82.09</td><td>36.55</td><td>15.07</td><td>36.16</td><td>0.00</td><td>369</td><td>113 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7025.00	98.35	-----	82.09	36.55	15.07	36.16	0.00	369
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 7203.64	55.20	88.20 -33.00	39.55	36.81	15.27	36.43	0.00	369	113 PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 7025.00	98.35	-----	82.09	36.55	15.07	36.16	0.00	369	113 PEAK																																																																																
Avg																																																																																									
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3.600kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7238.84</td><td>45.39</td><td>68.20 -22.81</td><td>29.60</td><td>36.96</td><td>15.31</td><td>36.48</td><td>0.00</td><td>369</td><td>113 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7238.84	45.39	68.20 -22.81	29.60	36.96	15.31	36.48	0.00	369	113 AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3.600kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7025.00</td><td>91.30</td><td>-----</td><td>75.84</td><td>36.55</td><td>15.07</td><td>36.16</td><td>0.00</td><td>369</td><td>113 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7025.00	91.30	-----	75.84	36.55	15.07	36.16	0.00	369
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 7238.84	45.39	68.20 -22.81	29.60	36.96	15.31	36.48	0.00	369	113 AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 7025.00	91.30	-----	75.84	36.55	15.07	36.16	0.00	369	113 AVERAGE																																																																																





Mode	55																																																																																																		
	Band Edge																																																																																																		
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_7025MHz																																																																																																		
ANT	1 + 2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7208.48</td><td>53.58</td><td>88.20 -34.62</td><td>37.91</td><td>36.83</td><td>15.28</td><td>36.44</td><td>0.00</td><td>100</td><td>61</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7208.48	53.58	88.20 -34.62	37.91	36.83	15.28	36.44	0.00	100	61	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7025.00</td><td>101.18</td><td>-----</td><td>85.71</td><td>36.56</td><td>15.06</td><td>36.15</td><td>0.00</td><td>100</td><td>61</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7025.00	101.18	-----	85.71	36.56	15.06	36.15	0.00	100	61
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 7208.48	53.58	88.20 -34.62	37.91	36.83	15.28	36.44	0.00	100	61	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 7025.00	101.18	-----	85.71	36.56	15.06	36.15	0.00	100	61	PEAK																																																																																									
Avg																																																																																																			
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3.600kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7243.46</td><td>45.44</td><td>68.20 -22.76</td><td>29.64</td><td>36.97</td><td>15.32</td><td>36.49</td><td>0.00</td><td>100</td><td>61</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7243.46	45.44	68.20 -22.76	29.64	36.97	15.32	36.49	0.00	100	61	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3.600kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7025.00</td><td>91.79</td><td>-----</td><td>76.32</td><td>36.56</td><td>15.06</td><td>36.15</td><td>0.00</td><td>100</td><td>61</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7025.00	91.79	-----	76.32	36.56	15.06	36.15	0.00	100	61
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 7243.46	45.44	68.20 -22.76	29.64	36.97	15.32	36.49	0.00	100	61	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 7025.00	91.79	-----	76.32	36.56	15.06	36.15	0.00	100	61	AVERAGE																																																																																									







Mode	55																																																																																																															
	Harmonic																																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_7025MHz																																																																																																															
ANT	1 + 2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14050.00</td><td>54.93</td><td>88.20</td><td>-33.27</td><td>33.99</td><td>41.00</td><td>21.56</td><td>42.82</td><td>0.40</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>21075.00</td><td>40.07</td><td>74.00</td><td>-33.93</td><td>46.28</td><td>38.00</td><td>27.02</td><td>61.69</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	14050.00	54.93	88.20	-33.27	33.99	41.00	21.56	42.82	0.40	--	PEAK	2	21075.00	40.07	74.00	-33.93	46.28	38.00	27.02	61.69	-9.54	--	PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14050.00</td><td>54.75</td><td>88.20</td><td>-33.45</td><td>33.81</td><td>41.00</td><td>21.56</td><td>42.82</td><td>0.40</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>21075.00</td><td>40.10</td><td>74.00</td><td>-33.90</td><td>46.31</td><td>38.00</td><td>27.02</td><td>61.69</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	14050.00	54.75	88.20	-33.45	33.81	41.00	21.56	42.82	0.40	--	PEAK	2	21075.00	40.10	74.00	-33.90	46.31	38.00	27.02	61.69	-9.54	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	14050.00	54.93	88.20	-33.27	33.99	41.00	21.56	42.82	0.40	--	PEAK																																																																																																					
2	21075.00	40.07	74.00	-33.93	46.28	38.00	27.02	61.69	-9.54	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	14050.00	54.75	88.20	-33.45	33.81	41.00	21.56	42.82	0.40	--	PEAK																																																																																																					
2	21075.00	40.10	74.00	-33.90	46.31	38.00	27.02	61.69	-9.54	--	PEAK																																																																																																					







Mode	55	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_7025MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





Mode	56																																																																																								
	Band Edge																																																																																								
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_6985MHz																																																																																								
ANT	1 + 2																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak																																																																																									
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 7138.36</td><td>54.86</td><td>88.20 -33.34</td><td>39.21</td><td>36.78</td><td>15.20</td><td>36.33</td><td>0.00</td><td>363</td><td>108 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg	1 7138.36	54.86	88.20 -33.34	39.21	36.78	15.20	36.33	0.00	363	108 PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 6985.00</td><td>90.12</td><td>-----</td><td>82.59</td><td>36.60</td><td>15.03</td><td>36.10</td><td>0.00</td><td>363</td><td>108 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg	1 6985.00	90.12	-----	82.59	36.60	15.03	36.10	0.00	363
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg																																																																																
1 7138.36	54.86	88.20 -33.34	39.21	36.78	15.20	36.33	0.00	363	108 PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg																																																																																
1 6985.00	90.12	-----	82.59	36.60	15.03	36.10	0.00	363	108 PEAK																																																																																
Avg																																																																																									
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3.600kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 7137.16</td><td>47.82</td><td>68.20 -20.38</td><td>32.18</td><td>36.77</td><td>15.20</td><td>36.33</td><td>0.00</td><td>363</td><td>108 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg	1 7137.16	47.82	68.20 -20.38	32.18	36.77	15.20	36.33	0.00	363	108 AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3.600kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 6985.00</td><td>90.35</td><td>-----</td><td>74.85</td><td>36.58</td><td>15.05</td><td>36.13</td><td>0.00</td><td>363</td><td>108 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg	1 6985.00	90.35	-----	74.85	36.58	15.05	36.13	0.00	363
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg																																																																																
1 7137.16	47.82	68.20 -20.38	32.18	36.77	15.20	36.33	0.00	363	108 AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg																																																																																
1 6985.00	90.35	-----	74.85	36.58	15.05	36.13	0.00	363	108 AVERAGE																																																																																





		56																																																																																																	
Mode		Band Edge																																																																																																	
		U-NII-8_6.875-7.125_802.11ax HE160_CH207_6985MHz																																																																																																	
ANT		1 + 2																																																																																																	
Pol.		Vertical					Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7136.44</td><td>57.67</td><td>88.20 -30.53</td><td>42.03</td><td>36.77</td><td>15.20</td><td>36.33</td><td>0.00</td><td>100</td><td>63 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg	1 7136.44	57.67	88.20 -30.53	42.03	36.77	15.20	36.33	0.00	100	63 PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 6985.00</td><td>97.48</td><td>-----</td><td>81.95</td><td>36.60</td><td>15.01</td><td>36.00</td><td>0.00</td><td>100</td><td>63 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg	1 6985.00	97.48	-----	81.95	36.60	15.01	36.00	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg																																																																																										
1 7136.44	57.67	88.20 -30.53	42.03	36.77	15.20	36.33	0.00	100	63 PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg																																																																																										
1 6985.00	97.48	-----	81.95	36.60	15.01	36.00	0.00	100	63 PEAK																																																																																										
Avg																																																																																																			
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3.600kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7136.44</td><td>48.60</td><td>68.20 -19.60</td><td>32.96</td><td>36.77</td><td>15.20</td><td>36.33</td><td>0.00</td><td>100</td><td>63 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg	1 7136.44	48.60	68.20 -19.60	32.96	36.77	15.20	36.33	0.00	100	63 AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3.600kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 6985.00</td><td>90.14</td><td>-----</td><td>74.61</td><td>36.60</td><td>15.03</td><td>36.10</td><td>0.00</td><td>100</td><td>63 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg	1 6985.00	90.14	-----	74.61	36.60	15.03	36.10	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg																																																																																										
1 7136.44	48.60	68.20 -19.60	32.96	36.77	15.20	36.33	0.00	100	63 AVERAGE																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm deg																																																																																										
1 6985.00	90.14	-----	74.61	36.60	15.03	36.10	0.00	100	63 AVERAGE																																																																																										





Mode	56																																																																																																																														
	Harmonic																																																																																																																														
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_6985MHz																																																																																																																														
ANT	1 + 2																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																								
Peak Avg																																																																																																																															
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																																																																								
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13970.00</td><td>54.52</td><td>88.20</td><td>-33.68</td><td>33.58</td><td>41.78</td><td>21.50</td><td>42.73</td><td>0.39</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20955.00</td><td>40.96</td><td>74.00</td><td>-33.04</td><td>47.45</td><td>37.92</td><td>26.95</td><td>61.82</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13970.00	54.52	88.20	-33.68	33.58	41.78	21.50	42.73	0.39	--	PEAK	2	20955.00	40.96	74.00	-33.04	47.45	37.92	26.95	61.82	-9.54	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13970.00</td><td>54.92</td><td>88.20</td><td>-33.28</td><td>33.98</td><td>41.78</td><td>21.50</td><td>42.73</td><td>0.39</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20955.00</td><td>40.23</td><td>74.00</td><td>-33.77</td><td>46.72</td><td>37.92</td><td>26.95</td><td>61.82</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13970.00	54.92	88.20	-33.28	33.98	41.78	21.50	42.73	0.39	--	PEAK	2	20955.00	40.23	74.00	-33.77	46.72	37.92	26.95	61.82	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	13970.00	54.52	88.20	-33.68	33.58	41.78	21.50	42.73	0.39	--	PEAK																																																																																																																				
2	20955.00	40.96	74.00	-33.04	47.45	37.92	26.95	61.82	-9.54	--	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	13970.00	54.92	88.20	-33.28	33.98	41.78	21.50	42.73	0.39	--	PEAK																																																																																																																				
2	20955.00	40.23	74.00	-33.77	46.72	37.92	26.95	61.82	-9.54	--	PEAK																																																																																																																				



Mode	56	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_6985MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL



Mode	57																																																																																																																		
	LF																																																																																																																		
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																																																		
ANT	1 + 2																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																												
QPI Peak																																																																																																																			
	Site : 03CH22-HY Condition: QP 3m Bilog_63304_241217 HORIZONTAL																																																																																																																		
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>67.83</td><td>29.30</td><td>40.00</td><td>-10.70</td><td>48.15</td><td>12.35</td><td>1.47</td><td>32.70</td><td>0.03</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>122.15</td><td>33.94</td><td>43.50</td><td>-9.56</td><td>47.18</td><td>17.40</td><td>1.96</td><td>32.68</td><td>0.08</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>258.92</td><td>29.40</td><td>46.00</td><td>-16.60</td><td>39.10</td><td>20.01</td><td>2.86</td><td>32.62</td><td>0.05</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>341.37</td><td>28.15</td><td>46.00</td><td>-17.85</td><td>37.35</td><td>20.15</td><td>3.27</td><td>32.67</td><td>0.05</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>730.34</td><td>36.06</td><td>46.00</td><td>-9.94</td><td>36.17</td><td>27.71</td><td>4.77</td><td>32.71</td><td>0.12</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>959.26</td><td>33.91</td><td>46.00</td><td>-12.09</td><td>28.01</td><td>31.50</td><td>5.44</td><td>31.25</td><td>0.21</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	67.83	29.30	40.00	-10.70	48.15	12.35	1.47	32.70	0.03	--	--	Peak	2	122.15	33.94	43.50	-9.56	47.18	17.40	1.96	32.68	0.08	--	--	Peak	3	258.92	29.40	46.00	-16.60	39.10	20.01	2.86	32.62	0.05	--	--	Peak	4	341.37	28.15	46.00	-17.85	37.35	20.15	3.27	32.67	0.05	--	--	Peak	5	730.34	36.06	46.00	-9.94	36.17	27.71	4.77	32.71	0.12	--	--	Peak	6	959.26	33.91	46.00	-12.09	28.01	31.50	5.44	31.25	0.21	--	--
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	67.83	29.30	40.00	-10.70	48.15	12.35	1.47	32.70	0.03	--	--	Peak																																																																																																							
2	122.15	33.94	43.50	-9.56	47.18	17.40	1.96	32.68	0.08	--	--	Peak																																																																																																							
3	258.92	29.40	46.00	-16.60	39.10	20.01	2.86	32.62	0.05	--	--	Peak																																																																																																							
4	341.37	28.15	46.00	-17.85	37.35	20.15	3.27	32.67	0.05	--	--	Peak																																																																																																							
5	730.34	36.06	46.00	-9.94	36.17	27.71	4.77	32.71	0.12	--	--	Peak																																																																																																							
6	959.26	33.91	46.00	-12.09	28.01	31.50	5.44	31.25	0.21	--	--	Peak																																																																																																							
Site : 03CH22-HY Condition: QP 3m Bilog_63304_241217 VERTICAL																																																																																																																			
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>31.94</td><td>31.51</td><td>40.00</td><td>-8.49</td><td>39.12</td><td>24.02</td><td>1.00</td><td>32.66</td><td>0.03</td><td>100</td><td>154</td><td>QP</td></tr><tr><td>2</td><td>118.27</td><td>29.32</td><td>43.50</td><td>-14.18</td><td>42.69</td><td>17.30</td><td>1.93</td><td>32.68</td><td>0.08</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>264.74</td><td>30.53</td><td>46.00</td><td>-15.47</td><td>40.11</td><td>20.11</td><td>2.89</td><td>32.62</td><td>0.04</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>275.41</td><td>27.99</td><td>46.00</td><td>-18.01</td><td>38.82</td><td>18.80</td><td>2.95</td><td>32.62</td><td>0.04</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>716.76</td><td>30.28</td><td>46.00</td><td>-15.72</td><td>31.16</td><td>27.07</td><td>4.72</td><td>32.78</td><td>0.11</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>958.29</td><td>33.89</td><td>46.00</td><td>-12.11</td><td>28.00</td><td>31.50</td><td>5.44</td><td>31.26</td><td>0.21</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	31.94	31.51	40.00	-8.49	39.12	24.02	1.00	32.66	0.03	100	154	QP	2	118.27	29.32	43.50	-14.18	42.69	17.30	1.93	32.68	0.08	--	--	Peak	3	264.74	30.53	46.00	-15.47	40.11	20.11	2.89	32.62	0.04	--	--	Peak	4	275.41	27.99	46.00	-18.01	38.82	18.80	2.95	32.62	0.04	--	--	Peak	5	716.76	30.28	46.00	-15.72	31.16	27.07	4.72	32.78	0.11	--	--	Peak	6	958.29	33.89	46.00	-12.11	28.00	31.50	5.44	31.26	0.21	--	--	Peak
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	31.94	31.51	40.00	-8.49	39.12	24.02	1.00	32.66	0.03	100	154	QP																																																																																																							
2	118.27	29.32	43.50	-14.18	42.69	17.30	1.93	32.68	0.08	--	--	Peak																																																																																																							
3	264.74	30.53	46.00	-15.47	40.11	20.11	2.89	32.62	0.04	--	--	Peak																																																																																																							
4	275.41	27.99	46.00	-18.01	38.82	18.80	2.95	32.62	0.04	--	--	Peak																																																																																																							
5	716.76	30.28	46.00	-15.72	31.16	27.07	4.72	32.78	0.11	--	--	Peak																																																																																																							
6	958.29	33.89	46.00	-12.11	28.00	31.50	5.44	31.26	0.21	--	--	Peak																																																																																																							



Appendix D. Duty Cycle Plots

Chain	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
0+1	802.11a	97.21	1395	0.72	750Hz
0+1	6GHz 802.11ax HE20 Full RU	74.55	1025	0.98	1kHz
0+1	6GHz 802.11ax HE20 26 RU	94.66	585	1.71	1.8kHz
0+1	6GHz 802.11ax HE20 106 RU	94.66	585	1.71	1.8kHz
0+1	6GHz 802.11ax HE40 Full RU	92.49	542	1.85	2kHz
0+1	6GHz 802.11ax HE80 Full RU	87.06	296	3.38	3.6kHz
0+1	6GHz 802.11ax HE160 Full RU	87.35	297	3.37	3.6kHz

MIMO <Chain 0+1>

