Measurement performed on October 10, 2023

Device Under Test

| Manufacturer | Model | Dimensions[mm] | Speaker Position [mm] |
|--------------|-------|---------------------|-----------------------|
| Google | GKV4X | 151.0 x 72.0 x 10.0 | 150.0 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|-----------------|------------------------|------------|----------------------|
| EF3DV3 - SN4088 | August 15, 2023 | DAE4 Sn699 | February 22, 2023 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-----------|----------------------------|---------|-----------------|
| GSM 850 | GSM-FDD (TDMA, GMSK) | 128 | 824.2 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 50.0 | 50.0 | 10.0 | 10.0 | 15.0 |

| Emax [dB(V/m)] | Eavg50x50 max [dB(V/m)] | MIF [dB] | RFail [dB(V/m)] |
|----------------|-------------------------|----------|-----------------|
| 32.16 | 30.54 | 3.63 | 34.17 |



Measurement performed on October 10, 2023

Device Under Test

| Manufacturer | Model | Dimensions[mm] | Speaker Position [mm] |
|--------------|-------|---------------------|-----------------------|
| Google | GKV4X | 151.0 x 72.0 x 10.0 | 150.0 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|-----------------|------------------------|------------|----------------------|
| EF3DV3 - SN4088 | August 15, 2023 | DAE4 Sn699 | February 22, 2023 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-----------|----------------------------|---------|-----------------|
| GSM 850 | GSM-FDD (TDMA, GMSK) | 189 | 836.4 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 50.0 | 50.0 | 10.0 | 10.0 | 15.0 |

| Emax [dB(V/m)] | Eavg50x50 max [dB(V/m)] | MIF [dB] | RFail [dB(V/m)] |
|----------------|-------------------------|----------|-----------------|
| 32.92 | 31.28 | 3.63 | 34.91 |



Measurement performed on October 10, 2023

Device Under Test

| Manufacturer | Model | Dimensions[mm] | Speaker Position [mm] |
|--------------|-------|---------------------|-----------------------|
| Google | GKV4X | 151.0 x 72.0 x 10.0 | 150.0 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|-----------------|------------------------|------------|----------------------|
| EF3DV3 - SN4088 | August 15, 2023 | DAE4 Sn699 | February 22, 2023 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-----------|----------------------------|---------|-----------------|
| GSM 850 | GSM-FDD (TDMA, GMSK) | 251 | 848.8 |

Grid Settings

| | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|------|---------------|-------------|-------------|---------------|
| 50.0 | 50.0 | 10.0 | 10.0 | 15.0 |

| Emax [dB(V/m)] | Eavg50x50 max [dB(V/m)] | MIF [dB] | RFail [dB(V/m)] |
|----------------|-------------------------|----------|-----------------|
| 33.37 | 31.77 | 3.63 | 35.4 |



Measurement performed on October 10, 2023

Device Under Test

| Manufacturer | Model | Dimensions[mm] | Speaker Position [mm] |
|--------------|-------|---------------------|-----------------------|
| Google | GKV4X | 151.0 x 72.0 x 10.0 | 150.0 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|-----------------|------------------------|------------|----------------------|
| EF3DV3 - SN4088 | August 15, 2023 | DAE4 Sn699 | February 22, 2023 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-----------|----------------------------|---------|-----------------|
| GSM 850 | GSM-FDD (TDMA, GMSK) | 128 | 824.2 |

Grid Settings

| | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|------|---------------|-------------|-------------|---------------|
| 50.0 | 50.0 | 10.0 | 10.0 | 15.0 |

| Emax [dB(V/m)] | Eavg50x50 max [dB(V/m)] | MIF [dB] | RFail [dB(V/m)] |
|----------------|-------------------------|----------|-----------------|
| 38.96 | 33.53 | 3.63 | 37.16 |



Measurement performed on October 10, 2023

Device Under Test

| Manufacturer | Model | Dimensions[mm] | Speaker Position [mm] |
|--------------|-------|---------------------|-----------------------|
| Google | GKV4X | 151.0 x 72.0 x 10.0 | 150.0 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|-----------------|------------------------|------------|----------------------|
| EF3DV3 - SN4088 | August 15, 2023 | DAE4 Sn699 | February 22, 2023 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-----------|----------------------------|---------|-----------------|
| GSM 850 | GSM-FDD (TDMA, GMSK) | 189 | 836.4 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 50.0 | 50.0 | 10.0 | 10.0 | 15.0 |

| Emax [dB(V/m)] | Eavg50x50 max [dB(V/m)] | MIF [dB] | RFail [dB(V/m)] |
|----------------|-------------------------|----------|-----------------|
| 39.7 | 34.43 | 3.63 | 38.06 |



Measurement performed on October 10, 2023

Device Under Test

| Manufacturer | Model | Dimensions[mm] | Speaker Position [mm] |
|--------------|-------|---------------------|-----------------------|
| Google | GKV4X | 151.0 x 72.0 x 10.0 | 150.0 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|-----------------|------------------------|------------|----------------------|
| EF3DV3 - SN4088 | August 15, 2023 | DAE4 Sn699 | February 22, 2023 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-----------|----------------------------|---------|-----------------|
| GSM 850 | GSM-FDD (TDMA, GMSK) | 251 | 848.8 |

Grid Settings

| | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|------|---------------|-------------|-------------|---------------|
| 50.0 | 50.0 | 10.0 | 10.0 | 15.0 |

| Emax [dB(V/m)] | Eavg50x50 max [dB(V/m)] | MIF [dB] | RFail [dB(V/m)] |
|----------------|-------------------------|----------|-----------------|
| 39.25 | 34.06 | 3.63 | 37.69 |



Measurement performed on October 10, 2023

Device Under Test

| Manufacturer | Model | Dimensions[mm] | Speaker Position [mm] |
|--------------|-------|---------------------|-----------------------|
| Google | GKV4X | 151.0 x 72.0 x 10.0 | 150.0 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|-----------------|------------------------|------------|----------------------|
| EF3DV3 - SN4088 | August 15, 2023 | DAE4 Sn699 | February 22, 2023 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-----------|----------------------------|---------|-----------------|
| PCS 1900 | | 512 | 1850.2 |

Grid Settings

| | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|------|---------------|-------------|-------------|---------------|
| 50.0 | 50.0 | 10.0 | 10.0 | 15.0 |

| Emax [dB(V/m)] | Eavg50x50 max [dB(V/m)] | MIF [dB] | RFail [dB(V/m)] |
|----------------|-------------------------|----------|-----------------|
| 28.14 | 23.11 | 3.63 | 26.74 |



Measurement performed on October 10, 2023

Device Under Test

| Manufacturer | Model | Dimensions[mm] | Speaker Position [mm] |
|--------------|-------|---------------------|-----------------------|
| Google | GKV4X | 151.0 x 72.0 x 10.0 | 150.0 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|-----------------|------------------------|------------|----------------------|
| EF3DV3 - SN4088 | August 15, 2023 | DAE4 Sn699 | February 22, 2023 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-----------|----------------------------|---------|-----------------|
| PCS 1900 | GSM-FDD (TDMA, GMSK) | 661 | 1880.0 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 50.0 | 50.0 | 10.0 | 10.0 | 15.0 |

| Emax [dB(V/m)] | Eavg50x50 max [dB(V/m)] | MIF [dB] | RFail [dB(V/m)] |
|----------------|-------------------------|----------|-----------------|
| 27.89 | 22.99 | 3.63 | 26.62 |



Measurement performed on October 10, 2023

Device Under Test

| Manufacturer | Model | Dimensions[mm] | Speaker Position [mm] |
|--------------|-------|---------------------|-----------------------|
| Google | GKV4X | 151.0 x 72.0 x 10.0 | 150.0 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|-----------------|------------------------|------------|----------------------|
| EF3DV3 - SN4088 | August 15, 2023 | DAE4 Sn699 | February 22, 2023 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-----------|----------------------------|---------|-----------------|
| PCS 1900 | GSM-FDD (TDMA, GMSK) | 810 | 1909.8 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 50.0 | 50.0 | 10.0 | 10.0 | 15.0 |

| Emax [dB(V/m)] | Eavg50x50 max [dB(V/m)] | MIF [dB] | RFail [dB(V/m)] |
|----------------|-------------------------|----------|-----------------|
| 27.15 | 23.01 | 3.63 | 26.64 |



Measurement performed on October 10, 2023

Device Under Test

| Manufacturer | Model | Dimensions[mm] | Speaker Position [mm] |
|--------------|-------|---------------------|-----------------------|
| Google | GKV4X | 151.0 x 72.0 x 10.0 | 150.0 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|-----------------|------------------------|------------|----------------------|
| EF3DV3 - SN4088 | August 15, 2023 | DAE4 Sn699 | February 22, 2023 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-----------|----------------------------|---------|-----------------|
| PCS 1900 | | 512 | 1850.2 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 50.0 | 50.0 | 10.0 | 10.0 | 15.0 |

| Emax [dB(V/m)] | Eavg50x50 max [dB(V/m)] | MIF [dB] | RFail [dB(V/m)] |
|----------------|-------------------------|----------|-----------------|
| 24.06 | 21.39 | 3.63 | 25.02 |



Measurement performed on October 10, 2023

Device Under Test

| Manufacturer | Model | Dimensions[mm] | Speaker Position [mm] |
|--------------|-------|---------------------|-----------------------|
| Google | GKV4X | 151.0 x 72.0 x 10.0 | 150.0 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|-----------------|------------------------|------------|----------------------|
| EF3DV3 - SN4088 | August 15, 2023 | DAE4 Sn699 | February 22, 2023 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-----------|----------------------------|---------|-----------------|
| PCS 1900 | GSM-FDD (TDMA, GMSK) | 661 | 1880.0 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 50.0 | 50.0 | 10.0 | 10.0 | 15.0 |

| Emax [dB(V/m)] | Eavg50x50 max [dB(V/m)] | MIF [dB] | RFail [dB(V/m)] |
|----------------|-------------------------|----------|-----------------|
| 25.82 | 23.44 | 3.63 | 27.07 |



Measurement performed on October 10, 2023

Device Under Test

| Manufacturer | Model | Dimensions[mm] | Speaker Position [mm] |
|--------------|-------|---------------------|-----------------------|
| Google | GKV4X | 151.0 x 72.0 x 10.0 | 150.0 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|-----------------|------------------------|------------|----------------------|
| EF3DV3 - SN4088 | August 15, 2023 | DAE4 Sn699 | February 22, 2023 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-----------|----------------------------|---------|-----------------|
| PCS 1900 | GSM-FDD (TDMA, GMSK) | 810 | 1909.8 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 50.0 | 50.0 | 10.0 | 10.0 | 15.0 |

| Emax [dB(V/m)] | Eavg50x50 max [dB(V/m)] | MIF [dB] | RFail [dB(V/m)] |
|----------------|-------------------------|----------|-----------------|
| 25.75 | 23.53 | 3.63 | 27.16 |



Measurement performed on October 10, 2023

Device Under Test

| Manufacturer | Model | Dimensions[mm] | Speaker Position [mm] |
|--------------|-------|---------------------|-----------------------|
| Google | GKV4X | 151.0 x 72.0 x 10.0 | 150.0 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|-----------------|------------------------|------------|----------------------|
| EF3DV3 - SN4088 | August 15, 2023 | DAE4 Sn699 | February 22, 2023 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|---------------------|---|---------|-----------------|
| Band 41, E-UTRA/TDD | LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM) | 39750 | 2506.0 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 50.0 | 50.0 | 10.0 | 10.0 | 15.0 |

| Emax [dB(V/m)] | Eavg50x50 max [dB(V/m)] | MIF [dB] | RFail [dB(V/m)] |
|----------------|-------------------------|----------|-----------------|
| 27.19 | 22.97 | -1.44 | 21.53 |



Measurement performed on October 10, 2023

Device Under Test

| Manufacturer | Model | Dimensions[mm] | Speaker Position [mm] |
|--------------|-------|---------------------|-----------------------|
| Google | GKV4X | 151.0 x 72.0 x 10.0 | 150.0 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|-----------------|------------------------|------------|----------------------|
| EF3DV3 - SN4088 | August 15, 2023 | DAE4 Sn699 | February 22, 2023 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|---------------------|---|---------|-----------------|
| Band 41, E-UTRA/TDD | LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM) | 40620 | 2593.0 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 50.0 | 50.0 | 10.0 | 10.0 | 15.0 |

| Emax [dB(V/m)] | Eavg50x50 max [dB(V/m)] | MIF [dB] | RFail [dB(V/m)] |
|----------------|-------------------------|----------|-----------------|
| 27.05 | 23.91 | -1.44 | 22.47 |



Measurement performed on October 10, 2023

Device Under Test

| Manufacturer | Model | Dimensions[mm] | Speaker Position [mm] |
|--------------|-------|---------------------|-----------------------|
| Google | GKV4X | 151.0 x 72.0 x 10.0 | 150.0 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|-----------------|------------------------|------------|----------------------|
| EF3DV3 - SN4088 | August 15, 2023 | DAE4 Sn699 | February 22, 2023 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|---------------------|---|---------|-----------------|
| Band 41, E-UTRA/TDD | LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM) | 41490 | 2680.0 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 50.0 | 50.0 | 10.0 | 10.0 | 15.0 |

| Emax [dB(V/m)] | Eavg50x50 max [dB(V/m)] | MIF [dB] | RFail [dB(V/m)] |
|----------------|-------------------------|----------|-----------------|
| 29.28 | 25.38 | -1.44 | 23.94 |



Measurement performed on October 10, 2023

Device Under Test

| Manufacturer | Model | Dimensions[mm] | Speaker Position [mm] |
|--------------|-------|---------------------|-----------------------|
| Google | GKV4X | 151.0 x 72.0 x 10.0 | 150.0 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|-----------------|------------------------|------------|----------------------|
| EF3DV3 - SN4088 | August 15, 2023 | DAE4 Sn699 | February 22, 2023 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|---------------------|---|---------|-----------------|
| Band 41, E-UTRA/TDD | LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM) | 39750 | 2506.0 |

Grid Settings

| | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|------|---------------|-------------|-------------|---------------|
| 50.0 | 50.0 | 10.0 | 10.0 | 15.0 |

| Emax [dB(V/m)] | Eavg50x50 max [dB(V/m)] | MIF [dB] | RFail [dB(V/m)] |
|----------------|-------------------------|----------|-----------------|
| 28.42 | 24.04 | -1.44 | 22.6 |



Measurement performed on October 10, 2023

Device Under Test

| Manufacturer | Model | Dimensions[mm] | Speaker Position [mm] |
|--------------|-------|---------------------|-----------------------|
| Google | GKV4X | 151.0 x 72.0 x 10.0 | 150.0 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|-----------------|------------------------|------------|----------------------|
| EF3DV3 - SN4088 | August 15, 2023 | DAE4 Sn699 | February 22, 2023 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|---------------------|---|---------|-----------------|
| Band 41, E-UTRA/TDD | LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM) | 40620 | 2593.0 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 50.0 | 50.0 | 10.0 | 10.0 | 15.0 |

| Emax [dB(V/m)] | Eavg50x50 max [dB(V/m)] | MIF [dB] | RFail [dB(V/m)] |
|----------------|-------------------------|----------|-----------------|
| 24.25 | 21.92 | -1.44 | 20.48 |



Measurement performed on October 10, 2023

Device Under Test

| Manufacturer | Model | Dimensions[mm] | Speaker Position [mm] |
|--------------|-------|---------------------|-----------------------|
| Google | GKV4X | 151.0 x 72.0 x 10.0 | 150.0 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|-----------------|------------------------|------------|----------------------|
| EF3DV3 - SN4088 | August 15, 2023 | DAE4 Sn699 | February 22, 2023 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|---------------------|---|---------|-----------------|
| Band 41, E-UTRA/TDD | LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM) | 41490 | 2680.0 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 50.0 | 50.0 | 10.0 | 10.0 | 15.0 |

| Emax [dB(V/m)] | Eavg50x50 max [dB(V/m)] | MIF [dB] | RFail [dB(V/m)] |
|----------------|-------------------------|----------|-----------------|
| 26.19 | 22.99 | -1.44 | 21.55 |



Measurement performed on October 10, 2023

Device Under Test

| Manufacturer | Model | Dimensions[mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| Google | GKV4X | 152.0 x 73.0 x 9.0 | 151.0 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|-----------------|------------------------|------------|----------------------|
| EF3DV3 - SN4088 | August 15, 2023 | DAE4 Sn699 | February 22, 2023 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-----------|---|---------|-----------------|
| Band n41 | 5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz) | 518598 | 2592.99 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 50.0 | 50.0 | 10.0 | 10.0 | 15.0 |

| Emax [dB(V/m)] | Eavg50x50 max [dB(V/m)] | MIF [dB] | RFail [dB(V/m)] |
|----------------|-------------------------|----------|-----------------|
| 27.91 | 23.79 | -1.64 | 22.15 |



Measurement performed on October 10, 2023

Device Under Test

| Manufacturer | Model | Dimensions[mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| Google | GKV4X | 152.0 x 73.0 x 9.0 | 151.0 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|-----------------|------------------------|------------|----------------------|
| EF3DV3 - SN4088 | August 15, 2023 | DAE4 Sn699 | February 22, 2023 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-----------|---|---------|-----------------|
| Band n41 | 5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz) | 518598 | 2592.99 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 50.0 | 50.0 | 10.0 | 10.0 | 15.0 |

| Emax [dB(V/m)] | Eavg50x50 max [dB(V/m)] | MIF [dB] | RFail [dB(V/m)] |
|----------------|-------------------------|----------|-----------------|
| 25.41 | 22.75 | -1.64 | 21.11 |



Measurement performed on October 10, 2023

Device Under Test

| Manufacturer | Model | Dimensions[mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| Google | GKV4X | 152.0 x 73.0 x 9.0 | 151.0 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|-----------------|------------------------|------------|----------------------|
| EF3DV3 - SN4088 | August 15, 2023 | DAE4 Sn699 | February 22, 2023 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-----------|---|---------|-----------------|
| Band n77 | 5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz) | 656000 | 3840.0 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 50.0 | 50.0 | 10.0 | 10.0 | 15.0 |

| Emax [dB(V/m)] | Eavg50x50 max [dB(V/m)] | MIF [dB] | RFail [dB(V/m)] |
|----------------|-------------------------|----------|-----------------|
| 29.78 | 26.49 | -1.64 | 24.85 |



Measurement performed on October 10, 2023

Device Under Test

| Manufacturer | Model | Dimensions[mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| Google | GKV4X | 152.0 x 73.0 x 9.0 | 151.0 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|-----------------|------------------------|------------|----------------------|
| EF3DV3 - SN4088 | August 15, 2023 | DAE4 Sn699 | February 22, 2023 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-----------|---|---------|-----------------|
| Band n77 | 5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz) | 633332 | 3499.98 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 50.0 | 50.0 | 10.0 | 10.0 | 15.0 |

| Emax [dB(V/m)] | Eavg50x50 max [dB(V/m)] | MIF [dB] | RFail [dB(V/m)] |
|----------------|-------------------------|----------|-----------------|
| 28.01 | 25.2 | -1.64 | 23.56 |



Measurement performed on October 10, 2023

Device Under Test

| Manufacturer | Model | Dimensions[mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| google | GKV4X | 152.0 x 73.0 x 9.0 | 151.0 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|-----------------|------------------------|------------|----------------------|
| EF3DV3 - SN4088 | August 15, 2023 | DAE4 Sn699 | February 22, 2023 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-----------|---|---------|-----------------|
| Band n77 | 5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz) | 656000 | 3840.0 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 50.0 | 50.0 | 10.0 | 10.0 | 15.0 |

| Emax [dB(V/m)] | Eavg50x50 max [dB(V/m)] | MIF [dB] | RFail [dB(V/m)] |
|----------------|-------------------------|----------|-----------------|
| 25.7 | 22.91 | -1.64 | 21.27 |



Measurement performed on October 10, 2023

Device Under Test

| Manufacturer | Model | Dimensions[mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| Google | GKV4X | 152.0 x 73.0 x 9.0 | 151.0 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|-----------------|------------------------|------------|----------------------|
| EF3DV3 - SN4088 | August 15, 2023 | DAE4 Sn699 | February 22, 2023 |

Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-----------|---|---------|-----------------|
| Band n77 | 5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz) | 633332 | 3499.98 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 50.0 | 50.0 | 10.0 | 10.0 | 15.0 |

| Emax [dB(V/m)] | Eavg50x50 max [dB(V/m)] | MIF [dB] | RFail [dB(V/m)] |
|----------------|-------------------------|----------|-----------------|
| 27.3 | 23.59 | -1.64 | 21.95 |

