

**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	Pass	5.9937G	4.16	6.0314G	-26.70	-15.98	-10.72	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX	Pass	6.06919G	3.98	6.1824G	-24.33	-18.30	-6.03	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX	Pass	6.06119G	3.82	6.3946G	-49.98	-36.18	-13.80	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_1TX	Pass	6.16139G	4.85	6.351G	-21.12	-15.21	-5.91	1
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX	Pass	6.16419G	5.01	6.8354G	-48.04	-34.99	-13.05	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_1TX	Pass	6.1154G	4.94	6.865G	-48.52	-35.06	-13.46	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_1TX	Pass	6.75584G	4.46	6.6362G	-24.57	-16.46	-8.11	1
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX	Pass	6.77143G	4.64	6.5398G	-29.37	-19.51	-9.86	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_1TX	Pass	6.83342G	4.35	6.1906G	-48.21	-35.33	-12.88	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	Pass	6.98861G	3.88	6.8898G	-42.83	-35.66	-7.17	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX	Pass	6.91702G	5.00	6.8498G	-21.00	-15.91	-5.09	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX	Pass	6.92082G	4.53	6.622G	-43.44	-35.47	-7.97	1

**Result**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9937G	4.16	6.0314G	-26.70	-15.98	-10.72	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	-	-	-	-	-	-	-	-
7025MHz	Pass	6.98861G	3.88	6.8898G	-42.83	-35.66	-7.17	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.06919G	3.98	6.1824G	-24.33	-18.30	-6.03	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.06119G	3.82	6.3946G	-49.98	-36.18	-13.80	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.91702G	5.00	6.8498G	-21.00	-15.91	-5.09	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.92082G	4.53	6.622G	-43.44	-35.47	-7.97	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_1TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.16139G	4.85	6.351G	-21.12	-15.21	-5.91	1
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.16419G	5.01	6.8354G	-48.04	-34.99	-13.05	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_1TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.1154G	4.94	6.865G	-48.52	-35.06	-13.46	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_1TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.75584G	4.46	6.6362G	-24.57	-16.46	-8.11	1
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.77143G	4.64	6.5398G	-29.37	-19.51	-9.86	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_1TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.83342G	4.35	6.1906G	-48.21	-35.33	-12.88	1




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX

MASK

5985MHz_TX

23/12/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX

MASK

6025MHz_TX

23/12/2024






5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX

MASK

6025MHz_TX

23/12/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_1TX

MASK

6105MHz_TX

23/12/2024






5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX

MASK

6105MHz_TX

23/12/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_1TX

MASK

6105MHz_TX

23/12/2024






6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_1TX

MASK

6905MHz_TX

23/12/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX

MASK

6905MHz_TX

23/12/2024






6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_1TX

MASK

6905MHz_TX

23/12/2024




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

MASK

7025MHz_TX

23/12/2024






6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX

MASK

6985MHz_TX

23/12/2024




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX

MASK

6985MHz_TX

23/12/2024



**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	6.411651G	-7.25	6.4033G	-37.43	-27.25	-10.18	2
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	6.188604G	-1.48	6.22735G	-31.24	-21.59	-9.65	1
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	6.2423G	1.24	6.271G	-28.10	-18.88	-9.22	1
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	6.1728G	4.05	6.4452G	-39.36	-35.95	-3.41	2
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	6.21657G	5.29	6.4118G	-20.47	-17.48	-2.99	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	6.521398G	-6.86	6.503175G	-39.15	-26.92	-12.23	1
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	6.4433G	-3.71	6.4674G	-32.23	-22.71	-9.52	1
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	6.5464G	-0.19	6.5897G	-27.88	-20.26	-7.62	1
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	6.5214G	2.95	6.7158G	-36.09	-30.46	-5.63	2
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	6.53901G	5.32	6.269G	-21.04	-14.83	-6.21	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	6.691451G	-7.91	6.68315G	-39.44	-27.61	-11.83	1
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	6.871103G	-4.27	6.90705G	-33.80	-24.31	-9.49	2
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	6.59791G	-0.21	6.5813G	-27.75	-20.24	-7.51	2
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	6.59022G	3.01	6.8644G	-35.89	-29.17	-6.72	1
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	6.75544G	3.18	6.3998G	-41.36	-36.82	-4.54	2
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	7.105902G	-15.47	7.071625G	-63.90	-55.47	-8.43	2
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	6.938897G	-4.17	6.94795G	-35.64	-24.19	-11.45	2
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	6.98961G	-0.87	6.9804G	-29.11	-21.03	-8.08	1
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	6.92082G	1.99	6.6788G	-44.95	-38.01	-6.94	1



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.961773G	-7.06	5.96705G	-39.35	-27.12	-12.23	1
5955MHz	Pass	5.963573G	-6.48	5.966825G	-37.37	-26.52	-10.85	2
6195MHz	Pass	6.203048G	-5.83	6.207425G	-41.25	-25.86	-15.39	1
6195MHz	Pass	6.200624G	-5.92	6.2072G	-39.17	-24.92	-14.25	2
6415MHz	Pass	6.405752G	-6.82	6.42685G	-39.23	-26.52	-12.71	1
6415MHz	Pass	6.411651G	-7.25	6.4033G	-37.43	-27.25	-10.18	2
6435MHz	Pass	6.442548G	-7.13	6.447G	-39.68	-27.19	-12.49	1
6435MHz	Pass	6.430451G	-6.94	6.447G	-39.49	-26.98	-12.51	2
6475MHz	Pass	6.483398G	-6.69	6.462575G	-42.16	-26.70	-15.46	1
6475MHz	Pass	6.465927G	-6.14	6.48715G	-39.68	-26.22	-13.46	2
6515MHz	Pass	6.521398G	-6.86	6.503175G	-39.15	-26.92	-12.23	1
6515MHz	Pass	6.509151G	-6.81	6.503025G	-39.59	-26.83	-12.76	2
6535MHz	Pass	6.538199G	-6.75	6.5472G	-39.79	-26.78	-13.01	1
6535MHz	Pass	6.529851G	-5.59	6.546725G	-36.89	-24.49	-12.40	2
6695MHz	Pass	6.691451G	-7.91	6.68315G	-39.44	-27.61	-11.83	1
6695MHz	Pass	6.702148G	-7.77	6.682825G	-41.16	-27.78	-13.38	2
6875MHz	Pass	6.869151G	-8.24	6.862975G	-41.45	-28.24	-13.21	1
6875MHz	Pass	6.883573G	-8.60	6.88715G	-41.17	-28.70	-12.47	2
6895MHz	Pass	6.904073G	-8.09	6.86G	-61.54	-48.09	-13.45	1
6895MHz	Pass	6.887452G	-8.64	6.90715G	-40.98	-28.74	-12.24	2
6995MHz	Pass	6.986752G	-7.78	7.006925G	-41.04	-27.78	-13.26	1
6995MHz	Pass	6.985827G	-8.33	7.0399G	-62.61	-48.33	-14.28	2
7095MHz	Pass	7.086877G	-10.64	7.049325G	-62.64	-50.64	-12.00	1
7095MHz	Pass	7.087477G	-10.97	7.083G	-43.05	-30.97	-12.08	2
7115MHz	Pass	7.106252G	-15.50	7.065625G	-64.14	-55.50	-8.64	1
7115MHz	Pass	7.105902G	-15.47	7.071625G	-63.90	-55.47	-8.43	2
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.981296G	-3.40	5.9878G	-34.71	-23.52	-11.19	1
5965MHz	Pass	5.973198G	-3.12	5.9881G	-35.43	-23.29	-12.14	2
6205MHz	Pass	6.188604G	-1.48	6.22735G	-31.24	-21.59	-9.65	1
6205MHz	Pass	6.187204G	-1.90	6.18245G	-33.78	-21.94	-11.84	2
6405MHz	Pass	6.420046G	-2.98	6.3824G	-35.08	-22.68	-12.40	1
6405MHz	Pass	6.389804G	-3.29	6.30535G	-57.70	-43.29	-14.41	2
6445MHz	Pass	6.4433G	-3.71	6.4674G	-32.23	-22.71	-9.52	1
6445MHz	Pass	6.462346G	-3.67	6.46705G	-34.29	-23.69	-10.60	2
6485MHz	Pass	6.466855G	-2.60	6.4629G	-32.21	-22.61	-9.60	1
6485MHz	Pass	6.501796G	-2.67	6.508G	-35.92	-22.67	-13.25	2
6525MHz	Pass	6.529699G	-3.18	6.54725G	-33.11	-23.23	-9.88	1
6525MHz	Pass	6.539096G	-2.67	6.5473G	-33.13	-22.70	-10.43	2
6565MHz	Pass	6.548754G	-3.08	6.5872G	-33.76	-23.09	-10.67	1
6565MHz	Pass	6.547454G	-2.96	6.58745G	-34.61	-22.98	-11.63	2
6685MHz	Pass	6.678752G	-3.31	6.7078G	-35.05	-23.32	-11.73	1
6685MHz	Pass	6.674453G	-2.91	6.6613G	-37.72	-23.01	-14.71	2
6885MHz	Pass	6.900346G	-3.85	6.90745G	-34.69	-23.89	-10.80	1
6885MHz	Pass	6.871103G	-4.27	6.90705G	-33.80	-24.31	-9.49	2
6925MHz	Pass	6.917802G	-3.93	6.9483G	-38.02	-24.02	-14.00	1
6925MHz	Pass	6.938897G	-4.17	6.94795G	-35.64	-24.19	-11.45	2
7005MHz	Pass	6.986805G	-3.73	6.98265G	-35.15	-22.83	-12.32	1
7005MHz	Pass	6.990004G	-4.34	6.9821G	-36.76	-24.45	-12.31	2
7085MHz	Pass	7.070704G	-5.74	7.0621G	-37.91	-25.92	-11.99	1
7085MHz	Pass	7.071953G	-6.16	7.0625G	-37.86	-26.20	-11.66	2
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.01709G	-0.80	6.0299G	-30.09	-20.82	-9.27	1
5985MHz	Pass	6.02339G	-0.77	6.0305G	-30.47	-20.78	-9.69	2



Mask. Non-Beamforming Radio 2 2T1S Full RU

Appendix E.3

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6225MHz	Pass	6.2423G	1.24	6.271G	-28.10	-18.88	-9.22	1
6225MHz	Pass	6.2068G	1.05	6.2708G	-30.05	-18.98	-11.07	2
6385MHz	Pass	6.40689G	0.06	6.3397G	-29.62	-20.02	-9.60	1
6385MHz	Pass	6.34811G	-0.15	6.34G	-30.22	-20.15	-10.07	2
6465MHz	Pass	6.4599G	-0.19	6.4208G	-28.39	-20.21	-8.18	1
6465MHz	Pass	6.4695G	0.05	6.4201G	-29.58	-19.97	-9.61	2
6545MHz	Pass	6.5464G	-0.19	6.5897G	-27.88	-20.26	-7.62	1
6545MHz	Pass	6.51351G	0.35	6.5003G	-28.58	-19.66	-8.92	2
6625MHz	Pass	6.607G	-0.32	6.5803G	-28.29	-20.43	-7.86	1
6625MHz	Pass	6.59791G	-0.21	6.5813G	-27.75	-20.24	-7.51	2
6705MHz	Pass	6.66741G	-0.07	6.6591G	-29.32	-20.13	-9.19	1
6705MHz	Pass	6.67721G	-0.29	6.7504G	-29.84	-20.32	-9.52	2
6785MHz	Pass	6.75451G	-1.46	6.7402G	-29.84	-21.51	-8.33	1
6785MHz	Pass	6.75671G	-1.28	6.7402G	-30.33	-21.33	-9.00	2
6865MHz	Pass	6.83941G	-0.79	6.8206G	-28.86	-20.82	-8.04	1
6865MHz	Pass	6.83281G	-1.60	6.6775G	-51.33	-41.60	-9.73	2
6945MHz	Pass	6.91091G	-0.66	6.8997G	-30.40	-20.67	-9.73	1
6945MHz	Pass	6.97539G	-1.62	6.7597G	-53.01	-41.62	-11.39	2
7025MHz	Pass	6.98961G	-0.87	6.9804G	-29.11	-21.03	-8.08	1
7025MHz	Pass	6.99241G	-1.41	6.9808G	-30.31	-21.43	-8.88	2
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.10218G	2.08	6.2902G	-47.31	-37.92	-9.39	1
6025MHz	Pass	6.09238G	2.58	6.2864G	-44.63	-37.42	-7.21	2
6185MHz	Pass	6.20879G	4.18	6.3422G	-24.30	-20.52	-3.78	1
6185MHz	Pass	6.1728G	4.05	6.4452G	-39.36	-35.95	-3.41	2
6345MHz	Pass	6.40978G	3.35	6.6002G	-41.67	-36.65	-5.02	1
6345MHz	Pass	6.26962G	3.22	6.6026G	-43.47	-36.78	-6.69	2
6505MHz	Pass	6.4852G	2.57	6.7614G	-44.66	-37.43	-7.23	1
6505MHz	Pass	6.5214G	2.95	6.7158G	-36.09	-30.46	-5.63	2
6665MHz	Pass	6.59022G	3.01	6.8644G	-35.89	-29.17	-6.72	1
6665MHz	Pass	6.59502G	2.46	6.4584G	-37.74	-30.73	-7.01	2
6825MHz	Pass	6.75422G	1.58	6.5636G	-47.34	-38.42	-8.92	1
6825MHz	Pass	6.75202G	1.40	6.5176G	-46.26	-38.60	-7.66	2
6985MHz	Pass	6.92082G	1.99	6.6788G	-44.95	-38.01	-6.94	1
6985MHz	Pass	6.9946G	1.20	6.6694G	-46.14	-38.80	-7.34	2
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.21657G	5.29	6.4118G	-20.47	-17.48	-2.99	1
6105MHz	Pass	6.1118G	5.23	6.6062G	-38.15	-34.74	-3.41	2
6265MHz	Pass	6.40816G	5.32	6.5742G	-21.13	-14.98	-6.15	1
6265MHz	Pass	6.23021G	4.89	6.5754G	-26.84	-17.68	-9.16	2
6425MHz	Pass	6.4074G	5.31	6.7194G	-21.54	-15.08	-6.46	1
6425MHz	Pass	6.28503G	5.09	6.7162G	-23.51	-14.94	-8.57	2
6585MHz	Pass	6.5702G	5.24	6.2634G	-22.70	-14.84	-7.86	1
6585MHz	Pass	6.53901G	5.32	6.269G	-21.04	-14.83	-6.21	2
6745MHz	Pass	6.59304G	5.26	6.4646G	-19.89	-14.87	-5.02	1
6745MHz	Pass	6.59304G	4.67	6.4614G	-22.29	-16.94	-5.35	2
6905MHz	Pass	6.75504G	4.91	6.6474G	-21.43	-15.75	-5.68	1
6905MHz	Pass	6.75544G	3.18	6.3998G	-41.36	-36.82	-4.54	2




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

18/12/2024

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.405752G	-6.82	6.42685G	-39.23	-26.52	-12.71	1
6.411651G	-7.25	6.4033G	-37.43	-27.25	-10.18	2


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

18/12/2024

CF (Hz)
6.205G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.188604G	-1.48	6.22735G	-31.24	-21.59	-9.65	1
6.187204G	-1.90	6.18245G	-33.78	-21.94	-11.84	2




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

18/12/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

18/12/2024



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

18/12/2024

CF (Hz)
6.105G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.21657G	5.29	6.4118G	-20.47	-17.48	-2.99	1
6.1118G	5.23	6.6062G	-38.15	-34.74	-3.41	2

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

18/12/2024

CF (Hz)
6.515G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.521398G	-6.86	6.503175G	-39.15	-26.92	-12.23	1
6.509151G	-6.81	6.503025G	-39.59	-26.83	-12.76	2




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

18/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4433G	-3.71	6.4674G	-32.23	-22.71	-9.52	1
6.462346G	-3.67	6.46705G	-34.29	-23.69	-10.60	2

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

18/12/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5464G	-0.19	6.5897G	-27.88	-20.26	-7.62	1
6.51351G	0.35	6.5003G	-28.58	-19.66	-8.92	2


6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

18/12/2024

CF (Hz)
6.505G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4852G	2.57	6.7614G	-44.66	-37.43	-7.23	1
6.5214G	2.95	6.7158G	-36.09	-30.46	-5.63	2


6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6585MHz_TX

18/12/2024

CF (Hz)
6.585G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5702G	5.24	6.2634G	-22.70	-14.84	-7.86	1
6.53901G	5.32	6.269G	-21.04	-14.83	-6.21	2




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

18/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.691451G	-7.91	6.68315G	-39.44	-27.61	-11.83	1
6.702148G	-7.77	6.682825G	-41.16	-27.78	-13.38	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6885MHz_TX

18/12/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.900346G	-3.85	6.90745G	-34.69	-23.89	-10.80	1
6.871103G	-4.27	6.90705G	-33.80	-24.31	-9.49	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

18/12/2024

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.607G	-0.32	6.5803G	-28.29	-20.43	-7.86	1
6.59791G	-0.21	6.5813G	-27.75	-20.24	-7.51	2

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

18/12/2024

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.59022G	3.01	6.8644G	-35.89	-29.17	-6.72	1
6.59502G	2.46	6.4584G	-37.74	-30.73	-7.01	2

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6905MHz_TX

18/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.75504G	4.91	6.6474G	-21.43	-15.75	-5.68	1
6.75544G	3.18	6.3998G	-41.36	-36.82	-4.54	2

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

7115MHz_TX

18/12/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.106252G	-15.50	7.065625G	-64.14	-55.50	-8.64	1
7.105902G	-15.47	7.071625G	-63.90	-55.47	-8.43	2




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6925MHz_TX

18/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.917802G	-3.93	6.9483G	-38.02	-24.02	-14.00	1
6.938897G	-4.17	6.94795G	-35.64	-24.19	-11.45	2

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

18/12/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.98961G	-0.87	6.9804G	-29.11	-21.03	-8.08	1
6.99241G	-1.41	6.9808G	-30.31	-21.43	-8.88	2




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

18/12/2024

CF (Hz)
6.985G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.92082G	1.99	6.6788G	-44.95	-38.01	-6.94	1
6.9946G	1.20	6.6694G	-46.14	-38.80	-7.34	2

**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	Pass	6.01189G	-0.78	6.1837G	-51.72	-40.78	-10.94	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX	Pass	6.07319G	2.40	6.276G	-46.19	-37.25	-8.94	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	Pass	6.08818G	1.97	6.2814G	-45.03	-38.03	-7.00	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX	Pass	6.15419G	2.93	6.4142G	-27.90	-23.86	-4.04	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX	Pass	6.13019G	2.63	6.3134G	-30.49	-19.31	-11.18	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX	Pass	6.12899G	2.60	6.6082G	-49.99	-37.40	-12.59	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX	Pass	6.75624G	1.19	6.3994G	-44.41	-38.81	-5.60	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX	Pass	6.75464G	1.09	6.3954G	-44.69	-38.91	-5.78	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_2TX	Pass	6.85341G	1.10	6.355G	-49.93	-38.90	-11.03	2
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	Pass	7.0178G	-2.17	6.8386G	-52.56	-42.17	-10.39	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX	Pass	6.92901G	0.79	6.6496G	-46.47	-39.21	-7.26	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	Pass	6.95361G	0.78	6.6676G	-46.61	-39.22	-7.39	2

**Result**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.02129G	-1.03	6.1834G	-55.12	-41.03	-14.09	1
5985MHz	Pass	6.01189G	-0.78	6.1837G	-51.72	-40.78	-10.94	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
7025MHz	Pass	7.0093G	-1.86	6.833G	-54.88	-41.86	-13.02	1
7025MHz	Pass	7.0178G	-2.17	6.8386G	-52.56	-42.17	-10.39	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.06159G	2.03	6.1622G	-33.26	-22.63	-10.63	1
6025MHz	Pass	6.07319G	2.40	6.276G	-46.19	-37.25	-8.94	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.08099G	1.78	6.288G	-48.58	-38.22	-10.36	1
6025MHz	Pass	6.08818G	1.97	6.2814G	-45.03	-38.03	-7.00	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.91762G	2.15	6.6774G	-45.12	-37.85	-7.27	1
6985MHz	Pass	6.92901G	0.79	6.6496G	-46.47	-39.21	-7.26	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.92182G	1.81	6.6742G	-45.66	-38.19	-7.47	1
6985MHz	Pass	6.95361G	0.78	6.6676G	-46.61	-39.22	-7.39	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.24457G	3.04	6.3474G	-22.36	-17.45	-4.91	1
6105MHz	Pass	6.15419G	2.93	6.4142G	-27.90	-23.86	-4.04	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.17098G	2.76	6.791G	-51.38	-37.24	-14.14	1
6105MHz	Pass	6.13019G	2.63	6.3134G	-30.49	-19.31	-11.18	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.16419G	2.98	6.827G	-51.33	-37.02	-14.31	1
6105MHz	Pass	6.12899G	2.60	6.6082G	-49.99	-37.40	-12.59	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.79903G	2.77	6.6314G	-24.93	-18.43	-6.50	1
6905MHz	Pass	6.75624G	1.19	6.3994G	-44.41	-38.81	-5.60	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.75024G	2.52	6.5882G	-29.57	-20.14	-9.43	1
6905MHz	Pass	6.75464G	1.09	6.3954G	-44.69	-38.91	-5.78	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_2TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.84142G	2.71	6.1918G	-50.96	-37.29	-13.67	1
6905MHz	Pass	6.85341G	1.10	6.355G	-49.93	-38.90	-11.03	2


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

MASK

5985MHz_TX

21/12/2024

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.02129G	-1.03	6.1834G	-55.12	-41.03	-14.09	1
6.01189G	-0.78	6.1837G	-51.72	-40.78	-10.94	2


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX

MASK

6025MHz_TX

21/12/2024

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.06159G	2.03	6.1622G	-33.26	-22.63	-10.63	1
6.07319G	2.40	6.276G	-46.19	-37.25	-8.94	2


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

MASK

6025MHz_TX

21/12/2024

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.08099G	1.78	6.288G	-48.58	-38.22	-10.36	1
6.08818G	1.97	6.2814G	-45.03	-38.03	-7.00	2


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX

MASK

6105MHz_TX

21/12/2024

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.24457G	3.04	6.3474G	-22.36	-17.45	-4.91	1
6.15419G	2.93	6.4142G	-27.90	-23.86	-4.04	2




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX

MASK

6105MHz_TX

21/12/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX

MASK

6105MHz_TX

21/12/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX

MASK

6905MHz_TX

21/12/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

MASK

6905MHz_TX

21/12/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_2TX

MASK

6905MHz_TX

21/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.84142G	2.71	6.1918G	-50.96	-37.29	-13.67	1
6.85341G	1.10	6.355G	-49.93	-38.90	-11.03	2

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX

MASK

7025MHz_TX

21/12/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0093G	-1.86	6.833G	-54.88	-41.86	-13.02	1
7.0178G	-2.17	6.8386G	-52.56	-42.17	-10.39	2




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX

MASK

6985MHz_TX

21/12/2024

CF (Hz)
6.985G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.91762G	2.15	6.6774G	-45.12	-37.85	-7.27	1
6.92901G	0.79	6.6496G	-46.47	-39.21	-7.26	2


6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

MASK

6985MHz_TX

21/12/2024

CF (Hz)
6.985G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.92182G	1.81	6.6742G	-45.66	-38.19	-7.47	1
6.95361G	0.78	6.6676G	-46.61	-39.22	-7.39	2

**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	6.187527G	-5.34	6.1619G	-57.66	-45.34	-12.32	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	6.186955G	-3.32	6.26715G	-54.31	-43.32	-10.99	2
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.2311G	1.05	6.1081G	-41.84	-35.24	-6.60	1
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.0318G	1.63	6.2608G	-36.52	-36.49	-0.03	1
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	6.0902G	-0.18	6.6058G	-44.61	-40.18	-4.43	2
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	6.507352G	-6.81	6.482625G	-59.05	-46.81	-12.24	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	6.473653G	-2.91	6.42175G	-54.01	-42.75	-11.26	1
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.43591G	0.80	6.3294G	-48.83	-39.20	-9.63	1
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.43662G	0.73	6.2404G	-41.43	-39.27	-2.16	1
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	6.44659G	3.12	6.9294G	-40.44	-36.88	-3.56	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	6.866527G	-8.39	6.842575G	-58.80	-48.39	-10.41	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	6.897897G	-4.53	6.97375G	-54.30	-44.53	-9.77	2
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.59051G	-0.35	6.4911G	-48.90	-40.35	-8.55	1
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.74862G	1.17	6.5548G	-40.44	-38.83	-1.61	1
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	6.71061G	3.09	6.2538G	-36.46	-36.44	-0.02	2
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	7.087277G	-11.26	7.05515G	-58.93	-51.26	-7.67	1
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	7.076102G	-6.78	6.9885G	-54.38	-46.78	-7.60	2
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.91731G	-2.12	6.78G	-50.98	-42.12	-8.86	2
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.90782G	1.68	6.7086G	-40.25	-38.32	-1.93	1



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.962948G	-4.15	5.987625G	-58.74	-44.15	-14.59	1
5955MHz	Pass	5.949026G	-3.69	5.9879G	-58.00	-43.69	-14.31	2
6195MHz	Pass	6.198774G	-5.45	6.2292G	-58.89	-45.45	-13.44	1
6195MHz	Pass	6.187527G	-5.34	6.1619G	-57.66	-45.34	-12.32	2
6415MHz	Pass	6.406027G	-5.50	6.3805G	-58.92	-45.50	-13.42	1
6415MHz	Pass	6.408227G	-4.64	6.4514G	-58.80	-44.64	-14.16	2
6435MHz	Pass	6.443023G	-5.17	6.398875G	-58.75	-45.17	-13.58	1
6435MHz	Pass	6.427727G	-4.68	6.46785G	-58.48	-44.68	-13.80	2
6475MHz	Pass	6.483848G	-5.08	6.441775G	-58.30	-45.08	-13.22	1
6475MHz	Pass	6.483048G	-4.60	6.515325G	-58.33	-44.60	-13.73	2
6515MHz	Pass	6.511701G	-6.85	6.5265G	-39.59	-27.01	-12.58	1
6515MHz	Pass	6.507352G	-6.81	6.482625G	-59.05	-46.81	-12.24	2
6535MHz	Pass	6.538199G	-8.64	6.500525G	-59.33	-48.64	-10.69	1
6535MHz	Pass	6.525877G	-8.43	6.501225G	-59.05	-48.43	-10.62	2
6695MHz	Pass	6.691526G	-7.93	6.647G	-59.10	-47.93	-11.17	1
6695MHz	Pass	6.687327G	-7.95	6.72705G	-59.30	-47.91	-11.39	2
6875MHz	Pass	6.871926G	-7.45	6.910225G	-58.88	-47.45	-11.43	1
6875MHz	Pass	6.866527G	-8.39	6.842575G	-58.80	-48.39	-10.41	2
6895MHz	Pass	6.887477G	-7.40	6.86005G	-58.46	-47.40	-11.06	1
6895MHz	Pass	6.903323G	-8.06	6.861825G	-58.64	-48.06	-10.58	2
6995MHz	Pass	6.988427G	-10.35	6.96125G	-58.86	-50.35	-8.51	1
6995MHz	Pass	6.987827G	-9.04	7.03025G	-58.78	-49.04	-9.74	2
7095MHz	Pass	7.087277G	-11.26	7.05515G	-58.93	-51.26	-7.67	1
7095MHz	Pass	7.086327G	-10.98	7.059725G	-59.04	-50.98	-8.06	2
7115MHz	Pass	7.109551G	-11.73	7.070525G	-59.45	-51.73	-7.72	1
7115MHz	Pass	7.106452G	-11.08	7.076125G	-59.02	-51.08	-7.94	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.983695G	-1.70	6.0362G	-54.65	-41.70	-12.95	1
5965MHz	Pass	5.976147G	-1.90	6.0603G	-54.37	-41.90	-12.47	2
6205MHz	Pass	6.220446G	-3.32	6.29205G	-55.30	-43.32	-11.98	1
6205MHz	Pass	6.186955G	-3.32	6.26715G	-54.31	-43.32	-10.99	2
6405MHz	Pass	6.386555G	-1.47	6.4879G	-54.30	-41.47	-12.83	1
6405MHz	Pass	6.392803G	-0.79	6.3173G	-54.18	-40.79	-13.39	2
6445MHz	Pass	6.429254G	-2.26	6.5289G	-54.75	-42.26	-12.49	1
6445MHz	Pass	6.453298G	-1.30	6.359G	-54.24	-41.30	-12.94	2
6485MHz	Pass	6.473653G	-2.91	6.42175G	-54.01	-42.75	-11.26	1
6485MHz	Pass	6.492548G	-2.70	6.41875G	-54.09	-42.70	-11.39	2
6525MHz	Pass	6.537897G	-2.48	6.4574G	-54.53	-42.48	-12.05	1
6525MHz	Pass	6.510404G	-2.33	6.4609G	-54.29	-42.33	-11.96	2
6565MHz	Pass	6.547104G	-3.46	6.50005G	-55.39	-43.46	-11.93	1
6565MHz	Pass	6.569699G	-3.48	6.46845G	-55.28	-43.48	-11.80	2
6685MHz	Pass	6.699046G	-4.14	6.616G	-55.42	-44.14	-11.28	1
6685MHz	Pass	6.666855G	-3.51	6.6028G	-55.26	-43.51	-11.75	2
6885MHz	Pass	6.879951G	-3.47	6.9594G	-54.44	-43.47	-10.97	1
6885MHz	Pass	6.897897G	-4.53	6.97375G	-54.30	-44.53	-9.77	2
6925MHz	Pass	6.908754G	-2.88	6.86215G	-54.53	-42.88	-11.65	1
6925MHz	Pass	6.918202G	-4.09	6.99915G	-54.05	-44.09	-9.96	2
7005MHz	Pass	6.987854G	-6.77	6.9203G	-54.73	-46.77	-7.96	1
7005MHz	Pass	6.995102G	-4.83	6.93475G	-54.95	-44.83	-10.12	2
7085MHz	Pass	7.078102G	-6.31	6.9963G	-54.37	-46.31	-8.06	1
7085MHz	Pass	7.076102G	-6.78	6.9885G	-54.38	-46.78	-7.60	2
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.00789G	0.18	6.1198G	-50.83	-39.82	-11.01	1
5985MHz	Pass	5.9732G	0.22	6.1484G	-49.45	-39.78	-9.67	2



Mask Beamforming Radio 2 2T1S

Appendix E.5

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6225MHz	Pass	6.2311G	1.05	6.1081G	-41.84	-35.24	-6.60	1
6225MHz	Pass	6.18841G	1.59	6.3787G	-49.23	-38.41	-10.82	2
6385MHz	Pass	6.41569G	1.26	6.2552G	-47.03	-38.74	-8.29	1
6385MHz	Pass	6.36161G	1.75	6.5138G	-48.70	-37.82	-10.88	2
6465MHz	Pass	6.43591G	0.80	6.3294G	-48.83	-39.20	-9.63	1
6465MHz	Pass	6.49979G	0.88	6.273G	-49.65	-39.12	-10.53	2
6545MHz	Pass	6.5387G	-0.09	6.694G	-51.59	-40.09	-11.50	1
6545MHz	Pass	6.5627G	0.33	6.3788G	-49.43	-39.67	-9.76	2
6625MHz	Pass	6.59051G	-0.35	6.4911G	-48.90	-40.35	-8.55	1
6625MHz	Pass	6.6106G	-0.23	6.4551G	-49.95	-40.23	-9.72	2
6705MHz	Pass	6.6878G	-1.20	6.8318G	-51.41	-41.20	-10.21	1
6705MHz	Pass	6.67081G	-1.25	6.8596G	-50.17	-41.25	-8.92	2
6785MHz	Pass	6.74811G	-2.16	6.9817G	-51.75	-42.16	-9.59	1
6785MHz	Pass	6.7849G	0.21	6.593G	-48.69	-39.79	-8.90	2
6865MHz	Pass	6.83701G	0.38	6.7308G	-49.09	-39.62	-9.47	1
6865MHz	Pass	6.90319G	-0.24	6.9985G	-50.71	-40.24	-10.47	2
6945MHz	Pass	6.90881G	-2.23	6.7902G	-51.83	-42.23	-9.60	1
6945MHz	Pass	6.91731G	-2.12	6.78G	-50.98	-42.12	-8.86	2
7025MHz	Pass	6.99951G	-2.14	6.8823G	-51.68	-42.14	-9.54	1
7025MHz	Pass	6.99061G	-1.14	6.8596G	-51.38	-41.14	-10.24	2
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0318G	1.63	6.2608G	-36.52	-36.49	-0.03	1
6025MHz	Pass	6.06979G	2.49	6.2814G	-44.28	-37.37	-6.91	2
6185MHz	Pass	6.23299G	1.61	6.5582G	-42.30	-36.89	-5.41	1
6185MHz	Pass	6.13481G	1.68	6.4294G	-40.23	-37.87	-2.36	2
6345MHz	Pass	6.39399G	2.33	6.7092G	-47.12	-37.67	-9.45	1
6345MHz	Pass	6.27082G	1.97	6.604G	-44.09	-37.80	-6.29	2
6505MHz	Pass	6.43662G	0.73	6.2404G	-41.43	-39.27	-2.16	1
6505MHz	Pass	6.45221G	0.87	6.2412G	-45.62	-39.13	-6.49	2
6665MHz	Pass	6.58942G	0.31	6.393G	-41.69	-39.69	-2.00	1
6665MHz	Pass	6.64401G	1.01	6.4146G	-45.37	-38.99	-6.38	2
6825MHz	Pass	6.74862G	1.17	6.5548G	-40.44	-38.83	-1.61	1
6825MHz	Pass	6.80241G	0.55	6.5108G	-46.65	-39.45	-7.20	2
6985MHz	Pass	6.90782G	1.68	6.7086G	-40.25	-38.32	-1.93	1
6985MHz	Pass	6.94761G	0.52	6.7306G	-44.20	-39.48	-4.72	2
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.19138G	-0.02	6.8802G	-48.21	-40.02	-8.19	1
6105MHz	Pass	6.0902G	-0.18	6.6058G	-44.61	-40.18	-4.43	2
6265MHz	Pass	6.15903G	1.86	7.0574G	-45.84	-37.98	-7.86	1
6265MHz	Pass	6.2774G	2.05	6.9998G	-45.25	-37.95	-7.30	2
6425MHz	Pass	6.39781G	3.14	6.109G	-28.32	-17.02	-11.30	1
6425MHz	Pass	6.44659G	3.12	6.9294G	-40.44	-36.88	-3.56	2
6585MHz	Pass	6.55381G	2.19	7.3846G	-47.71	-29.55	-18.16	1
6585MHz	Pass	6.48862G	2.37	5.9526G	-45.99	-37.49	-8.50	2
6745MHz	Pass	6.61703G	4.15	6.441G	-24.07	-16.15	-7.92	1
6745MHz	Pass	6.71061G	3.09	6.2538G	-36.46	-36.44	-0.02	2
6905MHz	Pass	6.75704G	0.54	6.3186G	-43.13	-39.46	-3.67	1
6905MHz	Pass	6.79183G	-1.07	6.4058G	-45.70	-41.07	-4.63	2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

19/12/2024

CF (Hz)
6.195G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.198774G	-5.45	6.2292G	-58.89	-45.45	-13.44	1
6.187527G	-5.34	6.1619G	-57.66	-45.34	-12.32	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

19/12/2024

CF (Hz)
6.205G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.220446G	-3.32	6.29205G	-55.30	-43.32	-11.98	1
6.186955G	-3.32	6.26715G	-54.31	-43.32	-10.99	2




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

19/12/2024




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

19/12/2024



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

20/12/2024

CF (Hz)
6.105G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.19138G	-0.02	6.8802G	-48.21	-40.02	-8.19	1
6.0902G	-0.18	6.6058G	-44.61	-40.18	-4.43	2

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

19/12/2024

CF (Hz)
6.515G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.511701G	-6.85	6.5265G	-39.59	-27.01	-12.58	1
6.507352G	-6.81	6.482625G	-59.05	-46.81	-12.24	2




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

19/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.473653G	-2.91	6.42175G	-54.01	-42.75	-11.26	1
6.492548G	-2.70	6.41875G	-54.09	-42.70	-11.39	2

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

19/12/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.43591G	0.80	6.3294G	-48.83	-39.20	-9.63	1
6.49979G	0.88	6.273G	-49.65	-39.12	-10.53	2


6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

19/12/2024

CF (Hz)
6.505G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.43662G	0.73	6.2404G	-41.43	-39.27	-2.16	1
6.45221G	0.87	6.2412G	-45.62	-39.13	-6.49	2


6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6425MHz_TX

20/12/2024

CF (Hz)
6.425G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Port 1
Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.39781G	3.14	6.109G	-28.32	-17.02	-11.30	1
6.44659G	3.12	6.9294G	-40.44	-36.88	-3.56	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

19/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.871926G	-7.45	6.910225G	-58.88	-47.45	-11.43	1
6.866527G	-8.39	6.842575G	-58.80	-48.39	-10.41	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6885MHz_TX

19/12/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.879951G	-3.47	6.9594G	-54.44	-43.47	-10.97	1
6.897897G	-4.53	6.97375G	-54.30	-44.53	-9.77	2




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

19/12/2024




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6825MHz_TX

19/12/2024




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6745MHz_TX

20/12/2024




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

19/12/2024




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

19/12/2024




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

19/12/2024






6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

20/12/2024

CF (Hz)
6.985G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.90782G	1.68	6.7086G	-40.25	-38.32	-1.93	1
6.94761G	0.52	6.7306G	-44.20	-39.48	-4.72	2



RSE TX below 1GHz_Non-Beamforming_Radio 2_1T1S_Full RU Appendix E.6

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	QP	36.82M	31.75	40.00	-8.25	3	Vertical	332	1.00



RSE TX below 1GHz_Non-Beamforming_Radio 2_1T1S_Full RU Appendix E.6


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6225MHz	Pass	PK	105.66M	29.66	43.50	-13.84	3	Vertical	0	1.00
6225MHz	Pass	PK	220.12M	34.31	46.00	-11.69	3	Vertical	0	1.00
6225MHz	Pass	PK	286.08M	31.62	46.00	-14.38	3	Vertical	0	1.00
6225MHz	Pass	PK	485.9M	30.19	46.00	-15.81	3	Vertical	0	1.00
6225MHz	Pass	PK	627.52M	34.19	46.00	-11.81	3	Vertical	0	1.00
6225MHz	Pass	QP	36.82M	31.75	40.00	-8.25	3	Vertical	332	1.00
6225MHz	Pass	PK	31.94M	25.71	40.00	-14.29	3	Horizontal	360	1.00
6225MHz	Pass	PK	115.36M	30.52	43.50	-12.98	3	Horizontal	360	1.00
6225MHz	Pass	PK	220.12M	32.99	46.00	-13.01	3	Horizontal	360	1.00
6225MHz	Pass	PK	289.96M	37.57	46.00	-8.43	3	Horizontal	360	1.00
6225MHz	Pass	PK	487.84M	30.14	46.00	-15.86	3	Horizontal	360	1.00
6225MHz	Pass	PK	631.4M	34.45	46.00	-11.55	3	Horizontal	360	1.00



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX


6225MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	105.66M	29.66	43.50	-13.84	-8.46	3	Vertical	0	1.00	38.12	17.77	1.05	27.28
PK	220.12M	34.31	46.00	-11.69	-9.48	3	Vertical	0	1.00	43.79	15.30	2.08	26.86
PK	286.08M	31.62	46.00	-14.38	-5.45	3	Vertical	0	1.00	37.07	19.04	2.22	26.71
PK	485.9M	30.19	46.00	-15.81	-1.41	3	Vertical	0	1.00	31.60	23.54	3.14	28.09
PK	627.52M	34.19	46.00	-11.81	0.46	3	Vertical	0	1.00	33.73	24.99	3.69	28.22
QP	36.82M	31.75	40.00	-8.25	-6.41	3	Vertical	332	1.00	38.16	20.79	0.29	27.49

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	31.94M	25.71	40.00	-14.29	-3.93	3	Horizontal	360	1.00	29.64	23.31	0.26	27.50
PK	115.36M	30.52	43.50	-12.98	-7.61	3	Horizontal	360	1.00	38.13	18.43	1.20	27.24
PK	220.12M	32.99	46.00	-13.01	-9.48	3	Horizontal	360	1.00	42.47	15.30	2.08	26.86
PK	289.96M	37.57	46.00	-8.43	-5.35	3	Horizontal	360	1.00	42.92	19.14	2.22	26.71
PK	487.84M	30.14	46.00	-15.86	-1.40	3	Horizontal	360	1.00	31.54	23.54	3.16	28.10
PK	631.4M	34.45	46.00	-11.55	0.52	3	Horizontal	360	1.00	33.93	25.04	3.70	28.22



RSE TX above 1GHz Non-Beamforming Radio 2 1T1S Full RU Appendix E.7

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	12.3874G	38.12	54.00	-15.88	3	Horizontal	360	1.44
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	11.92562G	38.20	54.00	-15.80	3	Vertical	259	1.47
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.9245G	60.62	68.20	-7.58	3	Vertical	343	2.00
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	5.925G	59.22	68.20	-8.98	3	Horizontal	321	2.23
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	AV	5.924G	64.42	68.20	-3.78	3	Horizontal	321	2.32
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	13.02162G	39.46	68.20	-28.74	3	Horizontal	52	1.63
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	13.05598G	39.38	68.20	-28.82	3	Vertical	316	2.30
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	13.0983G	39.61	68.20	-28.59	3	Horizontal	332	1.84
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	13.00394G	39.31	68.20	-28.89	3	Vertical	221	2.59
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	AV	13.16206G	39.81	68.20	-28.39	3	Vertical	118	1.89
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	13.3971G	40.09	54.00	-13.91	3	Vertical	102	1.81
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	13.37652G	39.99	54.00	-14.01	3	Horizontal	148	1.47
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	13.2508G	39.92	54.00	-14.08	3	Horizontal	185	2.98
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	13.32508G	39.95	54.00	-14.05	3	Vertical	338	1.41
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	AV	13.48606G	40.69	68.20	-27.51	3	Horizontal	45	2.57
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	7.1255G	67.78	68.20	-0.42	3	Horizontal	319	1.23
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	7.235G	47.52	68.20	-20.68	3	Horizontal	318	1.09
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	7.1264G	55.08	68.20	-13.12	3	Horizontal	316	1.02
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	7.125G	63.58	68.20	-4.62	3	Horizontal	330	1.34
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	AV	7.1275G	67.74	68.20	-0.46	3	Horizontal	325	1.45



RSE TX above 1GHz Non-Beamforming Radio 2_1T1S_Full RU Appendix E.7

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9238G	43.49	68.20	-24.71	3	Vertical	343	2.12
5955MHz	Pass	AV	5.9631G	97.57	Inf	-Inf	3	Vertical	343	2.12
5955MHz	Pass	PK	5.9235G	56.48	88.20	-31.72	3	Vertical	343	2.12
5955MHz	Pass	PK	5.9496G	110.62	Inf	-Inf	3	Vertical	343	2.12
5955MHz	Pass	AV	5.9247G	43.46	68.20	-24.74	3	Horizontal	318	2.39
5955MHz	Pass	AV	5.9631G	97.61	Inf	-Inf	3	Horizontal	318	2.39
5955MHz	Pass	PK	5.9175G	57.32	88.20	-30.88	3	Horizontal	318	2.39
5955MHz	Pass	PK	5.9538G	110.54	Inf	-Inf	3	Horizontal	318	2.39
5955MHz	Pass	AV	11.91272G	38.00	54.00	-16.00	3	Vertical	179	2.98
5955MHz	Pass	PK	11.90858G	51.00	74.00	-23.00	3	Vertical	179	2.98
5955MHz	Pass	AV	11.90906G	38.01	54.00	-15.99	3	Horizontal	231	1.96
5955MHz	Pass	PK	11.90012G	50.44	74.00	-23.56	3	Horizontal	231	1.96
6195MHz	Pass	AV	12.3831G	38.03	54.00	-15.97	3	Vertical	328	1.56
6195MHz	Pass	PK	12.39958G	51.50	74.00	-22.50	3	Vertical	328	1.56
6195MHz	Pass	AV	12.3874G	38.12	54.00	-15.88	3	Horizontal	360	1.44
6195MHz	Pass	PK	12.3803G	50.88	74.00	-23.12	3	Horizontal	360	1.44
6415MHz	Pass	AV	12.82912G	39.27	68.20	-28.93	3	Vertical	41	2.88
6415MHz	Pass	PK	12.83078G	51.32	88.20	-36.88	3	Vertical	41	2.88
6415MHz	Pass	AV	12.82992G	39.34	68.20	-28.86	3	Horizontal	331	1.71
6415MHz	Pass	PK	12.83678G	51.58	88.20	-36.62	3	Horizontal	331	1.71
6435MHz	Pass	AV	12.86984G	39.22	68.20	-28.98	3	Vertical	32	2.52
6435MHz	Pass	PK	12.87896G	52.00	88.20	-36.20	3	Vertical	32	2.52
6435MHz	Pass	AV	12.86922G	39.31	68.20	-28.89	3	Horizontal	266	1.01
6435MHz	Pass	PK	12.86806G	52.65	88.20	-35.55	3	Horizontal	266	1.01
6475MHz	Pass	AV	12.94308G	39.23	68.20	-28.97	3	Vertical	272	2.01
6475MHz	Pass	PK	12.9519G	51.40	88.20	-36.80	3	Vertical	272	2.01
6475MHz	Pass	AV	12.95362G	39.28	68.20	-28.92	3	Horizontal	240	1.03
6475MHz	Pass	PK	12.95304G	51.45	88.20	-36.75	3	Horizontal	240	1.03
6515MHz	Pass	AV	13.02206G	39.36	68.20	-28.84	3	Vertical	106	1.91
6515MHz	Pass	PK	13.02112G	51.55	88.20	-36.65	3	Vertical	106	1.91
6515MHz	Pass	AV	13.02162G	39.46	68.20	-28.74	3	Horizontal	52	1.63
6515MHz	Pass	PK	13.02143G	51.61	88.20	-36.59	3	Horizontal	52	1.63
6535MHz	Pass	AV	13.0669G	39.46	68.20	-28.74	3	Vertical	259	2.76
6535MHz	Pass	PK	13.07932G	52.42	88.20	-35.78	3	Vertical	259	2.76
6535MHz	Pass	AV	13.0689G	39.48	68.20	-28.72	3	Horizontal	37	1.16
6535MHz	Pass	PK	13.06316G	51.72	88.20	-36.48	3	Horizontal	37	1.16
6695MHz	Pass	AV	13.3971G	40.09	54.00	-13.91	3	Vertical	102	1.81
6695MHz	Pass	PK	13.39888G	52.63	74.00	-21.37	3	Vertical	102	1.81
6695MHz	Pass	AV	13.38494G	40.08	54.00	-13.92	3	Horizontal	271	2.62
6695MHz	Pass	PK	13.38246G	53.94	74.00	-20.06	3	Horizontal	271	2.62
6875MHz	Pass	AV	13.75034G	40.52	68.20	-27.68	3	Vertical	280	2.96
6875MHz	Pass	PK	13.75062G	52.75	88.20	-35.45	3	Vertical	280	2.96
6875MHz	Pass	AV	13.74544G	40.49	68.20	-27.71	3	Horizontal	103	1.31
6875MHz	Pass	PK	13.7569G	52.50	88.20	-35.70	3	Horizontal	103	1.31
6895MHz	Pass	AV	13.78514G	40.66	68.20	-27.54	3	Vertical	43	1.29
6895MHz	Pass	PK	13.7832G	53.16	88.20	-35.04	3	Vertical	43	1.29
6895MHz	Pass	AV	13.78734G	40.62	68.20	-27.58	3	Horizontal	39	2.47
6895MHz	Pass	PK	13.78986G	53.68	88.20	-34.52	3	Horizontal	39	2.47
6995MHz	Pass	AV	13.9803G	41.36	68.20	-26.84	3	Vertical	67	2.49
6995MHz	Pass	PK	13.98458G	54.33	88.20	-33.87	3	Vertical	67	2.49
6995MHz	Pass	AV	13.9826G	41.34	68.20	-26.86	3	Horizontal	94	1.64
6995MHz	Pass	PK	13.98734G	54.41	88.20	-33.79	3	Horizontal	94	1.64
7095MHz	Pass	AV	7.0863G	93.58	Inf	-Inf	3	Vertical	271	1.67
7095MHz	Pass	AV	7.242G	46.05	68.20	-22.15	3	Vertical	271	1.67
7095MHz	Pass	PK	7.0872G	106.58	Inf	-Inf	3	Vertical	271	1.67
7095MHz	Pass	PK	7.2303G	59.28	88.20	-28.92	3	Vertical	271	1.67
7095MHz	Pass	AV	7.0863G	96.58	Inf	-Inf	3	Horizontal	318	1.07
7095MHz	Pass	AV	7.2441G	46.13	68.20	-22.07	3	Horizontal	318	1.07
7095MHz	Pass	PK	7.0869G	109.58	Inf	-Inf	3	Horizontal	318	1.07
7095MHz	Pass	PK	7.1961G	59.67	88.20	-28.53	3	Horizontal	318	1.07



RSE TX above 1GHz Non-Beamforming Radio 2 1T1S Full RU Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7095MHz	Pass	AV	14.18704G	41.74	68.20	-26.46	3	Vertical	306	2.78
7095MHz	Pass	PK	14.19204G	53.65	88.20	-34.55	3	Vertical	306	2.78
7095MHz	Pass	AV	14.1877G	41.72	68.20	-26.48	3	Horizontal	198	1.29
7095MHz	Pass	PK	14.19796G	54.57	88.20	-33.63	3	Horizontal	198	1.29
7115MHz	Pass	AV	7.1075G	89.11	Inf	-Inf	3	Vertical	270	1.64
7115MHz	Pass	AV	7.1255G	65.44	68.20	-2.76	3	Vertical	270	1.64
7115MHz	Pass	PK	7.1135G	94.98	Inf	-Inf	3	Vertical	270	1.64
7115MHz	Pass	PK	7.1255G	74.79	88.20	-13.41	3	Vertical	270	1.64
7115MHz	Pass	AV	7.1065G	91.85	Inf	-Inf	3	Horizontal	319	1.23
7115MHz	Pass	AV	7.1255G	67.78	68.20	-0.42	3	Horizontal	319	1.23
7115MHz	Pass	PK	7.1225G	98.12	Inf	-Inf	3	Horizontal	319	1.23
7115MHz	Pass	PK	7.1255G	76.73	88.20	-11.47	3	Horizontal	319	1.23
7115MHz	Pass	AV	14.22018G	41.46	68.20	-26.74	3	Vertical	173	2.20
7115MHz	Pass	PK	14.2224G	53.53	88.20	-34.67	3	Vertical	173	2.20
7115MHz	Pass	AV	14.2226G	41.51	68.20	-26.69	3	Horizontal	120	1.51
7115MHz	Pass	PK	14.22004G	53.70	88.20	-34.50	3	Horizontal	120	1.51
802.11be EHT40_Nss1(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	44.45	68.20	-23.75	3	Vertical	7	2.02
5965MHz	Pass	AV	5.9833G	97.14	Inf	-Inf	3	Vertical	7	2.02
5965MHz	Pass	PK	5.9242G	57.18	88.20	-31.02	3	Vertical	7	2.02
5965MHz	Pass	PK	5.9599G	109.82	Inf	-Inf	3	Vertical	7	2.02
5965MHz	Pass	AV	5.9248G	44.63	68.20	-23.57	3	Horizontal	317	2.16
5965MHz	Pass	AV	5.9833G	96.76	Inf	-Inf	3	Horizontal	317	2.16
5965MHz	Pass	PK	5.9248G	57.40	88.20	-30.80	3	Horizontal	317	2.16
5965MHz	Pass	PK	5.9812G	109.72	Inf	-Inf	3	Horizontal	317	2.16
5965MHz	Pass	AV	11.92562G	38.20	54.00	-15.80	3	Vertical	259	1.47
5965MHz	Pass	PK	11.9381G	50.74	74.00	-23.26	3	Vertical	259	1.47
5965MHz	Pass	AV	11.9259G	38.14	54.00	-15.86	3	Horizontal	183	1.16
5965MHz	Pass	PK	11.93528G	50.81	74.00	-23.19	3	Horizontal	183	1.16
6205MHz	Pass	AV	12.40928G	37.98	54.00	-16.02	3	Vertical	100	1.48
6205MHz	Pass	PK	12.4072G	51.11	74.00	-22.89	3	Vertical	100	1.48
6205MHz	Pass	AV	12.41812G	37.98	54.00	-16.02	3	Horizontal	159	2.73
6205MHz	Pass	PK	12.41118G	49.97	74.00	-24.03	3	Horizontal	159	2.73
6405MHz	Pass	AV	12.80262G	39.41	68.20	-28.79	3	Vertical	122	2.56
6405MHz	Pass	PK	12.81942G	51.44	88.20	-36.76	3	Vertical	122	2.56
6405MHz	Pass	AV	12.80344G	39.38	68.20	-28.82	3	Horizontal	337	2.29
6405MHz	Pass	PK	12.81398G	52.46	88.20	-35.74	3	Horizontal	337	2.29
6445MHz	Pass	AV	12.8851G	39.26	68.20	-28.94	3	Vertical	195	1.67
6445MHz	Pass	PK	12.9G	52.17	88.20	-36.03	3	Vertical	195	1.67
6445MHz	Pass	AV	12.88984G	39.29	68.20	-28.91	3	Horizontal	310	1.66
6445MHz	Pass	PK	12.8868G	52.14	88.20	-36.06	3	Horizontal	310	1.66
6485MHz	Pass	AV	12.9754G	39.37	68.20	-28.83	3	Vertical	75	2.56
6485MHz	Pass	PK	12.96578G	51.57	88.20	-36.63	3	Vertical	75	2.56
6485MHz	Pass	AV	12.96226G	39.28	68.20	-28.92	3	Horizontal	339	1.57
6485MHz	Pass	PK	12.9711G	51.15	88.20	-37.05	3	Horizontal	339	1.57
6525MHz	Pass	AV	13.05598G	39.38	68.20	-28.82	3	Vertical	316	2.30
6525MHz	Pass	PK	13.05228G	51.95	88.20	-36.25	3	Vertical	316	2.30
6525MHz	Pass	AV	13.05668G	39.38	68.20	-28.82	3	Horizontal	335	1.25
6525MHz	Pass	PK	13.0507G	51.38	88.20	-36.82	3	Horizontal	335	1.25
6565MHz	Pass	AV	13.13856G	39.71	68.20	-28.49	3	Vertical	210	2.69
6565MHz	Pass	PK	13.13172G	53.43	88.20	-34.77	3	Vertical	210	2.69
6565MHz	Pass	AV	13.13638G	39.73	68.20	-28.47	3	Horizontal	286	2.87
6565MHz	Pass	PK	13.12636G	53.61	88.20	-34.59	3	Horizontal	286	2.87
6685MHz	Pass	AV	13.37386G	39.96	54.00	-14.04	3	Vertical	278	2.88
6685MHz	Pass	PK	13.37934G	52.67	74.00	-21.33	3	Vertical	278	2.88
6685MHz	Pass	AV	13.37652G	39.99	54.00	-14.01	3	Horizontal	148	1.47
6685MHz	Pass	PK	13.3631G	52.21	74.00	-21.79	3	Horizontal	148	1.47
6885MHz	Pass	AV	13.76352G	40.50	68.20	-27.70	3	Vertical	161	1.21
6885MHz	Pass	PK	13.77066G	53.02	88.20	-35.18	3	Vertical	161	1.21
6885MHz	Pass	AV	13.7603G	40.51	68.20	-27.69	3	Horizontal	10	2.59
6885MHz	Pass	PK	13.7675G	53.49	88.20	-34.71	3	Horizontal	10	2.59
6925MHz	Pass	AV	13.8563G	40.70	68.20	-27.50	3	Vertical	1	2.92



RSE TX above 1GHz Non-Beamforming Radio 2 1T1S Full RU Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6925MHz	Pass	PK	13.85332G	53.44	88.20	-34.76	3	Vertical	1	2.92
6925MHz	Pass	AV	13.85566G	40.71	68.20	-27.49	3	Horizontal	157	2.91
6925MHz	Pass	PK	13.85444G	53.01	88.20	-35.19	3	Horizontal	157	2.91
7005MHz	Pass	AV	14.01518G	41.54	68.20	-26.66	3	Vertical	79	1.92
7005MHz	Pass	PK	14.0158G	54.76	88.20	-33.44	3	Vertical	79	1.92
7005MHz	Pass	AV	14.01348G	41.56	68.20	-26.64	3	Horizontal	163	2.64
7005MHz	Pass	PK	14.0069G	53.93	88.20	-34.27	3	Horizontal	163	2.64
7085MHz	Pass	AV	7.1027G	94.37	Inf	-Inf	3	Vertical	272	1.61
7085MHz	Pass	AV	7.2335G	47.47	68.20	-20.73	3	Vertical	272	1.61
7085MHz	Pass	PK	7.103G	107.53	Inf	-Inf	3	Vertical	272	1.61
7085MHz	Pass	PK	7.2224G	61.18	88.20	-27.02	3	Vertical	272	1.61
7085MHz	Pass	AV	7.0829G	97.40	Inf	-Inf	3	Horizontal	318	1.09
7085MHz	Pass	AV	7.235G	47.52	68.20	-20.68	3	Horizontal	318	1.09
7085MHz	Pass	PK	7.0871G	110.25	Inf	-Inf	3	Horizontal	318	1.09
7085MHz	Pass	PK	7.1633G	61.20	88.20	-27.00	3	Horizontal	318	1.09
7085MHz	Pass	AV	14.17314G	41.71	68.20	-26.49	3	Vertical	251	1.74
7085MHz	Pass	PK	14.16034G	53.72	88.20	-34.48	3	Vertical	251	1.74
7085MHz	Pass	AV	14.17228G	41.71	68.20	-26.49	3	Horizontal	25	1.42
7085MHz	Pass	PK	14.17628G	53.78	88.20	-34.42	3	Horizontal	25	1.42
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9245G	60.62	68.20	-7.58	3	Vertical	343	2.00
5985MHz	Pass	AV	5.988G	96.07	Inf	-Inf	3	Vertical	343	2.00
5985MHz	Pass	PK	5.9195G	74.52	88.20	-13.68	3	Vertical	343	2.00
5985MHz	Pass	PK	5.9915G	110.57	Inf	-Inf	3	Vertical	343	2.00
5985MHz	Pass	AV	5.925G	60.49	68.20	-7.71	3	Horizontal	319	2.21
5985MHz	Pass	AV	6.019G	96.43	Inf	-Inf	3	Horizontal	319	2.21
5985MHz	Pass	PK	5.922G	73.67	88.20	-14.53	3	Horizontal	319	2.21
5985MHz	Pass	PK	5.9785G	110.48	Inf	-Inf	3	Horizontal	319	2.21
5985MHz	Pass	AV	11.97358G	38.18	54.00	-15.82	3	Vertical	358	1.96
5985MHz	Pass	PK	11.9713G	50.80	74.00	-23.20	3	Vertical	358	1.96
5985MHz	Pass	AV	11.97326G	38.23	54.00	-15.77	3	Horizontal	94	1.70
5985MHz	Pass	PK	11.96144G	50.39	74.00	-23.61	3	Horizontal	94	1.70
6225MHz	Pass	AV	12.45552G	38.05	54.00	-15.95	3	Vertical	61	2.30
6225MHz	Pass	PK	12.45984G	50.54	74.00	-23.46	3	Vertical	61	2.30
6225MHz	Pass	AV	12.45526G	38.14	54.00	-15.86	3	Horizontal	240	2.94
6225MHz	Pass	PK	12.45908G	50.57	74.00	-23.43	3	Horizontal	240	2.94
6385MHz	Pass	AV	12.76498G	39.41	68.20	-28.79	3	Vertical	97	1.25
6385MHz	Pass	PK	12.7646G	53.34	88.20	-34.86	3	Vertical	97	1.25
6385MHz	Pass	AV	12.76666G	39.44	68.20	-28.76	3	Horizontal	138	2.64
6385MHz	Pass	PK	12.77088G	51.93	88.20	-36.27	3	Horizontal	138	2.64
6465MHz	Pass	AV	12.92432G	39.34	68.20	-28.86	3	Vertical	252	2.31
6465MHz	Pass	PK	12.93674G	52.26	88.20	-35.94	3	Vertical	252	2.31
6465MHz	Pass	AV	12.9222G	39.37	68.20	-28.83	3	Horizontal	167	2.09
6465MHz	Pass	PK	12.925G	52.31	88.20	-35.89	3	Horizontal	167	2.09
6545MHz	Pass	AV	13.08494G	39.53	68.20	-28.67	3	Vertical	267	2.15
6545MHz	Pass	PK	13.083G	52.71	88.20	-35.49	3	Vertical	267	2.15
6545MHz	Pass	AV	13.0983G	39.61	68.20	-28.59	3	Horizontal	332	1.84
6545MHz	Pass	PK	13.08956G	52.39	88.20	-35.81	3	Horizontal	332	1.84
6625MHz	Pass	AV	13.2564G	39.91	54.00	-14.09	3	Vertical	126	2.39
6625MHz	Pass	PK	13.25688G	52.27	74.00	-21.73	3	Vertical	126	2.39
6625MHz	Pass	AV	13.2508G	39.92	54.00	-14.08	3	Horizontal	185	2.98
6625MHz	Pass	PK	13.25478G	52.19	74.00	-21.81	3	Horizontal	185	2.98
6705MHz	Pass	AV	13.40762G	40.25	68.20	-27.95	3	Vertical	28	2.17
6705MHz	Pass	PK	13.40414G	52.78	88.20	-35.42	3	Vertical	28	2.17
6705MHz	Pass	AV	13.41102G	40.26	68.20	-27.94	3	Horizontal	26	2.76
6705MHz	Pass	PK	13.41026G	53.23	88.20	-34.97	3	Horizontal	26	2.76
6785MHz	Pass	AV	13.56672G	40.66	68.20	-27.54	3	Vertical	92	1.26
6785MHz	Pass	PK	13.5758G	53.28	88.20	-34.92	3	Vertical	92	1.26
6785MHz	Pass	AV	13.56648G	40.72	68.20	-27.48	3	Horizontal	219	2.77
6785MHz	Pass	PK	13.57926G	53.08	88.20	-35.12	3	Horizontal	219	2.77
6865MHz	Pass	AV	13.72334G	40.58	68.20	-27.62	3	Vertical	257	2.94
6865MHz	Pass	PK	13.7295G	52.20	88.20	-36.00	3	Vertical	257	2.94



RSE TX above 1GHz Non-Beamforming Radio 2 1T1S Full RU Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6865MHz	Pass	AV	13.72714G	40.52	68.20	-27.68	3	Horizontal	259	2.12
6865MHz	Pass	PK	13.72432G	52.74	88.20	-35.46	3	Horizontal	259	2.12
6945MHz	Pass	AV	13.8975G	40.86	68.20	-27.34	3	Vertical	249	2.99
6945MHz	Pass	PK	13.88564G	53.53	88.20	-34.67	3	Vertical	249	2.99
6945MHz	Pass	AV	13.89662G	40.89	68.20	-27.31	3	Horizontal	255	1.79
6945MHz	Pass	PK	13.89342G	53.14	88.20	-35.06	3	Horizontal	255	1.79
7025MHz	Pass	AV	7.0505G	94.36	Inf	-Inf	3	Vertical	283	1.01
7025MHz	Pass	AV	7.1252G	52.84	68.20	-15.36	3	Vertical	283	1.01
7025MHz	Pass	PK	7.0544G	108.62	Inf	-Inf	3	Vertical	283	1.01
7025MHz	Pass	PK	7.1267G	67.22	88.20	-20.98	3	Vertical	283	1.01
7025MHz	Pass	AV	7.0592G	97.14	Inf	-Inf	3	Horizontal	316	1.02
7025MHz	Pass	AV	7.1264G	55.08	68.20	-13.12	3	Horizontal	316	1.02
7025MHz	Pass	PK	7.0583G	111.31	Inf	-Inf	3	Horizontal	316	1.02
7025MHz	Pass	PK	7.1291G	70.36	88.20	-17.84	3	Horizontal	316	1.02
7025MHz	Pass	AV	14.04436G	41.83	68.20	-26.37	3	Vertical	124	1.08
7025MHz	Pass	PK	14.05914G	54.43	88.20	-33.77	3	Vertical	124	1.08
7025MHz	Pass	AV	14.04358G	41.81	68.20	-26.39	3	Horizontal	19	2.26
7025MHz	Pass	PK	14.05886G	54.62	88.20	-33.58	3	Horizontal	19	2.26
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	58.86	68.20	-9.34	3	Vertical	345	1.76
6025MHz	Pass	AV	6.0455G	94.14	Inf	-Inf	3	Vertical	345	1.76
6025MHz	Pass	PK	5.919G	73.46	88.20	-14.74	3	Vertical	345	1.76
6025MHz	Pass	PK	6.037G	107.81	Inf	-Inf	3	Vertical	345	1.76
6025MHz	Pass	AV	5.925G	59.22	68.20	-8.98	3	Horizontal	321	2.23
6025MHz	Pass	AV	6.0365G	94.18	Inf	-Inf	3	Horizontal	321	2.23
6025MHz	Pass	PK	5.9165G	73.53	88.20	-14.67	3	Horizontal	321	2.23
6025MHz	Pass	PK	6.001G	108.62	Inf	-Inf	3	Horizontal	321	2.23
6025MHz	Pass	AV	12.048G	38.43	54.00	-15.57	3	Vertical	206	2.89
6025MHz	Pass	PK	12.05602G	51.12	74.00	-22.88	3	Vertical	206	2.89
6025MHz	Pass	AV	12.04918G	38.42	54.00	-15.58	3	Horizontal	181	2.66
6025MHz	Pass	PK	12.05926G	51.17	74.00	-22.83	3	Horizontal	181	2.66
6185MHz	Pass	AV	12.36486G	38.12	54.00	-15.88	3	Vertical	261	2.63
6185MHz	Pass	PK	12.36004G	51.09	74.00	-22.91	3	Vertical	261	2.63
6185MHz	Pass	AV	12.36662G	38.13	54.00	-15.87	3	Horizontal	310	2.65
6185MHz	Pass	PK	12.36726G	50.50	74.00	-23.50	3	Horizontal	310	2.65
6345MHz	Pass	AV	12.68544G	39.28	54.00	-14.72	3	Vertical	190	2.43
6345MHz	Pass	PK	12.69636G	52.00	74.00	-22.00	3	Vertical	190	2.43
6345MHz	Pass	AV	12.68238G	39.27	54.00	-14.73	3	Horizontal	53	1.41
6345MHz	Pass	PK	12.69546G	52.35	74.00	-21.65	3	Horizontal	53	1.41
6505MHz	Pass	AV	13.00394G	39.31	68.20	-28.89	3	Vertical	221	2.59
6505MHz	Pass	PK	13.00766G	51.80	88.20	-36.40	3	Vertical	221	2.59
6505MHz	Pass	AV	13.0029G	39.29	68.20	-28.91	3	Horizontal	262	1.29
6505MHz	Pass	PK	13.00788G	51.38	88.20	-36.82	3	Horizontal	262	1.29
6665MHz	Pass	AV	13.32508G	39.95	54.00	-14.05	3	Vertical	338	1.41
6665MHz	Pass	PK	13.33964G	51.77	74.00	-22.23	3	Vertical	338	1.41
6665MHz	Pass	AV	13.32506G	39.94	54.00	-14.06	3	Horizontal	288	2.52
6665MHz	Pass	PK	13.32468G	52.74	74.00	-21.26	3	Horizontal	288	2.52
6825MHz	Pass	AV	13.64812G	40.37	68.20	-27.83	3	Vertical	186	2.56
6825MHz	Pass	PK	13.64308G	52.82	88.20	-35.38	3	Vertical	186	2.56
6825MHz	Pass	AV	13.65874G	40.32	68.20	-27.88	3	Horizontal	188	2.93
6825MHz	Pass	PK	13.65258G	52.59	88.20	-35.61	3	Horizontal	188	2.93
6985MHz	Pass	AV	6.911G	92.78	Inf	-Inf	3	Vertical	314	1.78
6985MHz	Pass	AV	7.1255G	60.28	68.20	-7.92	3	Vertical	314	1.78
6985MHz	Pass	PK	6.9175G	106.25	Inf	-Inf	3	Vertical	314	1.78
6985MHz	Pass	PK	7.129G	77.82	88.20	-10.38	3	Vertical	314	1.78
6985MHz	Pass	AV	6.9075G	94.83	Inf	-Inf	3	Horizontal	330	1.34
6985MHz	Pass	AV	7.125G	63.58	68.20	-4.62	3	Horizontal	330	1.34
6985MHz	Pass	PK	6.954G	108.48	Inf	-Inf	3	Horizontal	330	1.34
6985MHz	Pass	PK	7.1295G	82.08	88.20	-6.12	3	Horizontal	330	1.34
6985MHz	Pass	AV	13.97742G	41.36	68.20	-26.84	3	Vertical	230	2.44
6985MHz	Pass	PK	13.97716G	54.76	88.20	-33.44	3	Vertical	230	2.44
6985MHz	Pass	AV	13.9784G	41.37	68.20	-26.83	3	Horizontal	258	1.95




RSE TX above 1GHz Non-Beamforming Radio 2 1T1S Full RU Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6985MHz	Pass	PK	13.97838G	54.42	88.20	-33.78	3	Horizontal	258	1.95
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	64.13	68.20	-4.07	3	Vertical	344	1.80
6105MHz	Pass	AV	6.073G	90.93	Inf	-Inf	3	Vertical	344	1.80
6105MHz	Pass	PK	5.909G	78.29	88.20	-9.91	3	Vertical	344	1.80
6105MHz	Pass	PK	6.052G	104.55	Inf	-Inf	3	Vertical	344	1.80
6105MHz	Pass	AV	5.924G	64.42	68.20	-3.78	3	Horizontal	321	2.32
6105MHz	Pass	AV	6.044G	90.95	Inf	-Inf	3	Horizontal	321	2.32
6105MHz	Pass	PK	5.925G	78.65	88.20	-9.55	3	Horizontal	321	2.32
6105MHz	Pass	PK	6.022G	104.25	Inf	-Inf	3	Horizontal	321	2.32
6105MHz	Pass	AV	12.21192G	38.87	54.00	-15.13	3	Vertical	339	2.59
6105MHz	Pass	PK	12.20448G	51.22	74.00	-22.78	3	Vertical	339	2.59
6105MHz	Pass	AV	12.20942G	38.76	54.00	-15.24	3	Horizontal	351	1.54
6105MHz	Pass	PK	12.2043G	51.69	74.00	-22.31	3	Horizontal	351	1.54
6265MHz	Pass	AV	5.92384G	57.29	68.20	-10.91	3	Vertical	351	1.70
6265MHz	Pass	AV	6.12968G	89.51	Inf	-Inf	3	Vertical	351	1.70
6265MHz	Pass	PK	5.91516G	71.81	88.20	-16.39	3	Vertical	351	1.70
6265MHz	Pass	PK	6.10612G	102.78	Inf	-Inf	3	Vertical	351	1.70
6265MHz	Pass	AV	5.92384G	48.35	68.20	-19.85	3	Horizontal	308	1.13
6265MHz	Pass	AV	6.4062G	90.14	Inf	-Inf	3	Horizontal	308	1.13
6265MHz	Pass	PK	5.91392G	63.08	88.20	-25.12	3	Horizontal	308	1.13
6265MHz	Pass	PK	6.4124G	103.69	Inf	-Inf	3	Horizontal	308	1.13
6265MHz	Pass	AV	12.53796G	38.60	54.00	-15.40	3	Vertical	76	1.30
6265MHz	Pass	PK	12.52306G	51.66	74.00	-22.34	3	Vertical	76	1.30
6265MHz	Pass	AV	12.53918G	38.64	54.00	-15.36	3	Horizontal	94	1.14
6265MHz	Pass	PK	12.52386G	51.48	74.00	-22.52	3	Horizontal	94	1.14
6425MHz	Pass	AV	12.85628G	39.29	68.20	-28.91	3	Vertical	139	1.83
6425MHz	Pass	PK	12.85594G	51.34	88.20	-36.86	3	Vertical	139	1.83
6425MHz	Pass	AV	12.8595G	39.29	68.20	-28.91	3	Horizontal	108	1.51
6425MHz	Pass	PK	12.84696G	52.01	88.20	-36.19	3	Horizontal	108	1.51
6585MHz	Pass	AV	13.16206G	39.81	68.20	-28.39	3	Vertical	118	1.89
6585MHz	Pass	PK	13.16446G	52.36	88.20	-35.84	3	Vertical	118	1.89
6585MHz	Pass	AV	13.16272G	39.77	68.20	-28.43	3	Horizontal	170	2.06
6585MHz	Pass	PK	13.16286G	52.26	88.20	-35.94	3	Horizontal	170	2.06
6745MHz	Pass	AV	13.49G	40.62	68.20	-27.58	3	Vertical	3	1.48
6745MHz	Pass	PK	13.49126G	52.79	88.20	-35.41	3	Vertical	3	1.48
6745MHz	Pass	AV	13.48606G	40.69	68.20	-27.51	3	Horizontal	45	2.57
6745MHz	Pass	PK	13.4805G	52.77	88.20	-35.43	3	Horizontal	45	2.57
6905MHz	Pass	AV	6.7495G	94.75	Inf	-Inf	3	Vertical	274	1.50
6905MHz	Pass	AV	7.1265G	66.76	68.20	-1.44	3	Vertical	274	1.50
6905MHz	Pass	PK	6.7905G	102.42	Inf	-Inf	3	Vertical	274	1.50
6905MHz	Pass	PK	7.2095G	78.51	88.20	-9.69	3	Vertical	274	1.50
6905MHz	Pass	AV	6.7475G	96.70	Inf	-Inf	3	Horizontal	325	1.45
6905MHz	Pass	AV	7.1275G	67.74	68.20	-0.46	3	Horizontal	325	1.45
6905MHz	Pass	PK	6.7805G	104.44	Inf	-Inf	3	Horizontal	325	1.45
6905MHz	Pass	PK	7.1885G	79.12	88.20	-9.08	3	Horizontal	325	1.45
6905MHz	Pass	AV	13.81624G	40.73	68.20	-27.47	3	Vertical	271	1.53
6905MHz	Pass	PK	13.80174G	52.52	88.20	-35.68	3	Vertical	271	1.53
6905MHz	Pass	AV	13.81512G	40.76	68.20	-27.44	3	Horizontal	206	1.20
6905MHz	Pass	PK	13.80234G	53.36	88.20	-34.84	3	Horizontal	206	1.20




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX


6195MHz_TX





5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9248G	44.45	68.20	-23.75	1.89	3	Vertical	7	2.02	42.56	34.55	5.18	37.84
AV	5.9833G	97.14	Inf	-Inf	1.97	3	Vertical	7	2.02	95.17	34.50	5.26	37.79
PK	5.9242G	57.18	88.20	-31.02	1.89	3	Vertical	7	2.02	55.29	34.55	5.18	37.84
PK	5.9599G	109.82	Inf	-Inf	1.92	3	Vertical	7	2.02	107.90	34.50	5.23	37.81

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9248G	44.63	68.20	-23.57	1.89	3	Horizontal	317	2.16	42.74	34.55	5.18	37.84
AV	5.9833G	96.76	Inf	-Inf	1.97	3	Horizontal	317	2.16	94.79	34.50	5.26	37.79
PK	5.9248G	57.40	88.20	-30.80	1.89	3	Horizontal	317	2.16	55.51	34.55	5.18	37.84
PK	5.9812G	109.72	Inf	-Inf	1.96	3	Horizontal	317	2.16	107.76	34.50	5.26	37.80




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5965MHz_TX





5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9245G	60.62	68.20	-7.58	1.89	3	Vertical	343	2.00	58.73	34.55	5.18	37.84
AV	5.988G	96.07	Inf	-Inf	1.98	3	Vertical	343	2.00	94.09	34.50	5.27	37.79
PK	5.9195G	74.52	88.20	-13.68	1.88	3	Vertical	343	2.00	72.64	34.56	5.17	37.85
PK	5.9915G	110.57	Inf	-Inf	1.99	3	Vertical	343	2.00	108.58	34.50	5.28	37.79

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	60.49	68.20	-7.71	1.89	3	Horizontal	319	2.21	58.60	34.55	5.18	37.84
AV	6.019G	96.43	Inf	-Inf	2.03	3	Horizontal	319	2.21	94.40	34.50	5.30	37.77
PK	5.922G	73.67	88.20	-14.53	1.88	3	Horizontal	319	2.21	71.79	34.56	5.17	37.85
PK	5.9785G	110.48	Inf	-Inf	1.96	3	Horizontal	319	2.21	108.52	34.50	5.26	37.80




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5985MHz_TX





5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX


6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.925G	58.86	68.20	-9.34	1.89	3	Vertical	345	1.76	56.97	34.55	5.18	37.84
AV	6.0455G	94.14	Inf	-Inf	2.06	3	Vertical	345	1.76	92.08	34.50	5.31	37.75
PK	5.919G	73.46	88.20	-14.74	1.88	3	Vertical	345	1.76	71.58	34.56	5.17	37.85
PK	6.037G	107.81	Inf	-Inf	2.04	3	Vertical	345	1.76	105.77	34.50	5.30	37.76

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.925G	59.22	68.20	-8.98	1.89	3	Horizontal	321	2.23	57.33	34.55	5.18	37.84
AV	6.0365G	94.18	Inf	-Inf	2.04	3	Horizontal	321	2.23	92.14	34.50	5.30	37.76
PK	5.9165G	73.53	88.20	-14.67	1.88	3	Horizontal	321	2.23	71.65	34.57	5.16	37.85
PK	6.001G	108.62	Inf	-Inf	2.01	3	Horizontal	321	2.23	106.61	34.50	5.29	37.78




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX


6025MHz_TX





5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	64.13	68.20	-4.07	1.89	3	Vertical	344	1.80	62.24	34.55	5.18	37.84
AV	6.073G	90.93	Inf	-Inf	2.03	3	Vertical	344	1.80	88.90	34.45	5.32	37.74
PK	5.909G	78.29	88.20	-9.91	1.87	3	Vertical	344	1.80	76.42	34.58	5.15	37.86
PK	6.052G	104.55	Inf	-Inf	2.06	3	Vertical	344	1.80	102.49	34.50	5.31	37.75

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.924G	64.42	68.20	-3.78	1.89	3	Horizontal	321	2.32	62.53	34.55	5.18	37.84
AV	6.044G	90.95	Inf	-Inf	2.06	3	Horizontal	321	2.32	88.89	34.50	5.31	37.75
PK	5.925G	78.65	88.20	-9.55	1.89	3	Horizontal	321	2.32	76.76	34.55	5.18	37.84
PK	6.022G	104.25	Inf	-Inf	2.03	3	Horizontal	321	2.32	102.22	34.50	5.30	37.77




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX


6105MHz_TX






6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6515MHz_TX



6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX


6515MHz_TX






6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6525MHz_TX



6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX


6525MHz_TX






6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6545MHz_TX



6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX


6545MHz_TX






6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6505MHz_TX



6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_1TX


6505MHz_TX






6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6585MHz_TX



6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_1TX


6585MHz_TX






6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX


6695MHz_TX






6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX


6685MHz_TX






6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX


6625MHz_TX






6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX


6665MHz_TX






6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6745MHz_TX



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX


6745MHz_TX





6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1075G	89.11	Inf	-Inf	5.47	3	Vertical	270	1.64	83.64	36.84	5.86	37.23
AV	7.1255G	65.44	68.20	-2.76	5.61	3	Vertical	270	1.64	59.83	36.95	5.87	37.21
PK	7.1135G	94.98	Inf	-Inf	5.52	3	Vertical	270	1.64	89.46	36.88	5.86	37.22
PK	7.1255G	74.79	88.20	-13.41	5.61	3	Vertical	270	1.64	69.18	36.95	5.87	37.21

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7115MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1065G	91.85	Inf	-Inf	5.47	3	Horizontal	319	1.23	86.38	36.84	5.86	37.23
AV	7.1255G	67.78	68.20	-0.42	5.61	3	Horizontal	319	1.23	62.17	36.95	5.87	37.21
PK	7.1225G	98.12	Inf	-Inf	5.58	3	Horizontal	319	1.23	92.54	36.93	5.86	37.21
PK	7.1255G	76.73	88.20	-11.47	5.61	3	Horizontal	319	1.23	71.12	36.95	5.87	37.21




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7115MHz_TX



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX


7115MHz_TX





6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1027G	94.37	Inf	-Inf	5.44	3	Vertical	272	1.61	88.93	36.82	5.86	37.24
AV	7.2335G	47.47	68.20	-20.73	6.22	3	Vertical	272	1.61	41.25	37.37	5.92	37.07
PK	7.103G	107.53	Inf	-Inf	5.44	3	Vertical	272	1.61	102.09	36.82	5.86	37.24
PK	7.2224G	61.18	88.20	-27.02	6.15	3	Vertical	272	1.61	55.03	37.34	5.90	37.09

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7085MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0829G	97.40	Inf	-Inf	5.30	3	Horizontal	318	1.09	92.10	36.70	5.86	37.26
AV	7.235G	47.52	68.20	-20.68	6.22	3	Horizontal	318	1.09	41.30	37.37	5.92	37.07
PK	7.0871G	110.25	Inf	-Inf	5.32	3	Horizontal	318	1.09	104.93	36.72	5.86	37.26
PK	7.1633G	61.20	88.20	-27.00	5.86	3	Horizontal	318	1.09	55.34	37.15	5.87	37.16




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7085MHz_TX



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX


7085MHz_TX





6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0505G	94.36	Inf	-Inf	5.04	3	Vertical	283	1.01	89.32	36.50	5.85	37.31
AV	7.1252G	52.84	68.20	-15.36	5.61	3	Vertical	283	1.01	47.23	36.95	5.87	37.21
PK	7.0544G	108.62	Inf	-Inf	5.08	3	Vertical	283	1.01	103.54	36.53	5.85	37.30
PK	7.1267G	67.22	88.20	-20.98	5.62	3	Vertical	283	1.01	61.60	36.96	5.87	37.21

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0592G	97.14	Inf	-Inf	5.12	3	Horizontal	316	1.02	92.02	36.56	5.85	37.29
AV	7.1264G	55.08	68.20	-13.12	5.62	3	Horizontal	316	1.02	49.46	36.96	5.87	37.21
PK	7.0583G	111.31	Inf	-Inf	5.10	3	Horizontal	316	1.02	106.21	36.55	5.85	37.30
PK	7.1291G	70.36	88.20	-17.84	5.64	3	Horizontal	316	1.02	64.72	36.97	5.87	37.20




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.911G	92.78	Inf	-Inf	4.72	3	Vertical	314	1.78	88.06	36.30	5.81	37.39
AV	7.1255G	60.28	68.20	-7.92	5.61	3	Vertical	314	1.78	54.67	36.95	5.87	37.21
PK	6.9175G	106.25	Inf	-Inf	4.72	3	Vertical	314	1.78	101.53	36.30	5.81	37.39
PK	7.129G	77.82	88.20	-10.38	5.64	3	Vertical	314	1.78	72.18	36.97	5.87	37.20

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9075G	94.83	Inf	-Inf	4.72	3	Horizontal	330	1.34	90.11	36.30	5.81	37.39
AV	7.125G	63.58	68.20	-4.62	5.61	3	Horizontal	330	1.34	57.97	36.95	5.87	37.21
PK	6.954G	108.48	Inf	-Inf	4.73	3	Horizontal	330	1.34	103.75	36.29	5.82	37.38
PK	7.1295G	82.08	88.20	-6.12	5.65	3	Horizontal	330	1.34	76.43	36.98	5.87	37.20




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX


6985MHz_TX





6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_1TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7495G	94.75	Inf	-Inf	4.69	3	Vertical	274	1.50	90.06	36.40	5.72	37.43
AV	7.1265G	66.76	68.20	-1.44	5.62	3	Vertical	274	1.50	61.14	36.96	5.87	37.21
PK	6.7905G	102.42	Inf	-Inf	4.74	3	Vertical	274	1.50	97.68	36.40	5.76	37.42
PK	7.2095G	78.51	88.20	-9.69	6.11	3	Vertical	274	1.50	72.40	37.32	5.89	37.10

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6905MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7475G	96.70	Inf	-Inf	4.69	3	Horizontal	325	1.45	92.01	36.40	5.72	37.43
AV	7.1275G	67.74	68.20	-0.46	5.63	3	Horizontal	325	1.45	62.11	36.97	5.87	37.21
PK	6.7805G	104.44	Inf	-Inf	4.73	3	Horizontal	325	1.45	99.71	36.40	5.75	37.42
PK	7.1885G	79.12	88.20	-9.08	6.00	3	Horizontal	325	1.45	73.12	37.25	5.88	37.13




6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6905MHz_TX



6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6905MHz_TX





RSE TX below 1GHz_Non-Beamforming_Radio 2_1T1S_Multi-RU Appendix E.8

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	QP	36.82M	31.75	40.00	-8.25	3	Vertical	332	1.00



RSE TX below 1GHz_Non-Beamforming_Radio 2_1T1S_Multi-RU Appendix E.8

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6225MHz	Pass	PK	105.66M	29.66	43.50	-13.84	3	Vertical	0	1.00
6225MHz	Pass	PK	220.12M	34.31	46.00	-11.69	3	Vertical	0	1.00
6225MHz	Pass	PK	286.08M	31.62	46.00	-14.38	3	Vertical	0	1.00
6225MHz	Pass	PK	485.9M	30.19	46.00	-15.81	3	Vertical	0	1.00
6225MHz	Pass	PK	627.52M	34.19	46.00	-11.81	3	Vertical	0	1.00
6225MHz	Pass	QP	36.82M	31.75	40.00	-8.25	3	Vertical	332	1.00
6225MHz	Pass	PK	31.94M	25.71	40.00	-14.29	3	Horizontal	360	1.00
6225MHz	Pass	PK	115.36M	30.52	43.50	-12.98	3	Horizontal	360	1.00
6225MHz	Pass	PK	220.12M	32.99	46.00	-13.01	3	Horizontal	360	1.00
6225MHz	Pass	PK	289.96M	37.57	46.00	-8.43	3	Horizontal	360	1.00
6225MHz	Pass	PK	487.84M	30.14	46.00	-15.86	3	Horizontal	360	1.00
6225MHz	Pass	PK	631.4M	34.45	46.00	-11.55	3	Horizontal	360	1.00



RSE TX below 1GHz_Non-Beamforming_Radio 2_1T1S_Multi-RU Appendix E.8

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX


6225MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
PK	105.66M	29.66	43.50	-13.84	-8.46	3	Vertical	0	1.00	38.12	17.77	1.05	27.28				
PK	220.12M	34.31	46.00	-11.69	-9.48	3	Vertical	0	1.00	43.79	15.30	2.08	26.86				
PK	286.08M	31.62	46.00	-14.38	-5.45	3	Vertical	0	1.00	37.07	19.04	2.22	26.71				
PK	485.9M	30.19	46.00	-15.81	-1.41	3	Vertical	0	1.00	31.60	23.54	3.14	28.09				
PK	627.52M	34.19	46.00	-11.81	0.46	3	Vertical	0	1.00	33.73	24.99	3.69	28.22				
QP	36.82M	31.75	40.00	-8.25	-6.41	3	Vertical	332	1.00	38.16	20.79	0.29	27.49				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
PK	31.94M	25.71	40.00	-14.29	-3.93	3	Horizontal	360	1.00	29.64	23.31	0.26	27.50				
PK	115.36M	30.52	43.50	-12.98	-7.61	3	Horizontal	360	1.00	38.13	18.43	1.20	27.24				
PK	220.12M	32.99	46.00	-13.01	-9.48	3	Horizontal	360	1.00	42.47	15.30	2.08	26.86				
PK	289.96M	37.57	46.00	-8.43	-5.35	3	Horizontal	360	1.00	42.92	19.14	2.22	26.71				
PK	487.84M	30.14	46.00	-15.86	-1.40	3	Horizontal	360	1.00	31.54	23.54	3.16	28.10				
PK	631.4M	34.45	46.00	-11.55	0.52	3	Horizontal	360	1.00	33.93	25.04	3.70	28.22				



RSE TX above 1GHz Non-Beamforming Radio 2 1T1S Multi-RU Appendix E.9

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	Pass	AV	5.925G	56.93	68.20	-11.27	3	Vertical	345	2.02
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX	Pass	PK	5.9015G	83.90	88.20	-4.30	3	Vertical	342	1.97
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX	Pass	PK	5.912G	77.72	88.20	-10.48	3	Vertical	340	1.69
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX	Pass	AV	7.25G	52.60	54.00	-1.40	3	Horizontal	333	1.43
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	Pass	PK	7.1258G	74.97	88.20	-13.23	3	Horizontal	332	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX	Pass	PK	7.131G	82.17	88.20	-6.03	3	Horizontal	328	1.50



RSE TX above 1GHz Non-Beamforming Radio 2 1T1S Multi-RU Appendix E.9

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	56.93	68.20	-11.27	3	Vertical	345	2.02
5985MHz	Pass	AV	6.0035G	97.23	Inf	-Inf	3	Vertical	345	2.02
5985MHz	Pass	PK	5.924G	74.68	88.20	-13.52	3	Vertical	345	2.02
5985MHz	Pass	PK	5.995G	110.77	Inf	-Inf	3	Vertical	345	2.02
5985MHz	Pass	AV	5.925G	53.46	68.20	-14.74	3	Horizontal	316	2.08
5985MHz	Pass	AV	6.003G	94.32	Inf	-Inf	3	Horizontal	316	2.08
5985MHz	Pass	PK	5.923G	72.31	88.20	-15.89	3	Horizontal	316	2.08
5985MHz	Pass	PK	5.988G	107.35	Inf	-Inf	3	Horizontal	316	2.08
5985MHz	Pass	AV	11.9651G	38.18	54.00	-15.82	3	Vertical	64	2.78
5985MHz	Pass	PK	11.971G	51.81	74.00	-22.19	3	Vertical	64	2.78
5985MHz	Pass	AV	11.96533G	38.16	54.00	-15.84	3	Horizontal	157	1.50
5985MHz	Pass	PK	11.9727G	51.62	74.00	-22.38	3	Horizontal	157	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	-	-	-	-	-	-	-	-	-	-
7025MHz	Pass	AV	7.0478G	95.14	Inf	-Inf	3	Vertical	266	1.50
7025MHz	Pass	AV	7.1252G	53.70	68.20	-14.50	3	Vertical	266	1.50
7025MHz	Pass	PK	7.0463G	109.16	Inf	-Inf	3	Vertical	266	1.50
7025MHz	Pass	PK	7.1297G	72.11	88.20	-16.09	3	Vertical	266	1.50
7025MHz	Pass	AV	7.061G	97.22	Inf	-Inf	3	Horizontal	332	1.50
7025MHz	Pass	AV	7.1252G	54.72	68.20	-13.48	3	Horizontal	332	1.50
7025MHz	Pass	PK	7.0631G	111.31	Inf	-Inf	3	Horizontal	332	1.50
7025MHz	Pass	PK	7.1258G	74.97	88.20	-13.23	3	Horizontal	332	1.50
7025MHz	Pass	AV	14.04985G	42.10	68.20	-26.10	3	Vertical	35	1.06
7025MHz	Pass	PK	14.05465G	55.00	88.20	-33.20	3	Vertical	35	1.06
7025MHz	Pass	AV	14.05043G	42.31	68.20	-25.89	3	Horizontal	15	1.32
7025MHz	Pass	PK	14.05115G	55.35	88.20	-32.85	3	Horizontal	15	1.32
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	61.59	68.20	-6.61	3	Vertical	342	1.97
6025MHz	Pass	AV	6.008G	93.83	Inf	-Inf	3	Vertical	342	1.97
6025MHz	Pass	PK	5.9015G	83.90	88.20	-4.30	3	Vertical	342	1.97
6025MHz	Pass	PK	6.006G	107.37	Inf	-Inf	3	Vertical	342	1.97
6025MHz	Pass	AV	5.924G	62.67	68.20	-5.53	3	Horizontal	315	2.05
6025MHz	Pass	AV	6.0095G	92.67	Inf	-Inf	3	Horizontal	315	2.05
6025MHz	Pass	PK	5.9215G	81.87	88.20	-6.33	3	Horizontal	315	2.05
6025MHz	Pass	PK	6.0055G	106.88	Inf	-Inf	3	Horizontal	315	2.05
6025MHz	Pass	AV	12.04991G	38.65	54.00	-15.35	3	Vertical	324	1.50
6025MHz	Pass	PK	12.05367G	52.24	74.00	-21.76	3	Vertical	324	1.50
6025MHz	Pass	AV	12.05399G	38.34	54.00	-15.66	3	Horizontal	32	1.26
6025MHz	Pass	PK	12.04636G	52.39	74.00	-21.61	3	Horizontal	32	1.26
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9235G	58.95	68.20	-9.25	3	Vertical	342	2.03
6025MHz	Pass	AV	6.0035G	94.06	Inf	-Inf	3	Vertical	342	2.03
6025MHz	Pass	PK	5.9185G	74.42	88.20	-13.78	3	Vertical	342	2.03
6025MHz	Pass	PK	6.008G	107.11	Inf	-Inf	3	Vertical	342	2.03
6025MHz	Pass	AV	5.925G	60.22	68.20	-7.98	3	Horizontal	316	2.12
6025MHz	Pass	AV	6.029G	92.54	Inf	-Inf	3	Horizontal	316	2.12
6025MHz	Pass	PK	5.9245G	76.61	88.20	-11.59	3	Horizontal	316	2.12
6025MHz	Pass	PK	6.0545G	106.15	Inf	-Inf	3	Horizontal	316	2.12
6025MHz	Pass	AV	12.04987G	38.79	54.00	-15.21	3	Vertical	327	1.50
6025MHz	Pass	PK	12.05457G	52.04	74.00	-21.96	3	Vertical	327	1.50
6025MHz	Pass	AV	12.04541G	38.38	54.00	-15.62	3	Horizontal	30	2.89
6025MHz	Pass	PK	12.05293G	52.01	74.00	-21.99	3	Horizontal	30	2.89
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	6.912G	93.17	Inf	-Inf	3	Vertical	278	1.00
6985MHz	Pass	AV	7.125G	60.47	68.20	-7.73	3	Vertical	278	1.00
6985MHz	Pass	PK	6.9155G	107.22	Inf	-Inf	3	Vertical	278	1.00
6985MHz	Pass	PK	7.141G	81.27	88.20	-6.93	3	Vertical	278	1.00
6985MHz	Pass	AV	7.0615G	94.54	Inf	-Inf	3	Horizontal	328	1.50
6985MHz	Pass	AV	7.125G	61.95	68.20	-6.25	3	Horizontal	328	1.50
6985MHz	Pass	PK	7.0535G	108.15	Inf	-Inf	3	Horizontal	328	1.50
6985MHz	Pass	PK	7.131G	82.17	88.20	-6.03	3	Horizontal	328	1.50



RSE TX above 1GHz Non-Beamforming Radio 2_1T1S Multi-RU Appendix E.9

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6985MHz	Pass	AV	13.96962G	42.13	68.20	-26.07	3	Vertical	0	1.70
6985MHz	Pass	PK	13.97066G	55.54	88.20	-32.66	3	Vertical	0	1.70
6985MHz	Pass	AV	13.96816G	41.71	68.20	-26.49	3	Horizontal	15	1.77
6985MHz	Pass	PK	13.97092G	54.69	88.20	-33.51	3	Horizontal	15	1.77
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	6.908G	92.65	Inf	-Inf	3	Vertical	278	1.04
6985MHz	Pass	AV	7.125G	58.07	68.20	-10.13	3	Vertical	278	1.04
6985MHz	Pass	PK	7.0225G	106.44	Inf	-Inf	3	Vertical	278	1.04
6985MHz	Pass	PK	7.142G	77.33	88.20	-10.87	3	Vertical	278	1.04
6985MHz	Pass	AV	7.063G	94.72	Inf	-Inf	3	Horizontal	345	1.06
6985MHz	Pass	AV	7.131G	60.70	68.20	-7.50	3	Horizontal	345	1.06
6985MHz	Pass	PK	7.0585G	107.92	Inf	-Inf	3	Horizontal	345	1.06
6985MHz	Pass	PK	7.1435G	79.76	88.20	-8.44	3	Horizontal	345	1.06
6985MHz	Pass	AV	13.97495G	41.49	68.20	-26.71	3	Vertical	131	1.87
6985MHz	Pass	PK	13.97094G	54.12	88.20	-34.08	3	Vertical	131	1.87
6985MHz	Pass	AV	13.96984G	41.65	68.20	-26.55	3	Horizontal	91	1.79
6985MHz	Pass	PK	13.97082G	55.00	88.20	-33.20	3	Horizontal	91	1.79
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_1TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.923G	52.21	68.20	-15.99	3	Vertical	352	1.71
6105MHz	Pass	AV	6.194G	90.57	Inf	-Inf	3	Vertical	352	1.71
6105MHz	Pass	PK	5.914G	75.47	88.20	-12.73	3	Vertical	352	1.71
6105MHz	Pass	PK	6.155G	103.73	Inf	-Inf	3	Vertical	352	1.71
6105MHz	Pass	AV	5.922G	45.31	68.20	-22.89	3	Horizontal	335	1.39
6105MHz	Pass	AV	6.26G	86.50	Inf	-Inf	3	Horizontal	335	1.39
6105MHz	Pass	PK	5.916G	65.75	88.20	-22.45	3	Horizontal	335	1.39
6105MHz	Pass	PK	6.255G	99.85	Inf	-Inf	3	Horizontal	335	1.39
6105MHz	Pass	AV	12.20986G	39.60	54.00	-14.40	3	Vertical	330	2.96
6105MHz	Pass	PK	12.21433G	52.07	74.00	-21.93	3	Vertical	330	2.96
6105MHz	Pass	AV	12.21452G	38.85	54.00	-15.15	3	Horizontal	248	1.50
6105MHz	Pass	PK	12.21116G	52.57	74.00	-21.43	3	Horizontal	248	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	56.15	68.20	-12.05	3	Vertical	340	1.69
6105MHz	Pass	AV	6.056G	89.87	Inf	-Inf	3	Vertical	340	1.69
6105MHz	Pass	PK	5.912G	77.72	88.20	-10.48	3	Vertical	340	1.69
6105MHz	Pass	PK	6.082G	103.05	Inf	-Inf	3	Vertical	340	1.69
6105MHz	Pass	AV	5.923G	53.74	68.20	-14.46	3	Horizontal	315	2.01
6105MHz	Pass	AV	6.05G	88.51	Inf	-Inf	3	Horizontal	315	2.01
6105MHz	Pass	PK	5.915G	73.65	88.20	-14.55	3	Horizontal	315	2.01
6105MHz	Pass	PK	6.009G	102.10	Inf	-Inf	3	Horizontal	315	2.01
6105MHz	Pass	AV	12.21G	39.41	54.00	-14.59	3	Vertical	329	1.34
6105MHz	Pass	PK	12.2107G	52.51	74.00	-21.49	3	Vertical	329	1.34
6105MHz	Pass	AV	12.20536G	38.85	54.00	-15.15	3	Horizontal	43	2.96
6105MHz	Pass	PK	12.21165G	51.99	74.00	-22.01	3	Horizontal	43	2.96
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_1TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	49.87	68.20	-18.33	3	Vertical	351	1.74
6105MHz	Pass	AV	6.142G	90.78	Inf	-Inf	3	Vertical	351	1.74
6105MHz	Pass	PK	5.924G	65.21	88.20	-22.99	3	Vertical	351	1.74
6105MHz	Pass	PK	6.113G	103.50	Inf	-Inf	3	Vertical	351	1.74
6105MHz	Pass	AV	5.925G	54.74	68.20	-13.46	3	Horizontal	316	2.16
6105MHz	Pass	AV	6.038G	89.66	Inf	-Inf	3	Horizontal	316	2.16
6105MHz	Pass	PK	5.921G	70.40	88.20	-17.80	3	Horizontal	316	2.16
6105MHz	Pass	PK	6.053G	104.07	Inf	-Inf	3	Horizontal	316	2.16
6105MHz	Pass	AV	12.21007G	39.55	54.00	-14.45	3	Vertical	332	3.00
6105MHz	Pass	PK	12.20929G	52.54	74.00	-21.46	3	Vertical	332	3.00
6105MHz	Pass	AV	12.21409G	38.87	54.00	-15.13	3	Horizontal	116	1.50
6105MHz	Pass	PK	12.20832G	51.92	74.00	-22.08	3	Horizontal	116	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_1TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.765G	89.36	Inf	-Inf	3	Vertical	275	1.55
6905MHz	Pass	AV	7.25G	49.27	54.00	-4.73	3	Vertical	275	1.55
6905MHz	Pass	PK	6.762G	102.18	Inf	-Inf	3	Vertical	275	1.55
6905MHz	Pass	PK	7.29G	66.80	74.00	-7.20	3	Vertical	275	1.55
6905MHz	Pass	AV	6.747G	90.47	Inf	-Inf	3	Horizontal	344	1.20



RSE TX above 1GHz Non-Beamforming Radio 2 1T1S Multi-RU Appendix E.9


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6905MHz	Pass	AV	7.252G	49.96	54.00	-4.04	3	Horizontal	344	1.20
6905MHz	Pass	PK	6.782G	104.21	Inf	-Inf	3	Horizontal	344	1.20
6905MHz	Pass	PK	7.294G	68.25	74.00	-5.75	3	Horizontal	344	1.20
6905MHz	Pass	AV	13.80855G	40.74	68.20	-27.46	3	Vertical	209	2.27
6905MHz	Pass	PK	13.8124G	53.90	88.20	-34.30	3	Vertical	209	2.27
6905MHz	Pass	AV	13.81141G	40.78	68.20	-27.42	3	Horizontal	72	2.91
6905MHz	Pass	PK	13.81176G	53.52	88.20	-34.68	3	Horizontal	72	2.91
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.749G	90.97	Inf	-Inf	3	Vertical	281	1.64
6905MHz	Pass	AV	7.263G	51.72	54.00	-2.28	3	Vertical	281	1.64
6905MHz	Pass	PK	6.747G	103.89	Inf	-Inf	3	Vertical	281	1.64
6905MHz	Pass	PK	7.29G	70.91	74.00	-3.09	3	Vertical	281	1.64
6905MHz	Pass	AV	6.766G	91.90	Inf	-Inf	3	Horizontal	333	1.43
6905MHz	Pass	AV	7.25G	52.60	54.00	-1.40	3	Horizontal	333	1.43
6905MHz	Pass	PK	6.781G	105.59	Inf	-Inf	3	Horizontal	333	1.43
6905MHz	Pass	PK	7.293G	69.94	74.00	-4.06	3	Horizontal	333	1.43
6905MHz	Pass	AV	13.81414G	40.85	68.20	-27.35	3	Vertical	141	1.50
6905MHz	Pass	PK	13.80615G	53.61	88.20	-34.59	3	Vertical	141	1.50
6905MHz	Pass	AV	13.81359G	40.86	68.20	-27.34	3	Horizontal	100	1.50
6905MHz	Pass	PK	13.8121G	54.44	88.20	-33.76	3	Horizontal	100	1.50
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_1TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.829G	89.50	Inf	-Inf	3	Vertical	277	1.61
6905MHz	Pass	AV	7.252G	47.83	54.00	-6.17	3	Vertical	277	1.61
6905MHz	Pass	PK	6.831G	102.66	Inf	-Inf	3	Vertical	277	1.61
6905MHz	Pass	PK	7.262G	61.76	74.00	-12.24	3	Vertical	277	1.61
6905MHz	Pass	AV	6.833G	90.88	Inf	-Inf	3	Horizontal	332	1.53
6905MHz	Pass	AV	7.256G	48.11	54.00	-5.89	3	Horizontal	332	1.53
6905MHz	Pass	PK	6.85G	103.73	Inf	-Inf	3	Horizontal	332	1.53
6905MHz	Pass	PK	7.255G	64.35	74.00	-9.65	3	Horizontal	332	1.53
6905MHz	Pass	AV	13.80957G	40.84	68.20	-27.36	3	Vertical	360	1.50
6905MHz	Pass	PK	13.80654G	53.73	88.20	-34.47	3	Vertical	360	1.50
6905MHz	Pass	AV	13.81426G	40.87	68.20	-27.33	3	Horizontal	226	1.50
6905MHz	Pass	PK	13.8146G	53.96	88.20	-34.24	3	Horizontal	226	1.50



RSE TX above 1GHz_Non-Beamforming_Radio 2_1T1S_Multi-RU Appendix E.9


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX

5985MHz_TX






RSE TX above 1GHz_Non-Beamforming_Radio 2_1T1S_Multi-RU Appendix E.9


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX

5985MHz_TX






RSE TX above 1GHz_Non-Beamforming_Radio 2_1T1S_Multi-RU Appendix E.9


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX

6025MHz_TX






RSE TX above 1GHz_Non-Beamforming_Radio 2_1T1S_Multi-RU Appendix E.9


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX

6025MHz_TX






RSE TX above 1GHz_Non-Beamforming_Radio 2_1T1S_Multi-RU Appendix E.9


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX

6105MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX

6105MHz_TX






RSE TX above 1GHz_Non-Beamforming_Radio 2_1T1S_Multi-RU Appendix E.9


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX

6105MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX

6105MHz_TX






RSE TX above 1GHz_Non-Beamforming_Radio 2_1T1S_Multi-RU Appendix E.9


6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX

6905MHz_TX



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX

6905MHz_TX






RSE TX above 1GHz_Non-Beamforming_Radio 2_1T1S_Multi-RU Appendix E.9


6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX

6905MHz_TX



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX

6905MHz_TX






RSE TX above 1GHz_Non-Beamforming_Radio 2_1T1S_Multi-RU Appendix E.9


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

7025MHz_TX



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

7025MHz_TX






RSE TX above 1GHz_Non-Beamforming_Radio 2_1T1S_Multi-RU Appendix E.9


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

7025MHz_TX



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

7025MHz_TX






RSE TX above 1GHz_Non-Beamforming_Radio 2_1T1S_Multi-RU Appendix E.9

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX


6985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	6.912G	93.17	Inf	-Inf	4.72	3	Vertical	278	1.00	88.45	36.30	5.81	37.39
AV	7.125G	60.47	68.20	-7.73	5.61	3	Vertical	278	1.00	54.86	36.95	5.87	37.21
PK	6.9155G	107.22	Inf	-Inf	4.72	3	Vertical	278	1.00	102.50	36.30	5.81	37.39
PK	7.141G	81.27	88.20	-6.93	5.73	3	Vertical	278	1.00	75.54	37.05	5.87	37.19

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX

6985MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	7.0615G	94.54	Inf	-Inf	5.13	3	Horizontal	328	1.50	89.41	36.57	5.85	37.29
AV	7.125G	61.95	68.20	-6.25	5.61	3	Horizontal	328	1.50	56.34	36.95	5.87	37.21
PK	7.0535G	108.15	Inf	-Inf	5.07	3	Horizontal	328	1.50	103.08	36.52	5.85	37.30
PK	7.131G	82.17	88.20	-6.03	5.66	3	Horizontal	328	1.50	76.51	36.99	5.87	37.20



RSE TX above 1GHz_Non-Beamforming_Radio 2_1T1S_Multi-RU Appendix E.9


6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX

6985MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	QP	36.82M	31.75	40.00	-8.25	3	Vertical	332	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6225MHz	Pass	PK	105.66M	29.66	43.50	-13.84	3	Vertical	0	1.00
6225MHz	Pass	PK	220.12M	34.31	46.00	-11.69	3	Vertical	0	1.00
6225MHz	Pass	PK	286.08M	31.62	46.00	-14.38	3	Vertical	0	1.00
6225MHz	Pass	PK	485.9M	30.19	46.00	-15.81	3	Vertical	0	1.00
6225MHz	Pass	PK	627.52M	34.19	46.00	-11.81	3	Vertical	0	1.00
6225MHz	Pass	QP	36.82M	31.75	40.00	-8.25	3	Vertical	332	1.00
6225MHz	Pass	PK	31.94M	25.71	40.00	-14.29	3	Horizontal	360	1.00
6225MHz	Pass	PK	115.36M	30.52	43.50	-12.98	3	Horizontal	360	1.00
6225MHz	Pass	PK	220.12M	32.99	46.00	-13.01	3	Horizontal	360	1.00
6225MHz	Pass	PK	289.96M	37.57	46.00	-8.43	3	Horizontal	360	1.00
6225MHz	Pass	PK	487.84M	30.14	46.00	-15.86	3	Horizontal	360	1.00
6225MHz	Pass	PK	631.4M	34.45	46.00	-11.55	3	Horizontal	360	1.00

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX


6225MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	105.66M	29.66	43.50	-13.84	-8.46	3	Vertical	0	1.00	38.12	17.77	1.05	27.28
PK	220.12M	34.31	46.00	-11.69	-9.48	3	Vertical	0	1.00	43.79	15.30	2.08	26.86
PK	286.08M	31.62	46.00	-14.38	-5.45	3	Vertical	0	1.00	37.07	19.04	2.22	26.71
PK	485.9M	30.19	46.00	-15.81	-1.41	3	Vertical	0	1.00	31.60	23.54	3.14	28.09
PK	627.52M	34.19	46.00	-11.81	0.46	3	Vertical	0	1.00	33.73	24.99	3.69	28.22
QP	36.82M	31.75	40.00	-8.25	-6.41	3	Vertical	332	1.00	38.16	20.79	0.29	27.49

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	31.94M	25.71	40.00	-14.29	-3.93	3	Horizontal	360	1.00	29.64	23.31	0.26	27.50
PK	115.36M	30.52	43.50	-12.98	-7.61	3	Horizontal	360	1.00	38.13	18.43	1.20	27.24
PK	220.12M	32.99	46.00	-13.01	-9.48	3	Horizontal	360	1.00	42.47	15.30	2.08	26.86
PK	289.96M	37.57	46.00	-8.43	-5.35	3	Horizontal	360	1.00	42.92	19.14	2.22	26.71
PK	487.84M	30.14	46.00	-15.86	-1.40	3	Horizontal	360	1.00	31.54	23.54	3.16	28.10
PK	631.4M	34.45	46.00	-11.55	0.52	3	Horizontal	360	1.00	33.93	25.04	3.70	28.22

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	12.38547G	39.09	54.00	-14.91	3	Horizontal	321	2.88
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	11.96G	38.68	54.00	-15.32	3	Horizontal	121	2.89
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	11.97624G	38.73	54.00	-15.27	3	Horizontal	350	2.31
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	12.68096G	39.54	54.00	-14.46	3	Horizontal	155	1.92
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	5.925G	67.65	68.20	-0.55	3	Horizontal	327	2.28
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	13.03G	39.52	68.20	-28.68	3	Vertical	42	2.59
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	13.07658G	39.51	68.20	-28.69	3	Vertical	56	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	12.9226G	39.70	68.20	-28.50	3	Vertical	185	1.15
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	13.00992G	39.37	68.20	-28.83	3	Vertical	31	2.51
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	13.177G	39.85	68.20	-28.35	3	Vertical	3	2.56
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	13.38999G	40.25	54.00	-13.75	3	Vertical	30	2.02
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	13.39922G	40.08	54.00	-13.92	3	Horizontal	0	1.55
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	13.57526G	40.98	68.20	-27.22	3	Horizontal	55	1.89
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	13.31248G	40.31	54.00	-13.69	3	Vertical	284	2.46
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	13.48056G	40.71	68.20	-27.49	3	Vertical	31	1.31
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	7.1255G	67.61	68.20	-0.59	3	Vertical	272	2.00
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	7.2335G	47.59	68.20	-20.61	3	Vertical	271	1.96
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	7.1597G	47.17	68.20	-21.03	3	Horizontal	333	1.35
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	7.13G	52.48	68.20	-15.72	3	Horizontal	331	1.38
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	7.1315G	66.09	68.20	-2.11	3	Horizontal	332	1.38

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9136G	43.03	68.20	-25.17	3	Vertical	347	1.80
5955MHz	Pass	AV	5.9559G	95.28	Inf	-Inf	3	Vertical	347	1.80
5955MHz	Pass	PK	5.91G	55.86	88.20	-32.34	3	Vertical	347	1.80
5955MHz	Pass	PK	5.9595G	107.63	Inf	-Inf	3	Vertical	347	1.80
5955MHz	Pass	AV	5.9175G	43.23	68.20	-24.97	3	Horizontal	324	2.12
5955MHz	Pass	AV	5.9565G	97.39	Inf	-Inf	3	Horizontal	324	2.12
5955MHz	Pass	PK	5.9226G	55.49	88.20	-32.71	3	Horizontal	324	2.12
5955MHz	Pass	PK	5.9568G	111.25	Inf	-Inf	3	Horizontal	324	2.12
5955MHz	Pass	AV	11.91094G	38.12	54.00	-15.88	3	Vertical	126	1.50
5955MHz	Pass	PK	11.91438G	52.24	74.00	-21.76	3	Vertical	126	1.50
5955MHz	Pass	AV	11.9133G	38.12	54.00	-15.88	3	Horizontal	187	1.50
5955MHz	Pass	PK	11.91156G	52.80	74.00	-21.20	3	Horizontal	187	1.50
6195MHz	Pass	AV	12.39158G	38.72	54.00	-15.28	3	Vertical	53	1.38
6195MHz	Pass	PK	12.39384G	53.92	74.00	-20.08	3	Vertical	53	1.38
6195MHz	Pass	AV	12.38547G	39.09	54.00	-14.91	3	Horizontal	321	2.88
6195MHz	Pass	PK	12.38573G	53.48	74.00	-20.52	3	Horizontal	321	2.88
6415MHz	Pass	AV	12.8266G	39.34	68.20	-28.86	3	Vertical	140	1.71
6415MHz	Pass	PK	12.82688G	54.11	88.20	-34.09	3	Vertical	140	1.71
6415MHz	Pass	AV	12.82925G	39.45	68.20	-28.75	3	Horizontal	65	1.50
6415MHz	Pass	PK	12.82716G	54.80	88.20	-33.40	3	Horizontal	65	1.50
6435MHz	Pass	AV	12.87011G	39.43	68.20	-28.77	3	Vertical	48	2.13
6435MHz	Pass	PK	12.86894G	53.43	88.20	-34.77	3	Vertical	48	2.13
6435MHz	Pass	AV	12.86981G	39.41	68.20	-28.79	3	Horizontal	22	1.50
6435MHz	Pass	PK	12.87058G	54.98	88.20	-33.22	3	Horizontal	22	1.50
6475MHz	Pass	AV	12.9473G	39.45	68.20	-28.75	3	Vertical	163	1.47
6475MHz	Pass	PK	12.94953G	54.09	88.20	-34.11	3	Vertical	163	1.47
6475MHz	Pass	AV	12.94619G	39.47	68.20	-28.73	3	Horizontal	262	1.50
6475MHz	Pass	PK	12.94517G	54.10	88.20	-34.10	3	Horizontal	262	1.50
6515MHz	Pass	AV	13.03G	39.52	68.20	-28.68	3	Vertical	42	2.59
6515MHz	Pass	PK	13.03093G	54.05	88.20	-34.15	3	Vertical	42	2.59
6515MHz	Pass	AV	13.02737G	39.47	68.20	-28.73	3	Horizontal	220	2.90
6515MHz	Pass	PK	13.02755G	54.18	88.20	-34.02	3	Horizontal	220	2.90
6535MHz	Pass	AV	13.07001G	39.59	68.20	-28.61	3	Vertical	325	1.25
6535MHz	Pass	PK	13.06725G	54.81	88.20	-33.39	3	Vertical	325	1.25
6535MHz	Pass	AV	13.07291G	39.49	68.20	-28.71	3	Horizontal	103	1.94
6535MHz	Pass	PK	13.07201G	54.33	88.20	-33.87	3	Horizontal	103	1.94
6695MHz	Pass	AV	13.38999G	40.25	54.00	-13.75	3	Vertical	30	2.02
6695MHz	Pass	PK	13.38788G	55.37	74.00	-18.63	3	Vertical	30	2.02
6695MHz	Pass	AV	13.38969G	40.17	54.00	-13.83	3	Horizontal	296	2.75
6695MHz	Pass	PK	13.38992G	55.07	74.00	-18.93	3	Horizontal	296	2.75
6875MHz	Pass	AV	13.74643G	40.57	68.20	-27.63	3	Vertical	206	1.50
6875MHz	Pass	PK	13.75295G	55.60	88.20	-32.60	3	Vertical	206	1.50
6875MHz	Pass	AV	13.75029G	40.78	68.20	-27.42	3	Horizontal	286	1.49
6875MHz	Pass	PK	13.74966G	55.46	88.20	-32.74	3	Horizontal	286	1.49
6895MHz	Pass	AV	13.78982G	44.48	68.20	-23.72	3	Vertical	5	1.67
6895MHz	Pass	PK	13.78622G	59.15	88.20	-29.05	3	Vertical	5	1.67
6895MHz	Pass	AV	13.7898G	45.03	68.20	-23.17	3	Horizontal	287	1.64
6895MHz	Pass	PK	13.79028G	59.51	88.20	-28.69	3	Horizontal	287	1.64
6995MHz	Pass	AV	13.98777G	43.13	68.20	-25.07	3	Vertical	17	1.61
6995MHz	Pass	PK	13.98874G	58.10	88.20	-30.10	3	Vertical	17	1.61
6995MHz	Pass	AV	13.98984G	44.24	68.20	-23.96	3	Horizontal	350	1.50
6995MHz	Pass	PK	13.98823G	58.75	88.20	-29.45	3	Horizontal	350	1.50
7095MHz	Pass	AV	7.0863G	92.46	Inf	-Inf	3	Vertical	276	2.48
7095MHz	Pass	AV	7.242G	47.62	68.20	-20.58	3	Vertical	276	2.48
7095MHz	Pass	PK	7.086G	105.15	Inf	-Inf	3	Vertical	276	2.48
7095MHz	Pass	PK	7.1673G	60.85	88.20	-27.35	3	Vertical	276	2.48
7095MHz	Pass	AV	7.0998G	97.12	Inf	-Inf	3	Horizontal	312	1.55
7095MHz	Pass	AV	7.2411G	47.60	68.20	-20.60	3	Horizontal	312	1.55
7095MHz	Pass	PK	7.1025G	110.38	Inf	-Inf	3	Horizontal	312	1.55
7095MHz	Pass	PK	7.2342G	61.64	88.20	-26.56	3	Horizontal	312	1.55

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7095MHz	Pass	AV	14.19158G	45.15	68.20	-23.05	3	Vertical	329	1.66
7095MHz	Pass	PK	14.19097G	59.69	88.20	-28.51	3	Vertical	329	1.66
7095MHz	Pass	AV	14.19002G	46.45	68.20	-21.75	3	Horizontal	24	1.70
7095MHz	Pass	PK	14.19044G	60.89	88.20	-27.31	3	Horizontal	24	1.70
7115MHz	Pass	AV	7.1235G	91.89	Inf	-Inf	3	Vertical	272	2.00
7115MHz	Pass	AV	7.1255G	67.61	68.20	-0.59	3	Vertical	272	2.00
7115MHz	Pass	PK	7.1225G	97.84	Inf	-Inf	3	Vertical	272	2.00
7115MHz	Pass	PK	7.1255G	76.19	88.20	-12.01	3	Vertical	272	2.00
7115MHz	Pass	AV	7.1175G	96.70	Inf	-Inf	3	Horizontal	321	1.08
7115MHz	Pass	AV	7.1255G	66.59	68.20	-1.61	3	Horizontal	321	1.08
7115MHz	Pass	PK	7.1165G	102.67	Inf	-Inf	3	Horizontal	321	1.08
7115MHz	Pass	PK	7.1255G	76.50	88.20	-11.70	3	Horizontal	321	1.08
7115MHz	Pass	AV	14.23177G	45.40	68.20	-22.80	3	Vertical	329	1.61
7115MHz	Pass	PK	14.23344G	60.83	88.20	-27.37	3	Vertical	329	1.61
7115MHz	Pass	AV	14.23064G	46.06	68.20	-22.14	3	Horizontal	25	1.63
7115MHz	Pass	PK	14.23182G	60.71	88.20	-27.49	3	Horizontal	25	1.63
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	43.04	68.20	-25.16	3	Vertical	350	1.63
5965MHz	Pass	AV	5.9833G	94.59	Inf	-Inf	3	Vertical	350	1.63
5965MHz	Pass	PK	5.8888G	56.40	88.20	-31.80	3	Vertical	350	1.63
5965MHz	Pass	PK	5.9818G	108.24	Inf	-Inf	3	Vertical	350	1.63
5965MHz	Pass	AV	5.9248G	43.67	68.20	-24.53	3	Horizontal	324	2.09
5965MHz	Pass	AV	5.9833G	97.30	Inf	-Inf	3	Horizontal	324	2.09
5965MHz	Pass	PK	5.9239G	56.99	88.20	-31.21	3	Horizontal	324	2.09
5965MHz	Pass	PK	5.9836G	110.71	Inf	-Inf	3	Horizontal	324	2.09
5965MHz	Pass	AV	11.95778G	38.62	54.00	-15.38	3	Vertical	301	1.50
5965MHz	Pass	PK	11.9537G	53.00	74.00	-21.00	3	Vertical	301	1.50
5965MHz	Pass	AV	11.96G	38.68	54.00	-15.32	3	Horizontal	121	2.89
5965MHz	Pass	PK	11.95466G	52.48	74.00	-21.52	3	Horizontal	121	2.89
6205MHz	Pass	AV	12.43868G	38.08	54.00	-15.92	3	Vertical	132	2.76
6205MHz	Pass	PK	12.39482G	52.77	74.00	-21.23	3	Vertical	132	2.76
6205MHz	Pass	AV	12.43796G	38.07	54.00	-15.93	3	Horizontal	339	1.50
6205MHz	Pass	PK	12.38948G	52.76	74.00	-21.24	3	Horizontal	339	1.50
6405MHz	Pass	AV	12.78972G	39.35	68.20	-28.85	3	Vertical	108	1.00
6405MHz	Pass	PK	12.83568G	54.06	88.20	-34.14	3	Vertical	108	1.00
6405MHz	Pass	AV	12.80508G	39.34	68.20	-28.86	3	Horizontal	191	1.14
6405MHz	Pass	PK	12.80298G	53.88	88.20	-34.32	3	Horizontal	191	1.14
6445MHz	Pass	AV	12.89762G	39.40	68.20	-28.80	3	Vertical	170	1.36
6445MHz	Pass	PK	12.88538G	53.93	88.20	-34.27	3	Vertical	170	1.36
6445MHz	Pass	AV	12.89486G	39.40	68.20	-28.80	3	Horizontal	190	1.50
6445MHz	Pass	PK	12.89456G	53.79	88.20	-34.41	3	Horizontal	190	1.50
6485MHz	Pass	AV	12.94378G	39.38	68.20	-28.82	3	Vertical	250	1.50
6485MHz	Pass	PK	12.94012G	54.34	88.20	-33.86	3	Vertical	250	1.50
6485MHz	Pass	AV	12.94246G	39.37	68.20	-28.83	3	Horizontal	320	1.50
6485MHz	Pass	PK	12.96172G	54.64	88.20	-33.56	3	Horizontal	320	1.50
6525MHz	Pass	AV	13.07658G	39.51	68.20	-28.69	3	Vertical	56	1.50
6525MHz	Pass	PK	13.07766G	53.71	88.20	-34.49	3	Vertical	56	1.50
6525MHz	Pass	AV	13.07136G	39.49	68.20	-28.71	3	Horizontal	0	1.50
6525MHz	Pass	PK	13.07082G	53.92	88.20	-34.28	3	Horizontal	0	1.50
6565MHz	Pass	AV	13.1579G	39.93	68.20	-28.27	3	Vertical	52	1.50
6565MHz	Pass	PK	13.12736G	54.36	88.20	-33.84	3	Vertical	52	1.50
6565MHz	Pass	AV	13.15436G	39.93	68.20	-28.27	3	Horizontal	217	1.50
6565MHz	Pass	PK	13.14002G	54.53	88.20	-33.67	3	Horizontal	217	1.50
6685MHz	Pass	AV	13.39904G	40.07	54.00	-13.93	3	Vertical	254	2.56
6685MHz	Pass	PK	13.3538G	54.83	74.00	-19.17	3	Vertical	254	2.56
6685MHz	Pass	AV	13.39922G	40.08	54.00	-13.92	3	Horizontal	0	1.55
6685MHz	Pass	PK	13.3949G	54.08	74.00	-19.92	3	Horizontal	0	1.55
6885MHz	Pass	AV	13.78068G	40.67	68.20	-27.53	3	Vertical	181	1.50
6885MHz	Pass	PK	13.74606G	55.00	88.20	-33.20	3	Vertical	181	1.50
6885MHz	Pass	AV	13.7877G	40.63	68.20	-27.57	3	Horizontal	196	1.50
6885MHz	Pass	PK	13.78734G	55.03	88.20	-33.17	3	Horizontal	196	1.50
6925MHz	Pass	AV	13.858G	40.84	68.20	-27.36	3	Vertical	284	1.15


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6925MHz	Pass	PK	13.85474G	55.24	88.20	-32.96	3	Vertical	284	1.15
6925MHz	Pass	AV	13.84994G	40.97	68.20	-27.23	3	Horizontal	21	1.71
6925MHz	Pass	PK	13.85186G	55.42	88.20	-32.78	3	Horizontal	21	1.71
7005MHz	Pass	AV	14.0171G	41.52	68.20	-26.68	3	Vertical	28	1.56
7005MHz	Pass	PK	14.0123G	53.79	88.20	-34.41	3	Vertical	28	1.56
7005MHz	Pass	AV	14.01692G	41.51	68.20	-26.69	3	Horizontal	213	1.27
7005MHz	Pass	PK	14.01334G	53.69	88.20	-34.51	3	Horizontal	213	1.27
7085MHz	Pass	AV	7.0916G	92.07	Inf	-Inf	3	Vertical	271	1.96
7085MHz	Pass	AV	7.2335G	47.59	68.20	-20.61	3	Vertical	271	1.96
7085MHz	Pass	PK	7.0739G	105.16	Inf	-Inf	3	Vertical	271	1.96
7085MHz	Pass	PK	7.2062G	60.68	88.20	-27.52	3	Vertical	271	1.96
7085MHz	Pass	AV	7.0679G	97.42	Inf	-Inf	3	Horizontal	318	1.29
7085MHz	Pass	AV	7.2314G	47.56	68.20	-20.64	3	Horizontal	318	1.29
7085MHz	Pass	PK	7.07G	110.34	Inf	-Inf	3	Horizontal	318	1.29
7085MHz	Pass	PK	7.2221G	60.92	88.20	-27.28	3	Horizontal	318	1.29
7085MHz	Pass	AV	14.16296G	42.33	68.20	-25.87	3	Vertical	8	2.06
7085MHz	Pass	PK	14.16378G	54.51	88.20	-33.69	3	Vertical	8	2.06
7085MHz	Pass	AV	14.1626G	42.38	68.20	-25.82	3	Horizontal	354	2.89
7085MHz	Pass	PK	14.16814G	54.52	88.20	-33.68	3	Horizontal	354	2.89
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9245G	44.60	68.20	-23.60	3	Vertical	350	1.76
5985MHz	Pass	AV	6.0055G	94.30	Inf	-Inf	3	Vertical	350	1.76
5985MHz	Pass	PK	5.908G	56.89	88.20	-31.31	3	Vertical	350	1.76
5985MHz	Pass	PK	6.0075G	108.02	Inf	-Inf	3	Vertical	350	1.76
5985MHz	Pass	AV	5.925G	45.36	68.20	-22.84	3	Horizontal	323	2.06
5985MHz	Pass	AV	6.0055G	96.59	Inf	-Inf	3	Horizontal	323	2.06
5985MHz	Pass	PK	5.9245G	58.67	88.20	-29.53	3	Horizontal	323	2.06
5985MHz	Pass	PK	6.004G	110.15	Inf	-Inf	3	Horizontal	323	2.06
5985MHz	Pass	AV	11.96102G	38.50	54.00	-15.50	3	Vertical	134	1.43
5985MHz	Pass	PK	11.96066G	51.55	74.00	-22.45	3	Vertical	134	1.43
5985MHz	Pass	AV	11.97624G	38.73	54.00	-15.27	3	Horizontal	350	2.31
5985MHz	Pass	PK	11.96084G	51.06	74.00	-22.94	3	Horizontal	350	2.31
6225MHz	Pass	AV	12.45604G	38.14	54.00	-15.86	3	Vertical	232	1.64
6225MHz	Pass	PK	12.45884G	51.83	74.00	-22.17	3	Vertical	232	1.64
6225MHz	Pass	AV	12.45572G	38.10	54.00	-15.90	3	Horizontal	95	1.90
6225MHz	Pass	PK	12.447G	50.62	74.00	-23.38	3	Horizontal	95	1.90
6385MHz	Pass	AV	12.7611G	39.53	68.20	-28.67	3	Vertical	130	1.27
6385MHz	Pass	PK	12.77964G	51.64	88.20	-36.56	3	Vertical	130	1.27
6385MHz	Pass	AV	12.77636G	39.55	68.20	-28.65	3	Horizontal	163	1.01
6385MHz	Pass	PK	12.76746G	52.95	88.20	-35.25	3	Horizontal	163	1.01
6465MHz	Pass	AV	12.9226G	39.70	68.20	-28.50	3	Vertical	185	1.15
6465MHz	Pass	PK	12.9307G	52.10	88.20	-36.10	3	Vertical	185	1.15
6465MHz	Pass	AV	12.92444G	39.65	68.20	-28.55	3	Horizontal	89	1.19
6465MHz	Pass	PK	12.92596G	52.47	88.20	-35.73	3	Horizontal	89	1.19
6545MHz	Pass	AV	13.08762G	39.70	68.20	-28.50	3	Vertical	164	2.66
6545MHz	Pass	PK	13.09834G	53.16	88.20	-35.04	3	Vertical	164	2.66
6545MHz	Pass	AV	13.08842G	39.70	68.20	-28.50	3	Horizontal	9	2.32
6545MHz	Pass	PK	13.09708G	52.84	88.20	-35.36	3	Horizontal	9	2.32
6625MHz	Pass	AV	13.24374G	40.18	68.20	-28.02	3	Vertical	198	2.75
6625MHz	Pass	PK	13.24174G	53.46	88.20	-34.74	3	Vertical	198	2.75
6625MHz	Pass	AV	13.24768G	40.19	68.20	-28.01	3	Horizontal	278	1.18
6625MHz	Pass	PK	13.24016G	53.01	88.20	-35.19	3	Horizontal	278	1.18
6705MHz	Pass	AV	13.41524G	40.32	68.20	-27.88	3	Vertical	293	2.57
6705MHz	Pass	PK	13.41238G	52.85	88.20	-35.35	3	Vertical	293	2.57
6705MHz	Pass	AV	13.41596G	40.36	68.20	-27.84	3	Horizontal	214	1.98
6705MHz	Pass	PK	13.41602G	53.19	88.20	-35.01	3	Horizontal	214	1.98
6785MHz	Pass	AV	13.56278G	40.81	68.20	-27.39	3	Vertical	59	2.40
6785MHz	Pass	PK	13.56074G	54.83	88.20	-33.37	3	Vertical	59	2.40
6785MHz	Pass	AV	13.57526G	40.98	68.20	-27.22	3	Horizontal	55	1.89
6785MHz	Pass	PK	13.57036G	53.06	88.20	-35.14	3	Horizontal	55	1.89
6865MHz	Pass	AV	13.72694G	40.46	68.20	-27.74	3	Vertical	262	1.79
6865MHz	Pass	PK	13.73782G	53.18	88.20	-35.02	3	Vertical	262	1.79

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6865MHz	Pass	AV	13.7275G	40.65	68.20	-27.55	3	Horizontal	178	1.87
6865MHz	Pass	PK	13.73666G	53.72	88.20	-34.48	3	Horizontal	178	1.87
6945MHz	Pass	AV	13.88964G	40.84	68.20	-27.36	3	Vertical	203	1.57
6945MHz	Pass	PK	13.88704G	53.46	88.20	-34.74	3	Vertical	203	1.57
6945MHz	Pass	AV	13.89034G	40.82	68.20	-27.38	3	Horizontal	352	2.92
6945MHz	Pass	PK	13.89254G	54.70	88.20	-33.50	3	Horizontal	352	2.92
7025MHz	Pass	AV	6.9872G	91.06	Inf	-Inf	3	Vertical	315	1.50
7025MHz	Pass	AV	7.1705G	46.93	68.20	-21.27	3	Vertical	315	1.50
7025MHz	Pass	PK	6.9896G	104.59	Inf	-Inf	3	Vertical	315	1.50
7025MHz	Pass	PK	7.163G	60.50	88.20	-27.70	3	Vertical	315	1.50
7025MHz	Pass	AV	6.9875G	96.92	Inf	-Inf	3	Horizontal	333	1.35
7025MHz	Pass	AV	7.1597G	47.17	68.20	-21.03	3	Horizontal	333	1.35
7025MHz	Pass	PK	6.9884G	111.26	Inf	-Inf	3	Horizontal	333	1.35
7025MHz	Pass	PK	7.1675G	60.08	88.20	-28.12	3	Horizontal	333	1.35
7025MHz	Pass	AV	14.05258G	41.68	68.20	-26.52	3	Vertical	14	1.82
7025MHz	Pass	PK	14.04798G	54.82	88.20	-33.38	3	Vertical	14	1.82
7025MHz	Pass	AV	14.0554G	41.73	68.20	-26.47	3	Horizontal	200	2.52
7025MHz	Pass	PK	14.04512G	54.60	88.20	-33.60	3	Horizontal	200	2.52
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.924G	50.56	68.20	-17.64	3	Vertical	350	1.62
6025MHz	Pass	AV	6.067G	94.33	Inf	-Inf	3	Vertical	350	1.62
6025MHz	Pass	PK	5.9195G	64.73	88.20	-23.47	3	Vertical	350	1.62
6025MHz	Pass	PK	6.024G	107.75	Inf	-Inf	3	Vertical	350	1.62
6025MHz	Pass	AV	5.925G	51.62	68.20	-16.58	3	Horizontal	321	2.33
6025MHz	Pass	AV	6.0485G	96.84	Inf	-Inf	3	Horizontal	321	2.33
6025MHz	Pass	PK	5.923G	65.34	88.20	-22.86	3	Horizontal	321	2.33
6025MHz	Pass	PK	6.0895G	110.73	Inf	-Inf	3	Horizontal	321	2.33
6025MHz	Pass	AV	12.05606G	39.13	54.00	-14.87	3	Vertical	289	2.46
6025MHz	Pass	PK	12.05134G	51.88	74.00	-22.12	3	Vertical	289	2.46
6025MHz	Pass	AV	12.05658G	39.11	54.00	-14.89	3	Horizontal	64	1.94
6025MHz	Pass	PK	12.05212G	51.69	74.00	-22.31	3	Horizontal	64	1.94
6185MHz	Pass	AV	12.36094G	38.23	54.00	-15.77	3	Vertical	127	1.84
6185MHz	Pass	PK	12.36536G	50.51	74.00	-23.49	3	Vertical	127	1.84
6185MHz	Pass	AV	12.36068G	38.24	54.00	-15.76	3	Horizontal	130	1.37
6185MHz	Pass	PK	12.36704G	51.33	74.00	-22.67	3	Horizontal	130	1.37
6345MHz	Pass	AV	12.68042G	39.26	54.00	-14.74	3	Vertical	64	1.88
6345MHz	Pass	PK	12.69754G	52.32	74.00	-21.68	3	Vertical	64	1.88
6345MHz	Pass	AV	12.68096G	39.54	54.00	-14.46	3	Horizontal	155	1.92
6345MHz	Pass	PK	12.68314G	52.51	74.00	-21.49	3	Horizontal	155	1.92
6505MHz	Pass	AV	13.00992G	39.37	68.20	-28.83	3	Vertical	31	2.51
6505MHz	Pass	PK	13.0106G	52.28	88.20	-35.92	3	Vertical	31	2.51
6505MHz	Pass	AV	13.00996G	39.35	68.20	-28.85	3	Horizontal	285	1.50
6505MHz	Pass	PK	13.01324G	52.58	88.20	-35.62	3	Horizontal	285	1.50
6665MHz	Pass	AV	13.31248G	40.31	54.00	-13.69	3	Vertical	284	2.46
6665MHz	Pass	PK	13.33712G	53.92	74.00	-20.08	3	Vertical	284	2.46
6665MHz	Pass	AV	13.32088G	40.29	54.00	-13.71	3	Horizontal	124	2.87
6665MHz	Pass	PK	13.3266G	54.93	74.00	-19.07	3	Horizontal	124	2.87
6825MHz	Pass	AV	13.63844G	40.67	68.20	-27.53	3	Vertical	340	2.85
6825MHz	Pass	PK	13.66972G	53.37	88.20	-34.83	3	Vertical	340	2.85
6825MHz	Pass	AV	13.63712G	40.79	68.20	-27.41	3	Horizontal	41	1.15
6825MHz	Pass	PK	13.66656G	53.48	88.20	-34.72	3	Horizontal	41	1.15
6985MHz	Pass	AV	6.9075G	91.70	Inf	-Inf	3	Vertical	313	1.76
6985MHz	Pass	AV	7.13G	48.33	68.20	-19.87	3	Vertical	313	1.76
6985MHz	Pass	PK	6.9675G	105.36	Inf	-Inf	3	Vertical	313	1.76
6985MHz	Pass	PK	7.209G	62.15	88.20	-26.05	3	Vertical	313	1.76
6985MHz	Pass	AV	6.907G	96.94	Inf	-Inf	3	Horizontal	331	1.38
6985MHz	Pass	AV	7.13G	52.48	68.20	-15.72	3	Horizontal	331	1.38
6985MHz	Pass	PK	6.908G	111.27	Inf	-Inf	3	Horizontal	331	1.38
6985MHz	Pass	PK	7.1355G	68.10	88.20	-20.10	3	Horizontal	331	1.38
6985MHz	Pass	AV	13.97092G	40.96	68.20	-27.24	3	Vertical	235	2.23
6985MHz	Pass	PK	13.96516G	54.48	88.20	-33.72	3	Vertical	235	2.23
6985MHz	Pass	AV	13.96928G	41.21	68.20	-26.99	3	Horizontal	2	2.75

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6985MHz	Pass	PK	13.96364G	54.99	88.20	-33.21	3	Horizontal	2	2.75
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.924G	65.47	68.20	-2.73	3	Vertical	353	1.61
6105MHz	Pass	AV	6.085G	94.43	Inf	-Inf	3	Vertical	353	1.61
6105MHz	Pass	PK	5.922G	78.29	88.20	-9.91	3	Vertical	353	1.61
6105MHz	Pass	PK	6.129G	107.42	Inf	-Inf	3	Vertical	353	1.61
6105MHz	Pass	AV	5.925G	67.65	68.20	-0.55	3	Horizontal	327	2.28
6105MHz	Pass	AV	6.086G	96.77	Inf	-Inf	3	Horizontal	327	2.28
6105MHz	Pass	PK	5.924G	80.81	88.20	-7.39	3	Horizontal	327	2.28
6105MHz	Pass	PK	6.066G	109.50	Inf	-Inf	3	Horizontal	327	2.28
6105MHz	Pass	AV	12.21058G	38.65	54.00	-15.35	3	Vertical	298	2.52
6105MHz	Pass	PK	12.20778G	51.67	74.00	-22.33	3	Vertical	298	2.52
6105MHz	Pass	AV	12.20602G	38.92	54.00	-15.08	3	Horizontal	196	2.87
6105MHz	Pass	PK	12.21842G	52.42	74.00	-21.58	3	Horizontal	196	2.87
6265MHz	Pass	AV	5.9226G	60.47	68.20	-7.73	3	Vertical	351	1.58
6265MHz	Pass	AV	6.12596G	93.51	Inf	-Inf	3	Vertical	351	1.58
6265MHz	Pass	PK	5.92136G	74.90	88.20	-13.30	3	Vertical	351	1.58
6265MHz	Pass	PK	6.12596G	106.19	Inf	-Inf	3	Vertical	351	1.58
6265MHz	Pass	AV	5.92384G	61.49	68.20	-6.71	3	Horizontal	329	2.16
6265MHz	Pass	AV	6.12596G	95.31	Inf	-Inf	3	Horizontal	329	2.16
6265MHz	Pass	PK	5.92136G	75.34	88.20	-12.86	3	Horizontal	329	2.16
6265MHz	Pass	PK	6.1272G	108.59	Inf	-Inf	3	Horizontal	329	2.16
6265MHz	Pass	AV	12.53958G	38.36	54.00	-15.64	3	Vertical	141	1.89
6265MHz	Pass	PK	12.53G	51.32	74.00	-22.68	3	Vertical	141	1.89
6265MHz	Pass	AV	12.53972G	38.35	54.00	-15.65	3	Horizontal	114	1.84
6265MHz	Pass	PK	12.53372G	51.71	74.00	-22.29	3	Horizontal	114	1.84
6425MHz	Pass	AV	12.84948G	39.35	68.20	-28.85	3	Vertical	57	2.44
6425MHz	Pass	PK	12.85994G	52.07	88.20	-36.13	3	Vertical	57	2.44
6425MHz	Pass	AV	12.8556G	39.38	68.20	-28.82	3	Horizontal	75	1.82
6425MHz	Pass	PK	12.84558G	52.57	88.20	-35.63	3	Horizontal	75	1.82
6585MHz	Pass	AV	13.177G	39.85	68.20	-28.35	3	Vertical	3	2.56
6585MHz	Pass	PK	13.16166G	52.19	88.20	-36.01	3	Vertical	3	2.56
6585MHz	Pass	AV	13.16286G	39.82	68.20	-28.38	3	Horizontal	4	2.50
6585MHz	Pass	PK	13.16486G	52.72	88.20	-35.48	3	Horizontal	4	2.50
6745MHz	Pass	AV	13.48056G	40.71	68.20	-27.49	3	Vertical	31	1.31
6745MHz	Pass	PK	13.499G	52.92	88.20	-35.28	3	Vertical	31	1.31
6745MHz	Pass	AV	13.48026G	40.69	68.20	-27.51	3	Horizontal	183	2.15
6745MHz	Pass	PK	13.49484G	53.31	88.20	-34.89	3	Horizontal	183	2.15
6905MHz	Pass	AV	6.7465G	95.38	Inf	-Inf	3	Vertical	296	1.00
6905MHz	Pass	AV	7.1275G	62.58	68.20	-5.62	3	Vertical	296	1.00
6905MHz	Pass	PK	6.7635G	103.54	Inf	-Inf	3	Vertical	296	1.00
6905MHz	Pass	PK	7.1985G	76.99	88.20	-11.21	3	Vertical	296	1.00
6905MHz	Pass	AV	6.7665G	99.94	Inf	-Inf	3	Horizontal	332	1.38
6905MHz	Pass	AV	7.1315G	66.09	68.20	-2.11	3	Horizontal	332	1.38
6905MHz	Pass	PK	6.7895G	107.27	Inf	-Inf	3	Horizontal	332	1.38
6905MHz	Pass	PK	7.2225G	80.26	88.20	-7.94	3	Horizontal	332	1.38
6905MHz	Pass	AV	13.81582G	40.72	68.20	-27.48	3	Vertical	194	1.49
6905MHz	Pass	PK	13.81252G	53.07	88.20	-35.13	3	Vertical	194	1.49
6905MHz	Pass	AV	13.81968G	40.75	68.20	-27.45	3	Horizontal	349	2.24
6905MHz	Pass	PK	13.80936G	53.67	88.20	-34.53	3	Horizontal	349	2.24


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9248G	43.04	68.20	-25.16	1.89	3	Vertical	350	1.63	41.15	34.55	5.18	37.84
AV	5.9833G	94.59	Inf	-Inf	1.97	3	Vertical	350	1.63	92.62	34.50	5.26	37.79
PK	5.8888G	56.40	88.20	-31.80	1.81	3	Vertical	350	1.63	54.59	34.56	5.12	37.87
PK	5.9818G	108.24	Inf	-Inf	1.96	3	Vertical	350	1.63	106.28	34.50	5.26	37.80

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9248G	43.67	68.20	-24.53	1.89	3	Horizontal	324	2.09	41.78	34.55	5.18	37.84
AV	5.9833G	97.30	Inf	-Inf	1.97	3	Horizontal	324	2.09	95.33	34.50	5.26	37.79
PK	5.9239G	56.99	88.20	-31.21	1.89	3	Horizontal	324	2.09	55.10	34.55	5.18	37.84
PK	5.9836G	110.71	Inf	-Inf	1.98	3	Horizontal	324	2.09	108.73	34.50	5.27	37.79


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9245G	44.60	68.20	-23.60	1.89	3	Vertical	350	1.76	42.71	34.55	5.18	37.84
AV	6.0055G	94.30	Inf	-Inf	2.01	3	Vertical	350	1.76	92.29	34.50	5.29	37.78
PK	5.908G	56.89	88.20	-31.31	1.87	3	Vertical	350	1.76	55.02	34.58	5.15	37.86
PK	6.0075G	108.02	Inf	-Inf	2.01	3	Vertical	350	1.76	106.01	34.50	5.29	37.78

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	45.36	68.20	-22.84	1.89	3	Horizontal	323	2.06	43.47	34.55	5.18	37.84
AV	6.0055G	96.59	Inf	-Inf	2.01	3	Horizontal	323	2.06	94.58	34.50	5.29	37.78
PK	5.9245G	58.67	88.20	-29.53	1.89	3	Horizontal	323	2.06	56.78	34.55	5.18	37.84
PK	6.004G	110.15	Inf	-Inf	2.01	3	Horizontal	323	2.06	108.14	34.50	5.29	37.78


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.924G	65.47	68.20	-2.73	1.89	3	Vertical	353	1.61	63.58	34.55	5.18	37.84
AV	6.085G	94.43	Inf	-Inf	2.02	3	Vertical	353	1.61	92.41	34.43	5.32	37.73
PK	5.922G	78.29	88.20	-9.91	1.88	3	Vertical	353	1.61	76.41	34.56	5.17	37.85
PK	6.129G	107.42	Inf	-Inf	2.16	3	Vertical	353	1.61	105.26	34.52	5.34	37.70

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.925G	67.65	68.20	-0.55	1.89	3	Horizontal	327	2.28	65.76	34.55	5.18	37.84
AV	6.086G	96.77	Inf	-Inf	2.02	3	Horizontal	327	2.28	94.75	34.43	5.32	37.73
PK	5.924G	80.81	88.20	-7.39	1.89	3	Horizontal	327	2.28	78.92	34.55	5.18	37.84
PK	6.066G	109.50	Inf	-Inf	2.04	3	Horizontal	327	2.28	107.46	34.47	5.31	37.74


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6515MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6515MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6745MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6745MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0916G	92.07	Inf	-Inf	5.36	3	Vertical	271	1.96	86.71	36.75	5.86	37.25
AV	7.2335G	47.59	68.20	-20.61	6.22	3	Vertical	271	1.96	41.37	37.37	5.92	37.07
PK	7.0739G	105.16	Inf	-Inf	5.21	3	Vertical	271	1.96	99.95	36.64	5.85	37.28
PK	7.2062G	60.68	88.20	-27.52	6.09	3	Vertical	271	1.96	54.59	37.31	5.89	37.11

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0679G	97.42	Inf	-Inf	5.18	3	Horizontal	318	1.29	92.24	36.61	5.85	37.28
AV	7.2314G	47.56	68.20	-20.64	6.20	3	Horizontal	318	1.29	41.36	37.36	5.91	37.07
PK	7.07G	110.34	Inf	-Inf	5.19	3	Horizontal	318	1.29	105.15	36.62	5.85	37.28
PK	7.2221G	60.92	88.20	-27.28	6.15	3	Horizontal	318	1.29	54.77	37.34	5.90	37.09


6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6905MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	6.7465G	95.38	Inf	-Inf	4.69	3	Vertical	296	1.00	90.69	36.40	5.72	37.43
AV	7.1275G	62.58	68.20	-5.62	5.63	3	Vertical	296	1.00	56.95	36.97	5.87	37.21
PK	6.7635G	103.54	Inf	-Inf	4.72	3	Vertical	296	1.00	98.82	36.40	5.74	37.42
PK	7.1985G	76.99	88.20	-11.21	6.05	3	Vertical	296	1.00	70.94	37.29	5.88	37.12

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6905MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	6.7665G	99.94	Inf	-Inf	4.72	3	Horizontal	332	1.38	95.22	36.40	5.74	37.42
AV	7.1315G	66.09	68.20	-2.11	5.66	3	Horizontal	332	1.38	60.43	36.99	5.87	37.20
PK	6.7895G	107.27	Inf	-Inf	4.74	3	Horizontal	332	1.38	102.53	36.40	5.76	37.42
PK	7.2225G	80.26	88.20	-7.94	6.15	3	Horizontal	332	1.38	74.11	37.34	5.90	37.09


6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX



6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	QP	36.82M	31.75	40.00	-8.25	3	Vertical	332	1.00




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6225MHz	Pass	PK	105.66M	29.66	43.50	-13.84	3	Vertical	0	1.00
6225MHz	Pass	PK	220.12M	34.31	46.00	-11.69	3	Vertical	0	1.00
6225MHz	Pass	PK	286.08M	31.62	46.00	-14.38	3	Vertical	0	1.00
6225MHz	Pass	PK	485.9M	30.19	46.00	-15.81	3	Vertical	0	1.00
6225MHz	Pass	PK	627.52M	34.19	46.00	-11.81	3	Vertical	0	1.00
6225MHz	Pass	QP	36.82M	31.75	40.00	-8.25	3	Vertical	332	1.00
6225MHz	Pass	PK	31.94M	25.71	40.00	-14.29	3	Horizontal	360	1.00
6225MHz	Pass	PK	115.36M	30.52	43.50	-12.98	3	Horizontal	360	1.00
6225MHz	Pass	PK	220.12M	32.99	46.00	-13.01	3	Horizontal	360	1.00
6225MHz	Pass	PK	289.96M	37.57	46.00	-8.43	3	Horizontal	360	1.00
6225MHz	Pass	PK	487.84M	30.14	46.00	-15.86	3	Horizontal	360	1.00
6225MHz	Pass	PK	631.4M	34.45	46.00	-11.55	3	Horizontal	360	1.00


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_PoE



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_PoE



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	Pass	AV	11.96428G	38.35	54.00	-15.65	3	Horizontal	168	1.17
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX	Pass	PK	5.9205G	78.56	88.20	-9.64	3	Horizontal	319	2.48
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX	Pass	AV	5.923G	64.99	68.20	-3.21	3	Vertical	347	1.65
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX	Pass	AV	7.25G	48.90	54.00	-5.10	3	Horizontal	331	1.41
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	Pass	AV	7.1267G	45.67	68.20	-22.53	3	Horizontal	327	1.44
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX	Pass	PK	7.1365G	78.63	88.20	-9.57	3	Horizontal	320	1.28



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	45.21	68.20	-22.99	3	Vertical	343	1.74
5985MHz	Pass	AV	5.985G	95.75	Inf	-Inf	3	Vertical	343	1.74
5985MHz	Pass	PK	5.925G	61.07	88.20	-27.13	3	Vertical	343	1.74
5985MHz	Pass	PK	5.962G	107.41	Inf	-Inf	3	Vertical	343	1.74
5985MHz	Pass	AV	5.9135G	43.43	68.20	-24.77	3	Horizontal	320	2.23
5985MHz	Pass	AV	5.985G	99.67	Inf	-Inf	3	Horizontal	320	2.23
5985MHz	Pass	PK	5.917G	58.78	88.20	-29.42	3	Horizontal	320	2.23
5985MHz	Pass	PK	5.989G	107.95	Inf	-Inf	3	Horizontal	320	2.23
5985MHz	Pass	AV	11.96374G	38.33	54.00	-15.67	3	Vertical	309	2.39
5985MHz	Pass	PK	11.96798G	51.53	74.00	-22.47	3	Vertical	309	2.39
5985MHz	Pass	AV	11.96428G	38.35	54.00	-15.65	3	Horizontal	168	1.17
5985MHz	Pass	PK	11.9666G	51.22	74.00	-22.78	3	Horizontal	168	1.17
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-	-	-
7025MHz	Pass	AV	7.0073G	91.86	Inf	-Inf	3	Vertical	313	1.55
7025MHz	Pass	AV	7.1648G	45.42	68.20	-22.78	3	Vertical	313	1.55
7025MHz	Pass	PK	7.0265G	105.53	Inf	-Inf	3	Vertical	313	1.55
7025MHz	Pass	PK	7.1726G	59.10	88.20	-29.10	3	Vertical	313	1.55
7025MHz	Pass	AV	7.0283G	97.10	Inf	-Inf	3	Horizontal	327	1.44
7025MHz	Pass	AV	7.1267G	45.67	68.20	-22.53	3	Horizontal	327	1.44
7025MHz	Pass	PK	7.0496G	110.21	Inf	-Inf	3	Horizontal	327	1.44
7025MHz	Pass	PK	7.1306G	61.50	88.20	-26.70	3	Horizontal	327	1.44
7025MHz	Pass	AV	14.05442G	41.65	68.20	-26.55	3	Vertical	110	1.50
7025MHz	Pass	PK	14.04248G	55.76	88.20	-32.44	3	Vertical	110	1.50
7025MHz	Pass	AV	14.05414G	41.72	68.20	-26.48	3	Horizontal	268	1.50
7025MHz	Pass	PK	14.05882G	54.99	88.20	-33.21	3	Horizontal	268	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9245G	56.42	68.20	-11.78	3	Vertical	343	1.57
6025MHz	Pass	AV	6.083G	95.01	Inf	-Inf	3	Vertical	343	1.57
6025MHz	Pass	PK	5.923G	77.51	88.20	-10.69	3	Vertical	343	1.57
6025MHz	Pass	PK	6.043G	109.02	Inf	-Inf	3	Vertical	343	1.57
6025MHz	Pass	AV	5.925G	54.11	68.20	-14.09	3	Horizontal	319	2.48
6025MHz	Pass	AV	6.0695G	96.30	Inf	-Inf	3	Horizontal	319	2.48
6025MHz	Pass	PK	5.9205G	78.56	88.20	-9.64	3	Horizontal	319	2.48
6025MHz	Pass	PK	6.0715G	110.09	Inf	-Inf	3	Horizontal	319	2.48
6025MHz	Pass	AV	12.04514G	38.57	54.00	-15.43	3	Vertical	261	1.50
6025MHz	Pass	PK	12.04296G	51.88	74.00	-22.12	3	Vertical	261	1.50
6025MHz	Pass	AV	12.04468G	38.61	54.00	-15.39	3	Horizontal	14	1.50
6025MHz	Pass	PK	12.04126G	51.38	74.00	-22.62	3	Horizontal	14	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.924G	51.83	68.20	-16.37	3	Vertical	346	1.73
6025MHz	Pass	AV	6.087G	94.66	Inf	-Inf	3	Vertical	346	1.73
6025MHz	Pass	PK	5.919G	75.23	88.20	-12.97	3	Vertical	346	1.73
6025MHz	Pass	PK	6.0845G	108.59	Inf	-Inf	3	Vertical	346	1.73
6025MHz	Pass	AV	5.909G	49.61	68.20	-18.59	3	Horizontal	320	2.39
6025MHz	Pass	AV	6.09G	96.29	Inf	-Inf	3	Horizontal	320	2.39
6025MHz	Pass	PK	5.92G	76.07	88.20	-12.13	3	Horizontal	320	2.39
6025MHz	Pass	PK	6.09G	110.42	Inf	-Inf	3	Horizontal	320	2.39
6025MHz	Pass	AV	12.05006G	38.69	54.00	-15.31	3	Vertical	325	2.94
6025MHz	Pass	PK	12.05016G	51.83	74.00	-22.17	3	Vertical	325	2.94
6025MHz	Pass	AV	12.04528G	38.58	54.00	-15.42	3	Horizontal	222	1.14
6025MHz	Pass	PK	12.0469G	52.74	74.00	-21.26	3	Horizontal	222	1.14
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	6.9275G	92.39	Inf	-Inf	3	Vertical	310	1.76
6985MHz	Pass	AV	7.128G	52.07	68.20	-16.13	3	Vertical	310	1.76
6985MHz	Pass	PK	6.9255G	105.66	Inf	-Inf	3	Vertical	310	1.76
6985MHz	Pass	PK	7.131G	71.92	88.20	-16.28	3	Vertical	310	1.76
6985MHz	Pass	AV	6.9265G	96.78	Inf	-Inf	3	Horizontal	320	1.28
6985MHz	Pass	AV	7.126G	58.00	68.20	-10.20	3	Horizontal	320	1.28
6985MHz	Pass	PK	6.9675G	110.10	Inf	-Inf	3	Horizontal	320	1.28
6985MHz	Pass	PK	7.1365G	78.63	88.20	-9.57	3	Horizontal	320	1.28



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6985MHz	Pass	AV	13.96798G	41.79	68.20	-26.41	3	Vertical	0	1.67
6985MHz	Pass	PK	13.97222G	55.33	88.20	-32.87	3	Vertical	0	1.67
6985MHz	Pass	AV	13.96978G	41.31	68.20	-26.89	3	Horizontal	97	1.50
6985MHz	Pass	PK	13.96682G	53.89	88.20	-34.31	3	Horizontal	97	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX										
6985MHz	Pass	AV	6.927G	91.87	Inf	-Inf	3	Vertical	313	1.57
6985MHz	Pass	AV	7.127G	49.26	68.20	-18.94	3	Vertical	313	1.57
6985MHz	Pass	PK	6.9085G	105.07	Inf	-Inf	3	Vertical	313	1.57
6985MHz	Pass	PK	7.1315G	72.66	88.20	-15.54	3	Vertical	313	1.57
6985MHz	Pass	AV	6.925G	96.56	Inf	-Inf	3	Horizontal	318	1.03
6985MHz	Pass	AV	7.125G	52.34	68.20	-15.86	3	Horizontal	318	1.03
6985MHz	Pass	PK	6.9645G	110.30	Inf	-Inf	3	Horizontal	318	1.03
6985MHz	Pass	PK	7.1405G	77.95	88.20	-10.25	3	Horizontal	318	1.03
6985MHz	Pass	AV	13.96986G	41.45	68.20	-26.75	3	Vertical	0	1.50
6985MHz	Pass	PK	13.9749G	54.73	88.20	-33.47	3	Vertical	0	1.50
6985MHz	Pass	AV	13.97492G	41.16	68.20	-27.04	3	Horizontal	69	1.50
6985MHz	Pass	PK	13.97972G	54.33	88.20	-33.87	3	Horizontal	69	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX										
6105MHz	Pass	AV	5.923G	64.99	68.20	-3.21	3	Vertical	347	1.65
6105MHz	Pass	AV	6.165G	95.09	Inf	-Inf	3	Vertical	347	1.65
6105MHz	Pass	PK	5.914G	84.70	88.20	-3.50	3	Vertical	347	1.65
6105MHz	Pass	PK	6.084G	107.82	Inf	-Inf	3	Vertical	347	1.65
6105MHz	Pass	AV	5.925G	64.46	68.20	-3.74	3	Horizontal	323	2.14
6105MHz	Pass	AV	6.25G	96.11	Inf	-Inf	3	Horizontal	323	2.14
6105MHz	Pass	PK	5.916G	83.14	88.20	-5.06	3	Horizontal	323	2.14
6105MHz	Pass	PK	6.21G	110.07	Inf	-Inf	3	Horizontal	323	2.14
6105MHz	Pass	AV	12.20992G	39.20	54.00	-14.80	3	Vertical	330	1.60
6105MHz	Pass	PK	12.21918G	52.05	74.00	-21.95	3	Vertical	330	1.60
6105MHz	Pass	AV	12.21686G	38.94	54.00	-15.06	3	Horizontal	9	1.50
6105MHz	Pass	PK	12.21576G	51.88	74.00	-22.12	3	Horizontal	9	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX										
6105MHz	Pass	AV	5.921G	60.71	68.20	-7.49	3	Vertical	347	1.47
6105MHz	Pass	AV	6.165G	94.54	Inf	-Inf	3	Vertical	347	1.47
6105MHz	Pass	PK	5.923G	79.54	88.20	-8.66	3	Vertical	347	1.47
6105MHz	Pass	PK	6.103G	107.49	Inf	-Inf	3	Vertical	347	1.47
6105MHz	Pass	AV	5.925G	58.30	68.20	-9.90	3	Horizontal	311	2.73
6105MHz	Pass	AV	6.132G	94.95	Inf	-Inf	3	Horizontal	311	2.73
6105MHz	Pass	PK	5.916G	81.03	88.20	-7.17	3	Horizontal	311	2.73
6105MHz	Pass	PK	6.131G	107.78	Inf	-Inf	3	Horizontal	311	2.73
6105MHz	Pass	AV	12.2161G	38.98	54.00	-15.02	3	Vertical	59	1.50
6105MHz	Pass	PK	12.20152G	51.66	74.00	-22.34	3	Vertical	59	1.50
6105MHz	Pass	AV	12.21748G	38.95	54.00	-15.05	3	Horizontal	110	1.50
6105MHz	Pass	PK	12.21644G	51.97	74.00	-22.03	3	Horizontal	110	1.50
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX										
6105MHz	Pass	AV	5.924G	57.22	68.20	-10.98	3	Vertical	349	1.66
6105MHz	Pass	AV	6.166G	94.70	Inf	-Inf	3	Vertical	349	1.66
6105MHz	Pass	PK	5.913G	75.37	88.20	-12.83	3	Vertical	349	1.66
6105MHz	Pass	PK	6.166G	107.86	Inf	-Inf	3	Vertical	349	1.66
6105MHz	Pass	AV	5.925G	55.81	68.20	-12.39	3	Horizontal	319	2.38
6105MHz	Pass	AV	6.09G	95.36	Inf	-Inf	3	Horizontal	319	2.38
6105MHz	Pass	PK	5.91G	77.44	88.20	-10.76	3	Horizontal	319	2.38
6105MHz	Pass	PK	6.15G	109.12	Inf	-Inf	3	Horizontal	319	2.38
6105MHz	Pass	AV	12.2099G	39.27	54.00	-14.73	3	Vertical	326	1.54
6105MHz	Pass	PK	12.20058G	52.32	74.00	-21.68	3	Vertical	326	1.54
6105MHz	Pass	AV	12.21944G	38.93	54.00	-15.07	3	Horizontal	196	1.50
6105MHz	Pass	PK	12.21736G	52.45	74.00	-21.55	3	Horizontal	196	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX										
6905MHz	Pass	AV	6.769G	90.26	Inf	-Inf	3	Vertical	285	1.74
6905MHz	Pass	AV	7.271G	47.77	54.00	-6.23	3	Vertical	285	1.74
6905MHz	Pass	PK	6.79G	103.66	Inf	-Inf	3	Vertical	285	1.74
6905MHz	Pass	PK	7.291G	64.47	74.00	-9.53	3	Vertical	285	1.74
6905MHz	Pass	AV	6.766G	93.44	Inf	-Inf	3	Horizontal	331	1.41




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6905MHz	Pass	AV	7.25G	48.90	54.00	-5.10	3	Horizontal	331	1.41
6905MHz	Pass	PK	6.764G	106.35	Inf	-Inf	3	Horizontal	331	1.41
6905MHz	Pass	PK	7.296G	65.39	74.00	-8.61	3	Horizontal	331	1.41
6905MHz	Pass	AV	13.80988G	41.23	68.20	-26.97	3	Vertical	360	1.82
6905MHz	Pass	PK	13.81128G	54.69	88.20	-33.51	3	Vertical	360	1.82
6905MHz	Pass	AV	13.80788G	40.87	68.20	-27.33	3	Horizontal	14	1.50
6905MHz	Pass	PK	13.81644G	55.35	88.20	-32.85	3	Horizontal	14	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.748G	90.63	Inf	-Inf	3	Vertical	270	1.49
6905MHz	Pass	AV	7.251G	48.08	54.00	-5.92	3	Vertical	270	1.49
6905MHz	Pass	PK	6.748G	103.09	Inf	-Inf	3	Vertical	270	1.49
6905MHz	Pass	PK	7.291G	67.43	74.00	-6.57	3	Vertical	270	1.49
6905MHz	Pass	AV	6.763G	93.92	Inf	-Inf	3	Horizontal	335	1.09
6905MHz	Pass	AV	7.267G	48.26	54.00	-5.74	3	Horizontal	335	1.09
6905MHz	Pass	PK	6.782G	107.08	Inf	-Inf	3	Horizontal	335	1.09
6905MHz	Pass	PK	7.291G	66.96	74.00	-7.04	3	Horizontal	335	1.09
6905MHz	Pass	AV	13.80964G	41.08	68.20	-27.12	3	Vertical	0	1.75
6905MHz	Pass	PK	13.80642G	54.03	88.20	-34.17	3	Vertical	0	1.75
6905MHz	Pass	AV	13.80994G	40.84	68.20	-27.36	3	Horizontal	341	1.50
6905MHz	Pass	PK	13.80414G	53.63	88.20	-34.57	3	Horizontal	341	1.50
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_2TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.828G	90.46	Inf	-Inf	3	Vertical	305	1.80
6905MHz	Pass	AV	7.31G	46.49	54.00	-7.51	3	Vertical	305	1.80
6905MHz	Pass	PK	6.828G	103.16	Inf	-Inf	3	Vertical	305	1.80
6905MHz	Pass	PK	7.341G	60.17	74.00	-13.83	3	Vertical	305	1.80
6905MHz	Pass	AV	6.846G	93.89	Inf	-Inf	3	Horizontal	332	1.37
6905MHz	Pass	AV	7.251G	47.65	54.00	-6.35	3	Horizontal	332	1.37
6905MHz	Pass	PK	6.844G	107.08	Inf	-Inf	3	Horizontal	332	1.37
6905MHz	Pass	PK	7.25G	61.24	74.00	-12.76	3	Horizontal	332	1.37
6905MHz	Pass	AV	13.80894G	41.16	68.20	-27.04	3	Vertical	0	1.88
6905MHz	Pass	PK	13.80324G	53.57	88.20	-34.63	3	Vertical	0	1.88
6905MHz	Pass	AV	13.81974G	40.74	68.20	-27.46	3	Horizontal	86	1.50
6905MHz	Pass	PK	13.80536G	53.30	88.20	-34.90	3	Horizontal	86	1.50




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX


5985MHz_TX






5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX


6025MHz_TX






5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX


6025MHz_TX






5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX

6105MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX


6105MHz_TX






5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX

6105MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX


6105MHz_TX






6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX

6905MHz_TX



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX


6905MHz_TX






6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX

6905MHz_TX



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX


6905MHz_TX






6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX

7025MHz_TX



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX


7025MHz_TX






6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX

7025MHz_TX



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX


7025MHz_TX






6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX


6985MHz_TX





6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX

6985MHz_TX

