


Label 1/4 Spacing

size: 37.1 x 22.1 mm

material: matte coated black label

color: As per approved Flex sample


- **label should be centered between cord housing and product body seam**



Global 120V Non UL Version

Direct Sales ONLY

1/4



MODEL NUMBER: AN400-10
RATING: AC 120V/60HZ 750W
FCC ID: 2APB0AN400 IC ID: 23717-AN400
ASSEMBLED IN CHINA HOUSEHOLD TYPE

THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES
INDUSTRY CANADA LICENCE-EXEMPT RSS STANDARD(S).
OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS:
(1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE,
AND (2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE
RECEIVED, INCLUDING INTERFERENCE THAT MAY CAUSE
UNDESIRABLE OPERATION.

S/N: AN400-US00-YWWWNNNNN

MODEL NUMBER: AM40-10
RATING: AC 120V/60HZ 750W
FCC ID: ZAP00AM400 IC ID: 23217 AM40
ASSEMBLED IN CHINA HOUSEHOLD TYPE
THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES
AND IS DESIGNED TO PREVENT INTERFERENCE
OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS:
1. THIS DEVICE MUST NOT CAUSE HARMFUL INTERFERENCE
AND 2. THIS DEVICE MUST ACCEPT ANY INTERFERENCE
RECEIVED, INCLUDING INTERFERENCE THAT MAY CAUSE
UNDESIRABLE OPERATION
S/N: AM40-US00-XXXXXXXXXX

