



Test Mode: UNII-2A/TX N20 Mode\_ANT 2

### TX mode CH52



Date: 7.AUG.2016 11:50:52


### TX mode CH64



Date: 7.AUG.2016 11:54:51


Test Mode: UNII-2A/TX N40 Mode\_ANT 1

### TX mode CH54



Date: 7.AUG.2016 17:01:11


### TX mode CH62



Date: 7.AUG.2016 17:03:04


**Test Mode:** UNII-2A/TX N40 Mode\_ANT 2

### TX mode CH54



Date: 7.AUG.2016 17:01:55


### TX mode CH62



Date: 7.AUG.2016 17:03:51


**Test Mode:** UNII-2C/TX A Mode\_ANT 1

**TX mode CH100**



Date: 7.AUG.2016 11:06:14


**TX mode CH140**



Date: 7.AUG.2016 11:24:34


Test Mode: UNII-2C/TX A Mode\_ANT 2

### TX mode CH100



Date: 7.AUG.2016 11:07:00


### TX mode CH140



Date: 7.AUG.2016 11:25:20


Test Mode: UNII-2C/TX N20 Mode\_ANT 1

### TX mode CH100



Date: 7.AUG.2016 11:57:02


### TX mode CH140



Date: 7.AUG.2016 12:03:08


Test Mode: UNII-2C/TX N20 Mode\_ANT 2

### TX mode CH100



Date: 7.AUG.2016 11:57:47


### TX mode CH140



Date: 7.AUG.2016 12:03:55


Test Mode: UNII-2C/TX N40 Mode\_ANT 1

### TX mode CH102



Date: 7.AUG.2016 17:04:48


### TX mode CH134



Date: 7.AUG.2016 17:08:12


**Test Mode:** UNII-2C/TX N40 Mode\_ANT 2

### TX mode CH102



Date: 7.AUG.2016 17:05:34


### TX mode CH134



Date: 7.AUG.2016 17:08:58


Test Mode: UNII-3/TX A Mode\_ANT 1

### TX A Mode CH149



Date: 7.AUG.2016 11:28:56


### TX A Mode CH165



Date: 7.AUG.2016 11:36:12


Test Mode: UNII-3/TX A Mode\_ANT 2

### TX A Mode CH149



Date: 7.AUG.2016 11:29:47


### TX A Mode CH165



Date: 7.AUG.2016 11:37:02


Test Mode: UNII-3/TX N20 Mode\_ANT 1

### TX HT20 mode CH149



Date: 7.AUG.2016 12:05:21


### TX HT20 mode CH165



Date: 7.AUG.2016 12:19:52


Test Mode: UNII-3/TX N20 Mode\_ANT 2

### TX HT20 mode CH149




Date: 7.AUG.2016 12:06:11

### X HT20 mode CH165




Test Mode: UNII-3/TX N40 Mode\_ANT 1

### UNII-3/TX HT40 mode CH151



Date: 7.AUG.2016 17:10:19


### UNII-3/TX HT40 mode CH159



Date: 7.AUG.2016 17:12:20


Test Mode: UNII-3/TX N40 Mode\_ANT 2

### TX HT40 mode CH151




Date: 7.AUG.2016 17:11:09

### HT40 mode CH159




Test Mode: UNII-1/TX AC20 Mode\_ANT 1

### TX mode CH36



Date: 7.AUG.2016 16:19:26


### TX mode CH48



Date: 7.AUG.2016 16:22:58


**Test Mode:** UNII-1/TX AC20 Mode\_ANT 2

**TX mode CH36**



Date: 7.AUG.2016 16:20:10


**TX mode CH48**



Date: 7.AUG.2016 16:23:43


**Test Mode:** UNII-1/TX AC40 Mode\_ANT 1

**TX mode CH38**



Date: 7.AUG.2016 17:21:31


**TX mode CH46**



Date: 7.AUG.2016 17:23:47


**Test Mode:** UNII-1/TX AC40 Mode\_ANT 2

**TX mode CH38**



Date: 7.AUG.2016 17:22:17


**TX mode CH46**




Date: 7.AUG.2016 17:24:32

Test Mode: UNII-1/TX AC80 Mode\_ANT 1

TX mode CH42




Date: 7.AUG.2016 17:56:19




Date: 7.AUG.2016 17:56:27

Test Mode: UNII-1/TX AC80 Mode\_ANT 2

TX mode CH42




Date: 7.AUG.2016 17:57:17



Date: 7.AUG.2016 17:57:25


Test Mode: UNII-2A/TX AC20 Mode\_ANT 1

### TX mode CH52



Date: 7.AUG.2016 16:32:43


### TX mode CH64



Date: 7.AUG.2016 16:37:27


**Test Mode:** UNII-2A/TX AC20 Mode\_ANT 2

**TX mode CH52**



Date: 7.AUG.2016 16:33:27


**TX mode CH64**



Date: 7.AUG.2016 16:38:12


**Test Mode:** UNII-2A/TX AC40 Mode\_ANT 1

**TX mode CH54**




Date: 7.AUG.2016 17:25:33

**TX mode CH62**




Test Mode: UNII-2A/TX AC40 Mode\_ANT 2

### TX mode CH54



Date: 7.AUG.2016 17:26:17


### TX mode CH62




Date: 7.AUG.2016 17:29:45

Test Mode: UNII-2A/TX AC80 Mode\_ANT 1

TX mode CH58




Date: 7.AUG.2016 17:58:48




Date: 7.AUG.2016 17:58:55

Test Mode: UNII-2A/TX AC80 Mode\_ANT 2

TX mode CH58




Date: 7.AUG.2016 17:59:49



Date: 7.AUG.2016 17:59:57


Test Mode: UNII-2C/TX AC20 Mode\_ANT 1

### TX mode CH100



Date: 7.AUG.2016 16:43:06


### TX mode CH140



Date: 7.AUG.2016 16:46:29


**Test Mode:** UNII-2C/TX AC20 Mode\_ANT 2

### TX mode CH100



Date: 7.AUG.2016 16:43:50


### TX mode CH140



Date: 7.AUG.2016 16:47:14


**Test Mode:** UNII-2C/TX AC40 Mode\_ANT 1

**TX mode CH102**



Date: 7.AUG.2016 17:36:06


**TX mode CH134**



Date: 7.AUG.2016 17:44:42


**Test Mode:** UNII-2C/TX AC40 Mode\_ANT 2

### TX mode CH102



Date: 7.AUG.2016 17:36:52


### TX mode CH134



Date: 7.AUG.2016 17:45:28


**Test Mode:** UNII-2C/TX AC80 Mode\_ANT 1

**TX mode CH106**



Date: 7.AUG.2016 18:01:47


**TX mode CH122**



Date: 7.AUG.2016 18:04:39


**Test Mode:** UNII-2C/TX AC80 Mode\_ANT 2

### TX mode CH106



Date: 7.AUG.2016 18:02:40


### TX mode CH122



Date: 7.AUG.2016 18:05:30


Test Mode: UNII-3/TX AC20 Mode\_ANT 1

### TX AC HT20 mode CH149



Date: 7.AUG.2016 16:48:34


### TX AC HT20 mode CH165



Date: 7.AUG.2016 16:52:25


Test Mode: UNII-3/TX AC20 Mode\_ANT 2

### TX AC HT20 mode CH149



Date: 7.AUG.2016 16:49:25


### TX AC HT20 mode CH165



Date: 7.AUG.2016 16:53:15


Test Mode: UNII-3/TX AC40 Mode\_ANT 1

### TX AC HT40 mode CH151



Date: 7.AUG.2016 17:46:40


### TX AC HT40 mode CH159



Date: 7.AUG.2016 17:48:37


Test Mode: UNII-3/TX AC40 Mode\_ANT 2

### TX AC HT40 mode CH151




Date: 7.AUG.2016 17:47:29

### TX AC HT40 mode CH159




Test Mode: UNII-3/TX AC80 Mode\_ANT 1

TX AC HT80 mode CH155




Date: 7.AUG.2016 18:07:56




Date: 7.AUG.2016 18:08:04

Test Mode: UNII-3/TX AC80 Mode\_ANT 2

### TX AC HT80 mode CH155



Date: 7.AUG.2016 18:08:59




Date: 7.AUG.2016 18:09:07

## ATTACHMENT H - POWER SPECTRAL DENSITY


**Test Mode: UNII-1/ TX A Mode\_CH36/CH40/CH48\_ANT 1**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH36    | 5180            | 3.90                    | 0.23        | 4.13                                  | 11.00           |
| CH40    | 5200            | 3.20                    | 0.23        | 3.43                                  | 11.00           |
| CH48    | 5240            | 4.37                    | 0.23        | 4.60                                  | 11.00           |




Date: 10.AUG.2016 16:57:34

### CH40



Date: 10.AUG.2016 16:58:36

### CH48




Date: 10.AUG.2016 16:59:26

**Test Mode: UNII-1/ TX A Mode\_CH36/CH40/CH48\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH36    | 5180            | 3.79                    | 0.23        | 4.02                                  | 11.00           |
| CH40    | 5200            | 3.13                    | 0.23        | 3.36                                  | 11.00           |
| CH48    | 5240            | 4.36                    | 0.23        | 4.59                                  | 11.00           |

**CH36**




Date: 10.AUG.2016 16:57:44

### CH40



Date: 10.AUG.2016 16:58:46

### CH48



Date: 10.AUG.2016 16:59:35


**Test Mode: UNII-1/ TX A Mode\_CH36/CH40/CH48\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH36    | 5180               | 7.09                       | 11.00              |
| CH40    | 5200               | 6.41                       | 11.00              |
| CH48    | 5240               | 7.61                       | 11.00              |

**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH36    | 5180            | 3.75                    | 0.25        | 4.00                                  | 11.00           |
| CH40    | 5200            | 3.25                    | 0.25        | 3.50                                  | 11.00           |
| CH48    | 5240            | 3.99                    | 0.25        | 4.24                                  | 11.00           |

**CH36**




Date: 10.AUG.2016 17:08:31

### CH40



Date: 10.AUG.2016 17:09:13

### CH48




Date: 10.AUG.2016 17:09:50

**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH36    | 5180            | 3.44                    | 0.25        | 3.69                                  | 11.00           |
| CH40    | 5200            | 3.60                    | 0.25        | 3.85                                  | 11.00           |
| CH48    | 5240            | 3.97                    | 0.25        | 4.22                                  | 11.00           |

**CH36**




Date: 10.AUG.2016 17:08:40

### CH40



Date: 10.AUG.2016 17:09:23

### CH48



Date: 10.AUG.2016 17:09:59


**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH36    | 5180               | 6.86                       | 11.00              |
| CH40    | 5200               | 6.69                       | 11.00              |
| CH48    | 5240               | 7.24                       | 11.00              |

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_ANT 1**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|---------------------------------------------|--------------------|
| CH38    | 5190               | -0.72                      | 0.59        | -0.13                                       | 11.00              |
| CH46    | 5230               | -0.47                      | 0.59        | 0.12                                        | 11.00              |

### CH38



Date: 10.AUG.2016 17:31:41

### CH46




Date: 10.AUG.2016 17:32:12

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH38    | 5190            | -0.14                   | 0.59        | 0.45                                  | 11.00           |
| CH46    | 5230            | -0.50                   | 0.59        | 0.09                                  | 11.00           |

### CH38



Date: 10.AUG.2016 17:31:51

### CH46



Date: 10.AUG.2016 17:32:21


**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH38    | 5190               | 3.18                       | 11.00              |
| CH46    | 5230               | 3.12                       | 11.00              |

**Test Mode: UNII-2A/ TX A Mode\_CH52/CH60/CH64\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH52    | 5260            | 4.38                    | 0.23        | 4.61                                  | 11.00           |
| CH60    | 5300            | 4.23                    | 0.23        | 4.46                                  | 11.00           |
| CH64    | 5320            | 5.39                    | 0.23        | 5.62                                  | 11.00           |

**CH52**




Date: 10.AUG.2016 16:59:56

### CH60



Date: 10.AUG.2016 17:00:23

### CH64




Date: 10.AUG.2016 17:00:53

**Test Mode: UNII-2A/ TX A Mode\_CH52/CH60/CH64\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH52    | 5260            | 4.63                    | 0.23        | 4.86                                  | 11.00           |
| CH60    | 5300            | 4.56                    | 0.23        | 4.79                                  | 11.00           |
| CH64    | 5320            | 5.36                    | 0.23        | 5.59                                  | 11.00           |

**CH52**




Date: 10.AUG.2016 17:00:05

### CH60



Date: 10.AUG.2016 17:00:32

### CH64



Date: 10.AUG.2016 17:01:02


**Test Mode: UNII-2A/ TX A Mode\_CH52/CH60/CH64\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH52    | 5260               | 7.75                       | 11.00              |
| CH60    | 5300               | 7.64                       | 11.00              |
| CH64    | 5320               | 8.62                       | 11.00              |

**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH52    | 5260            | 5.09                    | 0.25        | 5.34                                  | 11.00           |
| CH60    | 5300            | 4.44                    | 0.25        | 4.69                                  | 11.00           |
| CH64    | 5320            | 5.14                    | 0.25        | 5.39                                  | 11.00           |

**CH52**




Date: 10.AUG.2016 17:11:02

### CH60



Date: 10.AUG.2016 17:11:34

### CH64




Date: 10.AUG.2016 17:12:24

**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH52    | 5260            | 5.15                    | 0.25        | 5.40                                  | 11.00           |
| CH60    | 5300            | 5.16                    | 0.25        | 5.41                                  | 11.00           |
| CH64    | 5320            | 5.20                    | 0.25        | 5.45                                  | 11.00           |

**CH52**




Date: 10.AUG.2016 17:11:11

### CH60



Date: 10.AUG.2016 17:11:43

### CH64



Date: 10.AUG.2016 17:12:34


**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH52    | 5260               | 8.38                       | 11.00              |
| CH60    | 5300               | 8.08                       | 11.00              |
| CH64    | 5320               | 8.43                       | 11.00              |

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 1**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|---------------------------------------------|--------------------|
| CH54    | 5270               | 1.92                       | 0.59        | 2.51                                        | 11.00              |
| CH62    | 5310               | 3.85                       | 0.59        | 4.44                                        | 11.00              |

### CH54



Date: 10.AUG.2016 18:02:30

### CH62




Date: 10.AUG.2016 18:03:07

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH54    | 5270            | 2.63                    | 0.59        | 3.22                                  | 11.00           |
| CH62    | 5310            | 3.62                    | 0.59        | 4.21                                  | 11.00           |

### CH54



Date: 10.AUG.2016 18:02:41

### CH62



Date: 10.AUG.2016 18:03:16


**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH54    | 5270               | 5.89                       | 11.00              |
| CH62    | 5310               | 7.34                       | 11.00              |

**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH100   | 5500            | 3.57                    | 0.23        | 3.80                                  | 11.00           |
| CH116   | 5580            | 4.44                    | 0.23        | 4.67                                  | 11.00           |
| CH140   | 5700            | 4.63                    | 0.23        | 4.86                                  | 11.00           |

**CH100**




Date: 10.AUG.2016 17:01:29

### CH116



Date: 10.AUG.2016 17:02:09

### CH140




Date: 10.AUG.2016 17:02:46

**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH100   | 5500            | 3.88                    | 0.23        | 4.11                                  | 11.00           |
| CH116   | 5580            | 4.37                    | 0.23        | 4.60                                  | 11.00           |
| CH140   | 5700            | 5.23                    | 0.23        | 5.46                                  | 11.00           |

**CH100**




Date: 10.AUG.2016 17:01:38

### CH116



Date: 10.AUG.2016 17:02:18

### CH140



Date: 10.AUG.2016 17:02:55


**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH100   | 5500               | 6.97                       | 11.00              |
| CH116   | 5580               | 7.65                       | 11.00              |
| CH140   | 5700               | 8.18                       | 11.00              |

**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH100   | 5500            | 4.33                    | 0.25        | 4.58                                  | 11.00           |
| CH116   | 5580            | 3.53                    | 0.25        | 3.78                                  | 11.00           |
| CH140   | 5700            | 4.79                    | 0.25        | 5.04                                  | 11.00           |

**CH100**




Date: 10.AUG.2016 17:13:04

### CH116



Date: 10.AUG.2016 17:13:45

### CH140




Date: 10.AUG.2016 17:14:25

**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH100   | 5500            | 3.92                    | 0.25        | 4.17                                  | 11.00           |
| CH116   | 5580            | 4.31                    | 0.25        | 4.56                                  | 11.00           |
| CH140   | 5700            | 4.49                    | 0.25        | 4.74                                  | 11.00           |

**CH100**




Date: 10.AUG.2016 17:13:13

### CH116



Date: 10.AUG.2016 17:13:54

### CH140



Date: 10.AUG.2016 17:14:34


**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH100   | 5500               | 7.39                       | 11.00              |
| CH116   | 5580               | 7.20                       | 11.00              |
| CH140   | 5700               | 7.90                       | 11.00              |

**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH102   | 5510            | 2.25                    | 0.59        | 2.84                                  | 11.00           |
| CH110   | 5550            | 3.01                    | 0.59        | 3.60                                  | 11.00           |
| CH134   | 5670            | 3.49                    | 0.59        | 4.08                                  | 11.00           |

**CH102**




Date: 10.AUG.2016 18:03:43

### CH110



Date: 10.AUG.2016 18:04:14

### CH134




Date: 10.AUG.2016 18:07:10

**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH102   | 5510            | 2.39                    | 0.59        | 2.98                                  | 11.00           |
| CH110   | 5550            | 3.14                    | 0.59        | 3.73                                  | 11.00           |
| CH134   | 5670            | 3.14                    | 0.59        | 3.73                                  | 11.00           |

**CH102**




Date: 10.AUG.2016 18:03:52

### CH110



Date: 10.AUG.2016 18:04:24

### CH134



Date: 10.AUG.2016 18:07:19


**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH102   | 5510               | 5.92                       | 11.00              |
| CH110   | 5550               | 6.68                       | 11.00              |
| CH134   | 5670               | 6.92                       | 11.00              |

**Test Mode: UNII-3/TX A Mode\_CH149/CH157/CH165\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|------------------------------------------|--------------------|
| CH149   | 5745            | 1.80                       | 0.23        | 2.03                                     | 30.00              |
| CH157   | 5785            | 1.65                       | 0.23        | 1.88                                     | 30.00              |
| CH165   | 5825            | 1.99                       | 0.23        | 2.22                                     | 30.00              |

**TX CH149**




Date: 10.AUG.2016 17:03:23

### TX CH157



Date: 10.AUG.2016 17:04:30

### TX CH165




Date: 10.AUG.2016 17:05:09

**Test Mode: UNII-3/TX A Mode\_CH149/CH157/CH165\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|------------------------------------------|--------------------|
| CH149   | 5745            | 1.50                       | 0.23        | 1.73                                     | 30.00              |
| CH157   | 5785            | 2.39                       | 0.23        | 2.62                                     | 30.00              |
| CH165   | 5825            | 1.61                       | 0.23        | 1.84                                     | 30.00              |

**TX CH149**




Date: 10.AUG.2016 17:03:32

### TX CH157



Date: 10.AUG.2016 17:04:39

### TX CH165



Date: 10.AUG.2016 17:05:18


**Test Mode: UNII-3/TX A Mode\_CH149/CH157/CH165\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/500kHz) | Limit<br>(dBm/500kHz) |
|---------|--------------------|-------------------------------|-----------------------|
| CH149   | 5745               | 4.89                          | 30.00                 |
| CH157   | 5785               | 5.28                          | 30.00                 |
| CH165   | 5825               | 5.04                          | 30.00                 |

**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|------------------------------------------|--------------------|
| CH149   | 5745            | 1.06                       | 0.25        | 1.31                                     | 30.00              |
| CH157   | 5785            | 2.11                       | 0.25        | 2.36                                     | 30.00              |
| CH165   | 5825            | 1.25                       | 0.25        | 1.50                                     | 30.00              |

**TX CH149**




Date: 10.AUG.2016 17:15:15

### TX CH157



Date: 10.AUG.2016 17:16:03

### TX CH165




Date: 10.AUG.2016 17:16:38

**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|------------------------------------------|--------------------|
| CH149   | 5745            | 1.61                       | 0.25        | 1.86                                     | 30.00              |
| CH157   | 5785            | 2.06                       | 0.25        | 2.31                                     | 30.00              |
| CH165   | 5825            | 1.35                       | 0.25        | 1.60                                     | 30.00              |

**TX CH149**




Date: 10.AUG.2016 17:15:25

### TX CH157



Date: 10.AUG.2016 17:16:12

### TX CH165



Date: 10.AUG.2016 17:16:47


**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/500kHz) | Limit<br>(dBm/500kHz) |
|---------|--------------------|-------------------------------|-----------------------|
| CH149   | 5745               | 4.60                          | 30.00                 |
| CH157   | 5785               | 5.35                          | 30.00                 |
| CH165   | 5825               | 4.56                          | 30.00                 |

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 1**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/500kHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/500kHz) | Limit<br>(dBm/500kHz) |
|---------|--------------------|-------------------------------|-------------|------------------------------------------------|-----------------------|
| CH151   | 5755               | 1.09                          | 0.59        | 1.68                                           | 30.00                 |
| CH159   | 5795               | 0.63                          | 0.59        | 1.22                                           | 30.00                 |

### TX CH151



Date: 10.AUG.2016 18:08:44

### TX CH159




Date: 10.AUG.2016 18:09:28

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 2**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/500kHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/500kHz) | Limit<br>(dBm/500kHz) |
|---------|--------------------|-------------------------------|-------------|------------------------------------------------|-----------------------|
| CH151   | 5755               | 0.51                          | 0.59        | 1.10                                           | 30.00                 |
| CH159   | 5795               | 1.06                          | 0.59        | 1.65                                           | 30.00                 |

### TX CH151



Date: 10.AUG.2016 18:08:53

### TX CH159



Date: 10.AUG.2016 18:09:37


**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/500kHz) | Limit<br>(dBm/500kHz) |
|---------|--------------------|-------------------------------|-----------------------|
| CH151   | 5755               | 4.41                          | 30.00                 |
| CH159   | 5795               | 4.45                          | 30.00                 |

**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH36    | 5180            | 4.82                    | 0.24        | 5.06                                  | 11.00           |
| CH40    | 5200            | 5.43                    | 0.24        | 5.67                                  | 11.00           |
| CH48    | 5240            | 5.86                    | 0.24        | 6.10                                  | 11.00           |

**CH36**




Date: 10.AUG.2016 17:19:00

### CH40



Date: 10.AUG.2016 17:19:32

### CH48




Date: 10.AUG.2016 17:20:03

**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH36    | 5180            | 5.00                    | 0.24        | 5.24                                  | 11.00           |
| CH40    | 5200            | 5.38                    | 0.24        | 5.62                                  | 11.00           |
| CH48    | 5240            | 6.00                    | 0.24        | 6.24                                  | 11.00           |

**CH36**




Date: 10.AUG.2016 17:19:10

### CH40



Date: 10.AUG.2016 17:19:41

### CH48



Date: 10.AUG.2016 17:20:12


**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH36    | 5180               | 8.16                       | 11.00              |
| CH40    | 5200               | 8.66                       | 11.00              |
| CH48    | 5240               | 9.18                       | 11.00              |

**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_ANT 1**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|---------------------------------------------|--------------------|
| CH38    | 5190               | 1.81                       | 0.53        | 2.34                                        | 11.00              |
| CH46    | 5230               | 3.43                       | 0.53        | 3.96                                        | 11.00              |

### CH38



Date: 10.AUG.2016 18:10:34

### CH46




Date: 10.AUG.2016 18:11:20

**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_ANT 2**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|---------------------------------------------|--------------------|
| CH38    | 5190               | 2.21                       | 0.53        | 2.74                                        | 11.00              |
| CH46    | 5230               | 3.21                       | 0.53        | 3.74                                        | 11.00              |

### CH38



Date: 10.AUG.2016 18:10:43

### CH46



Date: 10.AUG.2016 18:11:30


**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH38    | 5190               | 5.55                       | 11.00              |
| CH46    | 5230               | 6.86                       | 11.00              |

**Test Mode: UNII-1/TX AC80 Mode\_CH42\_ANT 1**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH42    | 5210            | -2.28                   | 0.89        | -1.39                                 | 11.00           |

**CH42**




Date: 10.AUG.2016 18:17:56

**Test Mode: UNII-1/TX AC80 Mode\_CH42\_ANT 2**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH42    | 5210            | -2.76                   | 0.89        | -1.87                                 | 11.00           |

**CH42**



Date: 10.AUG.2016 18:18:09


**Test Mode: UNII-1/TX AC80 Mode\_CH42\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH42    | 5210               | 1.39                       | 11.00              |

**Test Mode: UNII-2A/TX AC20 Mode\_CH52/CH60/CH64\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH52    | 5260            | 5.98                    | 0.24        | 6.22                                  | 11.00           |
| CH60    | 5300            | 4.60                    | 0.24        | 4.84                                  | 11.00           |
| CH64    | 5320            | 5.75                    | 0.24        | 5.99                                  | 11.00           |

**CH52**




Date: 10.AUG.2016 17:20:53

### CH60



Date: 10.AUG.2016 17:21:35


### CH64



Date: 10.AUG.2016 17:22:10


**Test Mode: UNII-2A/TX AC20 Mode\_CH52/CH60/CH64\_ANT 2**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH52    | 5260            | 6.59                    | 0.24        | 6.83                                  | 11.00           |
| CH60    | 5300            | 4.60                    | 0.24        | 4.84                                  | 11.00           |
| CH64    | 5320            | 5.86                    | 0.24        | 6.10                                  | 11.00           |




Date: 10.AUG.2016 17:21:02

### CH60



Date: 10.AUG.2016 17:21:44

### CH64



Date: 10.AUG.2016 17:22:19


**Test Mode: UNII-2A/TX AC20 Mode\_CH52/CH60/CH64\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH52    | 5260               | 9.55                       | 11.00              |
| CH60    | 5300               | 7.85                       | 11.00              |
| CH64    | 5320               | 9.06                       | 11.00              |

**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH54    | 5270            | 1.71                    | 0.53        | 2.24                                  | 11.00           |
| CH62    | 5310            | 3.71                    | 0.53        | 4.24                                  | 11.00           |

### CH54



Date: 10.AUG.2016 18:12:37

### CH62




Date: 10.AUG.2016 18:13:09

**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH54    | 5270            | 2.13                    | 0.53        | 2.66                                  | 11.00           |
| CH62    | 5310            | 3.62                    | 0.53        | 4.15                                  | 11.00           |

### CH54



Date: 10.AUG.2016 18:12:47

### CH62




Date: 10.AUG.2016 18:13:18

**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH54    | 5270               | 5.47                       | 11.00              |
| CH62    | 5310               | 7.21                       | 11.00              |

**Test Mode: UNII-2A/TX AC80 Mode\_CH58\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH58    | 5290            | -1.12                   | 0.89        | -0.23                                 | 11.00           |



Date: 10.AUG.2016 18:18:34

**Test Mode: UNII-2A/TX AC80 Mode\_CH58\_ANT 2**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH58    | 5290            | -1.34                   | 0.89        | -0.45                                 | 11.00           |



Date: 10.AUG.2016 18:18:46


**Test Mode: UNII-2A/TX AC80 Mode\_CH58\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH58    | 5290               | 2.67                       | 11.00              |

**Test Mode: UNII-2C/TX AC20 Mode\_CH100/CH116/CH140\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH100   | 5500            | 4.98                    | 0.24        | 5.22                                  | 11.00           |
| CH116   | 5580            | 5.22                    | 0.24        | 5.46                                  | 11.00           |
| CH140   | 5700            | 5.89                    | 0.24        | 6.13                                  | 11.00           |

**CH100**




Date: 10.AUG.2016 17:22:49

### CH116



Date: 10.AUG.2016 17:23:31

### CH140




Date: 10.AUG.2016 17:24:09

**Test Mode: UNII-2C/TX AC20 Mode\_CH100/CH116/CH140\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH100   | 5500            | 5.59                    | 0.24        | 5.83                                  | 11.00           |
| CH116   | 5580            | 5.41                    | 0.24        | 5.65                                  | 11.00           |
| CH140   | 5700            | 6.25                    | 0.24        | 6.49                                  | 11.00           |

**CH100**




Date: 10.AUG.2016 17:22:58

### CH116



Date: 10.AUG.2016 17:23:40

### CH140



Date: 10.AUG.2016 17:24:18


**Test Mode: UNII-2C/TX AC20 Mode\_CH100/CH116/CH140\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH100   | 5500               | 8.55                       | 11.00              |
| CH116   | 5580               | 8.57                       | 11.00              |
| CH140   | 5700               | 9.32                       | 11.00              |

**Test Mode: UNII-2C/TX AC40 Mode\_CH102/CH110/CH134\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH102   | 5510            | 2.24                    | 0.53        | 2.77                                  | 11.00           |
| CH110   | 5550            | 2.88                    | 0.53        | 3.41                                  | 11.00           |
| CH134   | 5670            | 3.65                    | 0.53        | 4.18                                  | 11.00           |

**CH102**




Date: 10.AUG.2016 18:14:07

### CH110



Date: 10.AUG.2016 18:14:42

### CH134




Date: 10.AUG.2016 18:15:19

**Test Mode: UNII-2C/TX AC40 Mode\_CH102/CH110/CH134\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH102   | 5510            | 2.84                    | 0.53        | 3.37                                  | 11.00           |
| CH110   | 5550            | 2.49                    | 0.53        | 3.02                                  | 11.00           |
| CH134   | 5670            | 3.73                    | 0.53        | 4.26                                  | 11.00           |

**CH102**




Date: 10.AUG.2016 18:14:16

### CH110



Date: 10.AUG.2016 18:14:51

### CH134



Date: 10.AUG.2016 18:15:29


**Test Mode: UNII-2C/TX AC40 Mode\_CH102/CH110/CH134\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH102   | 5510               | 6.09                       | 11.00              |
| CH110   | 5550               | 6.23                       | 11.00              |
| CH134   | 5670               | 7.23                       | 11.00              |

**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH106   | 5530            | -3.13                   | 0.89        | -2.24                                 | 11.00           |
| CH122   | 5610            | -1.64                   | 0.89        | -0.75                                 | 11.00           |

### CH106



Date: 10.AUG.2016 18:19:19

### CH122




Date: 10.AUG.2016 18:20:04

**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122\_ANT 2**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|---------------------------------------------|--------------------|
| CH106   | 5530               | -3.77                      | 0.89        | -2.88                                       | 11.00              |
| CH122   | 5610               | -2.17                      | 0.89        | -1.28                                       | 11.00              |

### CH106



Date: 10.AUG.2016 18:19:32

### CH122



Date: 10.AUG.2016 18:20:16


**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH106   | 5530               | 0.46                       | 11.00              |
| CH122   | 5610               | 2.00                       | 11.00              |

**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|------------------------------------------|--------------------|
| CH149   | 5745            | 3.28                       | 0.24        | 3.52                                     | 30.00              |
| CH157   | 5785            | 2.89                       | 0.24        | 3.13                                     | 30.00              |
| CH165   | 5825            | 2.93                       | 0.24        | 3.17                                     | 30.00              |

**TX CH149**




Date: 10.AUG.2016 17:26:37

### TX CH157



Date: 10.AUG.2016 17:27:31

### TX CH165




Date: 10.AUG.2016 17:28:24

**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|------------------------------------------|--------------------|
| CH149   | 5745            | 3.25                       | 0.24        | 3.49                                     | 30.00              |
| CH157   | 5785            | 3.38                       | 0.24        | 3.62                                     | 30.00              |
| CH165   | 5825            | 3.15                       | 0.24        | 3.39                                     | 30.00              |

**TX CH149**




Date: 10.AUG.2016 17:26:46

### TX CH157



Date: 10.AUG.2016 17:27:40

### TX CH165



Date: 10.AUG.2016 17:28:34


**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/500kHz) | Limit<br>(dBm/500kHz) |
|---------|--------------------|-------------------------------|-----------------------|
| CH149   | 5745               | 6.52                          | 30.00                 |
| CH157   | 5785               | 6.39                          | 30.00                 |
| CH165   | 5825               | 6.29                          | 30.00                 |

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_ANT 1**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/500kHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/500kHz) | Limit<br>(dBm/500kHz) |
|---------|--------------------|-------------------------------|-------------|------------------------------------------------|-----------------------|
| CH151   | 5755               | 1.23                          | 0.53        | 1.76                                           | 30.00                 |
| CH159   | 5795               | 1.20                          | 0.53        | 1.73                                           | 30.00                 |

### TX CH151



Date: 10.AUG.2016 18:15:49

### TX CH159




Date: 10.AUG.2016 18:16:18

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_ANT 2**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/500kHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/500kHz) | Limit<br>(dBm/500kHz) |
|---------|--------------------|-------------------------------|-------------|------------------------------------------------|-----------------------|
| CH151   | 5755               | 1.03                          | 0.53        | 1.56                                           | 30.00                 |
| CH159   | 5795               | 0.19                          | 0.53        | 0.72                                           | 30.00                 |

### TX CH151



Date: 10.AUG.2016 18:15:58

### TX CH159



Date: 10.AUG.2016 18:16:27


**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/500kHz) | Limit<br>(dBm/500kHz) |
|---------|--------------------|-------------------------------|-----------------------|
| CH151   | 5755               | 4.67                          | 30.00                 |
| CH159   | 5795               | 4.26                          | 30.00                 |

**Test Mode: UNII-3/ TX AC80 Mode\_CH155\_ANT 1**

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|------------------------------------------|--------------------|
| CH155   | 5775            | -4.16                      | 0.89        | -3.27                                    | 30.00              |

**TX CH155**




Date: 10.AUG.2016 18:21:10

**Test Mode: UNII-3/ TX AC80 Mode\_CH155\_ANT 2**

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|------------------------------------------|--------------------|
| CH155   | 5775            | -4.85                      | 0.89        | -3.96                                    | 30.00              |

**TX CH155**



Date: 10.AUG.2016 18:21:23

**Test Mode: UNII-3/ TX AC80 Mode\_CH155\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/500kHz) | Limit<br>(dBm/500kHz) |
|---------|--------------------|-------------------------------|-----------------------|
| CH155   | 5775               | -0.59                         | 30.00                 |

## ATTACHMENT I - FREQUENCY STABILITY

|            |        |
|------------|--------|
| Test Mode: | UNII-1 |
|------------|--------|

### Voltage vs. Frequency Stability

| Voltage              | Measurement Frequency (MHz) |
|----------------------|-----------------------------|
| (V)                  | 5180.0000                   |
| 132                  | 5179.9750                   |
| 120                  | 5179.9799                   |
| 108                  | 5179.9799                   |
| Max. Deviation (MHz) | 0.0250                      |
| Max. Deviation (ppm) | 4.8263                      |

### Temperature vs. Frequency Stability

| Temperature          | Measurement Frequency (MHz) |
|----------------------|-----------------------------|
| (°C)                 | 5180.0000                   |
| -5                   | 5180.0000                   |
| 5                    | 5179.9750                   |
| 15                   | 5179.9800                   |
| 25                   | 5180.0000                   |
| 35                   | 5180.0000                   |
| 45                   | 5179.9950                   |
| 50                   | 5179.9950                   |
| Max. Deviation (MHz) | 0.0250                      |
| Max. Deviation (ppm) | 4.8263                      |

|            |         |
|------------|---------|
| Test Mode: | UNII-2A |
|------------|---------|

### Voltage vs. Frequency Stability

| Voltage              | Measurement Frequency (MHz) |
|----------------------|-----------------------------|
| (V)                  | 5260.0000                   |
| 132                  | 5259.9750                   |
| 120                  | 5259.9950                   |
| 108                  | 5259.9950                   |
| Max. Deviation (MHz) | 0.0250                      |
| Max. Deviation (ppm) | 4.7529                      |

### Temperature vs. Frequency Stability

| Temperature          | Measurement Frequency (MHz) |
|----------------------|-----------------------------|
| (°C)                 | 5260.0000                   |
| -5                   | 5259.9799                   |
| 5                    | 5260.0000                   |
| 15                   | 5260.0000                   |
| 25                   | 5259.9950                   |
| 35                   | 5259.9950                   |
| 45                   | 5260.0000                   |
| 50                   | 5259.9748                   |
| Max. Deviation (MHz) | 0.0252                      |
| Max. Deviation (ppm) | 4.7909                      |

|            |         |
|------------|---------|
| Test Mode: | UNII-2C |
|------------|---------|

### Voltage vs. Frequency Stability

| Voltage              | Measurement Frequency (MHz) |
|----------------------|-----------------------------|
| (V)                  | 5500.0000                   |
| 132                  | 5499.9799                   |
| 120                  | 5499.9950                   |
| 108                  | 5499.9950                   |
| Max. Deviation (MHz) | 0.0201                      |
| Max. Deviation (ppm) | 3.6545                      |

### Temperature vs. Frequency Stability

| Temperature          | Measurement Frequency (MHz) |
|----------------------|-----------------------------|
| (°C)                 | 5500.0000                   |
| -5                   | 5499.9799                   |
| 5                    | 5499.9950                   |
| 15                   | 5500.0200                   |
| 25                   | 5500.0200                   |
| 35                   | 5499.9950                   |
| 45                   | 5500.0150                   |
| 50                   | 5500.0200                   |
| Max. Deviation (MHz) | 0.0201                      |
| Max. Deviation (ppm) | 3.6545                      |

|            |        |
|------------|--------|
| Test Mode: | UNII-3 |
|------------|--------|

**Voltage vs. Frequency Stability**

| Voltage              | Measurement Frequency (MHz) |
|----------------------|-----------------------------|
| (V)                  | 5745.0000                   |
| 132                  | 5744.9750                   |
| 120                  | 5744.9950                   |
| 108                  | 5745.0000                   |
| Max. Deviation (MHz) | 0.0250                      |
| Max. Deviation (ppm) | 4.3516                      |

**Temperature vs. Frequency Stability**

| Temperature          | Measurement Frequency (MHz) |
|----------------------|-----------------------------|
| (°C)                 | 5745.0000                   |
| -5                   | 5744.9950                   |
| 5                    | 5744.9750                   |
| 15                   | 5745.0200                   |
| 25                   | 5745.0150                   |
| 35                   | 5745.0102                   |
| 45                   | 5745.0150                   |
| 50                   | 5745.0150                   |
| Max. Deviation (MHz) | 0.0250                      |
| Max. Deviation (ppm) | 4.3516                      |