

Prüfbericht - Nr.: 16003124 001
Test Report No.:

Seite 1 von 15
Page 1 of 15

Auftraggeber: G.tech Technology Ltd.
Client:
No.21, Jinding Industrial Park, West Jinfeng Road
Tangjiawan, Zhuhai, Guangdong, 519085
P. R. China

Gegenstand der Prüfung: Wireless Keyboard
Test item:

Bezeichnung: K9002 **FCC ID:** OO9K9002
Identification: *FCC ID*

Wareneingangs-Nr.: 73011887 **Eingangsdatum:** 11.05.2004
Receipt No.: *Date of receipt:*


Prüfart: Shenzhen Bureau of Quality Technical
Testing location: *Supervision Shenzhen Academy of Metrology*
and Quality Inspection Bldg, of Shenzhen
Academy of Metrology and Quality Inspection,
Longzhu Road, Nanshan, Shenzhen,
P.R. China **Listed test laboratory**
according to FCC rules
section 2.948 for
measuring devices
under Parts 15

Prüfgrundlage: ANSI C63.4: 2001
Test specification: **Conduct Emissions with limits described at FCC Part 15 subpart C section 15.207**
Radiated Emissions with limits described at FCC Part 15 Subpart C section 15.209 and 15.227


Prüfergebnis: Der vorstehend beschriebene Prüfgegenstand wurde geprüft und
Test Result: **entspricht oben genannter Prüfgrundlage.**
The a. m. test item passed.

Prüflaboratorium/ Testing Laboratory: TÜV Rheinland (Guangdong) Ltd
zusammengestellt/ compiled by: **kontrolliert/ checked by:**

08.07.2004 Dave Xie
Datum Name Unterschrift
Date Name Signature


Unterschrift
Signature

14.07.2004 Yuxin Huang
Datum Name Unterschrift
Date Name Signature


Unterschrift
Signature

Sonstiges/ Other Aspects:

Abkürzungen: ok / P = entspricht Prüfgrundlage
fail / F = entspricht nicht Prüfgrundlage
n.a. / N = nicht anwendbar

Abbreviations: ok / P = passed
fail / F = failed
n.a. / N = not applicable

Dieser Prüfbericht bezieht sich nur auf das o.g. Prüfmuster und darf ohne Genehmigung der Prüfstelle nicht auszugsweise vervielfältigt werden. Dieser Bericht berechtigt nicht zur Verwendung eines Prüfzeichens.
This test report relates to the a. m. test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any safety mark on this or similar products.

Prüfbericht - Nr.: 16003124 001
Test Report No.:

Seite 2 von 15
Page 2 of 15

TEST SUMMARY

5.1 CONDUCTED EMISSION FOR FCC PART 15 PER SECTION 15.207(A)

RESULT: n.a.

5.2 RADIATED EMISSION FOR FCC PART 15 PER SECTION 15.209(A)

RESULT: ok

5.3 FUNDAMENTAL AND HARMONICS RADIATED EMISSION FOR FCC PART 15 PER SECTION 15.227

RESULT: ok

Prüfbericht - Nr.: 16003124 001
Test Report No.:

Seite 3 von 15
Page 3 of 15

Contents

1	GENERAL REMARKS	4
1.1	COMPLEMENTARY MATERIALS	4
2	TEST SITES.....	4
2.1	TEST FACILITIES.....	4
2.2	LIST OF TEST AND MEASUREMENT INSTRUMENTS	5
2.3	TRACE ABILITY	5
2.4	CALIBRATION.....	5
2.5	MEASUREMENT UNCERTAINTY.....	6
2.6	LOCATION OF ORIGINAL DATA	6
2.7	STATUS OF FACILITY USED FOR TESTING	6
3	GENERAL PRODUCT INFORMATION	6
3.1	PRODUCT FUNCTION AND INTENDED USE.....	7
3.2	RATINGS AND SYSTEM DETAILS.....	7
3.3	INDEPENDENT OPERATION MODES.....	7
3.4	SUBMITTED DOCUMENTS	8
4	TEST SET-UP AND OPERATION MODE.....	8
4.1	PRINCIPLE OF CONFIGURATION SELECTION	8
4.2	TEST OPERATION AND TEST SOFTWARE	8
4.3	SPECIAL ACCESSORIES AND AUXILIARY EQUIPMENT.....	8
4.4	COUNTERMEASURES TO ACHIEVE EMC COMPLIANCE	8
4.5	TEST SET-UP	9
5	TEST RESULTS E M I S S I O N	10
5.1	CONDUCTED EMISSION FOR FCC PART 15 PER SECTION 15.207(A)	10
5.2	RADIATED EMISSION FOR FCC PART 15 PER SECTION 15.209(A).....	11
5.3	FUNDAMENTAL AND HARMONICS RADIATED EMISSION FOR FCC PART 15 PER SECTION 15.227	12
6	PHOTOGRAPHS OF THE TEST SET-UP	13
7	LIST OF TABLES	15
8	LIST OF PHOTOGRAPHS	15

Prüfbericht - Nr.: 16003124 001
Test Report No.:

Seite 4 von 15
Page 4 of 15

1 General Remarks

1.1 Complementary Materials

All attachments are integral parts of this test report. This applies especially to the following appendix:

Appendix 1: Test result

2 Test Sites

2.1 Test Facilities

Shenzhen SMQ

Shenzhen Bureau of Quality Technical Supervision
Shenzhen Academy of Metrology and Quality Inspection
Bldg, of Shenzhen Academy of Metrology and Quality Inspection
Longzhu Road, Nanshan, Shenzhen,
P.R. China

Prüfbericht - Nr.: 16003124 001
Test Report No.:

Seite 5 von 15
Page 5 of 15

2.2 List of Test and Measurement Instruments

Table 1: List of Test and Measurement Equipment

Kind of Equipment	Manufacturer	Type	S/N	Calibrated until
EMI Test Receiver	Rohde & Schwarz	ESI26	838786/013	29.01.2005
Signal Generator	Rohde & Schwarz	SMR20	100047	01.02.2005
Bilog Antenna	Chase	CBL6112B	2591	29.01.2005
3m Semi-anechoic chamber	Albatross Projects	9X6X6	----	29.01.2005
Loop Antenna	Schwarzbeck	FMZB1516	113	31.01.2005

2.3 Trace ability

All measurement equipment calibrations are traceable to NIST or where calibration is performed outside the United States, to equivalent nationally recognized standards organizations

2.4 Calibration

Equipment requiring calibration is calibrated periodically by the manufacturer or according to manufacturer's specifications. Additionally all equipment is verified for proper performance on a regular basis using in house standards or comparisons.

Prüfbericht - Nr.: 16003124 001
Test Report No.:

Seite 6 von 15
Page 6 of 15

2.5 Measurement Uncertainty

The estimated combined standard uncertainty for conducted emissions measurements is ± 3 dB.
The estimated combined standard uncertainty for radiated emissions measurements is ± 3 dB.

2.6 Location of original data

The original copies of all test data taken during actual testing were attached at Appendix 1 of this report and delivered to the applicant. A copy has been retained in the TÜV Rheinland (Guangzhou) file for certification follow-up purposes.

2.7 Status of facility used for testing

Shenzhen Bureau of Quality Technical Supervision, Shenzhen Academy of Metrology and Quality Inspection, Bldg, of Shenzhen Academy of Metrology and Quality Inspection, Longzhu Road, Nanshan, Shenzhen, P.R.China is listed on the US Federal Communications Commission list of facilities approved to perform measurements

3 General Product Information

Brief description of the test sample:

The submitted sample K9002 is wireless keyboard, which is equipped multimedia keys and show you that the battery is low power by LED indicator.

Prüfbericht - Nr.: 16003124 001
Test Report No.:

Seite 7 von 15
Page 7 of 15

3.1 Product Function and Intended Use

The submitted samples are wireless mouse, the transmitter, which declared channel frequency 27.045MHz and 27.195MHz.

For details, refer to technical document and the user manual.

3.2 Ratings and System Details

Frequency range	:	26.96-27.28MHz
Number of channels	:	2 channels
Type of antenna	:	Integral antenna
FCC ID:		OO9K9002
Power supply	:	DC 2.4V ("AAA" type 1.2V NiCd battery 2x)
Ports	:	None
Protection Class	:	III

Refer to the technical document for further information

3.3 Independent Operation Modes

The basic operation modes are:

Transmitting and standby

For further information refer to User Manual

Prüfbericht - Nr.: 16003124 001
Test Report No.:

Seite 8 von 15
Page 8 of 15

3.4 Submitted Documents

Block Diagram
Circuit Diagram
Components List
PCB layout
FCC label
User Manual
Photo document

4 Test Set-up and Operation Mode

4.1 Principle of Configuration Selection

Emission: The equipment under test (EUT) was configured to measure its highest possible radiation level. The test modes were adapted accordingly in reference to the instructions for use.

4.2 Test Operation and Test Software


Refer to Test set-up in chapter 5.

4.3 Special Accessories and Auxiliary Equipment

None

4.4 Countermeasures to achieve EMC Compliance

The test sample, which has been tested, contained the noise suppression parts as described in the technical document. No additional measures were employed to achieve compliance.



Prüfbericht - Nr.: 16003124 001
Test Report No.:

Seite 10 von 15
Page 10 of 15

5 Test Results EMISSION

5.1 Conducted Emission for FCC Part 15 Per Section 15.207(a)

RESULT:

n.a.

Date of testing	:	---
Test specification	:	FCC Part 15 Per Section 15.207(a)
Deviations from Standard Test procedures	:	None
Test procedure	:	n.a.
Kind of test site	:	Shielded room

There is no connection available for mains.

Prüfbericht - Nr.: 16003124 001
Test Report No.:

Seite 11 von 15
Page 11 of 15

5.2 Radiated Emission for FCC Part 15 Per Section 15.209(a)

RESULT:

ok

Date of testing : 22.06.2004
Test specification : FCC Part 15 Per Section 15.209(a)
Limits : FCC Part 15 Per Section 15.209(a)
Deviations from Standard Test procedures : None
Test procedure : Procedure specified in ANSI C63.4 were followed
Kind of test site : 3m Semi-anechoic chamber
Operation mode : Transmitting at channel 1
Temperature : 22°C
Humidity : 65%

The final measurement in band 9-90kHz, 110-490kHz and above 1000MHz is performed with Average detector. Except those frequency bands mention above, the final measurement for frequencies below 1000MHz is performed with Quasi Peak detector.

Disturbances other than those mentioned are small or not detectable.

The spectral diagrams in appendix 1 display the measurement of un-weighted peak values.

Table 2: Radiated Emission

Frequency [kHz]	QP [dB μ V/m]	AV [dB μ V/m]	Polarity	Limit [dB μ V/m]
60.182	n.a.	57.08	n.a.	72.0
100.062	58.55	n.a.	n.a.	67.6
119.999	n.a.	50.38	n.a.	66.0

Prüfbericht - Nr.: 16003124 001
Test Report No.:

Seite 12 von 15
Page 12 of 15

5.3 Fundamental and harmonics Radiated Emission for FCC Part 15 Per Section 15.227

RESULT:

ok

Date of testing : 16.06.2004 / 22.06.2004
Test specification : FCC Part 15 Per Section 15.227
Limits : FCC Part 15 Per Section 15.227 and 15.209
Deviations from Standard Test procedures : None
Test procedure : Procedure specified in ANSI C63.4 were followed
Kind of test site : 3m Semi-anechoic chamber
Operation mode : Transmitting at channel 1
Temperature : 25°C
Humidity : 67%

Table 3: Fundamental Radiated Emissions

Test conditions		Fundamental Frequency	
		Channel 1 (27.0501MHz)	
T _{nom} (22°C)	Unit	(dBμV/m)	(mV/m)
	Read value (Average/Peak):	54.85/57.27	0.553/0.73
Limit (Average/Peak):		80/100	10/100
Note: Measurement was performed with modulated signal with average detector and peak detector.			

Table 4: Harmonics Radiated Emission

Frequency [MHz]	QP [dBμV/m]	AV [dBμV/m]	Polarity	Limit [dBμV/m]
84.862	21.15	---	H	40.0
84.887	24.32	---	V	40.0
220.646	20.53	---	V	46.0

The final measurement for frequencies below 1000MHz is performed with Quasi Peak detector; the final measurement for frequencies above 1000MHz is performed with Average detector.

Disturbances other than those mentioned are small or not detectable.

The spectral diagrams in appendix 1 display the measurement of un-weighted peak values.

Prüfbericht - Nr.: 16003124 001
Test Report No.:

Seite 13 von 15
Page 13 of 15

6 Photographs of the Test Set-Up


Photograph 1: Set-up for Radiation Measurement Below 30MHz



Prüfbericht - Nr.: 16003124 001
Test Report No.:

Seite 14 von 15
Page 14 of 15

Photograph 2: Set-up for Radiation Measurement below 1GHz



7 List of Tables

Table 1: List of Test and Measurement Equipment	5
Table 2: Radiated Emission	11
Table 3: Fundamental Radiated Emissions	12
Table 4: Harmonics Radiated Emission	12

8 List of Photographs

Photograph 1: Set-up for Radiation Measurement Below 30MHz.....	13
Photograph 2: Set-up for Radiation Measurement below 1GHz	14

Prüfbericht - Nr.: 16003124 001

Test Report No.:


Seite 1 von 3

Page 1 of 3

Radiated emissions

IC RSS-210

EUT: Wireless Keyboard M/N:K9002
Manufacturer:
Operating Condition: TX
Test Site: SMQ EMC Lab.SAC
Operator:
Test Specification:
Comment: DC 3.0V



Prüfbericht - Nr.: 16003124 001

Test Report No.:


Seite 2 von 3

Page 2 of 3

Radiated Disturbance

FCC Class B

EUT: Keyboard M/N:K9002
Manufacturer:
Operating Condition: TX
Test Site: SMQ EMC Lab.SAC
Operator:
Test Specification: Horizontal
Comment: DC 3.0V



Prüfbericht - Nr.: 16003124 001

Test Report No.:

Seite 3 von 3

Page 3 of 3

Radiated Disturbance

FCC Class B

EUT: Keyboard M/N:K9002
Manufacturer:
Operating Condition: TX
Test Site: SMQ EMC Lab.SAC
Operator:
Test Specification: Vertical
Comment: DC 3.0V

