





























































<Ant. 6+7>

Maximum conducted output power

Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Set Power	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Conducted Limit [dBm]	Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11AX20MIMO	Ant6	5180	26Tone	RU0	7.5	8.47	96.19	0.17	8.64	≤23.98	-7.50	1.14	---	PASS
			52Tone	RU37	10	10.91	96.19	0.17	11.08	≤23.98	-7.50	3.58	---	PASS
			106Tone	RU53	13	13.60	96.19	0.17	13.77	≤23.98	-7.50	6.27	---	PASS
	Ant7	5180	26Tone	RU0	7.5	8.50	96.23	0.17	8.67	≤23.98	-8.00	0.67	---	PASS
			52Tone	RU37	10	10.93	96.23	0.17	11.10	≤23.98	-8.00	3.10	---	PASS
			106Tone	RU53	13	13.64	96.23	0.17	13.81	≤23.98	-8.00	5.81	---	PASS
	total	5180	26Tone	RU0	---	---	---	---	11.67	≤23.98	-7.50	4.17	---	PASS
			52Tone	RU37	---	---	---	---	14.10	≤23.98	-7.50	6.60	---	PASS
			106Tone	RU53	---	---	---	---	16.80	≤23.98	-7.50	9.30	---	PASS
	Ant6	5320	26Tone	RU8	9.5	9.66	96.19	0.17	9.83	≤23.98	-7.00	2.83	≤26.99	PASS
			52Tone	RU40	12	12.18	96.19	0.17	12.35	≤23.98	-7.00	5.35	≤26.99	PASS
			106Tone	RU54	15	15.49	96.19	0.17	15.66	≤23.98	-7.00	8.66	≤26.99	PASS
	Ant7	5320	26Tone	RU8	9.5	9.01	96.23	0.17	9.18	≤23.98	-8.00	1.18	≤26.99	PASS
			52Tone	RU40	12	11.65	96.23	0.17	11.82	≤23.98	-8.00	3.82	≤26.99	PASS
			106Tone	RU54	15	15.14	96.23	0.17	15.31	≤23.98	-8.00	7.31	≤26.99	PASS
	total	5320	26Tone	RU8	---	---	---	---	12.53	≤23.98	-7.00	5.53	≤26.99	PASS
			52Tone	RU40	---	---	---	---	15.10	≤23.98	-7.00	8.10	≤26.99	PASS
			106Tone	RU54	---	---	---	---	18.50	≤23.98	-7.00	11.50	≤26.99	PASS
	Ant6	5500	26Tone	RU0	9.5	9.56	96.19	0.17	9.73	≤23.98	-6.50	3.23	≤26.99	PASS
			52Tone	RU37	12	12.13	96.19	0.17	12.30	≤23.98	-6.50	5.80	≤26.99	PASS
			106Tone	RU53	15	15.39	96.19	0.17	15.56	≤23.98	-6.50	9.06	≤26.99	PASS
	Ant7	5500	26Tone	RU0	9.5	9.30	96.23	0.17	9.47	≤23.98	-8.10	1.37	≤26.99	PASS
			52Tone	RU37	12	11.85	96.23	0.17	12.02	≤23.98	-8.10	3.92	≤26.99	PASS
			106Tone	RU53	15	15.24	96.23	0.17	15.41	≤23.98	-8.10	7.31	≤26.99	PASS
	total	5500	26Tone	RU0	---	---	---	---	12.61	≤23.98	-6.50	6.11	≤26.99	PASS
			52Tone	RU37	---	---	---	---	15.17	≤23.98	-6.50	8.67	≤26.99	PASS
			106Tone	RU53	---	---	---	---	18.50	≤23.98	-6.50	12.00	≤26.99	PASS
	Ant6	5700	26Tone	RU8	10	9.25	96.19	0.17	9.42	≤23.98	-6.50	2.92	≤26.99	PASS
			52Tone	RU40	13	12.50	96.19	0.17	12.67	≤23.98	-6.50	6.17	≤26.99	PASS
			106Tone	RU54	15.5	15.07	96.19	0.17	15.24	≤23.98	-6.50	8.74	≤26.99	PASS
	Ant7	5700	26Tone	RU8	10	8.68	96.23	0.17	8.85	≤23.98	-8.10	0.75	≤26.99	PASS
			52Tone	RU40	13	11.95	96.23	0.17	12.12	≤23.98	-8.10	4.02	≤26.99	PASS
			106Tone	RU54	15.5	14.64	96.23	0.17	14.81	≤23.98	-8.10	6.71	≤26.99	PASS
	total	5700	26Tone	RU8	---	---	---	---	12.15	≤23.98	-6.50	5.65	≤26.99	PASS
			52Tone	RU40	---	---	---	---	15.41	≤23.98	-6.50	8.91	≤26.99	PASS
			106Tone	RU54	---	---	---	---	18.04	≤23.98	-6.50	11.54	≤26.99	PASS
	Ant6	5745	26Tone	RU0	10	10.30	96.19	0.17	10.47	≤30.00	-8.00	2.47	---	PASS
			52Tone	RU37	13	13.37	96.19	0.17	13.54	≤30.00	-8.00	5.54	---	PASS



	Ant7	5745	106Tone	RU53	16	16.34	96.19	0.17	16.51	≤30.00	-8.00	8.51	---	PASS
			26Tone	RU0	10	9.74	96.23	0.17	9.91	≤30.00	-8.10	1.81	---	PASS
			52Tone	RU37	13	12.87	96.23	0.17	13.04	≤30.00	-8.10	4.94	---	PASS
			106Tone	RU53	16	16.10	96.23	0.17	16.27	≤30.00	-8.10	8.17	---	PASS
	total	5745	26Tone	RU0	---	---	---	---	13.21	≤30.00	-8.00	5.21	---	PASS
			52Tone	RU37	---	---	---	---	16.31	≤30.00	-8.00	8.31	---	PASS
			106Tone	RU53	---	---	---	---	19.40	≤30.00	-8.00	11.40	---	PASS
	Ant6	5825	26Tone	RU8	10	10.07	96.19	0.17	10.24	≤30.00	-8.00	2.24	---	PASS
			52Tone	RU40	13	13.21	96.19	0.17	13.38	≤30.00	-8.00	5.38	---	PASS
			106Tone	RU54	16	16.38	96.19	0.17	16.55	≤30.00	-8.00	8.55	---	PASS
	Ant7	5825	26Tone	RU8	10	9.24	96.23	0.17	9.41	≤30.00	-8.10	1.31	---	PASS
			52Tone	RU40	13	12.40	96.23	0.17	12.57	≤30.00	-8.10	4.47	---	PASS
			106Tone	RU54	16	15.83	96.23	0.17	16.00	≤30.00	-8.10	7.90	---	PASS
	total	5825	26Tone	RU8	---	---	---	---	12.86	≤30.00	-8.00	4.86	---	PASS
			52Tone	RU40	---	---	---	---	16.00	≤30.00	-8.00	8.00	---	PASS
			106Tone	RU54	---	---	---	---	19.29	≤30.00	-8.00	11.29	---	PASS



Maximum power spectral density

Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MIMO	Ant6	5180	26Tone	RU0	6.20	≤11.00	PASS
			52Tone	RU37	6.01	≤11.00	PASS
			106Tone	RU53	6.84	≤11.00	PASS
	Ant7	5180	26Tone	RU0	6.63	≤11.00	PASS
			52Tone	RU37	6.50	≤11.00	PASS
			106Tone	RU53	6.14	≤11.00	PASS
	total	5180	26Tone	RU0	9.41	≤11.00	PASS
			52Tone	RU37	9.27	≤11.00	PASS
			106Tone	RU53	9.43	≤11.00	PASS
	Ant6	5320	26Tone	RU8	7.33	≤11.00	PASS
			52Tone	RU40	6.83	≤11.00	PASS
			106Tone	RU54	6.97	≤11.00	PASS
	Ant7	5320	26Tone	RU8	6.27	≤11.00	PASS
			52Tone	RU40	6.41	≤11.00	PASS
			106Tone	RU54	6.58	≤11.00	PASS
	total	5320	26Tone	RU8	9.81	≤11.00	PASS
			52Tone	RU40	9.62	≤11.00	PASS
			106Tone	RU54	9.63	≤11.00	PASS
	Ant6	5500	26Tone	RU0	6.74	≤11.00	PASS
			52Tone	RU37	6.23	≤11.00	PASS
			106Tone	RU53	6.30	≤11.00	PASS
	Ant7	5500	26Tone	RU0	6.04	≤11.00	PASS
			52Tone	RU37	6.32	≤11.00	PASS
			106Tone	RU53	6.73	≤11.00	PASS
	total	5500	26Tone	RU0	9.26	≤11.00	PASS
			52Tone	RU37	9.25	≤11.00	PASS
			106Tone	RU53	9.49	≤11.00	PASS
	Ant6	5700	26Tone	RU8	6.34	≤11.00	PASS
			52Tone	RU40	6.87	≤11.00	PASS
			106Tone	RU54	6.49	≤11.00	PASS
	Ant7	5700	26Tone	RU8	5.80	≤11.00	PASS
			52Tone	RU40	5.71	≤11.00	PASS
			106Tone	RU54	5.70	≤11.00	PASS
	total	5700	26Tone	RU8	9.09	≤11.00	PASS
			52Tone	RU40	9.27	≤11.00	PASS
			106Tone	RU54	8.82	≤11.00	PASS
	Ant6	5745	26Tone	RU0	4.93	≤30.00	PASS




			52Tone	RU37	5.29	≤30.00	PASS
			106Tone	RU53	5.15	≤30.00	PASS
	Ant7	5745	26Tone	RU0	4.53	≤30.00	PASS
			52Tone	RU37	4.82	≤30.00	PASS
			106Tone	RU53	4.72	≤30.00	PASS
	total	5745	26Tone	RU0	7.74	≤30.00	PASS
			52Tone	RU37	8.07	≤30.00	PASS
			106Tone	RU53	7.95	≤30.00	PASS
	Ant6	5825	26Tone	RU8	5.11	≤30.00	PASS
			52Tone	RU40	5.28	≤30.00	PASS
			106Tone	RU54	5.34	≤30.00	PASS
	Ant7	5825	26Tone	RU8	4.60	≤30.00	PASS
			52Tone	RU40	4.17	≤30.00	PASS
			106Tone	RU54	4.71	≤30.00	PASS
	total	5825	26Tone	RU8	7.87	≤30.00	PASS
			52Tone	RU40	7.77	≤30.00	PASS
			106Tone	RU54	8.05	≤30.00	PASS



Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.



2.The Duty Cycle Factor and is compensated in the graph.





Test Graphs















11AX20MIMO_total_5180_52Tone_RU37






11AX20MIMO_total_5180_106Tone_RU53








































































Ant 6.+10

Maximum conducted output power

Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Set Power	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Conducted Limit [dBm]	Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11AX20MIMO	Ant6	5180	26Tone	RU0	8	9.13	96.19	0.17	9.30	≤23.98	-7.50	1.80	---	PASS
			52Tone	RU37	11	11.98	96.19	0.17	12.15	≤23.98	-7.50	4.65	---	PASS
			106Tone	RU53	13.5	14.21	96.19	0.17	14.38	≤23.98	-7.50	6.88	---	PASS
	Ant10	5180	26Tone	RU0	8	9.26	96.23	0.17	9.43	≤23.98	-8.10	1.33	---	PASS
			52Tone	RU37	11	12.25	96.23	0.17	12.42	≤23.98	-8.10	4.32	---	PASS
			106Tone	RU53	13.5	14.53	96.23	0.17	14.70	≤23.98	-8.10	6.60	---	PASS
	total	5180	26Tone	RU0	---	---	---	---	12.38	≤23.98	-7.50	4.88	---	PASS
			52Tone	RU37	---	---	---	---	15.30	≤23.98	-7.50	7.80	---	PASS
			106Tone	RU53	---	---	---	---	17.55	≤23.98	-7.50	10.05	---	PASS
	Ant6	5320	26Tone	RU8	8.5	8.83	96.19	0.17	9.00	≤23.98	-7.00	2.00	≤26.99	PASS
			52Tone	RU40	11.5	11.88	96.19	0.17	12.05	≤23.98	-7.00	5.05	≤26.99	PASS
			106Tone	RU54	14	14.55	96.19	0.17	14.72	≤23.98	-7.00	7.72	≤26.99	PASS
	Ant10	5320	26Tone	RU8	8.5	9.88	96.23	0.17	10.05	≤23.98	-8.50	1.55	≤26.99	PASS
			52Tone	RU40	11.5	12.84	96.23	0.17	13.01	≤23.98	-8.50	4.51	≤26.99	PASS
			106Tone	RU54	14	15.33	96.23	0.17	15.50	≤23.98	-8.50	7.00	≤26.99	PASS
	total	5320	26Tone	RU8	---	---	---	---	12.57	≤23.98	-7.00	5.57	≤26.99	PASS
			52Tone	RU40	---	---	---	---	15.57	≤23.98	-7.00	8.57	≤26.99	PASS
			106Tone	RU54	---	---	---	---	18.14	≤23.98	-7.00	11.14	≤26.99	PASS
	Ant6	5500	26Tone	RU0	8.5	8.70	96.19	0.17	8.87	≤23.98	-6.50	2.37	≤26.99	PASS
			52Tone	RU37	11.5	11.68	96.19	0.17	11.85	≤23.98	-6.50	5.35	≤26.99	PASS
			106Tone	RU53	14.5	14.86	96.19	0.17	15.03	≤23.98	-6.50	8.53	≤26.99	PASS
	Ant10	5500	26Tone	RU0	8.5	9.60	96.23	0.17	9.77	≤23.98	-8.90	0.87	≤26.99	PASS
			52Tone	RU37	11.5	12.62	96.23	0.17	12.79	≤23.98	-8.90	3.89	≤26.99	PASS
			106Tone	RU53	14.5	15.56	96.23	0.17	15.73	≤23.98	-8.90	6.83	≤26.99	PASS
	total	5500	26Tone	RU0	---	---	---	---	12.35	≤23.98	-6.50	5.85	≤26.99	PASS
			52Tone	RU37	---	---	---	---	15.36	≤23.98	-6.50	8.86	≤26.99	PASS
			106Tone	RU53	---	---	---	---	18.40	≤23.98	-6.50	11.90	≤26.99	PASS
	Ant6	5700	26Tone	RU8	9	8.56	96.19	0.17	8.73	≤23.98	-6.50	2.23	≤26.99	PASS
			52Tone	RU40	11.5	10.97	96.19	0.17	11.14	≤23.98	-6.50	4.64	≤26.99	PASS
			106Tone	RU54	14.5	14.26	96.19	0.17	14.43	≤23.98	-6.50	7.93	≤26.99	PASS
	Ant10	5700	26Tone	RU8	9	8.73	96.23	0.17	8.90	≤23.98	-8.90	0.00	≤26.99	PASS
			52Tone	RU40	11.5	11.11	96.23	0.17	11.28	≤23.98	-8.90	2.38	≤26.99	PASS
			106Tone	RU54	14.5	14.25	96.23	0.17	14.42	≤23.98	-8.90	5.52	≤26.99	PASS
	total	5700	26Tone	RU8	---	---	---	---	11.83	≤23.98	-6.50	5.33	≤26.99	PASS
			52Tone	RU40	---	---	---	---	14.22	≤23.98	-6.50	7.72	≤26.99	PASS
			106Tone	RU54	---	---	---	---	17.44	≤23.98	-6.50	10.94	≤26.99	PASS
	Ant6	5745	26Tone	RU0	9.5	9.71	96.19	0.17	9.88	≤30.00	-8.00	1.88	---	PASS
			52Tone	RU37	12.5	12.90	96.19	0.17	13.07	≤30.00	-8.00	5.07	---	PASS
			106Tone	RU53	15.5	15.96	96.19	0.17	16.13	≤30.00	-8.00	8.13	---	PASS
	Ant10	5745	26Tone	RU0	9.5	9.56	96.23	0.17	9.73	≤30.00	-8.40	1.33	---	PASS
			52Tone	RU37	12.5	12.72	96.23	0.17	12.89	≤30.00	-8.40	4.49	---	PASS
			106Tone	RU53	15.5	15.72	96.23	0.17	15.89	≤30.00	-8.40	7.49	---	PASS



	total	5745	26Tone	RU0	---	---	---	---	12.82	≤30.00	-8.00	4.82	---	PASS
			52Tone	RU37	---	---	---	---	15.99	≤30.00	-8.00	7.99	---	PASS
			106Tone	RU53	---	---	---	---	19.02	≤30.00	-8.00	11.02	---	PASS
	Ant6	5825	26Tone	RU8	9.5	9.57	96.19	0.17	9.74	≤30.00	-8.00	1.74	---	PASS
			52Tone	RU40	12.5	12.69	96.19	0.17	12.86	≤30.00	-8.00	4.86	---	PASS
			106Tone	RU54	15.5	15.72	96.19	0.17	15.89	≤30.00	-8.00	7.89	---	PASS
	Ant10	5825	26Tone	RU8	9.5	9.25	96.23	0.17	9.42	≤30.00	-8.40	1.02	---	PASS
			52Tone	RU40	12.5	12.35	96.23	0.17	12.52	≤30.00	-8.40	4.12	---	PASS
			106Tone	RU54	15.5	15.47	96.23	0.17	15.64	≤30.00	-8.40	7.24	---	PASS
	total	5825	26Tone	RU8	---	---	---	---	12.59	≤30.00	-8.00	4.59	---	PASS
			52Tone	RU40	---	---	---	---	15.70	≤30.00	-8.00	7.70	---	PASS
			106Tone	RU54	---	---	---	---	18.78	≤30.00	-8.00	10.78	---	PASS



Maximum power spectral density

Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MIMO	Ant6	5180	26Tone	RU0	6.47	≤11.00	PASS
			52Tone	RU37	6.19	≤11.00	PASS
			106Tone	RU53	6.19	≤11.00	PASS
	Ant10	5180	26Tone	RU0	6.37	≤11.00	PASS
			52Tone	RU37	7.05	≤11.00	PASS
			106Tone	RU53	6.26	≤11.00	PASS
	total	5180	26Tone	RU0	9.37	≤11.00	PASS
			52Tone	RU37	9.60	≤11.00	PASS
			106Tone	RU53	9.23	≤11.00	PASS
	Ant6	5320	26Tone	RU8	5.92	≤11.00	PASS
			52Tone	RU40	6.48	≤11.00	PASS
			106Tone	RU54	6.03	≤11.00	PASS
	Ant10	5320	26Tone	RU8	6.92	≤11.00	PASS
			52Tone	RU40	6.88	≤11.00	PASS
			106Tone	RU54	6.65	≤11.00	PASS
	total	5320	26Tone	RU8	9.46	≤11.00	PASS
			52Tone	RU40	9.62	≤11.00	PASS
			106Tone	RU54	9.33	≤11.00	PASS
	Ant6	5500	26Tone	RU0	6.05	≤11.00	PASS
			52Tone	RU37	5.91	≤11.00	PASS
			106Tone	RU53	6.00	≤11.00	PASS
	Ant10	5500	26Tone	RU0	6.34	≤11.00	PASS
			52Tone	RU37	6.98	≤11.00	PASS
			106Tone	RU53	6.88	≤11.00	PASS
	total	5500	26Tone	RU0	9.16	≤11.00	PASS
			52Tone	RU37	9.49	≤11.00	PASS
			106Tone	RU53	9.40	≤11.00	PASS
	Ant6	5700	26Tone	RU8	6.28	≤11.00	PASS
			52Tone	RU40	6.32	≤11.00	PASS
			106Tone	RU54	6.42	≤11.00	PASS
	Ant10	5700	26Tone	RU8	6.16	≤11.00	PASS
			52Tone	RU40	5.91	≤11.00	PASS
			106Tone	RU54	6.03	≤11.00	PASS
	total	5700	26Tone	RU8	9.15	≤11.00	PASS
			52Tone	RU40	8.95	≤11.00	PASS
			106Tone	RU54	9.12	≤11.00	PASS
	Ant6	5745	26Tone	RU0	4.33	≤30.00	PASS




			52Tone	RU37	4.41	≤30.00	PASS
			106Tone	RU53	4.65	≤30.00	PASS
	Ant10	5745	26Tone	RU0	4.68	≤30.00	PASS
			52Tone	RU37	4.79	≤30.00	PASS
			106Tone	RU53	4.71	≤30.00	PASS
	total	5745	26Tone	RU0	7.52	≤30.00	PASS
			52Tone	RU37	7.61	≤30.00	PASS
			106Tone	RU53	7.69	≤30.00	PASS
	Ant6	5825	26Tone	RU8	4.76	≤30.00	PASS
			52Tone	RU40	4.61	≤30.00	PASS
			106Tone	RU54	4.85	≤30.00	PASS
	Ant10	5825	26Tone	RU8	4.53	≤30.00	PASS
			52Tone	RU40	4.59	≤30.00	PASS
			106Tone	RU54	4.69	≤30.00	PASS
	total	5825	26Tone	RU8	7.66	≤30.00	PASS
			52Tone	RU40	7.61	≤30.00	PASS
			106Tone	RU54	7.78	≤30.00	PASS



Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.



2.The Duty Cycle Factor and is compensated in the graph.






Test Graphs












































11AX20MIMO_total_5500_52Tone_RU37



11AX20MIMO_total_5500_106Tone_RU53

