


2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059






2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059








2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059








2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059



99% Bandwidth:



CTC Laboratories, Inc.


2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China



Fax: (86)755-27521011 Http://www.sz-ctc.org.cn For anti-fake verification, please visit the official website of Certification and

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : http://yz.cnca.cn






2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059








2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059








2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059








Tel.: (86)755-27521059








2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059








Tel.: (86)755-27521059








Tel.: (86)755-27521059








Tel.: (86)755-27521059








Tel.: (86)755-27521059








2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059








Tel.: (86)755-27521059








Tel.: (86)755-27521059








2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059








Tel.: (86)755-27521059








2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



EN






Tel.: (86)755-27521059

中国国家认证认可监督管理委员会 EN






2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059








Tel.: (86)755-27521059








2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059








Tel.: (86)755-27521059








Tel.: (86)755-27521059








Tel.: (86)755-27521059







2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059






3.6. Peak Output Power

<u>Limit</u>

FCC CFR Title 47 Part 15 Subpart C Section 15.247 (b)(3)

| Section | Test Item | Limit | Frequency Range (MHz) |
|---------------------------------|-----------------------------------|-----------------|--------------------------|
| FCC CFR 47 Part15.247 (b)(3) | Maximum Conducted Output Power | 1 Watt or 30dBm | 2400~2483.5 |

Test Configuration



Test Procedure

- 1. The maximum conducted output power may be measured using a broadband RF power meter.
- 2. Power measurements were performed only when the EUT was transmitting at its maximum power control level using a broadband power meter with a pulse sensor.
- 3. The power meter implemented triggering and gating capabilities which were set up such that power measurements were recorded only during the ON time of the transmitter.
- 4. Record the measurement data.

Test Mode

Please refer to the clause 2.4.



| Test Mode | Antenna | Frequency[MHz] | Result [dBm] | Limit [dBm] | Verdict |
|--------------|---------|----------------|--------------|-------------|---------|
| | Ant1 | 2412 | 18.51 | ≤30.00 | PASS |
| | Ant2 | 2412 | 18.51 | ≤30.00 | PASS |
| | Ant3 | 2412 | 18.14 | ≤30.00 | PASS |
| | Ant4 | 2412 | 18.26 | ≤30.00 | PASS |
| | Ant1 | 2437 | 19.15 | ≤30.00 | PASS |
| 11B | Ant2 | 2437 | 18.46 | ≤30.00 | PASS |
| ПВ | Ant3 | 2437 | 18.29 | ≤30.00 | PASS |
| | Ant4 | 2437 | 18.58 | ≤30.00 | PASS |
| | Ant1 | 2462 | 18.95 | ≤30.00 | PASS |
| | Ant2 | 2462 | 17.10 | ≤30.00 | PASS |
| | Ant3 | 2462 | 18.11 | ≤30.00 | PASS |
| | Ant4 | 2462 | 18.76 | ≤30.00 | PASS |
| | Ant1 | 2412 | 17.78 | ≤30.00 | PASS |
| | Ant2 | 2412 | 17.27 | ≤30.00 | PASS |
| | Ant3 | 2412 | 17.32 | ≤30.00 | PASS |
| | Ant4 | 2412 | 17.91 | ≤30.00 | PASS |
| | Ant1 | 2437 | 17.53 | ≤30.00 | PASS |
| 11G | Ant2 | 2437 | 17.42 | ≤30.00 | PASS |
| 116 | Ant3 | 2437 | 17.49 | ≤30.00 | PASS |
| | Ant4 | 2437 | 17.78 | ≤30.00 | PASS |
| | Ant1 | 2462 | 17.48 | ≤30.00 | PASS |
| | Ant2 | 2462 | 17.47 | ≤30.00 | PASS |
| | Ant3 | 2462 | 17.55 | ≤30.00 | PASS |
| | Ant4 | 2462 | 17.08 | ≤30.00 | PASS |
| | total | 2412 | 15.87 | ≤28.38 | PASS |
| 11N20MIMO | total | 2437 | 16.13 | ≤28.38 | PASS |
| | total | 2462 | 16.42 | ≤28.38 | PASS |
| | total | 2422 | 16.32 | ≤28.38 | PASS |
| 11N40MIMO | total | 2437 | 16.37 | ≤28.38 | PASS |
| | total | 2452 | 16.62 | ≤28.38 | PASS |

CTC Laboratories, Inc. 2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059 中国国家认证认可监督管理委员会 EN 中国国家认证认可监督管理委员会 Accreditation Administration of the People's Republic of China : http://yz.cnca.cn



| Test Mode | Antenna | Freq(MHz) | Ru Size | Ru Index | Peak Powert[dBm] | Conducted Limit[dBm] | Verdict |
|--------------|---------|-----------|------------|-------------|------------------|-------------------------|---------|
| | | | | RU0 | 15.20 | ≤28.38 | PASS |
| | | | 26Tone | RU4 | 15.03 | ≤28.38 | PASS |
| | | | | RU8 | 15.60 | ≤28.38 | PASS |
| | | | | RU37 | 16.21 | ≤28.38 | PASS |
| | total | 2412 | 52Tone | RU38 | 16.57 | ≤28.38 | PASS |
| | | | | RU40 | 15.83 | ≤28.38 | PASS |
| | | | 400T | RU53 | 15.72 | ≤28.38 | PASS |
| | | | 106Tone | RU54 | 15.38 | ≤28.38 | PASS |
| | | | 242Tone | RU61 | 16.65 | ≤28.38 | PASS |
| | | | | RU0 | 15.73 | ≤28.38 | PASS |
| | | | 26Tone | RU4 | 15.98 | ≤28.38 | PASS |
| | | | | RU8 | 14.74 | ≤28.38 | PASS |
| | | | | RU37 | 15.66 | ≤28.38 | PASS |
| 11AX20MIMO | total | 2437 | 52Tone | RU38 | 15.47 | ≤28.38 | PASS |
| | | | | RU40 | 14.51 | ≤28.38 | PASS |
| | | | 100Teres | RU53 | 10.21 | ≤28.38 | PASS |
| | | | 106Tone | RU54 | 16.18 | ≤28.38 | PASS |
| | | | 242Tone | RU61 | 16.51 | ≤28.38 | PASS |
| | | | | RU0 | 15.83 | ≤28.38 | PASS |
| | | | 26Tone | RU4 | 15.36 | ≤28.38 | PASS |
| | | | | RU8 | 15.28 | ≤28.38 | PASS |
| | | | | RU37 | 15.13 | ≤28.38 | PASS |
| | total | 2462 | 52Tone | RU38 | 15.32 | ≤28.38 | PASS |
| | | | | RU40 | 15.09 | ≤28.38 | PASS |
| | | | | RU53 | 15.21 | ≤28.38 | PASS |
| | | | 106Tone | RU54 | 14.64 | ≤28.38 | PASS |
| | | | 242Tone | RU61 | 16.13 | ≤28.38 | PASS |
| | | | | RU0 | 15.57 | ≤28.38 | PASS |
| | | | 26Tone | RU8 | 15.77 | ≤28.38 | PASS |
| | | | | RU17 | 16.35 | ≤28.38 | PASS |
| | | | | RU37 | 15.75 | ≤28.38 | PASS |
| | | | 52Tone | RU40 | 15.77 | ≤28.38 | PASS |
| | | 0.400 | | RU44 | 13.23 | ≤28.38 | PASS |
| | total | 2422 | | RU53 | 15.98 | ≤28.38 | PASS |
| | | | 106Tone | RU54 | 15.92 | ≤28.38 | PASS |
| | | | | RU56 | 16.10 | ≤28.38 | PASS |
| | | | 0.40T | RU61 | 15.64 | ≤28.38 | PASS |
| | | | 242Tone | RU62 | 16.05 | ≤28.38 | PASS |
| | | | 484Tone | RU65 | 16.47 | ≤28.38 | PASS |
| | | | | RU0 | 15.70 | ≤28.38 | PASS |
| | | | 26Tone | RU8 | 15.43 | ≤28.38 | PASS |
| | | | | RU17 | 15.54 | ≤28.38 | PASS |
| | | | | RU37 | 15.01 | ≤28.38 | PASS |
| | | | 52Tone | RU40 | 15.47 | ≤28.38 | PASS |
| | totol | 0407 | | RU44 | 15.28 | ≤28.38 | PASS |
| 11AX40MIMO | total | 2437 | | RU53 | 16.18 | ≤28.38 | PASS |
| | | | 106Tone | RU54 | 15.38 | ≤28.38 | PASS |
| | | | | RU56 | 15.00 | ≤28.38 | PASS |
| | | | 2427 | RU61 | 15.38 | ≤28.38 | PASS |
| | | | 242Tone | RU62 | 15.49 | ≤28.38 | PASS |
| | | | 484Tone | RU65 | 16.48 | ≤28.38 | PASS |
| | | | | RU0 | 15.65 | ≤28.38 | PASS |
| | | | 26Tone | RU8 | 15.36 | ≤28.38 | PASS |
| | | | | RU17 | 15.46 | ≤28.38 | PASS |
| | | | | RU37 | 14.92 | ≤28.38 | PASS |
| | | | 52Tone | RU40 | 15.79 | ≤28.38 | PASS |
| | 4.4.4 | 0.450 | | RU44 | 14.44 | ≤28.38 | PASS |
| | total | 2452 | | RU53 | 16.11 | ≤28.38 | PASS |
| | | | 106Tone | RU54 | 15.77 | ≤28.38 | PASS |
| | | | | RU56 | 15.26 | ≤28.38 | PASS |
| | | | 0.457 | RU61 | 15.56 | ≤28.38 | PASS |
| | | | 242Tone | RU62 | 15.15 | ≤28.38 | PASS |
| | | | 484Tone | RU65 | 16.52 | ≤28.38 | PASS |
| | | | 10110110 | 11000 | 10.02 | -20.00 | 17.00 |

中国国家认证认可监督管理委员会 EN

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059 中国国家认证认可监督管理委员会 Accreditation Administration of the People's Republic of China : http://yz.cnca.cn




3.7. Power Spectral Density

<u>Limit</u>

FCC CFR Title 47 Part 15 Subpart C Section 15.247 (e)

| Test Item | Limit | Frequency Range (MHz) | |
|------------------------|----------------------|--------------------------|--|
| Power Spectral Density | 8 dBm (in any 3 kHz) | 2400~2483.5 | |

Test Configuration



Test Procedure

1. The EUT was directly connected to the spectrum analyzer and antenna output port as show in the block diagram above.

2. The EUT was directly connected to the Spectrum Analyzer and antenna output port as show in the block diagram above. The measurement according to section 10.2 of KDB 558074 D01 DTS Meas Guidance v05r02.

3. Spectrum Setting:

Set analyzer center frequency to DTS channel center frequency.

Set the span to 1.5 times the DTS bandwidth.

Set the RBW to: 3 kHz.

Set the VBW to: 10 kHz.

Detector: peak.

Sweep time: auto.

Allow trace to fully stabilize. Then use the peak marker function to determine the maximum amplitude level.

Test Mode

Please refer to the clause 2.4.



Test Result

| TestMode | Antenna | Frequency[MHz] | Result[dBm/3-100kHz] | Limit[dBm/3kHz] | Verdict |
|-----------|---------------|----------------|-------------------------|-----------------|--------------|
| | Ant1 | 2412 | -11.49 | ≤8.00 | PASS |
| | Ant2 | 2412 | -11.39 | ≤8.00 | PASS |
| | Ant3 | 2412 | -11.46 | ≤8.00 | PASS |
| | Ant4 | 2412 | -11.25 | ≤8.00 | PASS |
| | Ant1 | 2437 | -11.01 | ≤8.00 | PASS |
| 11B | Ant2 | 2437 | -11.60 | ≤8.00 | PASS |
| 110 | Ant3 | 2437 | -11.85 | ≤8.00 | PASS |
| | Ant4 | 2437 | -12.26 | ≤8.00 | PASS |
| | Ant1 | 2462 | -11.79 | ≤8.00 | PASS |
| | Ant2 | 2462 | -12.39 | ≤8.00 | PASS |
| | Ant3 | 2462 | -12.01 | ≤8.00 | PASS |
| | Ant4 | 2462 | -11.06 | ≤8.00 | PASS |
| | Ant1 | 2412 | -14.15 | ≤8.00 | PASS |
| | Ant2 | 2412 | -15.14 | ≤8.00 | PASS |
| | Ant3 | 2412 | -14.45 | ≤8.00 | PASS |
| | Ant4 | 2412 | -13.76 | ≤8.00 | PASS |
| | Ant1 | 2437 | -14.59 | ≤8.00 | PASS |
| 11G | Ant2 | 2437 | -14.36 | ≤8.00 | PASS |
| | Ant3 | 2437 | -14.28 | ≤8.00 | PASS |
| | Ant4 | 2437 | -13.65 | ≤8.00 | PASS |
| | Ant1 | 2462 | -14.59 | ≤8.00 | PASS |
| | Ant2 | 2462 | -14.31 | ≤8.00 | PASS |
| | Ant3 | 2462 | -14.62 | ≤8.00 | PASS |
| | Ant4 | 2462 | -14.50 | ≤8.00 | PASS |
| | Ant1 | 2412 | -20.50 | ≤6.38 | PASS |
| | Ant2 | 2412 | -19.06 | ≤6.38 | PASS |
| | Ant3 | 2412 | -19.75 | ≤6.38 | PASS |
| | Ant4 | 2412 | -19.71 | ≤6.38 | PASS |
| | total | 2412 | -13.70 | ≤6.38 | PASS |
| | Ant1 | 2437 | -21.59 | ≤6.38 | PASS |
| | Ant2 | 2437 | -20.29 | ≤6.38 | PASS |
| 11N20MIMO | Ant3 | 2437 | -19.68 | ≤6.38 | PASS |
| | Ant4 | 2437 | -19.74 | ≤6.38 | PASS |
| | total | 2437 | -14.24 | ≤6.38 | PASS |
| | Ant1 | 2462 | -19.65 | ≤6.38 | PASS |
| | Ant2 | 2462 | -19.43 | ≤6.38 | PASS |
| | Ant3 | 2462 | -19.56 | ≤6.38 | PASS |
| | Ant4 | 2462 | -19.33 | ≤6.38 ≤6.38 | PASS PASS |
| | total | 2462 | -13.47 | | |
| | Ant1 | 2422 2422 | -22.54 -21.27 | ≤6.38 ≤6.38 | PASS PASS |
| | Ant2 | 2422 | | ≤0.38 ≤6.38 | PASS |
| | Ant3 | | -20.58 | | |
| | Ant4 | 2422 2422 | -20.38 | ≤6.38 <6.29 | PASS |
| | total | 2422 | -15.09 | ≤6.38 <6.29 | PASS PASS |
| | Ant1 Ant2 | 2437 | -20.29 -21.27 | ≤6.38 <6.29 | PASS |
| 11N40MIMO | | 2437 | -21.27 -19.23 | ≤6.38 ≤6.38 | PASS |
| | Ant3 | | | | |
| | Ant4 | 2437 | -21.49 | ≤6.38 <6.29 | PASS PASS |
| | total Ant1 | 2437 2452 | <u>-14.45</u> -21.03 | ≤6.38 ≤6.38 | PASS PASS |
| | | | | | PASS |
| | Ant2 | 2452 2452 | -22.08 -21.77 | ≤6.38 ≤6.38 | PASS PASS |
| | Ant3 Ant4 | 2452 | -21.77 -21.56 | ≤6.38 ≤6.38 | PASS |
| | 401/1 | 7457 | -/1.50 | 5n.38 | PASS |

CTC Laboratories, Inc.

EN 中国国家认证认可监督管理委员会

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059 中国国家认证认可监督管理委员会 Accreditation Administration of the People's Republic of China : http://yz.cnca.cn



| TestMode | Antenna | Freq(MHz) | RuSize | RuIndex | Result | Limit | Verdict |
|------------|---------|-------------|--------------------|--------------|------------------|----------------|--------------|
| 1000110000 | 7 | 1109(11112) | | | [dBm/3kHz] | [dBm/3kHz] | |
| | Ant1 | | 26Tone 52Tone | RU4 RU38 | -15.81 | ≤6.38 ≤6.38 | PASS PASS |
| | | 2412 | | RU38 RU53 | -15.53 | ≤6.38 ≤6.38 | PASS |
| | | | 106Tone 242Tone | RU53 RU61 | -18.65 -19.41 | ≤0.38 ≤6.38 | PASS |
| | | | 2421011e 26Tone | RU4 | -14.34 | ≤6.38 | PASS |
| | | | 52Tone | RU38 | -16.18 | ≤6.38 | PASS |
| | Ant2 | 2412 | 106Tone | RU53 | -18.65 | ≤6.38 | PASS |
| | | | 242Tone | RU61 | -19.47 | ≤6.38 | PASS |
| | | | 26Tone | RU4 | -15.43 | ≤6.38 | PASS |
| | | | 52Tone | RU38 | -14.44 | ≤6.38 | PASS |
| | Ant3 | 2412 | 106Tone | RU53 | -18.77 | ≤6.38 | PASS |
| | | | 242Tone | RU61 | -19.76 | ≤6.38 | PASS |
| | | | 26Tone | RU4 | -16.12 | ≤6.38 | PASS |
| | Ant4 | 2412 | 52Tone | RU38 | -14.73 | ≤6.38 | PASS |
| | Ant4 | 2412 | 106Tone | RU53 | -17.45 | ≤6.38 | PASS |
| | | | 242Tone | RU61 | -18.45 | ≤6.38 | PASS |
| | | | 26Tone | RU4 | -9.35 | ≤6.38 | PASS |
| | total | 2412 | 52Tone | RU38 | -9.15 | ≤6.38 | PASS |
| | total | | 106Tone | RU53 | -12.32 | ≤6.38 | PASS |
| | | | 242Tone | RU61 | -13.22 | ≤6.38 | PASS |
| | | | 26Tone | RU4 | -20.77 | ≤6.38 | PASS |
| | Ant1 | 2437 | 52Tone | RU38 | -15.80 | ≤6.38 | PASS |
| | | | 106Tone | RU53 | -21.51 | ≤6.38 | PASS |
| | | | 242Tone | RU61 RU4 | -19.99 | ≤6.38 | PASS PASS |
| | | | 26Tone | RU38 | -22.50 | ≤6.38 <6.28 | PASS |
| | Ant2 | 2437 | 52Tone 106Tone | RU36 RU53 | -16.31 -23.20 | ≤6.38 ≤6.38 | PASS |
| | | | 242Tone | RU61 | -19.91 | <u>≤</u> 6.38 | PASS |
| | | | 2421011e | RU4 | -21.69 | ≤6.38 | PASS |
| | Ant3 | 2437 | 52Tone | RU38 | -16.28 | ≤6.38 | PASS |
| 11AX20MIMO | | | 106Tone | RU53 | -22.16 | ≤6.38 | PASS |
| | | | 242Tone | RU61 | -21.09 | ≤6.38 | PASS |
| | Ant4 | | 26Tone | RU4 | -22.48 | ≤6.38 | PASS |
| | | 0.407 | 52Tone | RU38 | -17.00 | ≤6.38 | PASS |
| | | 2437 | 106Tone | RU53 | -21.94 | ≤6.38 | PASS |
| | | | 242Tone | RU61 | -20.27 | ≤6.38 | PASS |
| | | | 26Tone | RU4 | -15.78 | ≤6.38 | PASS |
| | total | 0407 | 52Tone | RU38 | -10.31 | ≤6.38 | PASS |
| | total | 2437 | 106Tone | RU53 | -16.14 | ≤6.38 | PASS |
| | | | 242Tone | RU61 | -14.27 | ≤6.38 | PASS |
| | | 2462 | 26Tone | RU4 | -13.76 | ≤6.38 | PASS |
| | Ant1 | | 52Tone | RU38 | -14.08 | ≤6.38 | PASS |
| | 7 4101 | | 106Tone | RU53 | -12.96 | ≤6.38 | PASS |
| | | | 242Tone | RU61 | -20.05 | ≤6.38 | PASS |
| | | | 26Tone | RU4 | -13.61 | ≤6.38 | PASS |
| | Ant2 | 2462 | 52Tone | RU38 | -16.27 | ≤6.38 | PASS |
| | | | 106Tone | RU53 | -15.40 | ≤6.38 | PASS |
| | | | 242Tone | RU61 | -20.86 | ≤6.38 | PASS |
| | | | 26Tone | RU4 | -13.86 | ≤6.38 <6.28 | PASS |
| | Ant3 | 2462 | 52Tone 106Tone | RU38 RU53 | -17.07 -14.44 | ≤6.38 <6.38 | PASS PASS |
| | | | 242Tone | RU53 RU61 | -14.44 -20.29 | ≤6.38 ≤6.38 | PASS |
| | | | 242101e 26Tone | RU61 RU4 | -20.29 | ≤6.38 | PASS |
| | | | 52Tone | RU38 | -14.04 -16.40 | ≤0.38 ≤6.38 | PASS |
| | Ant4 | 2462 | 106Tone | RU53 | -14.94 | ≤6.38 | PASS |
| | | | 242Tone | RU61 | -19.68 | ≤6.38 | PASS |
| | | | 26Tone | RU4 | -7.79 | ≤6.38 | PASS |
| | | | 52Tone | RU38 | -9.78 | ≤6.38 | PASS |
| | total | 2462 | 106Tone | RU53 | -8.31 | ≤6.38 | PASS |
| | | | 242Tone | RU61 | -14.18 | ≤6.38 | PASS |
| | Ant1 | 2422 | 26Tone | RU8 | -13.61 | ≤6.38 | PASS |
| 11AX40MIMO | | | | | | | |

中国国家认证认可监督管理委员会 EN

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059 中国国家认证认可监督管理委员会

Accreditation Administration of the People's Republic of China : http://yz.cnca.cn



| | | 106Tone | RU54 | -20.05 | ≤6.38 | PASS |
|-------|----------|-------------------------------|----------------------|----------------------------|-------------------------|----------------------|
| | | 242Tone | RU61 | -22.08 | ≤6.38 | PASS |
| | | 484Tone | RU65 | -22.19 | ≤6.38 | PASS |
| | | 26Tone | RU8 | -14.45 | ≤6.38 | PASS |
| | | 52Tone | RU40 | -16.43 | ≤6.38 | PASS |
| Ant2 | 2422 | 106Tone | RU54 | -20.82 | ≤6.38 | PASS |
| | | 242Tone | RU61 | -21.96 | ≤6.38 | PASS |
| | | 484Tone | RU65 | -22.75 | ≤6.38 | PASS |
| | | 26Tone | RU8 | -13.66 | ≤6.38 | PASS |
| | | 52Tone | RU40 | -17.11 | ≤6.38 | PASS |
| Ant3 | 2422 | 106Tone | RU54 | -20.26 | ≤6.38 | PASS |
| | | 242Tone | RU61 | -21.97 | ≤6.38 | PASS |
| | | 484Tone | RU65 | -23.13 | ≤6.38 | PASS |
| | | 26Tone | RU8 | -14.37 | ≤6.38 | PASS |
| | 0.400 | 52Tone | RU40 | -16.72 | ≤6.38 | PASS |
| Ant4 | 2422 | 106Tone | RU54 | -20.11 | ≤6.38 | PASS |
| | | 242Tone | RU61 | -22.16 | ≤6.38 | PASS |
| | | 484Tone | RU65 | -22.46 | ≤6.38 | PASS |
| | | 26Tone | RU8 | -7.98 | ≤6.38 | PASS |
| tatal | 0400 | 52Tone | RU40 | -10.52 | ≤6.38 | PASS |
| total | 2422 | 106Tone | RU54 | -14.28 | ≤6.38 | PASS |
| | | 242Tone | RU61 | -16.02 | ≤6.38 ≤6.38 | PASS PASS |
| | | 484Tone 26Tone | RU65 RU8 | -16.60 -14.32 | ≤6.38 | PASS |
| | | 52Tone | RU40 | -14.32 | ≤6.38 | PASS |
| Ant1 | 2437 | 106Tone | RU54 | -20.42 | ≤6.38 | PASS |
| Ann | 2437 | 242Tone | RU61 | -22.15 | ≤6.38 | PASS |
| | | 484Tone | RU65 | -21.99 | ≤6.38 | PASS |
| | | 26Tone | RU8 | -14.40 | ≤6.38 | PASS |
| | | 52Tone | RU40 | -18.23 | <u>≤6.38</u> | PASS |
| Ant2 | 2437 | 106Tone | RU54 | -21.74 | ≤6.38 | PASS |
| , | 2101 | 242Tone | RU61 | -23.08 | ≤6.38 | PASS |
| | | 484Tone | RU65 | -22.10 | ≤6.38 | PASS |
| | | 26Tone | RU8 | -14.67 | ≤6.38 | PASS |
| | | 52Tone | RU40 | -17.31 | ≤6.38 | PASS |
| Ant3 | 2437 | 106Tone | RU54 | -20.85 | ≤6.38 | PASS |
| | | 242Tone | RU61 | -22.74 | ≤6.38 | PASS |
| | | 484Tone | RU65 | -22.62 | ≤6.38 | PASS |
| | | 26Tone | RU8 | -15.00 | ≤6.38 | PASS |
| | | 52Tone | RU40 | -16.81 | ≤6.38 | PASS |
| Ant4 | 2437 | 106Tone | RU54 | -20.94 | ≤6.38 | PASS |
| | | 242Tone | RU61 | -22.87 | ≤6.38 | PASS |
| | | 484Tone | RU65 | -23.16 | ≤6.38 | PASS |
| | | 26Tone | RU8 | -8.57 | ≤6.38 | PASS |
| | | 52Tone | RU40 | -11.26 | ≤6.38 | PASS |
| total | 2437 | 106Tone | RU54 | -14.94 | ≤6.38 | PASS |
| | | 242Tone | RU61 | -16.68 | ≤6.38 | PASS |
| | <u> </u> | 484Tone | RU65 | -16.42 | ≤6.38 | PASS |
| | | 26Tone | RU8 | -14.79 | ≤6.38 | PASS |
| A 1 4 | 0.450 | 52Tone | RU40 | -15.86 | ≤6.38 | PASS |
| Ant1 | 2452 | 106Tone | RU54 | -18.41 | ≤6.38 | PASS |
| | | 242Tone | RU61 | -22.57 | ≤6.38 | PASS |
| | | 484Tone | RU65 | -21.70 | ≤6.38 | PASS |
| | | 26Tone | RU8 | -15.32 | ≤6.38 <6.38 | PASS |
| Ant2 | 2452 | 52Tone | RU40 RU54 | -16.83 -20.34 | ≤6.38 ≤6.38 | PASS PASS |
| Anz | 2402 | 106Tone 242Tone | RU54 RU61 | -20.34 -22.32 | ≤0.38 ≤6.38 | PASS |
| | | 484Tone | RU61 | -22.32 -22.27 | <u>≤</u> 6.38 | PASS |
| | + | 26Tone | RU8 | -22.27 -14.81 | <u>≤</u> 6.38 | PASS |
| | | ZUIUNE | | -14.81 | ≤6.38 | PASS |
| | | 52Topo | | -1/. 4 U | | FA33 |
| Ant3 | 2452 | 52Tone | RU40 | | | |
| Ant3 | 2452 | 106Tone | RU54 | -19.34 | ≤6.38 | PASS |
| Ant3 | 2452 | 106Tone 242Tone | RU54 RU61 | -19.34 -22.74 | ≤6.38 ≤6.38 | PASS PASS |
| Ant3 | 2452 | 106Tone 242Tone 484Tone | RU54 RU61 RU65 | -19.34 -22.74 -23.42 | ≤6.38 ≤6.38 ≤6.38 | PASS PASS PASS |
| Ant3 | 2452 | 106Tone 242Tone | RU54 RU61 | -19.34 -22.74 | ≤6.38 ≤6.38 | PASS PASS |

中国国家认证认可监督管理委员会 EN

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059 中国国家认证认可监督管理委员会 Accreditation Administration of the People's Republic of China : http://yz.cnca.cn



| | | | 242Tone | RU61 | -23.02 | ≤6.38 | PASS |
|--|-------|------|---------|----------------|--------|-------|------|
| | | | 484Tone | RU65 | -23.00 | ≤6.38 | PASS |
| | | | 26Tone | RU8 | -8.89 | ≤6.38 | PASS |
| | | | 52Tone | ne RU40 -10.62 | -10.62 | ≤6.38 | PASS |
| | total | 2452 | 106Tone | RU54 | -13.56 | ≤6.38 | PASS |
| | | | 242Tone | RU61 | -16.63 | ≤6.38 | PASS |
| | | | 484Tone | RU65 | -16.53 | ≤6.38 | PASS |

CTC Laboratories, Inc. 2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China Tel.: (86)755-27521059 下 中国国家认证认可监督管理委员会