



No. I22Z61006-SEM10

For

BLU Products, Inc

Mobile Phone

Model Name: B200VL

With

Hardware Version: V1.0

Software Version:

BLU_B200VL_V11.0.02.05.02.02

FCC ID: YHLBLUB200VL

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

Test Laboratory:

CTTL, Telecommunication Technology Labs, CAICT

No. 52, Huayuan North Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62304633-2512, Fax:+86(0)10-62304633-2504


Email: ctl_terminals@caict.ac.cn, website: www.caict.ac.cn




Picture 1: Constituents of the sample




Picture 2: Constituents of the sample



Picture 3: Left Head Touch Cheek Position



Picture 4: Left Head Tilt 15° Position



Picture 5: Right Head Touch Cheek Position



Picture 6: Right Head Tilt 15° Position

Test positions for body:

The Body SAR is tested at the following 3 test positions all with the distance =15mm between the EUT and the phantom bottom:



Picture 7: Close Front 15mm



Picture 8: Close Rear 15mm



Picture 9: Open Close 15mm



Picture 10: Headset