

正面

尺寸为：89*141.5mm

English

Notice of compliance

The device complies with the FCC rules, Part 15. Operation is subject to the following two conditions:

1. This device may not cause harmful interference, and
2. This device must accept any interference received, including interference that may cause undesired operation.

FCC rules

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Relocate the receiving antenna.
- Increase the separation between equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC Radiation Exposure Statement:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

Canada:

This device complies with Industry Canada licence-exempt RSS standard(s). Operation is subject to the following Two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

CAN ICES(B)/NMB-3(B)

IC Radiation Exposure Statement:

This equipment complies with Canada radiation exposure limits set forth for uncontrolled environments.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

Caution: The user is cautioned that changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.



反面

French

Avis de conformité

Cet appareil satisfait aux règlements de la FCC partie 15 du Code of Federal Regulations. Son fonctionnement est assujéti aux deux conditions suivantes :

1. Cet appareil ne doit pas causer d' interférence recepr éjudiciable et
2. L' appareil doit accepter toute interf érence reçue, y compris les interf érences qui peuvent causer un fonctionnement non d ésir é.

R èglement de la FCC

Cet é quipement a é t é test é et jug é compatible avec les limites s' appliquant aux appareils num ériques de la classe B, conform ément à l' article 15 du r èglement de la FCC. Ces limites sont é t é d é finies pour fournir une protection raisonnable contre les interf érences nuisibles dans le cadre d' une installation résidentielle.

Cet é quipement g é n è re, utilise et peut é mettre de l' é nergie radiofr é quence et, s' il n' est pas install é ni utilis é conform ément aux instructions, peut causer des interf érences g é nantes pour les communications radio.

Rien ne garantit toutefois que des interf érences ne surviendront pas dans une installation particuli è re. Si cet é quipement cause des interf érences nuisibles pour la r é ception de la radio ou de la t é l é vision, ce qui peut é tre d é termin é en mettant l' é quipement hors tension puis sous tension, l' utilisateur devra essayer de corriger ces interf érences en effectuant une ou plusieurs des op é rations suivantes :

D é placez l' antenne de r é ception.

Augmentez la distance entre l' é quipement et le r é cepteur.

Branchez l' é quipement à une prise d' un circuit autre que celui sur lequel le r é cepteur est branch é.

Consultez le d é taillant ou un technicien de radiot é l é vision exp é riment é.

Canada :

Le pr é sent appareil est conforme aux CNR d' Industrie Canada applicables aux appareils radio exempts de licence. L' exploitation est autoris é e aux deux conditions suivantes :

(1) l' appareil ne doit pas produire de brouillage, et (2) l' utilisateur de l' appareil doit accepter tout brouillage radio é lectrique subi, m ê me si le brouillage est susceptible d' en compromettre le fonctionnement.

CAN ICES(B)/NMB-3(B)

D éclaration d' IC sur l' exposition aux radiations:


Cet é quipement est conforme aux limites d' exposition aux radiations d é finies par le Canada pour des environnements non contról é s.

Cet é metteur ne doit pas é tre install é au m ê me endroit ni utilis é avec une autre antenne ou un autre é metteur.



SHB5250/00

**Two folding paper with 1 color printing:
Finished size – W89 x H144 mm**




TPV				Template version 2.0 TPV - B - 019 - 06 Confidential			
Version history					QSG ARTWORK		Scale: 100% Unit: mm
Project: SHB5250/00				Design Lead: Liza Lau		DO NOT ERASE THIS TABLE	
Version	Summary of updates	Approved for use by	Date	Version	Summary of updates	Approved for use by	Date
v1.0	layout information change	Liza Lau	20160721	v2.5	change pages total	Liza Lau	20170810
v2.0	artwork release (CP#: HPS_016060002)	Liza Lau	20160822	v2.6	change the power off from 5 sec to 7 sec	Liza Lau	20170811
v2.1	update the info and change the pairing time from 5 to 7 sec. (CP#: HPS_016060002)	Liza Lau	20170717	v3.0	artwork release	Liza Lau	20170811
v2.2	update the icons	Liza Lau	20170718	v3.1	*Update trademark *Company change from Gibons innovation to MMD Hong Kong Holding limited	Logan	20181023
v2.3	add one 2 pages and the NOM label	Liza Lau	20170719	...	...	...	...
v2.4	update the number of the NOM label	Liza Lau	20170728	...	...	...	...

MINAMI Acoustics Limited	项目名称: SHB5250BK/00	内部型号: MB-8003F-N00
	料号: 874-1H271408L2-0	
	描述: SHB5250BK/00/27 QSG 80G纸版 双面印 1c 展开尺寸267x144mm 折后 89x144mm 折2折 V3.0版 (无油墨)	
	尺寸: (267x144) mm	公差: +/- 0.5mm
	客户: Gibson	参考: RD-WI-48 A0 包装彩盒彩卡通用标准
发料前料号: 874-1H271408L2-2	变更原因: 变更V3.0	
发行者: 赖丽荣	发行日期: 2017-8-11	

SHQ6500

Two folding paper with 1 color printing:
Finished size – W89 x H144 mm



TPV

Template version 2.0 | TPV - B - 019 - 06 | Confidential

Version history

QSG ARTWORK

Scale:100%
Unit: mm

Project: SHQ6500

I Design Lead: Simon Waterhouse

DO NOT ERASE THIS TABLE

Version	Summary of updates	Approved for use by	Date	Version	Summary of updates	Approved for use by	Date
v1.0	layout changed	Simon Waterhouse	20160721	v3.4	add the statement for Mexico	Liza Lau	20170808
v2.0	artwork release (CP#: HPS_016060001)	Simon Waterhouse	20160826	v3.5	remove the Taiwan text and 1 page	Liza Lau	20170810
v3.0	artwork release (CP306)	Simon Waterhouse	20170118	v4.0	artwork release	Liza Lau	20170811
v3.1	update the info and change the pairing time from 5 to 7 sec. (CP#: HPS_016060002)	Liza Lau	20170717	v4.1	*New copyright *Company change from Gibons innovation to MMD Hong Kong Holding limited	Logan	20181016
v3.2	update the icons	Liza Lau	20170718	...	...	...	...
v3.3	add the NOM label and one more page	Liza Lau	20170807	...	...	...	...

项目名称: SHQ65008L/00	内部型号: MB-8016D-N00
料号: 874-1H271408Q2-2	
描述: SHQ65008L/00/27 QSG 80G书壳, 双面印L 展开尺寸267x144mm 折后 89x144mm 折2折 V4.0版 (无图案)	
尺寸: (267*144) mm	公差: +/- 0.5mm
客户: Gibson	参考: RU-W48 A0 包装彩盒彩卡通用标准
产前料号: 874-1H271408Q2-2	变更原因: 客户改V4.0版
发行者: 赖丽荣	发行日期: 2017-8-11