

Diivoo

Bluetooth Dual Water Timer

WT-05

USER MANUAL

WT-05

Need Help?
✉ support@diivoosmart.com



Thank You

If you have any questions, please feel free to contact us firstly.
We are always here for you.

Specification:

Bluetooth Range	49.2ft without interference
Working Water Pressure	7.25-116 psi
Working Temperature	40.1°F-113°F (4.5°C-45°C)
Rain Delay Time	1 day and up to 7 days
Waterproof	IPX5


4. Initial Smart Life App Setup

- 4 Add a Device**
Tap "Add device" or "+" to add the smart device in app. Select "Industry&Agriculture" > "Water valve controller(BLE)".

Waiting for connecting to be 100%. Edit the name of your water timer completed.



5. Meet the Diivoo App Home Screen



Schedule for Zone 2
Setting Weather
Zone2 Custom image
Manual watering Function
Schedule for Zone 1

1. Warm Tips :

- The best range for connection and control is within 49.2ft in the open area.
- The Bluetooth water timer does not support Alexa & Google voice or remote control.
- Do not use your timer when the air temperature is below 40°F(4.5°C), the timers should be removed from the hose faucet and stored indoors to avoid potential frozen damage.
- Filter can trap dirt particles, please clean filter regularly and replace if worn.
- Please replace batteries when the low battery indicator appears the display. When replacing the power unit, please make sure that the water timer is dry.
- To prevent leakage, make sure that the water timer is tightly attached to the faucet and hose, add rubber washer and thread seal tape if necessary.

- Note:**
- (1) The water flow is reduced by half when the two zones are turned on at the same time.
 - (2) The water flow in two zones may be different if you turn on one zone first and then turn on the other zone.

3. Initial Water Timer Setup


1 Insert Four AA Batteries

- Remove the tray on the back of the timer by sliding or pulling it out.
- Insert four AA (1.5V) alkaline batteries and replace the tray. Please do not mix alkaline, standard (carbon-zinc), or rechargeable batteries.

Note:

- Need to pull out forcefully when installing the battery.
- The Battery slot cannot be inserted backwards, forcibly inserting it will cause damage to the battery slot.

- 2 Install the Timer**
Connect the timer to an outdoor hose faucet. Your timer is now ready to be used with any product that can be attached to a standard hose faucet.




- 3 Open the Smart Life App**
Create an account or login with an existing account to begin timer setup.

- 3 Turn on Your Water**
The water must remain on for the timer to work properly.

2. Meet the Diivoo Dual Hose Faucet Timer

- Hose Faucet Connection**
Filter
LED Light
ON/OFF Button
Outlet Fitting NH3/4in

2. Meet the Diivoo Dual Hose Faucet Timer




2 Enter configuration Mode

- Long press either of the "On/Off button" for 6s until the two green lights flash quickly at the same time to keep the water timer in pairing mode.

3 Open the Smart Life App

Create an account or login with an existing account to begin timer setup.

- 3 Turn on Your Water**
The water must remain on for the timer to work properly.



1 Click the "Set time" and "+" button to add a watering schedule.

2 Two irrigation modes:

① Timed Watering Schedule: Water at a specific time. At this mode, you can:

Select **(Start time)** to decide when you want the device to start watering.

Select **(Irrigation Duration)** choose the time of day you want to watering.

Select days of the week to decide which day or days you want watering.

② Cyclical Watering Schedule: Cycle watering within the set start and end time. At this mode, you can:

Select **(Start time)** to decide when you want the device to start watering and Select **(End time)** to stop watering.

Select days of the week to decide which day or days you want watering.

(Interval Time) Set a interval time.

(Irrigation Duration) Determine how long to water.

Note: When setting the Cyclical Watering Schedule, the Irrigation Duration plus Interval Time shall not exceed the interval of the start time to end time



After setting the watering schedule, the watering icon will be displayed under the weather icon.

6. Additional Water Timer Features

1 Manual Watering

Your timer has the ability to allow you to manually water without disturbing the programmed schedule. Manual is used to test equipment, run an extra watering cycle in an area, or to use the hose faucet without removing the timer.

Click the button to activate manual watering.

Using the app you can click to see how long you want manual watering time to run for the "work time", also remaining watering time will be displayed.

2 Stop Watering

You can stop the flow of water at any time whether it is during manual watering, or during a programmed time. Click the button once again to stop watering. (NOTE: icon without water droplets)

- odd day: Water on odd days of the month (e.g. 1,3,5..)
- even day: Water on even days of the month (e.g. 2,4,6..)
- every few days: Interval watering time

- If you select every 2 days, mark watering every other/second day (can be set to 1-31days)

3 Rain Delay Function

The rain delay function allows you to postpone watering for 1 day and up to 7 days due to rain when the ground is already wet. Click the button to activate manual watering. Using the app you can click set how long you want the preset rain delay feature.

7. Troubleshooting

Q1: Why the Bluetooth water timer didn't turn on/off at preset time?

A1:

- Programming is incorrect
- Water pressure is too low
- Particles of dirt or debris stuck in valve
- More than one start time is programmed with overlapping schedules
- Manual watering is on
- Faulty valve
- The batteries were low
- The faucet is off.

Q2: Why Bluetooth keeps dropping connection?

A2:

- The timer have 1 year warranty since the day of purchase. If you have any questions, please feel free to contact via support@diivoomart.com.
- We will follow up and respond within 24 hours.
- The following conditions are not included:



- Problems occur due to its use for other purposes, or improper use or use of components not supplied by Diivoo.
- Damages caused by improper use, for example, wrong of power supply, artificial damage, etc.

Q3: Why is the water valve out of little water?

A3:

If your are gravity feed system such as rain barrel system, then it won't work and will keep low water pressure. Gravity feed has no real pressure when dealing with a rain barrel. It needs pressure measuring.

8. Support

The timer have 1 year warranty since the day of purchase. If you have any questions, please feel free to contact via support@diivoomart.com. We will follow up and respond within 24 hours.

- The following conditions are not included:

- Problems occur due to its use for other purposes, or improper use or use of components not supplied by Diivoo.
- Damages caused by improper use, for example, wrong of power supply, artificial damage, etc.

FCC Caution.

(1)§ 15.19 Labelling requirements.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

§ 15.21 Changes or modification warning

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

§ 15.105 Information to the user.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

RF warning for Mobile device:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.