

- NOTES:
1. PARENTHETICAL ITEM IDENTIFICATION DENOTES (ITEM FIND NO.-QTY).
 2. REFERENCE DESIGNATORS ARE USED IN LIEU OF ITEM FIND NUMBERS.
 3. 580-6520-001 MAY BE UTILIZED ON THIS ASSEMBLY.
 4. TO BE TESTED AT A HIGHER LEVEL.
 5. SOLDER PER COMMERCIAL REQUIREMENTS (580-5178-000).
 6. MAXIMUM Z TOP DIMENSION SHALL NOT EXCEED .470.
MAXIMUM Z BOTTOM DIMENSION SHALL NOT EXCEED .200.
 7. MARK REV LETTER FOLLOWING THE APPROPRIATE LETTERS REV PER 839-0497-001.
ASSEMBLY IDENTIFIED BY APPLICATION OF MARKING REQUIREMENTS ON FAB PART.
 8. MAXIMUM LEAD PROTRUSION TO BE .100.
 9. "T" DESIGNATES BOARD TOP SURFACE.
 10. PER MANUFACTURING, PROJECT OR CONTRACT REQUIREMENTS, MARK THE
MANUFACTURING CONTROL NUMBER FOLLOWING THE LETTERS MCN PER 839-0497-001.
 11. DESIGNATORS E1-12,TP1,3,20-31,33-57,60,61 AND P1 ARE FOR REFERENCE ONLY.
 12. POSTCOAT TOP AND BOTTOM SIDES PER 580-5458-001.
CROSSHATCHED AREAS TO BE FREE OF POSTCOAT, TOP AND BOTTOM.
 13. ALL JUMPER WIRE, IF APPLICABLE, IS 36 GAUGE OR LARGER ETCHED TEFLON
INSULATED WIRE, U.O.S. BOND WIRE(S) TO BOARD PER 580-5573-001. ROUTING
OF JUMPERS OPTIONAL U.O.S.
 14. FINELINE/FINEPITCH TECHNOLOGY UTILIZED WITH .005 CIRCUIT LINES
AND .008 MINIMUM CONDUCTOR SPACINGS.
 15. NO EXCESS SOLDER SHALL BE USED ON CROSSHATCHED AREAS ON BOTTOM SIDE.
 16. TOP SURFACE AND INDICATED AREAS ON SIDES OF ITEMS 56-64 TO BE FREE
OF POSTCOAT. SEE DETAIL B FOR REFERENCE.
 17. ROUTE W1 AS SHOWN AND BOND TO ITEM 1 USING ITEM 2 PER 580-5205-010.
 18. REWORK WILL CONFORM TO PROCESS REQUIREMENTS.
 19. LAP SOLDER WHERE INDICATED BY ◀ .
 20. APPLY ITEM 248 TO BOARD, TRIM AS REQUIRED BOND ITEMS 135, C140 AND C998
TO ITEM 248 USING ITEM 249 PER 839-0507-001.
 21. SOLDER ITEMS 56-64 TO EACH OTHER AT SHIELD INTERSECTIONS AND TO ITEM 1
AT TABS ONLY.
 22. APPLY ITEM 251 TO BOARD, TRIM AS REQUIRED. BOND ITEM 153 TO ITEM 251 USING
ITEM 249 PER 839-0507-001.
 23. APPLY ITEM 252 TO BOARD, TRIM AS REQUIRED. BOND ITEM 250 TO ITEM 252 USING
ITEM 249 PER 839-0507-001.
 24. APPLY ITEM 252 TO BOARD, TRIM AS REQUIRED. BOND C116 AND C999 TO ITEM 252
USING ITEM 249 PER 839-0507-001.
 25. BOND C1000 TO TOP OF C80, C1001 ON TOP OF R116, C1003 ON TOP OF C972,
R1000 ON TOP OF U6, C1004 ON TOP OF R29, C1005 ON TOP OF R33, C1006 ON
TOP OF R52, C1007 ON TOP OF R188, USING ITEM 249 PER 839-0507-001.
 26. BOND ITEMS 18 AND 19 TO ITEM 1 USING ITEM 2 PER 580-5205-010.
 27. REMOVE SOLDERMASK FROM AREAS INDICATED.
 28. INSTALL C232 OR C233 ACROSS INDICATED LEADS OF U11 OR U17. SOLDER BRIDGE IS
ACCEPTABLE.
 29. SEE NOTES 20,22,23,24,AND 25.
 30. BY DESIGN, ITEM 17, MIDDLE TERMINATION POINT WILL NOT MEET OVERHANG
REQUIREMENTS FOR END TERMINATION.
 31. ONE END OF C1002 WILL EXCEED 33% OVERHANG OF PAD.

SCHEMATIC AND FAB BOARD APPLICABILITY REF. TABLE					
SCHEMATIC	ALT LTR	FAB BOARD	ALT LTR	CKT CARD ASSY	ALT LTR
828-8586-002	-	826-0007-456	-	828-3186-002	-
828-8586-002	A	826-0007-456	A	828-3186-002	A
828-8586-002	B	826-0007-456	A	828-3186-002	B
828-8586-002	B	826-0007-456	B	828-3186-002	C

REVISIONS			
LTR	DESCRIPTION	DATE	APVD
A	RL0484	12/11/2000	CDP
B	RL4407	02/06/2001	KH
C	RM1402	07/02/2001	KH

4	87	705-2438-400	RESISTOR, 7.5 k	R716,717,733,734	2	49	353-8137-090	DIODE, BAW100	CR901,902
5	86	705-2438-350	RESISTOR, 5.11 k	R121,127,128,208,912	2	48	353-8136-060	DIODE, BAS40-06	CR706,708
8	85	705-2438-330	RESISTOR, 4.75 k	R2,22,166,230-232,403,404	1	47	353-8136-050	DIODE, BAS40-05	CR707
					1	46	353-8136-040	DIODE, BAS40-04	CR705
5	84	705-2438-260	RESISTOR, 3.32 k	R96,134,144,154,214	5	45	353-8135-040	DIODE, MMBD914X	CR6,7,13,18,942
2	83	705-2438-210	RESISTOR, 2.43 k	R105,106	4	44	353-8135-010	DIODE, MMBD6050X	CR19,20,106,107
3	82	705-2438-180	RESISTOR, 2.21 k	R3,145,212	1	43	353-8133-010	DIODE, MMBZ5226B	VR800
7	81	705-2438-120	RESISTOR, 1.62 k	R81,108,131,156,229,236,238	1	42	353-8127-130	DIODE, MMBZ5226LT1	VR1
					1	41	353-8127-030	DIODE, MMBZ5230BLT1	VR2
24	80	705-2438-050	RESISTOR, 1 k	R20,25,66,69,117,122	5	40	352-9114-020	TRANSISTOR, 2907A	Q11,15,103,701,702
				158,165,178,179,206,207,233,407,408,719-722,731,732,736-738	2	39	352-9113-020	TRANSISTOR, 2222A	Q13,16
					6	38	352-9113-010	TRANSISTOR, 2222A	Q2-5,7,8
					1	35	352-1302-130	TRANSISTOR, MBT3946DW1	Q12
					2	34	352-1302-080	TRANSISTOR, MBT3904DW1	Q14,107
4	79	705-2437-920	RESISTOR, 619	R218,772,775,778	1	33	352-1302-070	TRANSISTOR, MBT3906DW1	Q105
4	78	705-2437-890	RESISTOR, 511	R120,146,718,735	2	32	352-0838-010	TRANSISTOR, 85634	Q6,9
1	77	705-2437-860	RESISTOR, 475	R751	3	31	351-9604-590	IC, INA-10386	U11,17,1000
4	76	705-2437-760	RESISTOR, 274	R723,728,807,808	2	30	351-9603-820	IC, TRF2050	U101,105
2	75	705-2437-690	RESISTOR, 221	R845,846	1	29	351-9603-470	IC, LM60CIM3	U909
5	74	705-2437-660	RESISTOR, 200	R79,109,194,815,913	1	28	351-4120-010	IC, RF2464	U804
1	73	705-2437-630	RESISTOR, 182	R201	1	27	351-1392-180	IC, 082	U400
10	72	705-2437-480	RESISTOR, 100	R5,10,57,65,170-173,196,210	1	26	351-0414-020	IC, 1129	U202
					6	25	351-0349-010	IC, LM837M	U1,3,5,6,15,710
4	71	705-2437-370	RESISTOR, 68.1	R39,41,184,200	2	24	343-0124-000	SCREW, .086-56X.25	
10	70	705-2437-300	RESISTOR, 51.1	R42,67,113,114,135,136,182,192,841,842	2	23	313-0037-000	NUT,PLAIN,HEX,0.086-56	
					2	22	310-0275-000	WASHER,LOCK	
1	69	705-2437-210	RESISTOR, 30.1	R97	4	21	310-0129-000	WASHER,FLAT	
2	68	705-2437-150	RESISTOR, 18.2	R72,191	1	20	291-5980-030	FILTER, 28.875 MHz	FL28
3	67	705-2437-070	RESISTOR, 12.1	R75,149,150	1	19	278-0441-060	XFMR, RF	T501
11	66	705-2437-050	RESISTOR, 10	R54,55,62,63,147,148	3	18	278-0441-010	XFMR, RF	U2,104,108
				174,175,209,216,217	3	17	241-0893-010	FILTER, 3300 pF	FL25-27
					8	16	241-0884-040	FILTER, 220 pF	FL8-13,21,22
12	65	705-2437-010	RESISTOR, 0	R77,180,181,222,226,724,725,729,730,810,811,1001	18	15	241-0884-010	FILTER, 22000 pF	FL1-7,14,15,17-20,23

PARTS LIST CONTINUED ON PAGE 2

1	90	705-2438-500	RESISTOR, 12.4 k	R26
54	89	705-2438-440	RESISTOR, 10 k	R11-14,17,18,23,24,30,85,90,94,95,102,107,115,124,130,142,143,161,176,177,186,187,190,202,223-225,235,237,401,402,405,406,726,727,739,740,747,752-755,774,816,817,915,916,937,939,941,967
6	88	705-2438-420	RESISTOR, 8.25 k	R104,110,111,116,129

QTY	ITEM NO.	PART OR IDENT NO.	NOMENCLATURE OR DESCRIPTION	NOTES	REF DESIGNATORS
PARTS LIST (US CUSTOMARY MEASUREMENTS ONLY)					

QTY	ITEM NO.	PART OR IDENT NO.	NOMENCLATURE OR DESCRIPTION	NOTES	REF DESIGNATORS
PARTS LIST (US CUSTOMARY MEASUREMENTS ONLY)					

QTY	ITEM NO.	PART OR IDENT NO.	NOMENCLATURE OR DESCRIPTION	NOTES	REF DESIGNATORS
PARTS LIST (US CUSTOMARY MEASUREMENTS ONLY)					

REDAC

NEXT ASSY: UNKNOWN TYPE NO: VHF-4000

ROCKWELL PROPRIETARY INFORMATION.

PREP K. BARKER JUL 02 2001		ROCKWELL COLLINS, INC 400 COLLINS ROAD NE, CEDAR RAPIDS, IOWA 52498	
CHK D. FOY		CIRCUIT CARD ASSEMBLY, VHF RF	
ENG APVD B. LOMBARDI		SIZE D	CAGE CODE 4V792
		DWG NO. 828-3186-002	REV LTR C
		SCALE NONE	SHEET 1 OF 13

DIGITAL DATA ONLY, NO MASTER TRACING.

NFP ☐ REL ☒ CR ☒ NO ☒ 1

PARTS LIST CONTINUED ON PAGE 3

4	217 913-0865-350	CAPACITOR, 560 pF	C725,726,730,731
1	216 913-0865-340	CAPACITOR, 470 pF	C92
11	215 913-0865-300	CAPACITOR, 220 pF	C4-9,25,46,48,155,156
2	214 913-0865-280	CAPACITOR, 150 pF	C374,912
4	213 913-0865-260	CAPACITOR, 100 pF	C44,99,103,134
1	212 913-0865-230	CAPACITOR, 56 pF	C73
3	211 913-0865-220	CAPACITOR, 47 pF	C61,68,76
4	210 913-0865-200	CAPACITOR, 33 pF	C39,120,149,150
1	209 913-0865-180	CAPACITOR, 22 pF	C152
6	208 913-0865-170	CAPACITOR, 18 pF	C124,127,160,162,163,229
2	207 913-0865-150	CAPACITOR, 12 pF	C32,34
6	206 913-0865-140	CAPACITOR, 10 pF	C28,47,77,100,174,230
1	205 913-0865-020	CAPACITOR, 1 pF	C36
18	204 913-0863-050	CAPACITOR, 0.1	25 C41,54,55,58,59,63,64,79,85,86,129,168,169,822,823,856,857,1001
1	203 859-4830-080	CONN,ELEC	J101
2	202 852-3002-010	FERRITE BEAD	ZP1,2
1	201 850-2002-010	IC, 50-400 MHz	U10
1	200 850-1057-050	IC, 236-304 MHz	U107
1	199 850-1057-040	IC, 146-181 MHz	U103
2	198 850-0037-030	IC, JCIQ-176MH-1	U800,803
1	197 850-0027-020	IC, MIXER,RF	U9
1	196 850-0006-020	IC, LRMS-5	U109
2	195 849-2502-020	XFMR, 50-400 MHZ	T1,2
1	194 849-0031-210	COIL, 47.0	L28
1	193 849-0028-300	COIL, 27	L10
3	192 849-0028-170	COIL, 2.2	L16,30,115
7	191 849-0028-130	COIL, 1	L5,6,11,14,15,17,25
1	190 849-0028-060	COIL, 0.27	L23
2	189 849-0028-050	COIL, 0.22	L21,22
2	188 849-0025-170	COIL, 2.2	L801,905
5	187 849-0025-120	COIL, 0.82	L19,24,31,110,113
1	186 849-0025-090	COIL, 0.47	L901
1	185 849-0003-720	COIL, 2.2	L20
1	184 849-0003-680	COIL, 1	L18
1	183 849-0003-580	COIL, 0.27	L9
2	182 849-0003-490	COIL, 0.056	L32,111
3	181 844-3820-020	DIODE, HSMP-3800	CR1-3
8	180 844-0112-020	DIODE, MMBV609LT1	VR3,4,7,8,11,12,15,16
2	179 844-0078-020	DIODE, MA4PH237	CR711,712
2	178 844-0032-040	DIODE, 2823	CR12,16
4	177 844-0032-030	DIODE, 2822	CR8-11

QTY	ITEM NO.	PART OR IDENT NO.	NOMENCLATURE OR DESCRIPTION	NOTES	REF DESIGNATORS
PARTS LIST (US CUSTOMARY MEASUREMENTS ONLY)					

5	176 844-0032-010	DIODE, 2820	CR4,5,14,15,17
2	175 844-0022-010	DIODE, HSMS-2800	CR501,502
1	174 843-9117-010	TRANSISTOR, 4416	Q1
3	173 843-0036-010	TRANSISTOR, NE46134	Q10,104,900
1	172 835-0751-090	IC, 78L05A	U16
1	171 835-0751-080	IC, 79L05A	U14
1	170 835-0751-040	IC, 78L12A	U201
1	169 835-0685-030	IC, 201HS	U708
1	168 835-0600-030	IC, DG441	U7
1	167 835-0364-010	IC, 826	U706
1	166 835-0362-100	IC, ERA-5SM	U805
2	165 835-0311-010	IC, AD603	U12,13
1	164 835-0198-030	IC, MC33076D	U707
1	163 835-0191-020	IC, MAV-11 SMD	U905
2	162 835-0057-070	IC, MSA-1105	U8,10
1	161 835-0046-060	IC, 1678GV	U111
3	160 835-0041-010	IC, 833	U4,102,106
3	159 834-6014-380	CAPACITOR, 22 pF	C1-3
1	158 834-6014-290	CAPACITOR, 10 pF	C31
1	157 834-6014-270	CAPACITOR, 8.2 pF	C67
6	156 834-6014-250	CAPACITOR, 6.8 pF	C11,12,14,15,20,29
2	155 834-6014-130	CAPACITOR, 2.2 pF	C94,95
2	154 834-6014-010	CAPACITOR, 1 pF	C109,197
2	153 913-3667-310	CAPACITOR, 0.01	22 C138,173
1	152 834-5087-050	CAPACITOR, 0.0012	C93
1	151 834-5008-080	CAPACITOR, 3.9 pF	C855
3	150 834-5005-990	CAPACITOR, 1	C24,944,953
6	149 834-5005-790	CAPACITOR, 0.33	C19,56,71,90,126,191
3	148 834-5005-770	CAPACITOR, 0.22	25 C80,122,1000
27	147 834-5005-370	CAPACITOR, 0.1	C22,23,27,35,83,84,87,88,96,97,101,106,120,132,135,201-203,205,207,208,213,727,728,732,734,735
1	146 834-5005-350	CAPACITOR, 0.068	C21
3	145 834-5005-330	CAPACITOR, 0.047	C81,121,123
7	144 834-5005-250	CAPACITOR, 0.01	C199,214,740,902,927,954,991
1	143 834-5005-210	CAPACITOR, 0.0047	C82
1	142 834-5005-050	CAPACITOR, 0.01	C943
3	141 834-2008-240	CAPACITOR, 33	C195,196,824
4	140 834-2008-230	CAPACITOR, 22	C180,181,183,184
11	139 834-2008-190	CAPACITOR, 10	C176,177,185-188,200,204,206,211,215
1	138 834-2008-170	CAPACITOR, 6.8	C212
2	137 834-2008-140	CAPACITOR, 4.7	C209,210
14	136 834-2008-070	CAPACITOR, 1	C102,107,112,130,131,133,136,142,170,171,222,223,500,733

QTY	ITEM NO.	PART OR IDENT NO.	NOMENCLATURE OR DESCRIPTION	NOTES	REF DESIGNATORS
PARTS LIST (US CUSTOMARY MEASUREMENTS ONLY)					

2	135 834-2008-050	CAPACITOR, 0.47	20 C110,997
4	134 834-2008-030	CAPACITOR, 0.22	20,24 C116,140,998,999
1	133 833-6626-300	RESISTOR, 200	R773
1	132 833-6526-890	RESISTOR, 82.5	R908
6	131 833-6526-690	RESISTOR, 51.1	R34,43,44,82,140,185
1	130 833-6526-550	RESISTOR, 36.5	R857
2	129 833-6526-390	RESISTOR, 24.9	R919,968
1	128 833-6526-010	RESISTOR, 10	R914
REF	126 828-8586-002	SCHEMATIC	
12	125 705-3540-100	RESISTOR, 100	R53,58,59,61,64,70,71,100,501-504
1	124 705-3520-360	RESISTOR, 71.5 k	R750
1	123 705-3519-580	RESISTOR, 4.99 k	R163
1	122 705-3519-040	RESISTOR, 49.9	R776
1	121 705-3205-160	RESISTOR, 36.5 k	R749
4	120 705-3205-110	RESISTOR, 27.4 k	R15,141,160,203
2	119 705-3205-080	RESISTOR, 24.3 k	R51,56
3	118 705-3205-020	RESISTOR, 18.2 k	R98,103,126
1	117 705-3204-770	RESISTOR, 6.49 k	R99
3	116 705-3204-650	RESISTOR, 3.92 k	R80,167,193
2	115 705-3204-630	RESISTOR, 3.65 k	R125,155
3	114 705-3204-560	RESISTOR, 2.74 k	R132,133,157
3	113 705-3204-480	RESISTOR, 1.82 k	R1,211,771
5	112 705-3204-170	RESISTOR, 432	R74,76,112,162,777
2	111 705-3204-120	RESISTOR, 365	R4,91
6	110 705-3204-070	RESISTOR, 301	R32,73,78,83,84,195
5	109 705-2439-980	RESISTOR, 150	R40,227,228,909,911
3	108 705-2439-730	RESISTOR, 36.5	R183,500,910
4	107 705-2439-660	RESISTOR, 27.4	R31,197,213,215
3	106 705-2439-620	RESISTOR, 24.3	R809,814,843
1	105 705-2439-360	RESISTOR, 909 k	R946
1	104 705-2439-240	RESISTOR, 475 k	R93
1	103 705-2439-130	RESISTOR, 221 k	R19
2	101 705-2438-980	RESISTOR, 110 k	R101,123
28	100 705-2438-950	RESISTOR, 100 k	25 R6-9,21,29,33,35-38,45,47,49,50,52,88,89,138,139,159,188,204,205,748,936,943,944
2	99 705-2438-810	RESISTOR, 56.2 k	R940,945
3	98 705-2438-800	RESISTOR, 51.1 k	R60,68,164
1	97 705-2438-780	RESISTOR, 47.5 k	R27
5	96 705-2438-710	RESISTOR, 33.2 k	25 R46,48,86,87,1000
2	95 705-2438-620	RESISTOR, 22.1 k	R28,189
9	94 705-2438-590	RESISTOR, 20 k	R92,118,119,137,151-153,168,169
1	93 705-2438-550	RESISTOR, 16.2 k	R16
2	92 705-2438-540	RESISTOR, 15 k	R938,942

QTY	ITEM NO.	PART OR IDENT NO.	NOMENCLATURE OR DESCRIPTION	NOTES	REF DESIGNATORS
PARTS LIST (US CUSTOMARY MEASUREMENTS ONLY)					

ROCKWELL PROPRIETARY INFORMATION.

PREP K. BARKER

CHK D. FOY

ROCKWELL COLLINS, INC
400 COLLINS ROAD NE, CEDAR RAPIDS IOWA, 52498

SIZE D CRG CODE 4V792 DWG NO. 828-3186-002 REV LTR C

SCALE NONE SHEET 2

DIGITAL DATA ONLY, NO MASTER TRACING.

2	250	913-3667-510	CAPACITOR, 0.0027	23	C113,146
AR	249	838-0002-010	ADHESIVE,UNISET	29	
2	248	628-7676-016	INSULATOR	20	
1	247	914-3503-730	CAPACITOR, 560 pF		C995
4	246	914-3503-710	CAPACITOR, 470 pF		C501,741,750,941
2	245	914-3503-590	CAPACITOR, 120 pF		C957,972
1	244	914-3503-410	CAPACITOR, 39 pF		C994
1	243	914-3503-400	CAPACITOR, 36 pF		C604
1	242	914-3503-360	CAPACITOR, 24 pF		C603
3	241	914-3503-330	CAPACITOR, 18 pF		C605,708,749
1	240	914-3503-210	CAPACITOR, 5.6 pF		C601
2	239	914-3503-160	CAPACITOR, 3.6 pF		C602,993
2	238	914-3500-370	CAPACITOR, 100 pF		C904,911
2	237	914-3500-350	CAPACITOR, 82 pF		C907,910
1	236	914-3500-310	CAPACITOR, 56 pF		C192
1	235	914-3500-270	CAPACITOR, 39 pF		C193
2	234	914-3500-240	CAPACITOR, 30 pF		C909,940
1	233	914-3500-230	CAPACITOR, 27 pF		C937
1	232	914-3500-200	CAPACITOR, 20 pF		C900
2	231	913-3670-090	CAPACITOR, 560 pF		C903,928
1	230	913-3667-470	CAPACITOR, 220 pF		C908
1	229	913-3667-170	CAPACITOR, 150 pF		C905
2	228	913-3667-150	CAPACITOR, 100 pF		C119,198
1	227	913-3667-080	CAPACITOR, 27 pF		C66
4	226	913-3667-030	CAPACITOR, 10 pF	28,31	C232,233,996,1002
31	225	913-0865-680	CAPACITOR, 1000 pF		C10,13,53,60,62,69, 78,137,139,147,148, 151,154,158,159,165, 166,175,178,179,182, 189,216,218-221,403, 404,854,858 C117,118,125,157,161 194,227,228,231,291, 503,504,817,819,821, 920,921,923,938,955 C945-948 C26 C38,40,42,57,65,72, 74,75,91,104,105,108 111,114,115,141, 143-145,153,167,172, 225,226,400,401, 721-724 C89 C234 C16-18,30,33,37,43, 45,49-52,70,98,164, 217,235,729, 1004-1007
20	224	913-0865-640	CAPACITOR, 470 pF		
4	223	913-0865-620	CAPACITOR, 0.1		
1	222	913-0865-560	CAPACITOR, 0.033		
30	221	913-0865-500	CAPACITOR, 0.01		
1	220	913-0865-440	CAPACITOR, 3300 pF		
1	219	913-0865-430	CAPACITOR, 2700 pF		
22	218	913-0865-380	CAPACITOR, 1000 pF	25	





1	253	914-3503-340	CAPACITOR, 20 pF	25	C1003
3	252	628-7676-013	INSULATOR	23,24	
2	251	628-7676-014	INSULATOR	22	

QTY	ITEM NO.	PART OR IDENT NO.	NOMENCLATURE OR DESCRIPTION	NOTES	REF DESIGNATORS
PARTS LIST (US CUSTOMARY MEASUREMENTS ONLY)					



QTY	ITEM NO.	PART OR IDENT NO.	NOMENCLATURE OR DESCRIPTION	NOTES	REF DESIGNATORS
PARTS LIST (US CUSTOMARY MEASUREMENTS ONLY)					

ROCKWELL COLLINS, INC				
400 COLLINS ROAD NE, CEDAR RAPIDS IOWA, 52498				
PREP. K. BARKER	SIZE D	CAGE CODE 4V792	DWG NO. 828-3186-002	REV LTR C
ROCKWELL PROPRIETARY INFORMATION.	CHK D. FOY	SCALE NONE	SHEET 3	

DIGITAL DATA ONLY, NO MASTER TRACING.



C1004 REF OR C1005 REF OR C1006 REF OR C1007 REF
R29 REF OR R33 REF OR R52 REF OR R188 REF




COMPONENTS BOTTOM

ROCKWELL PROPRIETARY INFORMATION.

PREP K. BARKER
02-JUL-2001
CHK D. FOY

ROCKWELL COLLINS, INC			
400 COLLINS ROAD NE, CEDAR RAPIDS IOWA, 52498			
SIZE	CAGE CODE	DWG NO.	REV
D	4V792	828-3186-002	LTR C
SCALE	NONE	SHEET	5

DIGITAL DATA ONLY, NO MASTER TRACING.




ASSEMBLY DETAIL G

ROCKWELL PROPRIETARY INFORMATION.

PREP K. BARKER
02-Jul-2001
CHK D. FOY

ROCKWELL COLLINS, INC			
400 COLLINS ROAD NE, CEDAR RAPIDS IOWA, 52498			
SIZE	CAGE CODE	DWG NO.	REV
D	4V792	828-3186-002	LTR C
SCALE	NONE	SHEET 6	

DIGITAL DATA ONLY, NO MASTER TRACING.



ASSEMBLY DETAIL I
COMPONENTS BOTTOM

ROCKWELL PROPRIETARY INFORMATION.

PREP K. BARKER
02-Jul-2001
CHK D. FOY

ROCKWELL COLLINS, INC			
400 COLLINS ROAD NE, CEDAR RAPIDS IOWA, 52498			
SIZE	CAGE CODE	DWG NO.	REV
D	4V792	828-3186-002	LTR C
SCALE	NONE	SHEET 8	

DIGITAL DATA ONLY, NO MASTER TRACING.