


5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 17
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.43896G	58.81	74.00	-15.19	41.97	3	Vertical	298	1.96	-	38.60	11.22	32.98			
AV	12.44043G	44.81	54.00	-9.19	27.97	3	Vertical	298	1.96	-	38.60	11.22	32.98			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 17
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.45735G	58.60	74.00	-15.40	41.74	3	Horizontal	337	2.22	-	38.60	11.23	32.97			
AV	12.44049G	44.90	54.00	-9.10	28.06	3	Horizontal	337	2.22	-	38.60	11.22	32.98			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 17
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	18.67421G	36.51	63.54	-27.03	33.10	1	Vertical	118	1.51	-	37.70	15.27	49.56			
PK	18.67683G	46.36	83.54	-37.18	42.96	1	Vertical	118	1.51	-	37.69	15.27	49.56			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6225MHz_TX

EUT_V_4TX
Setting 17
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.67462G	46.85	83.54	-36.69	43.44	1	Horizontal	192	1.53	-	37.70	15.27	49.56			
AV	18.67083G	36.42	63.54	-27.12	32.99	1	Horizontal	192	1.53	-	37.72	15.27	49.56			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 16
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77042G	54.77	88.20	-33.43	37.21	3	Vertical	81	1.05	-	39.51	11.34	33.29			
RMS	12.76796G	43.91	88.20	-44.29	26.36	3	Vertical	81	1.05	-	39.50	11.33	33.28			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6385MHz_TX

EUT_V_4TX
Setting 16
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77333G	55.66	88.20	-32.54	38.09	3	Horizontal	20	1.60	-	39.52	11.34	33.29			
RMS	12.77117G	43.89	88.20	-44.31	26.33	3	Horizontal	20	1.60	-	39.51	11.34	33.29			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6385MHz_TX

EUT_Y_4TX
Setting 16
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15273G	47.80	83.54	-35.74	44.28	1	Vertical	134	1.50	-	37.72	15.24	49.44			
AV	19.1595G	37.36	63.54	-26.18	33.81	1	Vertical	134	1.50	-	37.76	15.24	49.45			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6385MHz_TX

EUT_Y_4TX
Setting 16
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.16G	47.21	83.54	-36.33	43.66	1	Horizontal	324	1.50	-	37.76	15.24	49.45			
AV	19.15899G	37.23	63.54	-26.31	33.69	1	Horizontal	324	1.50	-	37.75	15.24	49.45			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6465MHz_TX

EUT_Y_4TX
Setting 15
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.934777G	56.24	88.20	-31.96	38.53	3	Vertical	247	1.14	-	39.83	11.39	33.51			
RMS	12.93867G	45.00	68.20	-23.20	27.29	3	Vertical	247	1.14	-	39.84	11.39	33.52			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 15
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.93816G	56.87	88.20	-31.33	39.16	3	Horizontal	194	1.79	-	39.84	11.39	33.52			
RMS	12.93801G	44.85	68.20	-23.35	27.14	3	Horizontal	194	1.79	-	39.84	11.39	33.52			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
Setting 15
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.39873G	47.49	83.54	-36.05	43.88	1	Vertical	173	1.55	-	37.99	15.23	49.61			
AV	19.39351G	37.26	63.54	-26.28	33.67	1	Vertical	173	1.55	-	37.97	15.23	49.61			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 15
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.39178G	47.91	83.54	-35.63	44.32	1	Horizontal	31	1.56	-	37.97	15.23	49.61			
AV	19.39168G	37.21	63.54	-26.33	33.62	1	Horizontal	31	1.56	-	37.97	15.23	49.61			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_Y_4TX
Setting 16
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.105G	56.10	88.20	-32.10	38.60	3	Vertical	331	1.84	-	39.61	11.45	33.56			
RMS	13.09939G	45.06	68.20	-23.14	27.57	3	Vertical	331	1.84	-	39.60	11.45	33.56			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_Y_4TX
Setting 16
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08253G	55.10	88.20	-33.10	37.58	3	Horizontal	105	1.47	-	39.65	11.44	33.57			
RMS	13.09441G	45.14	68.20	-23.06	27.63	3	Horizontal	105	1.47	-	39.62	11.45	33.56			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_Y_4TX
Setting 16
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63158G	47.42	83.54	-36.12	43.78	1	Vertical	272	1.55	-	37.99	15.22	49.57			
AV	19.63609G	37.08	63.54	-26.46	33.41	1	Vertical	272	1.55	-	38.02	15.22	49.57			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_Y_4TX
Setting 16
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63656G	47.42	83.54	-36.12	43.75	1	Horizontal	67	1.53	-	38.02	15.22	49.57			
AV	19.63254G	37.26	63.54	-26.28	33.61	1	Horizontal	67	1.53	-	38.00	15.22	49.57			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 16
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24475G	57.55	88.20	-30.65	39.76	3	Vertical	220	2.25	-	39.79	11.50	33.50			
RMS	13.24136G	45.66	68.20	-22.54	27.88	3	Vertical	220	2.25	-	39.78	11.50	33.50			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 16
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.24067G	56.71	88.20	-31.49	38.93	3	Horizontal	57	2.15	-	39.78	11.50	33.50			
RMS	13.24217G	45.73	68.20	-22.47	27.95	3	Horizontal	57	2.15	-	39.78	11.50	33.50			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 16
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.87084G	47.56	83.54	-35.98	44.00	1	Vertical	100	1.56	-	37.73	15.21	49.38			
AV	19.87373G	37.84	63.54	-25.70	34.26	1	Vertical	100	1.56	-	37.74	15.21	49.37			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 16
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.8776G	47.28	83.54	-36.26	43.67	1	Horizontal	121	1.50	-	37.77	15.21	49.37			
AV	19.87226G	37.82	63.54	-25.72	34.25	1	Horizontal	121	1.50	-	37.73	15.21	49.37			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 13
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40301G	58.98	88.20	-29.22	40.65	3	Vertical	101	2.96	-	40.21	11.55	33.43			
RMS	13.40019G	45.71	68.20	-22.49	27.39	3	Vertical	101	2.96	-	40.20	11.55	33.43			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 13
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40262G	58.36	88.20	-29.84	40.03	3	Horizontal	44	2.99	-	40.21	11.55	33.43			
RMS	13.40019G	45.87	68.20	-22.33	27.55	3	Horizontal	44	2.99	-	40.20	11.55	33.43			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 13
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.1181G	47.22	83.54	-36.32	43.38	1	Vertical	157	1.55	-	37.79	15.29	49.24			
AV	20.1108G	36.10	63.54	-27.44	32.21	1	Vertical	157	1.55	-	37.84	15.29	49.24			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 13
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11232G	47.18	83.54	-36.36	43.30	1	Horizontal	22	1.52	-	37.83	15.29	49.24			
AV	20.11804G	38.17	63.54	-25.37	34.33	1	Horizontal	22	1.52	-	37.79	15.29	49.24			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6785MHz_TX

EUT_Y_4TX
Setting 13
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.56085G	60.81	88.20	-27.39	42.11	3	Vertical	300	2.91	-	40.50	11.61	33.41			
RMS	13.55992G	46.98	68.20	-21.22	28.28	3	Vertical	300	2.91	-	40.50	11.61	33.41			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 13
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.56262G	60.64	88.20	-27.56	41.94	3	Horizontal	33	1.50	-	40.50	11.61	33.41			
RMS	13.56028G	47.06	68.20	-21.14	28.36	3	Horizontal	33	1.50	-	40.50	11.61	33.41			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 13
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35194G	46.49	83.54	-37.05	42.09	1	Vertical	30	1.50	-	38.10	15.48	49.18			
AV	20.35477G	37.12	63.54	-26.42	32.73	1	Vertical	30	1.50	-	38.09	15.48	49.18			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6785MHz_TX

EUT_Y_4TX
Setting 13
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35796G	46.35	83.54	-37.19	41.96	1	Horizontal	213	1.55	-	38.08	15.49	49.18			
AV	20.35471G	36.20	63.54	-27.34	31.81	1	Horizontal	213	1.55	-	38.09	15.48	49.18			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_V_4TX
Setting 16
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.72376G	56.36	88.20	-31.84	37.78	3	Vertical	32	1.24	-	40.38	11.66	33.46			
RMS	13.74029G	45.11	88.20	-43.09	26.55	3	Vertical	32	1.24	-	40.36	11.67	33.47			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6865MHz_TX

EUT_Y_4TX
Setting 16
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.73147G	56.21	88.20	-31.99	37.63	3	Horizontal	18	2.98	-	40.37	11.67	33.46			
RMS	13.71758G	45.09	88.20	-43.11	26.51	3	Horizontal	18	2.98	-	40.38	11.66	33.46			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_Y_4TX
Setting 16
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59902G	47.74	83.54	-35.80	43.15	1	Vertical	41	1.51	-	38.00	15.68	49.09			
AV	20.59358G	37.26	63.54	-26.28	32.69	1	Vertical	41	1.51	-	37.99	15.67	49.09			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_Y_4TX
Setting 16
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59644G	47.54	83.54	-36.00	42.96	1	Horizontal	183	1.53	-	37.99	15.68	49.09			
AV	20.59023G	37.07	63.54	-26.47	32.51	1	Horizontal	183	1.53	-	37.98	15.67	49.09			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6945MHz_TX

EUT_Y_4TX
Setting 17
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.90455G	56.54	88.20	-31.66	37.83	3	Vertical	320	1.63	-	40.50	11.73	33.52			
RMS	13.90464G	46.63	68.20	-21.57	27.92	3	Vertical	320	1.63	-	40.50	11.73	33.52			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 17
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.90302G	55.89	88.20	-32.31	37.18	3	Horizontal	194	2.53	-	40.50	11.73	33.52			
RMS	13.90476G	46.49	68.20	-21.71	27.78	3	Horizontal	194	2.53	-	40.50	11.73	33.52			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Y_4TX
Setting 17
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.83229G	47.85	83.54	-35.69	42.75	1	Vertical	286	1.55	-	38.20	15.87	48.97			
AV	20.83348G	37.20	63.54	-26.34	32.10	1	Vertical	286	1.55	-	38.20	15.87	48.97			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6945MHz_TX

EUT_Y_4TX
Setting 17
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.83694G	47.67	83.54	-35.87	42.56	1	Horizontal	83	1.51	-	38.20	15.87	48.96			
AV	20.83879G	37.02	63.54	-26.52	31.91	1	Horizontal	83	1.51	-	38.20	15.87	48.96			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 15
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0593G	106.38	Inf	-Inf	96.65	3	Vertical	30	1.70	-	35.32	6.38	31.97			
RMS	7.0537G	95.23	Inf	-Inf	85.51	3	Vertical	30	1.70	-	35.31	6.38	31.97			
PK	7.1258G	52.71	88.20	-35.49	42.76	3	Vertical	30	1.70	-	35.55	6.41	32.01			
RMS	7.1468G	41.02	68.20	-27.18	30.94	3	Vertical	30	1.70	-	35.68	6.42	32.02			
PK	7.3484G	52.61	74.00	-21.39	41.63	3	Vertical	30	1.70	-	36.59	6.53	32.14			
AV	7.2532G	40.59	54.00	-13.41	29.98	3	Vertical	30	1.70	-	36.21	6.48	32.08			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 15
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9991G	109.90	Inf	-Inf	100.19	3	Horizontal	0	1.66	-	35.30	6.35	31.94			
RMS	7.0117G	97.91	Inf	-Inf	88.20	3	Horizontal	0	1.66	-	35.30	6.36	31.95			
PK	7.179G	53.55	88.20	-34.65	43.28	3	Horizontal	0	1.66	-	35.87	6.44	32.04			
RMS	7.1468G	42.11	68.20	-26.09	32.03	3	Horizontal	0	1.66	-	35.68	6.42	32.02			
PK	7.3134G	53.11	74.00	-20.89	42.27	3	Horizontal	0	1.66	-	36.45	6.51	32.12			
AV	7.2504G	40.78	54.00	-13.22	30.18	3	Horizontal	0	1.66	-	36.20	6.48	32.08			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_Y_4TX
Setting 15
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.035G	58.10	88.20	-30.10	39.36	3	Vertical	19	1.63	-	40.53	11.77	33.56			
RMS	14.04748G	47.43	68.20	-20.77	28.66	3	Vertical	19	1.63	-	40.55	11.78	33.56			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_V_4TX
Setting 15
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.05387G	57.97	88.20	-30.23	39.20	3	Horizontal	225	1.40	-	40.55	11.78	33.56			
RMS	14.0647G	47.46	68.20	-20.74	28.68	3	Horizontal	225	1.40	-	40.56	11.78	33.56			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_Y_4TX
Setting 15
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07031G	47.85	83.54	-35.69	42.38	1	Vertical	284	1.50	-	38.28	16.06	48.87			
AV	21.0704G	37.08	63.54	-26.46	31.61	1	Vertical	284	1.50	-	38.28	16.06	48.87			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_Y_4TX
Setting 15
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07703G	47.74	83.54	-35.80	42.31	1	Horizontal	261	1.53	-	38.24	16.06	48.87			
AV	21.07629G	37.04	63.54	-26.50	31.61	1	Horizontal	261	1.53	-	38.24	16.06	48.87			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 19
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9205G	66.36	88.20	-21.84	57.55	3	Vertical	213	1.80	-	34.20	5.76	31.15			
RMS	5.924G	53.89	68.20	-14.31	45.08	3	Vertical	213	1.80	-	34.20	5.77	31.16			
PK	6.0215G	109.67	Inf	-Inf	100.71	3	Vertical	213	1.80	-	34.30	5.86	31.20			
RMS	6.0075G	100.08	Inf	-Inf	91.12	3	Vertical	213	1.80	-	34.30	5.85	31.19			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 19
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	52.20	88.20	-36.00	43.39	3	Horizontal	1	1.80	-	34.20	5.76	31.15			
RMS	5.9245G	41.21	68.20	-26.99	32.40	3	Horizontal	1	1.80	-	34.20	5.77	31.16			
PK	6.0205G	97.16	Inf	-Inf	88.20	3	Horizontal	1	1.80	-	34.30	5.86	31.20			
RMS	6.019G	87.74	Inf	-Inf	78.79	3	Horizontal	1	1.80	-	34.30	5.85	31.20			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_Y_4TX
Setting 19
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05633G	56.64	74.00	-17.36	40.23	3	Vertical	316	2.32	-	38.71	11.09	33.39			
AV	12.06491G	44.74	54.00	-9.26	28.30	3	Vertical	316	2.32	-	38.73	11.09	33.38			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_V_4TX
Setting 19
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.05354G	56.45	74.00	-17.55	40.04	3	Horizontal	10	2.42	-	38.71	11.09	33.39			
AV	12.06392G	44.85	54.00	-9.15	28.41	3	Horizontal	10	2.42	-	38.73	11.09	33.38			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_V_4TX
Setting 19
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0792G	47.44	83.54	-36.10	44.10	1	Vertical	15	1.50	-	37.52	15.30	49.48			
AV	18.07266G	37.25	63.54	-26.29	33.93	1	Vertical	15	1.50	-	37.49	15.30	49.47			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_Y_4TX
Setting 19
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07466G	47.55	83.54	-35.99	44.23	1	Horizontal	11	1.52	-	37.50	15.30	49.48			
AV	18.07284G	37.46	63.54	-26.08	34.14	1	Horizontal	11	1.52	-	37.49	15.30	49.47			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6185MHz_TX

EUT_Y_4TX
Setting 20
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37942G	55.91	74.00	-18.09	39.14	3	Vertical	328	1.15	-	38.62	11.20	33.05			
AV	12.3607G	44.99	54.00	-9.01	28.23	3	Vertical	328	1.15	-	38.64	11.19	33.07			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 20
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.36412G	56.18	74.00	-17.82	39.40	3	Horizontal	217	1.92	-	38.64	11.20	33.06			
AV	12.3598G	45.07	54.00	-8.93	28.31	3	Horizontal	217	1.92	-	38.64	11.19	33.07			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6185MHz_TX

EUT_Y_4TX
Setting 20
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55914G	47.24	83.54	-36.30	43.91	1	Vertical	184	1.55	-	37.70	15.27	49.64			
AV	18.55752G	37.95	63.54	-25.59	34.62	1	Vertical	184	1.55	-	37.70	15.27	49.64			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 20
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.5529G	47.09	83.54	-36.45	43.76	1	Horizontal	98	1.52	-	37.70	15.27	49.64			
AV	18.55944G	37.77	63.54	-25.77	34.44	1	Horizontal	98	1.52	-	37.70	15.27	49.64			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 20
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.68453G	57.26	74.00	-16.74	39.87	3	Vertical	219	2.13	-	39.25	11.31	33.17			
AV	12.69834G	44.27	54.00	-9.73	26.85	3	Vertical	219	2.13	-	39.30	11.31	33.19			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 20
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.68601G	57.37	74.00	-16.63	39.97	3	Horizontal	293	1.35	-	39.26	11.31	33.17			
AV	12.68631G	44.31	54.00	-9.69	26.91	3	Horizontal	293	1.35	-	39.26	11.31	33.17			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_Y_4TX
Setting 20
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03136G	47.26	83.54	-36.28	43.47	1	Vertical	336	1.54	-	37.90	15.25	49.36			
AV	19.03392G	37.58	63.54	-25.96	33.79	1	Vertical	336	1.54	-	37.90	15.25	49.36			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_Y_4TX
Setting 20
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03769G	47.03	83.54	-36.51	43.25	1	Horizontal	101	1.53	-	37.90	15.25	49.37			
AV	19.0347G	37.58	63.54	-25.96	33.79	1	Horizontal	101	1.53	-	37.90	15.25	49.36			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6505MHz_TX


EUT_Y_4TX
Setting 18
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.01978G	57.03	88.20	-31.17	39.36	3	Vertical	136	1.58	-	39.84	11.42	33.59			
RMS	13.01867G	45.06	68.20	-23.14	27.39	3	Vertical	136	1.58	-	39.84	11.42	33.59			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_Y_4TX
Setting 18
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.00982G	56.01	88.20	-32.19	38.32	3	Horizontal	285	1.46	-	39.87	11.42	33.60			
RMS	13.02476G	45.43	68.20	-22.77	27.77	3	Horizontal	285	1.46	-	39.83	11.42	33.59			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_Y_4TX
Setting 18
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.51866G	47.80	83.54	-35.74	44.20	1	Vertical	282	1.54	-	38.04	15.22	49.66			
AV	19.51974G	37.00	63.54	-26.54	33.40	1	Vertical	282	1.54	-	38.04	15.22	49.66			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_Y_4TX
Setting 18
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.51683G	47.61	83.54	-35.93	44.03	1	Horizontal	282	1.56	-	38.03	15.22	49.67			
AV	19.51276G	37.96	63.54	-25.58	34.38	1	Horizontal	282	1.56	-	38.03	15.22	49.67			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6665MHz_TX

EUT_Y_4TX
Setting 19
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.31512G	57.32	74.00	-16.68	39.32	3	Vertical	272	1.15	-	39.95	11.52	33.47			
AV	13.32031G	45.63	54.00	-8.37	27.61	3	Vertical	272	1.15	-	39.96	11.53	33.47			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6665MHz_TX

EUT_V_4TX
Setting 19
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.31674G	56.14	74.00	-17.86	38.14	3	Horizontal	78	1.58	-	39.95	11.52	33.47			
AV	13.31563G	45.75	54.00	-8.25	27.75	3	Horizontal	78	1.58	-	39.95	11.52	33.47			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6665MHz_TX

EUT_Y_4TX
Setting 19
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99636G	47.94	83.54	-35.60	44.21	1	Vertical	303	1.51	-	37.80	15.20	49.27			
AV	19.99999G	37.93	63.54	-25.61	34.20	1	Vertical	303	1.51	-	37.80	15.20	49.27			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6665MHz_TX

EUT_V_4TX
Setting 19
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99254G	47.46	83.54	-36.08	43.74	1	Horizontal	191	1.55	-	37.80	15.20	49.28			
AV	19.99252G	37.97	63.54	-25.57	34.25	1	Horizontal	191	1.55	-	37.80	15.20	49.28			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6825MHz_TX

EUT_Y_4TX
Setting 22
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.66473G	57.38	88.20	-30.82	38.74	3	Vertical	17	2.63	-	40.44	11.64	33.44			
RMS	13.64208G	45.67	88.20	-42.53	27.01	3	Vertical	17	2.63	-	40.46	11.64	33.44			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz_TX




EUT Y_4TX
Setting 22
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.64244G	56.99	88.20	-31.21	39.30	3	Horizontal	165	1.95	-	40.46	10.67	33.44				
RMS	13.65936G	45.73	68.20	-22.47	28.05	3	Horizontal	165	1.95	-	40.44	10.68	33.44				

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 22
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.47351G	47.91	83.54	-35.63	43.67	1	Vertical	136	1.53	-	37.81	15.58	49.15			
AV	20.47347G	37.13	63.54	-26.41	32.89	1	Vertical	136	1.53	-	37.81	15.58	49.15			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 22
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.47251G	47.87	83.54	-35.67	43.62	1	Horizontal	189	1.56	-	37.82	15.58	49.15			
AV	20.4741G	37.12	63.54	-26.42	32.88	1	Horizontal	189	1.56	-	37.81	15.58	49.15			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_Y_4TX
Setting 20
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0417G	108.81	Inf	-Inf	99.10	3	Vertical	225	1.23	-	35.30	6.37	31.96			
RMS	7.0084G	96.85	Inf	-Inf	87.14	3	Vertical	225	1.23	-	35.30	6.35	31.94			
PK	7.1425G	69.07	88.20	-19.13	59.01	3	Vertical	225	1.23	-	35.66	6.42	32.02			
RMS	7.1353G	55.24	68.20	-12.96	45.23	3	Vertical	225	1.23	-	35.61	6.42	32.02			
PK	7.2766G	55.65	74.00	-18.35	44.94	3	Vertical	225	1.23	-	36.31	6.49	32.09			
AV	7.255G	43.66	54.00	-10.34	33.04	3	Vertical	225	1.23	-	36.22	6.48	32.08			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_Y_4TX
Setting 20
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9067G	108.67	Inf	-Inf	98.92	3	Horizontal	360	1.80	-	35.30	6.28	31.83			
RMS	6.9094G	98.52	Inf	-Inf	88.76	3	Horizontal	360	1.80	-	35.30	6.29	31.83			
PK	7.138G	71.78	88.20	-16.42	61.75	3	Horizontal	360	1.80	-	35.63	6.42	32.02			
RMS	7.129G	56.62	68.20	-11.58	46.65	3	Horizontal	360	1.80	-	35.57	6.41	32.01			
PK	7.2748G	57.10	74.00	-16.90	46.40	3	Horizontal	360	1.80	-	36.30	6.49	32.09			
AV	7.2505G	44.79	54.00	-9.21	34.19	3	Horizontal	360	1.80	-	36.20	6.48	32.08			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_Y_4TX
Setting 20
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.9841G	57.61	88.20	-30.59	38.90	3	Vertical	144	2.72	-	40.50	11.75	33.54			
RMS	13.98002G	46.56	68.20	-21.64	27.85	3	Vertical	144	2.72	-	40.50	11.75	33.54			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_V_4TX
Setting 20
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.96478G	57.34	88.20	-30.86	38.63	3	Horizontal	108	1.08	-	40.50	11.75	33.54			
AV	13.9835G	46.48	68.20	-21.72	27.77	3	Horizontal	108	1.08	-	40.50	11.75	33.54			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_Y_4TX
Setting 20
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95242G	47.04	83.54	-36.50	41.89	1	Vertical	316	1.51	-	38.09	15.96	48.90			
AV	20.95748G	37.65	63.54	-25.89	32.51	1	Vertical	316	1.51	-	38.07	15.97	48.90			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 20
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95818G	47.05	83.54	-36.49	41.91	1	Horizontal	271	1.54	-	38.07	15.97	48.90			
AV	20.95356G	37.77	63.54	-25.77	32.62	1	Horizontal	271	1.54	-	38.09	15.96	48.90			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX

EUT_Y_4TX
Setting 24
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9061G	73.68	88.20	-14.52	64.88	3	Vertical	359	1.80	-	34.20	5.75	31.15			
RMS	5.9079G	61.33	68.20	-6.87	52.53	3	Vertical	359	1.80	-	34.20	5.75	31.15			
PK	6.0816G	98.43	Inf	-Inf	89.35	3	Vertical	359	1.80	-	34.43	5.87	31.22			
RMS	6.0879G	88.78	Inf	-Inf	79.68	3	Vertical	359	1.80	-	34.45	5.87	31.22			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 24
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9007G	70.92	88.20	-17.28	62.12	3	Horizontal	0	1.92	-	34.20	5.74	31.14			
RMS	5.9196G	60.92	68.20	-7.28	52.11	3	Horizontal	0	1.92	-	34.20	5.76	31.15			
PK	6.0141G	99.58	Inf	-Inf	90.62	3	Horizontal	0	1.92	-	34.30	5.85	31.19			
RMS	6.0186G	89.56	Inf	-Inf	80.61	3	Horizontal	0	1.92	-	34.30	5.85	31.20			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
Setting 24
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.19644G	55.72	74.00	-18.28	39.02	3	Vertical	285	2.55	-	38.80	11.14	33.24			
AV	12.2016G	45.09	54.00	-8.91	28.39	3	Vertical	285	2.55	-	38.80	11.14	33.24			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX

EUT_V_4TX
Setting 24
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20265G	54.72	74.00	-19.28	38.02	3	Horizontal	174	2.89	-	38.80	11.14	33.24			
AV	12.21249G	45.02	54.00	-8.98	28.31	3	Horizontal	174	2.89	-	38.79	11.14	33.22			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
Setting 24
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.31881G	47.90	83.54	-35.64	44.71	1	Vertical	306	1.52	-	37.50	15.28	49.59			
AV	18.31523G	37.13	63.54	-26.41	33.94	1	Vertical	306	1.52	-	37.50	15.28	49.59			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX

EUT_Y_4TX
Setting 24
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31104G	47.14	83.54	-36.40	43.95	1	Horizontal	130	1.54	-	37.50	15.28	49.59			
AV	18.31603G	37.22	63.54	-26.32	34.03	1	Horizontal	130	1.54	-	37.50	15.28	49.59			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 23
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.51794G	55.59	74.00	-18.41	38.61	3	Vertical	266	2.76	-	38.67	11.25	32.94			
AV	12.52022G	44.48	54.00	-9.52	27.50	3	Vertical	266	2.76	-	38.68	11.25	32.95			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 23
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.53768G	54.89	74.00	-19.11	37.85	3	Horizontal	225	2.94	-	38.75	11.26	32.97			
AV	12.51851G	44.53	54.00	-9.47	27.56	3	Horizontal	225	2.94	-	38.67	11.25	32.95			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6265MHz_TX

EUT_Y_4TX
Setting 23
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79956G	46.89	83.54	-36.65	43.31	1	Vertical	282	1.53	-	37.80	15.26	49.48			
AV	18.79039G	37.30	63.54	-26.24	33.72	1	Vertical	282	1.53	-	37.80	15.26	49.48			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6265MHz_TX

EUT_Y_4TX
Setting 23
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.79682G	47.94	83.54	-35.60	44.36	1	Horizontal	130	1.55	-	37.80	15.26	49.48			
AV	18.79089G	36.27	63.54	-27.27	32.69	1	Horizontal	130	1.55	-	37.80	15.26	49.48			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_V_4TX
Setting 22
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.84205G	57.15	88.20	-31.05	39.50	3	Vertical	120	1.54	-	39.68	11.36	33.39			
RMS	12.86419G	45.75	68.20	-22.45	28.07	3	Vertical	120	1.54	-	39.73	11.37	33.42			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_V_4TX
Setting 22
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.85222G	56.53	88.20	-31.67	38.87	3	Horizontal	356	2.93	-	39.70	11.36	33.40			
RMS	12.8515G	45.61	68.20	-22.59	27.95	3	Horizontal	356	2.93	-	39.70	11.36	33.40			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_Y_4TX
Setting 22
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.27201G	47.31	83.54	-36.23	43.65	1	Vertical	57	1.55	-	37.94	15.24	49.52			
AV	19.27108G	36.77	63.54	-26.77	33.11	1	Vertical	57	1.55	-	37.94	15.24	49.52			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_Y_4TX
Setting 22
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.27866G	47.47	83.54	-36.07	43.80	1	Horizontal	252	1.52	-	37.96	15.24	49.53			
AV	19.28G	37.13	63.54	-26.41	33.46	1	Horizontal	252	1.52	-	37.96	15.24	49.53			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_Y_4TX
Setting 21
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.16523G	58.73	88.20	-29.47	41.12	3	Vertical	67	2.16	-	39.67	11.47	33.53			
RMS	13.16058G	45.93	68.20	-22.27	28.33	3	Vertical	67	2.16	-	39.66	11.47	33.53			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6585MHz_TX

EUT_Y_4TX
Setting 21
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.16028G	58.87	88.20	-29.33	41.27	3	Horizontal	65	1.99	-	39.66	11.47	33.53			
RMS	13.17138G	46.09	68.20	-22.11	28.48	3	Horizontal	65	1.99	-	39.67	11.47	33.53			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_Y_4TX
Setting 21
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.75366G	47.74	83.54	-35.80	44.09	1	Vertical	277	1.52	-	37.91	15.21	49.47			
AV	19.75287G	37.02	63.54	-26.52	33.37	1	Vertical	277	1.52	-	37.91	15.21	49.47			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6585MHz_TX

EUT_Y_4TX
Setting 21
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.75715G	47.66	83.54	-35.88	43.99	1	Horizontal	92	1.54	-	37.93	15.21	49.47			
AV	19.75781G	37.08	63.54	-26.46	33.41	1	Horizontal	92	1.54	-	37.93	15.21	49.47			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6745MHz_TX

EUT_Y_4TX
Setting 19
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.48289G	57.31	88.20	-30.89	38.68	3	Vertical	356	2.38	-	40.45	11.58	33.40			
RMS	13.50419G	47.84	68.20	-20.36	29.14	3	Vertical	356	2.38	-	40.50	11.59	33.39			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6745MHz_TX

EUT_V_4TX
Setting 19
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.50293G	58.44	88.20	-29.76	39.74	3	Horizontal	90	1.20	-	40.50	11.59	33.39			
RMS	13.4987G	48.12	68.20	-20.08	29.42	3	Horizontal	90	1.20	-	40.50	11.59	33.39			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_V_4TX
Setting 19
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.23647G	47.14	83.54	-36.40	42.99	1	Vertical	10	1.53	-	37.97	15.39	49.21			
AV	20.23247G	37.55	63.54	-25.99	33.41	1	Vertical	10	1.53	-	37.96	15.39	49.21			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6745MHz_TX

EUT_Y_4TX
Setting 19
05-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.23243G	47.84	83.54	-35.70	43.70	1	Horizontal	166	1.51	-	37.96	15.39	49.21			
AV	20.23362G	37.26	63.54	-26.28	33.11	1	Horizontal	166	1.51	-	37.97	15.39	49.21			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
Setting 21
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9734G	106.59	Inf	-Inf	96.87	3	Vertical	114	2.60	-	35.30	6.33	31.91			
AV	6.7994G	94.76	Inf	-Inf	84.96	3	Vertical	114	2.60	-	35.30	6.21	31.71			
PK	7.2542G	65.92	74.00	-8.08	55.30	3	Vertical	114	2.60	-	36.22	6.48	32.08			
AV	7.25G	53.82	54.00	-0.18	43.22	3	Vertical	114	2.60	-	36.20	6.48	32.08			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
Setting 21
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.797G	103.96	Inf	-Inf	94.16	3	Horizontal	97	2.06	-	35.29	6.21	31.70			
AV	6.8882G	101.07	Inf	-Inf	91.31	3	Horizontal	97	2.06	-	35.30	6.27	31.81			
PK	7.2626G	67.47	74.00	-6.53	56.83	3	Horizontal	97	2.06	-	36.25	6.48	32.09			
AV	7.253G	52.43	54.00	-1.57	41.82	3	Horizontal	97	2.06	-	36.21	6.48	32.08			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_V_4TX
Setting 21
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80085G	58.93	88.20	-29.27	40.43	3	Vertical	183	2.31	-	40.30	11.69	33.49			
RMS	13.79503G	45.95	68.20	-22.25	27.44	3	Vertical	183	2.31	-	40.30	11.69	33.48			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6905MHz_TX

EUT_V_4TX
Setting 21
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80298G	58.46	88.20	-29.74	39.95	3	Horizontal	306	2.58	-	40.31	11.69	33.49			
RMS	13.82461G	45.90	68.20	-22.30	27.34	3	Horizontal	306	2.58	-	40.35	11.70	33.49			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
Setting 21
05-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71539G	47.10	83.54	-36.44	42.49	1	Vertical	232	1.53	-	37.87	15.77	49.03			
AV	20.71054G	36.12	63.54	-27.42	31.50	1	Vertical	232	1.53	-	37.88	15.77	49.03			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX



EUT_Y_4TX
Setting 21
05-R-R-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71834G	47.05	83.54	-36.49	42.45	1	Horizontal	4	1.55	-	37.86	15.77	49.03			
AV	20.71316G	36.02	63.54	-27.52	31.41	1	Horizontal	4	1.55	-	37.87	15.77	49.03			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

14/06/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.958724G	-8.14	5.92445G	-63.88	-46.32	-17.56	1
5.962548G	-8.79	5.985675G	-63.87	-47.47	-16.40	2
5.957499G	-9.02	5.98555G	-63.88	-46.95	-16.93	3
5.957524G	-7.11	5.9857G	-62.77	-45.38	-17.39	4

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

14/06/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.187577G	-8.24	6.225525G	-63.48	-46.83	-16.65	1
6.200024G	-8.01	6.22565G	-63.24	-46.48	-16.76	2
6.19375G	-8.12	6.1644G	-63.80	-47.55	-16.25	3
6.201273G	-7.72	6.225725G	-63.31	-46.54	-16.77	4

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

14/06/2024




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

14/06/2024




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

14/06/2024




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

14/06/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

14/06/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

14/06/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

14/06/2024

CF (Hz)
6.875G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.868902G	-9.50	6.844475G	-64.86	-48.47	-16.39	1
6.867477G	-10.25	6.9056G	-64.59	-49.20	-15.39	2
6.876275G	-9.92	6.90555G	-65.50	-49.10	-16.40	3
6.8737G	-9.70	6.90565G	-64.34	-48.71	-15.63	4

Port 1
Port 2
Port 3
Port 4


6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

14/06/2024

CF (Hz)
6.895G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.901298G	-10.21	6.864375G	-64.82	-48.48	-16.34	1
6.897499G	-10.76	6.86445G	-65.65	-49.12	-16.53	2
6.893825G	-11.52	6.925575G	-65.66	-50.08	-15.58	3
6.898799G	-9.71	6.864425G	-64.42	-48.45	-15.97	4


Port 1
Port 2
Port 3
Port 4

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

14/06/2024




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

14/06/2024




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

7115MHz_TX

14/06/2024

CF (Hz)
7.115G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.121273G	-17.55	7.148675G	-70.97	-57.55	-13.42	1
7.109926G	-17.75	7.15715G	-70.69	-57.75	-12.94	2
7.118774G	-17.65	7.148375G	-70.68	-57.65	-13.03	3
7.111251G	-17.32	7.078225G	-71.00	-57.32	-13.68	4


5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

14/06/2024

CF (Hz)
5.965G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.962751G	-4.24	6.0266G	-58.66	-44.24	-14.42	1
5.968699G	-4.08	6.0263G	-59.22	-44.08	-15.14	2
5.973798G	-4.31	6.0265G	-59.35	-44.31	-15.04	3
5.982496G	-3.78	6.0262G	-58.26	-43.78	-14.48	4

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

14/06/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

14/06/2024




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

14/06/2024




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

14/06/2024




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6525MHz_TX

14/06/2024

CF (Hz)
6.525G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.529349G	-5.23	6.4635G	-59.55	-45.23	-14.32	1
6.527449G	-5.22	6.46375G	-59.95	-45.22	-14.73	2
6.522601G	-5.78	6.4637G	-60.63	-45.73	-14.90	3
6.537447G	-4.89	6.46375G	-59.63	-44.89	-14.74	4


6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

14/06/2024

CF (Hz)
6.565G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.550054G	-5.22	6.62655G	-59.72	-45.22	-14.50	1
6.569349G	-5.34	6.6262G	-59.86	-45.34	-14.52	2
6.560201G	-5.99	6.5033G	-60.32	-45.99	-14.33	3
6.568949G	-5.24	6.50365G	-59.41	-45.24	-14.17	4

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

14/06/2024




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

14/06/2024



6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

14/06/2024

CF (Hz)
6.925G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.921001G	-4.89	6.98675G	-59.78	-44.89	-14.89	1
6.929949G	-4.78	6.98665G	-59.43	-44.78	-14.65	2
6.932548G	-5.00	6.9864G	-59.76	-45.00	-14.76	3
6.920101G	-4.63	6.86315G	-59.55	-44.63	-14.92	4

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

14/06/2024

CF (Hz)
7.005G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.000801G	-3.19	6.94385G	-57.59	-43.19	-14.40	1
6.996102G	-2.68	6.94395G	-57.49	-42.68	-14.81	2
7.000201G	-3.51	6.9437G	-58.30	-43.51	-14.79	3
7.007549G	-2.60	6.94365G	-57.19	-42.60	-14.59	4


6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

14/06/2024

CF (Hz)
7.085G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.077402G	-7.36	7.0237G	-61.98	-47.36	-14.62	1
7.087349G	-6.99	7.02345G	-61.70	-46.99	-14.71	2
7.082451G	-7.55	7.02395G	-62.03	-47.55	-14.48	3
7.082351G	-7.15	7.0237G	-61.14	-47.15	-13.99	4

Port 1
Port 2
Port 3
Port 4


5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

14/06/2024

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9787G	0.21	6.1069G	-52.30	-39.79	-12.51	1
5.9947G	0.08	6.106G	-51.91	-39.60	-12.31	2
6.01279G	-0.41	6.1082G	-52.17	-40.41	-11.76	3
5.9925G	0.47	6.1081G	-51.09	-39.53	-11.56	4


Port 1
Port 2
Port 3
Port 4

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

14/06/2024




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

14/06/2024




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

14/06/2024




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6545MHz_TX

14/06/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

14/06/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

14/06/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

14/06/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

14/06/2024




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

14/06/2024




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

14/06/2024




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

14/06/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.08878G	3.10	6.2674G	-44.79	-36.06	-8.73	1
6.05039G	2.81	6.2684G	-44.68	-36.59	-8.09	2
6.04839G	2.54	6.2674G	-45.23	-37.00	-8.23	3
6.10098G	3.09	6.268G	-44.59	-36.64	-7.95	4

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

14/06/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.12182G	3.54	6.4422G	-44.80	-35.89	-8.91	1
6.15821G	3.30	6.445G	-45.06	-36.70	-8.36	2
6.15841G	3.09	6.4516G	-45.66	-36.90	-8.76	3
6.21639G	3.59	6.4324G	-43.41	-36.40	-7.01	4

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

14/06/2024




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

14/06/2024




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

14/06/2024

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

14/06/2024

CF (Hz)
6.825G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Port 1
Port 2
Port 3
Port 4

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

14/06/2024




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

14/06/2024




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

14/06/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15943G	7.98	6.029G	-18.57	-12.29	-6.28	1
6.22941G	7.78	5.9846G	-19.86	-12.28	-7.58	2
6.23221G	6.98	6.019G	-20.69	-14.69	-6.00	3
6.21901G	7.66	5.9998G	-19.30	-12.64	-6.66	4

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6425MHz_TX

14/06/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.28184G	6.82	5.9202G	-34.47	-27.24	-7.23	1
6.33662G	6.71	6.989G	-36.55	-30.95	-5.60	2
6.32183G	6.32	6.997G	-38.98	-30.25	-8.73	3
6.38981G	6.62	6.1674G	-22.62	-15.09	-7.53	4

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6585MHz_TX

14/06/2024




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6745MHz_TX

14/06/2024




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6905MHz_TX

14/06/2024



Contention Based Protocol Threshold Level 802.11be EHT20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-61.81	2.19	-64.02	≤ -62
						Minimal	-62.81	2.19	-65.00	≤ -62
						ON	-79.81	2.19	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-64.81	2.19	-67.03	≤ -62
						Minimal	-65.81	2.19	-68.00	≤ -62
						ON	-79.81	2.19	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-63.81	2.19	-66.08	≤ -62
						Minimal	-64.81	2.19	-67.00	≤ -62
						ON	-79.81	2.19	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-64.81	2.19	-67.09	≤ -62
						Minimal	-65.81	2.19	-68.00	≤ -62
						ON	-79.81	2.19	-82.00	≤ -62

Contention Based Protocol Threshold Level 802.11be EHT320										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-60.81	2.19	-63.05	≤ -62
						Minimal	-61.81	2.19	-64.00	≤ -62
						ON	-79.81	2.19	-82.00	≤ -62
				Center	6105	OFF	-59.81	2.19	-62.05	≤ -62
						Minimal	-60.81	2.19	-63.00	≤ -62
						ON	-79.81	2.19	-82.00	≤ -62
				High edge	6260	OFF	-61.81	2.19	-64.07	≤ -62
						Minimal	-62.81	2.19	-65.00	≤ -62
						ON	-79.81	2.19	-82.00	≤ -62
5/6/7	95	320	6425	Low edge	6270	OFF	-62.81	2.19	-65.03	≤ -62
						Minimal	-63.81	2.19	-66.00	≤ -62
						ON	-79.81	2.19	-82.00	≤ -62
				Center	6425	OFF	-63.81	2.19	-66.07	≤ -62
						Minimal	-64.81	2.19	-67.00	≤ -62
						ON	-79.81	2.19	-82.00	≤ -62
				High edge	6580	OFF	-59.81	2.19	-62.02	≤ -62
						Minimal	-60.81	2.19	-63.00	≤ -62
						ON	-79.81	2.19	-82.00	≤ -62
7/8	159	320	6745	Low edge	6590	OFF	-59.81	2.19	-62.07	≤ -62
						Minimal	-60.81	2.19	-63.00	≤ -62
						ON	-79.81	2.19	-82.00	≤ -62
				Center	6745	OFF	-61.81	2.19	-64.03	≤ -62
						Minimal	-62.81	2.19	-65.00	≤ -62
						ON	-79.81	2.19	-82.00	≤ -62
				High edge	6900	OFF	-60.81	2.19	-63.04	≤ -62
						Minimal	-61.81	2.19	-64.00	≤ -62
						ON	-79.81	2.19	-82.00	≤ -62
7/8	191	320	6905	Low edge	6750	OFF	-59.81	2.19	-62.06	≤ -62
						Minimal	-60.81	2.19	-63.00	≤ -62
						ON	-79.81	2.19	-82.00	≤ -62
				Center	6905	OFF	-59.81	2.19	-62.04	≤ -62
						Minimal	-60.81	2.19	-63.00	≤ -62
						ON	-79.81	2.19	-82.00	≤ -62
				High edge	7060	OFF	-59.81	2.19	-62.06	≤ -62
						Minimal	-60.81	2.19	-63.00	≤ -62
						ON	-79.81	2.19	-82.00	≤ -62


Contention Based protocol 802.11be EHT20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-75.07	OFF	10	100	90	PASS
6	101	20	6455	Center	6455	-75.05	OFF	10	100	90	PASS
7	149	20	6695	Center	6695	-75.07	OFF	10	100	90	PASS
8	213	20	7015	Center	7015	-75.00	OFF	10	100	90	PASS

Contention Based protocol 802.11be EHT320											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-63.05	OFF	10	100	90	PASS
				Center	6105	-62.05	OFF	9	90	90	PASS
				High edge	6260	-64.07	OFF	9	90	90	PASS
5/6/7	95	320	6425	Low edge	6270	-65.03	OFF	10	100	90	PASS
				Center	6425	-66.07	OFF	10	100	90	PASS
				High edge	6580	-62.02	OFF	9	90	90	PASS
7/8	159	320	6745	Low edge	6590	-62.07	OFF	9	90	90	PASS
				Center	6745	-64.03	OFF	10	100	90	PASS
				High edge	6900	-63.04	OFF	10	100	90	PASS
7/8	191	320	6905	Low edge	6750	-62.06	OFF	10	100	90	PASS
				Center	6905	-62.04	OFF	10	100	90	PASS
				High edge	7060	-62.06	OFF	9	90	90	PASS

Incumbent signal (AWGN) Plot


Bandwidth: 20MHz

Frequency (MHz): 6215 MHz




Date: 18.NOV.2024 20:34:59

Frequency (MHz): 6455 MHz




Date: 18.NOV.2024 20:36:11

Frequency (MHz): 6695 MHz



Date: 18.NOV.2024 20:37:12


Frequency (MHz): 7015 MHz



Date: 18.NOV.2024 20:38:47


Bandwidth: 320MHz

Frequency (MHz): 5950 MHz




Date: 18.NOV.2024 20:39:59

Frequency (MHz): 6105 MHz




Date: 18.NOV.2024 20:40:56


Frequency (MHz): 6260 MHz




Frequency (MHz): 6270 MHz




Frequency (MHz): 6425 MHz




Frequency (MHz): 6580 MHz



Frequency (MHz): 6590 MHz




Frequency (MHz): 6745 MHz




Frequency (MHz): 6900 MHz




Frequency (MHz): 6750 MHz



Frequency (MHz): 6905 MHz




Frequency (MHz): 7060 MHz



Contention-Based Protocol Plot


Bandwidth: 20MHz

Test CH 53 ; Incumbent signal 6215 MHz




Note : M1 : Inject AWGN signal

Test CH 101 ; Incumbent signal 6455 MHz




Note : M1 : Inject AWGN signal

Test CH 149 ; Incumbent signal 6695 MHz



Note : M1 : Inject AWGN signal


Test CH 213 ; Incumbent signal 7015 MHz



Note : M1 : Inject AWGN signal


Bandwidth: 320MHz

Test CH 31 ; Incumbent signal 5950 MHz




Note : M1 : Inject AWGN signal

Test CH 31 ; Incumbent signal 6105 MHz




Note : M1 : Inject AWGN signal

Test CH 31 ; Incumbent signal 6260 MHz




Note : M1 : Inject AWGN signal

Test CH 95 ; Incumbent signal 6270 MHz




Note : M1 : Inject AWGN signal

Test CH 95 ; Incumbent signal 6425 MHz




Note : M1 : Inject AWGN signal

Test CH 95 ; Incumbent signal 6580 MHz




Note : M1 : Inject AWGN signal

Test CH 159 ; Incumbent signal 6590 MHz




Note : M1 : Inject AWGN signal

Test CH 159 ; Incumbent signal 6745 MHz




Note : M1 : Inject AWGN signal

Test CH 159 ; Incumbent signal 6900 MHz




Note : M1 : Inject AWGN signal

Test CH 191 ; Incumbent signal 6750 MHz




Note : M1 : Inject AWGN signal

Test CH 191 ; Incumbent signal 6905 MHz



Note : M1 : Inject AWGN signal

Test CH 191 ; Incumbent signal 7060 MHz



Note : M1 : Inject AWGN signal