

PART 25 SCS TEST REPORT

Report Number. : S-4791547056-E6V2

- Applicant : SAMSUNG ELECTRONICS CO., LTD. 129 SAMSUNG-RO, YEONGTONG-GU, SUWON-SI, GYEONGGI-DO, 16677, KOREA
 - Model : SM-A366U, SM-A366U1, SM-S366V
 - FCC ID : A3LSMA366U
- **EUT Description :** GSM/WCDMA/LTE/5G NR Phone + BT/BLE, DTS/UNII a/b/g/n/ac/ax and NFC
- Test Standard(s) : FCC 47 CFR PART 25

Date Of Issue: 2024-01-13

Prepared by: UL KOREA LTD. 26th floor, 152, Teheran-ro, Gangnam-gu Seoul, 06236, Korea

Suwon Test Site: UL KOREA LTD. Suwon Laboratory 218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea TEL: (031) 337-9902 FAX: (031) 213-5433



Revision History

Rev.	Issue Date	Revisions	Revised By
V1	2024-12-27	Initial issue	David Jung
V2	2025-01-13	Updated to address TCB's question	David Jung

UL KOREA LTD. Suwon Laboratory 218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea TEL: (031) 337-9902 FAX: (031) 213-5433 UL KOREA LTD. Confidential This report shall not be reproduced except in full, without the written approval of UL KOREA LTD.

Page 2 of 6

TABLE OF CONTENTS

1.	ATTESTATION OF TEST RESULTS	4
2.	TEST METHODOLOGY	5
3.	FACILITIES AND ACCREDITATION	5
4.	EQUIPMENT UNDER TEST	5
	4.1. DESCRIPTION OF EUT 4.2. SUPPLEMENTAL COVERAGE FROM SPACE(SCS)	5 6

UL KOREA LTD. Suwon Laboratory 218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea TEL: (031) 337-9902 FAX: (031) 213-5433 UL KOREA LTD. Confidential This report shall not be reproduced except in full, without the written approval of UL KOREA LTD.

Page 3 of 6

1. ATTESTATION OF TEST RESULTS

COMPANY NAME: SAMSUNG ELECTRONICS CO., LTD.

EUT DESCRIPTION: GSM/WCDMA/LTE/5G NR Phone + BT/BLE, DTS/UNII a/b/g/n/ac/ax and NFC.

MODEL NUMBER: SM-A366U, SM-A366U1, SM-S366V

DATE TESTED: 2024-11-13 – 2024-12-27

TEST RESULTS
Complies

UL KOREA LTD. tested the above equipment in accordance with the requirements set forth in the above standards. All indications of Pass/Fail in this report are opinions expressed by UL KOREA LTD. based on interpretations and/or observations of test results. Measurement Uncertainties were not taken into account and are published for informational purposes only. The test results show that the equipment tested is capable of demonstrating compliance with the requirements as documented in this report.

Note: The results documented in this report apply only to the tested sample, under the conditions and Modes of operation as described herein. This document may not be altered or revised in any way unless done so by UL KOREA LTD. and all revisions are duly noted in the revisions section. Any alteration of this document not carried out by UL KOREA LTD. will constitute fraud and shall nullify the document. This report must not be used by the client to claim product certification, approval, or endorsement by IAS, any agency of the Federal Government, or any agency of any government.

Approved & Released For UL KOREA LTD. By:

Seokhwan Hong Suwon Lab Engineer UL KOREA LTD. Tested By:

David Jung Suwon Lab Engineer UL KOREA LTD.

Page 4 of 6

UL KOREA LTD. Suwon Laboratory 218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea TEL: (031) 337-9902 FAX: (031) 213-5433 UL KOREA LTD. Confidential This report shall not be reproduced except in full, without the written approval of UL KOREA LTD.

2. TEST METHODOLOGY

The tests documented in this report were performed in accordance with following methods.

- 1. FCC 47 CFR Part 2, Part 22H, Part 24E, Part27, and Part 90R
- 2. FCC KDB 273109 D02 Part 25 SCS and CMRS-Bands v01r01
- 3. ANSI C63.26: 2015

3. FACILITIES AND ACCREDITATION

The test sites and measurement facilities used to collect data are located at 218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do,16675, Korea. Line conducted emissions are measured only at the 218 address. The following table identifies which facilities were utilized for radiated emission measurements documented in this report. Specific facilities are also identified in the test results sections.

218 Maeyeong-ro			
Chamber 1(3m semi-anechoic chamber)			
Chamber 2(3m semi-anechoic chamber)			
Chamber 3(3m semi-anechoic chamber)			
Chamber 4(3m Full-anechoic chamber)			
Chamber 5(3m Full-anechoic chamber)			

UL KOREA LTD. is accredited by IAS, Laboratory Code TL-637. The full scope of accreditation can be viewed at https://www.iasonline.org/wp-content/uploads/2017/05/TL-637-cert-New.pdf.

4. EQUIPMENT UNDER TEST

4.1. DESCRIPTION OF EUT

The EUT is a GSM/WCDMA/LTE/5G NR Phone + BT/BLE, DTS/UNII a/b/g/n/ac, and NFC. This test report addresses the WWAN operational mode.

Representative	Difference	Derivative model		
model	Difference	SM-A366U1, SM-S366V		
	Hardware	Same		
SIVI-A300U	Software	The UI has changed according to Service Provider		

The model SM-A366U was used for final testing and is representative of the test results in this report.

4.2. SUPPLEMENTAL COVERAGE FROM SPACE(SCS)

Under section § 25.109 (f) of the FCC rules Space and SCS earth stations providing SCS are subject to technical rules in parts 2, 22, 24, and 27 of this chapter based on the operating frequency band. Section § 25.204 (g) specifies that earth stations providing SCS pursuant to §§ 25.125 and 25.115 shall comply with the power requirements and out-of-band emission limits corresponding to devices operating in parts 22, 24, or 27 of this chapter (e.g., §§ 22.913, 24.232, 27.50), as required for their operating frequencies. We have clarified through KDB inquiry that the technical requirements from Part 90R should be applied for SCS operations in the 700 MHz Public Safety Band.

The table below identifies the SCS frequencies available for use and, for each band, the applicable FCC Part 22, 24, 27, and 90R technical requirements, the air interfaces supported by the device for SCS use and, in the final column, the reference to the test report containing the relevant test data showing compliance with the technical requirements.

The bands available for SCS and the bands supported by the devices in the scope of this report are:

Frequency		Part	2000		Reference to test report showing compliance with	
Band	DL (MHz)	UL (MHz)	22/24/27/ 90 Rule parts	3GPP Band	Supported	§ 25.204 (g) for power requirements and out-ofband emission limits
600 MHz:	614-652	663-698	27.5 (l)	B71 n71	Yes	S-4791547056-E4
			27.50 (c)			
			27.53 (g)			
	729-746	699-716	27.5 (c)	B12	Yes	S-4791547056-E4
			27.50 (c)			
			27.53 (g)			
700	746-756	777-787	27.5 (b)) b) B13 f)	Yes	S-4791547056-E4
MHz:			27.50 (b)			
			27.53 (f)			
	758-769	788-799	90R	B14	Yes (Note 1)	S-4791547056-E2
	805-806				No	
800 MHz:	869-894	824-849	22Н	WCDMA5 B5/n5 B26	Yes	S-4791547056-E2
Broad band PCS:	1930- 1995	1850- 1915	24E	WCDMA2 B2/n2 B25/n25	Yes	S-4791547056-E3

Note 1: Technical requirements for SCS use of bands 14/n14, which fall under Part 90 of FCC rules, have been confirmed through a KDB inquiry.

END OF REPORT

Page 6 of 6

UL KOREA LTD. Suwon Laboratory 218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea TEL: (031) 337-9902 FAX: (031) 213-5433 UL KOREA LTD. Confidential

This report shall not be reproduced except in full, without the written approval of UL KOREA LTD.