






The dimensions of the TEP-300 Earplug are extremely small and it is impracticable to label with a font size that is four-points or larger (see product drawing and photo). Product ID's will be placed on the product packaging/charging case and in the User Manual supplied with the product.




HATCHED AREA
RESERVED FOR
BARCODE AND
SERIAL NUMBER

REVISIONS				
REV	DATE	DESCRIPTION	BY	APRV
0	01/29/20	INITIAL RELEASE	MAY	



REF:

- NOTES:
1. MATERIAL: UV STABILIZED ABS & SILICONE TPV ELASTOMER

		SIGNATURES		NAME		DATE		<div>3M</div> <div>PERSONAL SAFETY DIV. INDIANAPOLIS, IN 46268</div>		
		DRAWN BY:		M.A. YODER		01/29/20				
TOL.		U.O.S.		CHECKED BY:						
.X		±.5		ENGINEER:				TITLE EARPIECE HOUSING SIZE MAXWELL		
.XX		±.13		OPERATIONS:						
.XXX		±.075								
ANGLES		±1°								
				REF NO.				MATERIAL: SEE NOTES		
DIMENSION UNITS:		SCALE: 2:1		SHEET 1 OF 1		FINISH: AS-MOLDED				
MILLIMETERS										
				<div>© 3M COPYRIGHT</div> <div>This document is the copyrighted property of the 3M Company and may not be reproduced without 3M written permission or used for other than 3M authorized purposes.</div>				DRAWING NO.		REV
THIRD ANGLE PROJECTION								020-0240		



3M

PELTOR[®]



TEP-300 XX

No: 20034000010

FCC ID: DGFPDTEP300

IC: 458A-PSDTEP300

