Appendix H: Test Data for E-UTRA Band 17

Product Name: 10.1 inch 4G Tablet Trade Mark: LOGIC, iSWAG, UNONU **Test Model: T10L**

Environmental Conditions

Temperature:	23.5°C
Relative Humidity:	54.2%
ATM Pressure:	100.0 kPa
Test Engineer:	Diamond Lu
Supervised by:	Li Huan

H.1 Conducted Output Power


Conducted Output Power Test Result (Channel Bandwidth: 5 MHz)						
Modulation Channel	RB Configuration		Average Power [dBm]	Average Power [dBm]	V . E .	
Modulation	Channel	Size	Offset	QPSK	16QAM	Verdict
		1	0	24.04	23.39	PASS
		1	12	24.40	23.80	PASS
		1	24	23.97	23.30	PASS
	LCH	12	0	23.24	22.44	PASS
		12	6	23.22	22.40	PASS
		12	13	23.25	22.42	PASS
		25	0	23.24	22.36	PASS
		1	0	24.01	23.04	PASS
	MCH	1	12	24.34	23.16	PASS
QPSK /		1	24	23.93	22.63	PASS
16QAM		12	0	22.90	21.94	PASS
IOQAIVI		12	6	23.02	22.06	PASS
		12	13	22.85	21.98	PASS
		25	0	23.03	22.18	PASS
		1	0	23.96	22.76	PASS
	НСН	1	12	24.08	23.00	PASS
		1	24	23.56	22.63	PASS
		12	0	22.99	21.96	PASS
		12	6	22.84	22.06	PASS
		12	13	22.63	21.80	PASS
		25	0	22.83	21.97	PASS


Conducted Output Power Test Result (Channel Bandwidth: 10 MHz)						
Modulation Channel	Channal	RB Configuration		Average Power [dBm]	Average Power [dBm]	V/ E /
	Channel	Size	Offset	QPSK	16QAM	Verdict
		1	0	24.43	23.33	PASS
		1	24	24.20	23.42	PASS
		1	49	23.74	22.89	PASS
	LCH	25	0	23.13	22.20	PASS
		25	12	23.07	22.11	PASS
		25	25	22.87	22.10	PASS
		50	0	22.95	22.28	PASS
		1	0	24.07	23.37	PASS
	MCH	1	24	24.09	23.28	PASS
QPSK /		1	49	23.65	22.89	PASS
16QAM		25	0	23.01	22.01	PASS
TOQAM		25	12	22.98	22.09	PASS
		25	25	22.62	21.85	PASS
		50	0	23.10	22.04	PASS
		1	0	24.14	23.49	PASS
	нсн	1	24	24.11	23.29	PASS
		1	49	23.68	22.99	PASS
		25	0	22.86	21.95	PASS
		25	12	22.93	22.03	PASS
		25	25	22.64	21.76	PASS
		50	0	22.97	22.06	PASS


H.2 Peak-to-Average Ratio


Peak-to Average Ratio Test Result (Channel Bandwidth: 5 MHz)				
Modulation	Channel	Peak-to-Average Ratio	Limit	Verdict
Modulation		[dB]	[dB]	verdict
	LCH	5.48	<13	PASS
QPSK	MCH	4.56	<13	PASS
	HCH	4.62	<13	PASS
16QAM	LCH	6.28	<13	PASS
	MCH	5.41	<13	PASS
	HCH	5.32	<13	PASS


Peak-to Average Ratio Test Result (Channel Bandwidth: 10 MHz)					
Modulation	Channel	Peak-to-Average Ratio	Limit	Verdict	
		[dB]	[dB]		
	LCH	4.95	<13	PASS	
QPSK	MCH	4.95	<13	PASS	
	HCH	4.99	<13	PASS	
16QAM	LCH	5.69	<13	PASS	
	MCH	5.76	<13	PASS	
	HCH	5.76	<13	PASS	



































H.3 26dB Bandwidth and Occupied Bandwidth


EBW & OBW Test Result (Channel Bandwidth: 5 MHz)				
Modulation	Channel	Occupied Bandwidth	26dB Bandwidth	Verdict
Woddiation		(MHz)	(MHz)	
	LCH	4.4756	4.845	PASS
QPSK	MCH	4.4707	4.876	PASS
	HCH	4.4938	4.840	PASS
16QAM	LCH	4.4841	4.856	PASS
	MCH	4.4780	4.900	PASS
	HCH	4.4880	4.945	PASS


EBW & OBW Test Result (Channel Bandwidth: 10 MHz)					
Modulation	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict	
	LCH	8.9313	9.514	PASS	
QPSK	MCH	8.9387	9.497	PASS	
	HCH	8.9051	9.453	PASS	
16QAM	LCH	8.9304	9.436	PASS	
	MCH	8.9201	9.425	PASS	
	HCH	8.9153	9.379	PASS	





































H.4 Band Edge
























H.5 Conducted Spurious Emission


Channel Bandwidth: 5 MHz











Channel Bandwidth: 10 MHz

