

Appendix A for SHEM200500389601

1.20 dB Bandwidth

Test Mode	Test Channel	EBW[MHz]	Limit[MHz]	Verdict
DH5	2402	0.97		PASS
DH5	2441	0.97		PASS
DH5	2480	0.97		PASS
2DH5	2402	1.33		PASS
2DH5	2441	1.32		PASS
2DH5	2480	1.33		PASS
3DH5	2402	1.31		PASS
3DH5	2441	1.31		PASS
3DH5	2480	1.31		PASS












2.Occupied Bandwidth

Test Mode	Test Channel	OBW[MHz]	Limit[MHz]	Verdict
DH5	2402	0.88		PASS
DH5	2441	0.89		PASS
DH5	2480	0.89		PASS
2DH5	2402	1.19		PASS
2DH5	2441	1.19		PASS
2DH5	2480	1.19		PASS
3DH5	2402	1.20		PASS
3DH5	2441	1.20		PASS
3DH5	2480	1.20		PASS










3.Conducted Peak Output Power

Test Mode	Test Channel	Power[dBm]	Limit[dBm]	Verdict
DH5	2402	14.35	21	PASS
DH5	2441	17.11	21	PASS
DH5	2480	14.77	21	PASS
2DH5	2402	12.62	21	PASS
2DH5	2441	13.69	21	PASS
2DH5	2480	11.08	21	PASS
3DH5	2402	12.72	21	PASS
3DH5	2441	14.13	21	PASS
3DH5	2480	11.42	21	PASS



Center 2.402000 GHz #Res BW 3.0 MHz

SGS-CSTC Standards Technical Services Co., Ltd. Shanghai Branch



Conducted Peak Output Power_2DH5_2441


#VBW 8.0 MHz

Span 10.00 MHz Sweep 1.067 ms (8001 pts)



Conducted Peak Output Power_2DH5_2480





Conducted Peak Output Power_3DH5_2441




Conducted Peak Output Power_3DH5_2480





4. Carrier Frequency Separation


Test Mode	Test Channel	Result[MHz]	Limit[MHz]	Verdict
DH5	2441	0.98	0.649	PASS
2DH5	2441	1.00	0.883	PASS
3DH5	2441	1.00	0.875	PASS








5.Dwell Time


Test Mode	Test Channel	Burst Width[ms/hop/ch]	Total Hops[hop*ch]	Dwell Time[s]	Limit[s]	Verdict
DH1	2441	0.38	310	0.12	0.4	PASS
DH3	2441	1.64	140	0.23	0.4	PASS
DH5	2441	2.88	60	0.17	0.4	PASS
2DH1	2441	0.39	300	0.12	0.4	PASS
2DH3	2441	1.64	130	0.21	0.4	PASS
2DH5	2441	2.88	60	0.17	0.4	PASS
3DH1	2441	0.39	320	0.12	0.4	PASS
3DH3	2441	1.64	190	0.31	0.4	PASS
3DH5	2441	2.89	100	0.29	0.4	PASS


























6.Hopping Channel Number


Test Mode	Number of Hopping Channel[N]	Limit[N]	Verdict
DH5	79	>=15	PASS
2DH5	79	>=15	PASS
3DH5	79	>=15	PASS







7.Band-edge for RF Conducted Emissions

Test Mode	Test Channel	Hopping	Carrier Power[dBm]	Max. Spurious Level [dBm]	Limit[dBm]	Verdict
DH5	2402	On	15.60	-41.79	-4.40	PASS
DH5	2402	Off	13.98	-47.47	-6.02	PASS
DH5	2480	On	15.30	-48.42	-4.70	PASS
DH5	2480	Off	14.54	-48.19	-5.46	PASS
2DH5	2402	On	10.11	-46.84	-9.89	PASS
2DH5	2402	Off	10.10	-46.01	-9.90	PASS
2DH5	2480	On	9.67	-48.70	-10.33	PASS
2DH5	2480	Off	8.61	-48.51	-11.39	PASS
3DH5	2402	On	8.95	-48.21	-11.05	PASS
3DH5	2402	Off	9.78	-47.36	-10.22	PASS
3DH5	2480	On	9.20	-48.77	-10.80	PASS
3DH5	2480	Off	8.63	-48.11	-11.37	PASS






Band-edge for RF Conducted Emissions_DH5_2480_Hopping Off



Band-edge for RF Conducted Emissions_2DH5_2402_Hopping On



Band-edge for RF Conducted Emissions_2DH5_2402_Hopping Off



Band-edge for RF Conducted Emissions_2DH5_2480_Hopping On




Band-edge for RF Conducted Emissions_2DH5_2480_Hopping Off



Band-edge for RF Conducted Emissions_3DH5_2402_Hopping On




Band-edge for RF Conducted Emissions_3DH5_2402_Hopping Off



Band-edge for RF Conducted Emissions_3DH5_2480_Hopping On



Band-edge for RF Conducted Emissions_3DH5_2480_Hopping Off





8.RF Conducted Spurious Emissions

Test Mode	Test Channel	StartFre [MHz]	StopFre [MHz]	RBW [kHz]	VBW [kHz]	Pref[dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
DH5	2402	30	10000	100	300	13.24	-54.06	<-6.76	PASS
DH5	2402	10000	26000	100	300	13.236	-42.997	<-6.764	PASS
DH5	2441	30	10000	100	300	16.90	-52.21	<-3.10	PASS
DH5	2441	10000	26000	100	300	16.899	-44.274	<-3.101	PASS
DH5	2480	30	10000	100	300	14.46	-51.24	<-5.54	PASS
DH5	2480	10000	26000	100	300	14.459	-43.546	<-5.541	PASS
2DH5	2402	30	10000	100	300	9.93	-54.09	<-10.07	PASS
2DH5	2402	10000	26000	100	300	9.926	-43.662	<- 10.074	PASS
2DH5	2441	30	10000	100	300	10.88	-53.91	<-9.12	PASS
2DH5	2441	10000	26000	100	300	10.881	-44.392	<-9.119	PASS
2DH5	2480	30	10000	100	300	8.30	-54.04	<-11.70	PASS
2DH5	2480	10000	26000	100	300	8.304	-44.450	<- 11.696	PASS
3DH5	2402	30	10000	100	300	9.70	-53.52	<-10.30	PASS
3DH5	2402	10000	26000	100	300	9.702	-44.479	<- 10.298	PASS
3DH5	2441	30	10000	100	300	11.26	-53.28	<-8.75	PASS
3DH5	2441	10000	26000	100	300	11.255	-42.677	<-8.745	PASS
3DH5	2480	30	10000	100	300	8.56	-53.88	<-11.44	PASS
3DH5	2480	10000	26000	100	300	8.564	-43.543	<- 11.436	PASS

