


|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Horizontal          |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11n40 Channel 102

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6714.68     | 48.99          | 18.64       | 68.20          | 19.21       | 174         | 18        | Horizontal |
| 2   | 6892.89     | 38.77          | 18.86       | 54.00          | 15.23       | 198         | 260       | Horizontal |
| 3   | 11020.0     | 52.14          | -1.13       | 74.00          | 21.86       | 175         | 235       | Horizontal |
| 4   | 11020.0     | 42.68          | -1.13       | 54.00          | 11.32       | 165         | 160       | Horizontal |
| 5   | 16530.0     | 49.45          | 3.78        | 54.00          | 4.55        | 187         | 360       | Horizontal |
| 6   | 16530.0     | 59.11          | 3.78        | 68.20          | 9.09        | 194         | 99        | Horizontal |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Vertical            |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11n40 Channel 110

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6882.99     | 48.90          | 19.03       | 68.20          | 19.30       | 271         | 124       | Vertical |
| 2   | 6942.39     | 38.64          | 19.08       | 54.00          | 15.36       | 258         | 109       | Vertical |
| 3   | 11100.0     | 52.74          | -0.99       | 74.00          | 21.26       | 274         | 175       | Vertical |
| 4   | 11100.0     | 42.70          | -0.99       | 54.00          | 11.30       | 265         | 2         | Vertical |
| 5   | 16650.0     | 49.40          | 3.90        | 54.00          | 4.60        | 221         | 281       | Vertical |
| 6   | 16650.0     | 59.87          | 3.90        | 68.20          | 8.33        | 284         | 190       | Vertical |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Horizontal          |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11n40 Channel 110

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6985.89     | 49.22          | 19.15       | 68.20          | 18.98       | 174         | 298       | Horizontal |
| 2   | 6989.79     | 38.29          | 19.22       | 54.00          | 15.71       | 165         | 215       | Horizontal |
| 3   | 11100.0     | 52.44          | -0.99       | 74.00          | 21.56       | 184         | 274       | Horizontal |
| 4   | 11100.0     | 42.80          | -0.99       | 54.00          | 11.20       | 175         | 167       | Horizontal |
| 5   | 16650.0     | 49.37          | 3.90        | 54.00          | 4.63        | 165         | 349       | Horizontal |
| 6   | 16650.0     | 58.70          | 3.90        | 68.20          | 9.50        | 188         | 296       | Horizontal |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Vertical            |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11n40 Channel 134

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6979.29     | 49.28          | 19.02       | 68.20          | 18.92       | 241         | 117       | Vertical |
| 2   | 6982.59     | 38.97          | 19.08       | 54.00          | 15.03       | 258         | 291       | Vertical |
| 3   | 11340.0     | 55.42          | -0.51       | 74.00          | 18.58       | 216         | 31        | Vertical |
| 4   | 11340.0     | 44.92          | -0.51       | 54.00          | 9.08        | 271         | 62        | Vertical |
| 5   | 17010.0     | 48.01          | 3.20        | 54.00          | 5.99        | 259         | 130       | Vertical |
| 6   | 17010.0     | 56.42          | 3.20        | 68.20          | 11.78       | 150         | 8         | Vertical |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Horizontal          |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11n40 Channel 134

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6934.29     | 49.23          | 19.12       | 68.20          | 18.97       | 174         | 201       | Horizontal |
| 2   | 6979.29     | 38.73          | 19.02       | 54.00          | 15.27       | 198         | 352       | Horizontal |
| 3   | 11340.0     | 53.67          | -0.51       | 74.00          | 20.33       | 175         | 221       | Horizontal |
| 4   | 11340.0     | 44.03          | -0.51       | 54.00          | 9.97        | 162         | 228       | Horizontal |
| 5   | 17010.0     | 47.20          | 3.20        | 54.00          | 6.80        | 197         | 221       | Horizontal |
| 6   | 17010.0     | 58.15          | 3.20        | 68.20          | 10.05       | 171         | 47        | Horizontal |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Vertical            |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11n40 Channel 151

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6898.2949   | 50.66          | 21.46       | 68.20          | 17.54       | 187         | 156       | Vertical |
| 2   | 6938.7969   | 40.08          | 21.47       | 54.00          | 13.92       | 165         | 314       | Vertical |
| 3   | 11510.0000  | 49.94          | -0.55       | 74.00          | 24.06       | 174         | 146       | Vertical |
| 4   | 11510.0000  | 40.22          | -0.55       | 54.00          | 13.78       | 162         | 357       | Vertical |
| 5   | 17265.0000  | 45.33          | 0.40        | 54.00          | 8.67        | 198         | 221       | Vertical |
| 6   | 17265.0000  | 55.32          | 0.40        | 68.20          | 12.88       | 165         | 24        | Vertical |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Horizontal          |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11n40 Channel 151

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6973.5987   | 39.82          | 21.25       | 54.00          | 14.18       | 174         | 194       | Horizontal |
| 2   | 6999.1000   | 50.73          | 21.64       | 68.20          | 17.47       | 165         | 27        | Horizontal |
| 3   | 11510.0000  | 49.89          | -0.55       | 74.00          | 24.11       | 184         | 287       | Horizontal |
| 4   | 11510.0000  | 40.56          | -0.55       | 54.00          | 13.44       | 195         | 129       | Horizontal |
| 5   | 17265.0000  | 44.63          | 0.40        | 54.00          | 9.37        | 174         | 272       | Horizontal |
| 6   | 17265.0000  | 54.09          | 0.40        | 68.20          | 14.11       | 168         | 16        | Horizontal |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Vertical            |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Huni: 57% |

## 802.11n40 Channel 159

### Test Graph



### Suspected List

| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6870.39     | 48.88          | 18.54       | 68.20          | 19.32       | 174         | 156       | Vertical |
| 2              | 6991.89     | 38.76          | 19.23       | 54.00          | 15.24       | 165         | 19        | Vertical |
| 3              | 11590.0     | 52.88          | -0.06       | 74.00          | 21.12       | 184         | 190       | Vertical |
| 4              | 11590.0     | 42.41          | -0.06       | 54.00          | 11.59       | 174         | 326       | Vertical |
| 5              | 17385.0     | 48.97          | 3.19        | 54.00          | 5.03        | 158         | 76        | Vertical |
| 6              | 17385.0     | 57.87          | 3.19        | 68.20          | 10.33       | 192         | 273       | Vertical |

#### Remark:


- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.



|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Horizontal          |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11n40 Channel 159

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6899.79     | 49.38          | 19.24       | 68.20          | 18.82       | 174         | 147       | Horizontal |
| 2   | 6998.49     | 38.54          | 19.26       | 54.00          | 15.46       | 175         | 245       | Horizontal |
| 3   | 11590.0     | 52.33          | -0.06       | 74.00          | 21.67       | 195         | 251       | Horizontal |
| 4   | 11590.0     | 42.75          | -0.06       | 54.00          | 11.25       | 174         | 213       | Horizontal |
| 5   | 17385.0     | 49.13          | 3.19        | 54.00          | 4.87        | 165         | 8         | Horizontal |
| 6   | 17385.0     | 57.52          | 3.19        | 68.20          | 10.68       | 157         | 122       | Horizontal |

#### Remark:


- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

## 802.11ac20 mode

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Vertical            |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 20 Channel 36

## Test Graph



## Suspected List

| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6756.08     | 48.51          | 19.17       | 68.20          | 19.69       | 222         | 321       | Vertical |
| 2              | 6757.88     | 37.73          | 19.29       | 54.00          | 16.27       | 245         | 61        | Vertical |
| 3              | 10360.0     | 50.53          | -2.89       | 68.20          | 17.67       | 263         | 158       | Vertical |
| 4              | 10360.0     | 40.52          | -2.89       | 54.00          | 13.48       | 274         | 343       | Vertical |
| 5              | 15540.0     | 45.88          | 4.59        | 54.00          | 8.12        | 295         | 206       | Vertical |
| 6              | 15540.0     | 56.05          | 4.59        | 74.00          | 17.95       | 257         | 74        | Vertical |


## Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Horizontal          |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac20 Channel 36

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6772.58     | 48.23          | 19.04       | 68.20          | 19.97       | 174         | 25        | Horizontal |
| 2   | 6919.29     | 37.93          | 18.84       | 54.00          | 16.07       | 158         | 93        | Horizontal |
| 3   | 10360.0     | 50.39          | -2.89       | 68.20          | 17.81       | 162         | 46        | Horizontal |
| 4   | 10360.0     | 40.76          | -2.89       | 54.00          | 13.24       | 145         | 168       | Horizontal |
| 5   | 15540.0     | 46.02          | 4.59        | 54.00          | 7.98        | 187         | 251       | Horizontal |
| 6   | 15540.0     | 55.09          | 4.59        | 74.00          | 18.91       | 119         | 258       | Horizontal |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Vertical            |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 20 Channel 44

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6689.48     | 37.67          | 19.35       | 54.00          | 16.33       | 274         | 86        | Vertical |
| 2   | 6875.79     | 48.98          | 18.90       | 68.20          | 19.22       | 254         | 179       | Vertical |
| 3   | 10440.0     | 50.59          | -2.56       | 68.20          | 17.61       | 265         | 149       | Vertical |
| 4   | 10440.0     | 40.93          | -2.56       | 54.00          | 13.07       | 284         | 40        | Vertical |
| 5   | 15660.0     | 45.68          | 4.31        | 54.00          | 8.32        | 241         | 346       | Vertical |
| 6   | 15660.0     | 55.07          | 4.31        | 74.00          | 18.93       | 248         | 104       | Vertical |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Horizontal          |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 20 Channel 44

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6500.77     | 37.07          | 18.46       | 54.00          | 16.93       | 178         | 152       | Horizontal |
| 2   | 6728.48     | 48.42          | 18.88       | 68.20          | 19.78       | 156         | 204       | Horizontal |
| 3   | 10440.0     | 50.20          | -2.56       | 68.20          | 18.00       | 184         | 158       | Horizontal |
| 4   | 10440.0     | 40.21          | -2.56       | 54.00          | 13.79       | 157         | 237       | Horizontal |
| 5   | 15660.0     | 46.65          | 4.31        | 54.00          | 7.35        | 196         | 207       | Horizontal |
| 6   | 15660.0     | 55.20          | 4.31        | 74.00          | 18.80       | 184         | 9         | Horizontal |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Vertical            |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 20 Channel 48

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6876.39     | 37.98          | 18.94       | 54.00          | 16.02       | 174         | 98        | Vertical |
| 2   | 6936.09     | 48.70          | 19.12       | 68.20          | 19.50       | 198         | 302       | Vertical |
| 3   | 10480.0     | 49.68          | -2.45       | 68.20          | 18.52       | 145         | 110       | Vertical |
| 4   | 10480.0     | 40.39          | -2.45       | 54.00          | 13.61       | 176         | 125       | Vertical |
| 5   | 15720.0     | 46.42          | 4.37        | 54.00          | 7.58        | 185         | 203       | Vertical |
| 6   | 15720.0     | 57.18          | 4.37        | 74.00          | 16.82       | 188         | 180       | Vertical |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Horizontal          |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 20 Channel 48

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6883.29     | 48.38          | 19.02       | 68.20          | 19.82       | 174         | 352       | Horizontal |
| 2   | 6921.69     | 37.87          | 18.88       | 54.00          | 16.13       | 165         | 154       | Horizontal |
| 3   | 10480.0     | 50.96          | -2.45       | 68.20          | 17.24       | 189         | 24        | Horizontal |
| 4   | 10480.0     | 40.70          | -2.45       | 54.00          | 13.30       | 174         | 2         | Horizontal |
| 5   | 15720.0     | 46.99          | 4.37        | 54.00          | 7.01        | 157         | 72        | Horizontal |
| 6   | 15720.0     | 57.38          | 4.37        | 74.00          | 16.62       | 155         | 102       | Horizontal |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Vertical            |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 20 Channel 52

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6879.39     | 37.84          | 19.13       | 54.00          | 16.16       | 174         | 344       | Vertical |
| 2   | 6898.29     | 48.62          | 19.16       | 68.20          | 19.58       | 165         | 2         | Vertical |
| 3   | 10520.0     | 50.58          | -2.42       | 68.20          | 17.62       | 184         | 332       | Vertical |
| 4   | 10520.0     | 41.37          | -2.42       | 54.00          | 12.63       | 165         | 325       | Vertical |
| 5   | 15780.0     | 45.94          | 4.57        | 54.00          | 8.06        | 175         | 122       | Vertical |
| 6   | 15780.0     | 56.78          | 4.57        | 74.00          | 17.22       | 185         | 144       | Vertical |

#### Remark:


- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.



|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Horizontal          |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 20 Channel 52

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6883.89     | 48.72          | 18.99       | 68.20          | 19.48       | 174         | 321       | Horizontal |
| 2   | 6898.29     | 37.87          | 19.16       | 54.00          | 16.13       | 175         | 96        | Horizontal |
| 3   | 10520.0     | 50.74          | -2.42       | 68.20          | 17.46       | 165         | 265       | Horizontal |
| 4   | 10520.0     | 41.42          | -2.42       | 54.00          | 12.58       | 188         | 236       | Horizontal |
| 5   | 15780.0     | 46.62          | 4.57        | 54.00          | 7.38        | 192         | 46        | Horizontal |
| 6   | 15780.0     | 56.96          | 4.57        | 74.00          | 17.04       | 185         | 280       | Horizontal |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Vertical            |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 20 Channel 60

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6904.89     | 48.10          | 19.06       | 68.20          | 20.10       | 174         | 214       | Vertical |
| 2   | 6911.79     | 37.98          | 18.85       | 54.00          | 16.02       | 165         | 9         | Vertical |
| 3   | 10600.0     | 51.76          | -2.15       | 74.00          | 22.24       | 184         | 360       | Vertical |
| 4   | 10600.0     | 41.92          | -2.15       | 54.00          | 12.08       | 156         | 252       | Vertical |
| 5   | 15900.0     | 46.96          | 4.74        | 54.00          | 7.04        | 189         | 138       | Vertical |
| 6   | 15900.0     | 56.04          | 4.74        | 74.00          | 17.96       | 175         | 138       | Vertical |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Horizontal          |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 20 Channel 60

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6660.98     | 37.34          | 18.94       | 54.00          | 16.66       | 178         | 124       | Horizontal |
| 2   | 6934.29     | 48.65          | 19.12       | 68.20          | 19.55       | 185         | 253       | Horizontal |
| 3   | 10600.0     | 51.65          | -2.15       | 74.00          | 22.35       | 165         | 221       | Horizontal |
| 4   | 10600.0     | 41.39          | -2.15       | 54.00          | 12.61       | 184         | 46        | Horizontal |
| 5   | 15900.0     | 46.53          | 4.74        | 54.00          | 7.47        | 125         | 122       | Horizontal |
| 6   | 15900.0     | 56.29          | 4.74        | 74.00          | 17.71       | 174         | 358       | Horizontal |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Vertical            |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 20 Channel 64

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6843.69     | 48.56          | 19.18       | 68.20          | 19.64       | 274         | 139       | Vertical |
| 2   | 6854.49     | 38.52          | 19.10       | 54.00          | 15.48       | 265         | 299       | Vertical |
| 3   | 10640.0     | 51.61          | -2.33       | 74.00          | 22.39       | 284         | 69        | Vertical |
| 4   | 10640.0     | 41.91          | -2.33       | 54.00          | 12.09       | 275         | 282       | Vertical |
| 5   | 15960.0     | 46.31          | 4.32        | 54.00          | 7.69        | 265         | 244       | Vertical |
| 6   | 15960.0     | 56.79          | 4.32        | 74.00          | 17.21       | 298         | 199       | Vertical |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Horizontal          |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 20 Channel 64

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6881.79     | 47.96          | 19.09       | 68.20          | 20.24       | 174         | 230       | Horizontal |
| 2   | 6983.79     | 37.87          | 19.11       | 54.00          | 16.13       | 198         | 169       | Horizontal |
| 3   | 10640.0     | 52.22          | -2.33       | 74.00          | 21.78       | 175         | 130       | Horizontal |
| 4   | 10640.0     | 41.60          | -2.33       | 54.00          | 12.40       | 162         | 266       | Horizontal |
| 5   | 15960.0     | 45.94          | 4.32        | 54.00          | 8.06        | 184         | 153       | Horizontal |
| 6   | 15960.0     | 57.07          | 4.32        | 74.00          | 16.93       | 187         | 191       | Horizontal |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Vertical            |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 20 Channel 100

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6848.19     | 48.51          | 19.10       | 68.20          | 19.69       | 274         | 260       | Vertical |
| 2   | 6940.29     | 37.92          | 19.14       | 54.00          | 16.08       | 285         | 299       | Vertical |
| 3   | 11000.0     | 51.38          | -1.15       | 74.00          | 22.62       | 255         | 260       | Vertical |
| 4   | 11000.0     | 41.06          | -1.15       | 54.00          | 12.94       | 265         | 184       | Vertical |
| 5   | 16500.0     | 47.06          | 3.78        | 54.00          | 6.94        | 241         | 154       | Vertical |
| 6   | 16500.0     | 57.80          | 3.78        | 68.20          | 10.40       | 235         | 176       | Vertical |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Horizontal          |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 20 Channel 100

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6777.68     | 48.36          | 18.94       | 68.20          | 19.84       | 174         | 268       | Horizontal |
| 2   | 6972.09     | 38.14          | 18.87       | 54.00          | 15.86       | 188         | 17        | Horizontal |
| 3   | 11000.0     | 51.85          | -1.15       | 74.00          | 22.15       | 195         | 244       | Horizontal |
| 4   | 11000.0     | 41.23          | -1.15       | 54.00          | 12.77       | 157         | 47        | Horizontal |
| 5   | 16500.0     | 46.91          | 3.78        | 54.00          | 7.09        | 162         | 236       | Horizontal |
| 6   | 16500.0     | 57.85          | 3.78        | 68.20          | 10.35       | 155         | 320       | Horizontal |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Vertical            |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 20 Channel 116

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6879.39     | 37.39          | 19.13       | 54.00          | 16.61       | 241         | 132       | Vertical |
| 2   | 6940.89     | 47.92          | 19.12       | 68.20          | 20.28       | 256         | 116       | Vertical |
| 3   | 11160.0     | 52.74          | -0.79       | 74.00          | 21.26       | 287         | 84        | Vertical |
| 4   | 11160.0     | 43.16          | -0.79       | 54.00          | 10.84       | 225         | 206       | Vertical |
| 5   | 16740.0     | 46.97          | 4.14        | 54.00          | 7.03        | 244         | 275       | Vertical |
| 6   | 16740.0     | 56.33          | 4.14        | 68.20          | 11.87       | 263         | 53        | Vertical |

#### Remark:


- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.



|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Horizontal          |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 20 Channel 116

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6730.28     | 36.78          | 18.92       | 54.00          | 17.22       | 174         | 321       | Horizontal |
| 2   | 6966.99     | 48.25          | 18.80       | 68.20          | 19.95       | 158         | 0         | Horizontal |
| 3   | 11160.0     | 52.13          | -0.79       | 74.00          | 21.87       | 165         | 305       | Horizontal |
| 4   | 11160.0     | 43.62          | -0.79       | 54.00          | 10.38       | 184         | 191       | Horizontal |
| 5   | 16740.0     | 46.94          | 4.14        | 54.00          | 7.06        | 132         | 321       | Horizontal |
| 6   | 16740.0     | 55.93          | 4.14        | 68.20          | 12.27       | 185         | 122       | Horizontal |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Vertical            |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 20 Channel 140

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6688.28     | 47.99          | 19.29       | 68.20          | 20.21       | 241         | 214       | Vertical |
| 2   | 6852.09     | 37.59          | 19.08       | 54.00          | 16.41       | 251         | 305       | Vertical |
| 3   | 11400.0     | 51.87          | -0.41       | 74.00          | 22.13       | 257         | 268       | Vertical |
| 4   | 11400.0     | 41.89          | -0.41       | 54.00          | 12.11       | 268         | 47        | Vertical |
| 5   | 17100.0     | 47.24          | 2.35        | 54.00          | 6.76        | 295         | 100       | Vertical |
| 6   | 17100.0     | 56.94          | 2.35        | 68.20          | 11.26       | 241         | 153       | Vertical |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Horizontal          |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 20 Channel 140

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6689.78     | 48.03          | 19.37       | 68.20          | 20.17       | 141         | 102       | Horizontal |
| 2   | 6848.19     | 38.29          | 19.10       | 54.00          | 15.71       | 175         | 358       | Horizontal |
| 3   | 11400.0     | 51.78          | -0.41       | 74.00          | 22.22       | 165         | 192       | Horizontal |
| 4   | 11400.0     | 42.72          | -0.41       | 54.00          | 11.28       | 184         | 9         | Horizontal |
| 5   | 17100.0     | 46.13          | 2.35        | 54.00          | 7.87        | 171         | 138       | Horizontal |
| 6   | 17100.0     | 57.96          | 2.35        | 68.20          | 10.24       | 136         | 207       | Horizontal |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Vertical            |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 20 Channel 149

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6435.37     | 47.52          | 18.05       | 68.20          | 20.68       | 241         | 329       | Vertical |
| 2   | 6972.99     | 38.24          | 18.89       | 54.00          | 15.76       | 275         | 207       | Vertical |
| 3   | 11490.0     | 50.12          | -0.39       | 74.00          | 23.88       | 258         | 290       | Vertical |
| 4   | 11490.0     | 40.67          | -0.39       | 54.00          | 13.33       | 263         | 54        | Vertical |
| 5   | 17235.0     | 48.53          | 2.88        | 54.00          | 5.47        | 214         | 114       | Vertical |
| 6   | 17235.0     | 57.94          | 2.88        | 68.20          | 10.26       | 258         | 243       | Vertical |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Horizontal          |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 20 Channel 149

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6794.78     | 37.77          | 18.85       | 54.00          | 16.23       | 174         | 207       | Horizontal |
| 2   | 6935.19     | 48.51          | 19.12       | 68.20          | 19.69       | 158         | 139       | Horizontal |
| 3   | 11490.0     | 51.32          | -0.39       | 74.00          | 22.68       | 165         | 153       | Horizontal |
| 4   | 11490.0     | 41.28          | -0.39       | 54.00          | 12.72       | 185         | 206       | Horizontal |
| 5   | 17235.0     | 47.53          | 2.88        | 54.00          | 6.47        | 194         | 237       | Horizontal |
| 6   | 17235.0     | 58.22          | 2.88        | 68.20          | 9.98        | 178         | 183       | Horizontal |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Vertical            |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Huni: 57% |

## 802.11ac 20 Channel 157

### Test Graph



### Suspected List

| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6524.47     | 47.69          | 18.30       | 68.20          | 20.51       | 217         | 351       | Vertical |
| 2              | 6917.49     | 38.18          | 18.84       | 54.00          | 15.82       | 218         | 54        | Vertical |
| 3              | 11570.0     | 51.97          | -0.09       | 74.00          | 22.03       | 274         | 8         | Vertical |
| 4              | 11570.0     | 41.37          | -0.09       | 54.00          | 12.63       | 259         | 339       | Vertical |
| 5              | 17355.0     | 47.77          | 3.40        | 54.00          | 6.23        | 241         | 312       | Vertical |
| 6              | 17355.0     | 57.35          | 3.40        | 68.20          | 10.85       | 285         | 206       | Vertical |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Horizontal          |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 20 Channel 157

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6986.49     | 37.99          | 19.16       | 54.00          | 16.01       | 241         | 191       | Horizontal |
| 2   | 6995.79     | 49.40          | 19.25       | 68.20          | 18.80       | 275         | 70        | Horizontal |
| 3   | 11570.0     | 50.71          | -0.09       | 74.00          | 23.29       | 225         | 214       | Horizontal |
| 4   | 11570.0     | 41.06          | -0.09       | 54.00          | 12.94       | 268         | 259       | Horizontal |
| 5   | 17355.0     | 47.35          | 3.40        | 54.00          | 6.65        | 294         | 206       | Horizontal |
| 6   | 17355.0     | 56.81          | 3.40        | 68.20          | 11.39       | 241         | 31        | Horizontal |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Vertical            |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Huni: 57% |

## 802.11ac 20 Channel 165

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6936.69     | 48.32          | 19.13       | 68.20          | 19.88       | 242         | 184       | Vertical |
| 2   | 6989.49     | 37.90          | 19.22       | 54.00          | 16.10       | 222         | 358       | Vertical |
| 3   | 11650.0     | 52.11          | 0.45        | 74.00          | 21.89       | 216         | 24        | Vertical |
| 4   | 11650.0     | 42.42          | 0.45        | 54.00          | 11.58       | 258         | 320       | Vertical |
| 5   | 17475.0     | 47.21          | 3.50        | 54.00          | 6.79        | 236         | 153       | Vertical |
| 6   | 17475.0     | 56.09          | 3.50        | 68.20          | 12.11       | 224         | 252       | Vertical |

#### Remark:


- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.



|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Horizontal          |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 20 Channel 165

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6712.58     | 37.58          | 18.64       | 54.00          | 16.42       | 154         | 72        | Horizontal |
| 2   | 6860.19     | 48.54          | 19.12       | 68.20          | 19.66       | 198         | 72        | Horizontal |
| 3   | 11650.0     | 52.40          | 0.45        | 74.00          | 21.60       | 175         | 4         | Horizontal |
| 4   | 11650.0     | 42.33          | 0.45        | 54.00          | 11.67       | 174         | 358       | Horizontal |
| 5   | 17475.0     | 47.14          | 3.50        | 54.00          | 6.86        | 159         | 132       | Horizontal |
| 6   | 17475.0     | 56.77          | 3.50        | 68.20          | 11.43       | 174         | 358       | Horizontal |

#### Remark:


- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

## 802.11ac 40 mode

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Vertical            |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Huni: 57% |

## 802.11ac 40 Channel 38

## Test Graph



## Suspected List

| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6661.28     | 49.07          | 18.95       | 68.20          | 19.13       | 245         | 123       | Vertical |
| 2              | 6903.09     | 38.23          | 19.13       | 54.00          | 15.77       | 264         | 70        | Vertical |
| 3              | 10380.0     | 49.86          | -2.44       | 68.20          | 18.34       | 284         | 269       | Vertical |
| 4              | 10380.0     | 40.86          | -2.44       | 54.00          | 13.14       | 218         | 40        | Vertical |
| 5              | 15570.0     | 45.52          | 4.49        | 54.00          | 8.48        | 225         | 261       | Vertical |
| 6              | 15570.0     | 55.74          | 4.49        | 74.00          | 18.26       | 264         | 70        | Vertical |


## Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Horizontal          |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 40 Channel 38

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6986.79     | 48.35          | 19.16       | 68.20          | 19.85       | 174         | 282       | Horizontal |
| 2   | 6991.59     | 37.74          | 19.23       | 54.00          | 16.26       | 177         | 282       | Horizontal |
| 3   | 10380.0     | 40.71          | -2.44       | 54.00          | 13.29       | 184         | 25        | Horizontal |
| 4   | 10380.0     | 50.10          | -2.44       | 68.20          | 18.10       | 195         | 64        | Horizontal |
| 5   | 15570.0     | 45.58          | 4.49        | 54.00          | 8.42        | 187         | 245       | Horizontal |
| 6   | 15570.0     | 56.10          | 4.49        | 74.00          | 17.90       | 176         | 352       | Horizontal |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Vertical            |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Huni: 57% |

## 802.11ac 40 Channel 46

### Test Graph



### Suspected List

| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6899.49     | 38.52          | 19.22       | 54.00          | 15.48       | 274         | 2         | Vertical |
| 2              | 6900.69     | 48.03          | 19.22       | 68.20          | 20.17       | 285         | 24        | Vertical |
| 3              | 10460.0     | 49.91          | -2.60       | 68.20          | 18.29       | 241         | 124       | Vertical |
| 4              | 10460.0     | 40.57          | -2.60       | 54.00          | 13.43       | 265         | 314       | Vertical |
| 5              | 15690.0     | 45.59          | 4.16        | 54.00          | 8.41        | 281         | 10        | Vertical |
| 6              | 15690.0     | 57.09          | 4.16        | 74.00          | 16.91       | 258         | 139       | Vertical |


#### Remark:

1. Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
2. The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Horizontal          |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

### 802.11ac 40 Channel 46

#### Test Graph



#### Suspected List

| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 6954.99     | 48.92          | 18.81       | 68.20          | 19.28       | 178         | 297       | Horizontal |
| 2              | 6981.39     | 37.75          | 19.06       | 54.00          | 16.25       | 174         | 289       | Horizontal |
| 3              | 10460.0     | 50.02          | -2.60       | 68.20          | 18.18       | 195         | 169       | Horizontal |
| 4              | 10460.0     | 40.71          | -2.60       | 54.00          | 13.29       | 188         | 100       | Horizontal |
| 5              | 15690.0     | 46.41          | 4.16        | 54.00          | 7.59        | 159         | 237       | Horizontal |
| 6              | 15690.0     | 56.73          | 4.16        | 74.00          | 17.27       | 187         | 321       | Horizontal |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Vertical            |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 40 Channel 54

### Test Graph



### Suspected List

| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6808.89     | 47.82          | 18.90       | 68.20          | 20.38       | 254         | 39        | Vertical |
| 2              | 6901.29     | 37.82          | 19.20       | 54.00          | 16.18       | 247         | 176       | Vertical |
| 3              | 10540.0     | 50.54          | -2.55       | 68.20          | 17.66       | 241         | 77        | Vertical |
| 4              | 10540.0     | 40.85          | -2.55       | 54.00          | 13.15       | 226         | 275       | Vertical |
| 5              | 15810.0     | 46.76          | 4.38        | 54.00          | 7.24        | 284         | 214       | Vertical |
| 6              | 15810.0     | 56.09          | 4.38        | 74.00          | 17.91       | 225         | 191       | Vertical |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Horizontal          |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 40 Channel 54

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6883.89     | 37.92          | 18.99       | 54.00          | 16.08       | 174         | 315       | Horizontal |
| 2   | 6997.29     | 48.53          | 19.26       | 68.20          | 19.67       | 195         | 8         | Horizontal |
| 3   | 10540.0     | 50.69          | -2.55       | 68.20          | 17.51       | 174         | 245       | Horizontal |
| 4   | 10540.0     | 41.50          | -2.55       | 54.00          | 12.50       | 188         | 299       | Horizontal |
| 5   | 15810.0     | 46.51          | 4.38        | 54.00          | 7.49        | 175         | 306       | Horizontal |
| 6   | 15810.0     | 57.32          | 4.38        | 74.00          | 16.68       | 162         | 17        | Horizontal |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Vertical            |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 40 Channel 62

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6654.98     | 47.62          | 18.83       | 68.20          | 20.58       | 277         | 85        | Vertical |
| 2   | 6990.39     | 38.52          | 19.23       | 54.00          | 15.48       | 241         | 146       | Vertical |
| 3   | 10620.0     | 50.31          | -2.24       | 74.00          | 23.69       | 285         | 161       | Vertical |
| 4   | 10620.0     | 41.99          | -2.24       | 54.00          | 12.01       | 274         | 237       | Vertical |
| 5   | 15930.0     | 47.03          | 4.46        | 54.00          | 6.97        | 259         | 214       | Vertical |
| 6   | 15930.0     | 57.78          | 4.46        | 74.00          | 16.22       | 271         | 206       | Vertical |

#### Remark:


- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.



|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Horizontal          |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 40 Channel 62

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6848.19     | 38.24          | 19.10       | 54.00          | 15.76       | 174         | 146       | Horizontal |
| 2   | 6864.39     | 48.17          | 18.86       | 68.20          | 20.03       | 165         | 92        | Horizontal |
| 3   | 10620.0     | 52.54          | -2.24       | 74.00          | 21.46       | 184         | 139       | Horizontal |
| 4   | 10620.0     | 41.40          | -2.24       | 54.00          | 12.60       | 178         | 177       | Horizontal |
| 5   | 15930.0     | 47.18          | 4.46        | 54.00          | 6.82        | 195         | 48        | Horizontal |
| 6   | 15930.0     | 57.60          | 4.46        | 74.00          | 16.40       | 147         | 192       | Horizontal |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Vertical            |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 40 Channel 102

### Test Graph



### Suspected List

| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6845.49     | 47.66          | 19.15       | 68.20          | 20.54       | 245         | 360       | Vertical |
| 2              | 6894.99     | 37.69          | 18.97       | 54.00          | 16.31       | 259         | 138       | Vertical |
| 3              | 11020.0     | 51.37          | -1.13       | 74.00          | 22.63       | 241         | 267       | Vertical |
| 4              | 11020.0     | 41.29          | -1.13       | 54.00          | 12.71       | 274         | 358       | Vertical |
| 5              | 16530.0     | 46.23          | 3.78        | 54.00          | 7.77        | 284         | 252       | Vertical |
| 6              | 16530.0     | 56.83          | 3.78        | 68.20          | 11.37       | 261         | 206       | Vertical |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Horizontal          |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 40 Channel 102

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6905.19     | 48.40          | 19.04       | 68.20          | 19.80       | 174         | 92        | Horizontal |
| 2   | 6993.99     | 38.11          | 19.24       | 54.00          | 15.89       | 185         | 145       | Horizontal |
| 3   | 11020.0     | 51.02          | -1.13       | 74.00          | 22.98       | 165         | 351       | Horizontal |
| 4   | 11020.0     | 41.07          | -1.13       | 54.00          | 12.93       | 174         | 199       | Horizontal |
| 5   | 16530.0     | 47.19          | 3.78        | 54.00          | 6.81        | 195         | 351       | Horizontal |
| 6   | 16530.0     | 57.52          | 3.78        | 68.20          | 10.68       | 177         | 85        | Horizontal |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Vertical            |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Huni: 57% |

## 802.11ac 40 Channel 110

### Test Graph



### Suspected List

| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6854.49     | 47.95          | 19.10       | 68.20          | 20.25       | 274         | 298       | Vertical |
| 2              | 6990.69     | 38.12          | 19.23       | 54.00          | 15.88       | 258         | 9         | Vertical |
| 3              | 11100.0     | 51.91          | -0.99       | 74.00          | 22.09       | 264         | 47        | Vertical |
| 4              | 11100.0     | 42.22          | -0.99       | 54.00          | 11.78       | 284         | 93        | Vertical |
| 5              | 16650.0     | 47.29          | 3.90        | 54.00          | 6.71        | 274         | 252       | Vertical |
| 6              | 16650.0     | 57.74          | 3.90        | 68.20          | 10.46       | 225         | 215       | Vertical |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Horizontal          |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 40 Channel 110

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6938.19     | 48.37          | 19.14       | 68.20          | 19.83       | 174         | 267       | Horizontal |
| 2   | 6985.89     | 37.74          | 19.15       | 54.00          | 16.26       | 195         | 259       | Horizontal |
| 3   | 11100.0     | 51.39          | -0.99       | 74.00          | 22.61       | 148         | 17        | Horizontal |
| 4   | 11100.0     | 42.53          | -0.99       | 54.00          | 11.47       | 175         | 329       | Horizontal |
| 5   | 16650.0     | 47.69          | 3.90        | 54.00          | 6.31        | 198         | 70        | Horizontal |
| 6   | 16650.0     | 57.13          | 3.90        | 68.20          | 11.07       | 188         | 25        | Horizontal |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Vertical            |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Huni: 57% |

## 802.11ac 40 Channel 134

### Test Graph



### Suspected List

| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6863.49     | 48.65          | 18.92       | 68.20          | 19.55       | 174         | 191       | Vertical |
| 2              | 6940.59     | 38.06          | 19.13       | 54.00          | 15.94       | 195         | 206       | Vertical |
| 3              | 11340.0     | 52.71          | -0.51       | 74.00          | 21.29       | 187         | 246       | Vertical |
| 4              | 11340.0     | 43.11          | -0.51       | 54.00          | 10.89       | 168         | 307       | Vertical |
| 5              | 17010.0     | 45.37          | 3.20        | 54.00          | 8.63        | 194         | 48        | Vertical |
| 6              | 17010.0     | 55.84          | 3.20        | 68.20          | 12.36       | 155         | 200       | Vertical |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Horizontal          |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 40 Channel 134

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6903.09     | 38.20          | 19.13       | 54.00          | 15.80       | 188         | 31        | Horizontal |
| 2   | 6966.99     | 48.60          | 18.80       | 68.20          | 19.60       | 174         | 2         | Horizontal |
| 3   | 11340.0     | 52.85          | -0.51       | 74.00          | 21.15       | 165         | 3         | Horizontal |
| 4   | 11340.0     | 42.54          | -0.51       | 54.00          | 11.46       | 185         | 358       | Horizontal |
| 5   | 17010.0     | 45.42          | 3.20        | 54.00          | 8.58        | 192         | 246       | Horizontal |
| 6   | 17010.0     | 55.16          | 3.20        | 68.20          | 13.04       | 184         | 0         | Horizontal |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Vertical            |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Huni: 57% |

## 802.11ac 40 Channel 151

### Test Graph



### Suspected List

| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6916.29     | 48.15          | 18.84       | 68.20          | 20.05       | 241         | 297       | Vertical |
| 2              | 6985.59     | 37.87          | 19.14       | 54.00          | 16.13       | 258         | 305       | Vertical |
| 3              | 11510.0     | 51.40          | -0.30       | 74.00          | 22.60       | 274         | 206       | Vertical |
| 4              | 11510.0     | 41.93          | -0.30       | 54.00          | 12.07       | 265         | 82        | Vertical |
| 5              | 17265.0     | 48.25          | 2.84        | 54.00          | 5.75        | 258         | 146       | Vertical |
| 6              | 17265.0     | 58.06          | 2.84        | 68.20          | 10.14       | 285         | 138       | Vertical |

#### Remark:


- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.



|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Horizontal          |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 40 Channel 151

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6899.49     | 48.74          | 19.22       | 68.20          | 19.46       | 187         | 147       | Horizontal |
| 2   | 6900.69     | 38.08          | 19.22       | 54.00          | 15.92       | 177         | 330       | Horizontal |
| 3   | 11510.0     | 52.36          | -0.30       | 74.00          | 21.64       | 195         | 139       | Horizontal |
| 4   | 11510.0     | 41.58          | -0.30       | 54.00          | 12.42       | 184         | 109       | Horizontal |
| 5   | 17265.0     | 48.36          | 2.84        | 54.00          | 5.64        | 159         | 3         | Horizontal |
| 6   | 17265.0     | 58.30          | 2.84        | 68.20          | 9.90        | 167         | 48        | Horizontal |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Vertical            |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

### 802.11ac 40 Channel 159

#### Test Graph



#### Suspected List

##### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6763.58     | 38.49          | 19.30       | 54.00          | 15.51       | 271         | 251       | Vertical |
| 2   | 6961.59     | 48.29          | 18.76       | 68.20          | 19.91       | 185         | 289       | Vertical |
| 3   | 11590.0     | 51.11          | -0.06       | 74.00          | 22.89       | 265         | 191       | Vertical |
| 4   | 11590.0     | 41.03          | -0.06       | 54.00          | 12.97       | 274         | 69        | Vertical |
| 5   | 17385.0     | 46.92          | 3.19        | 54.00          | 7.08        | 241         | 321       | Vertical |
| 6   | 17385.0     | 56.74          | 3.19        | 68.20          | 11.46       | 225         | 206       | Vertical |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Horizontal          |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 40 Channel 159

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6900.99     | 48.21          | 19.21       | 68.20          | 19.99       | 174         | 313       | Horizontal |
| 2   | 6941.49     | 38.19          | 19.10       | 54.00          | 15.81       | 195         | 283       | Horizontal |
| 3   | 11590.0     | 52.48          | -0.06       | 74.00          | 21.52       | 174         | 155       | Horizontal |
| 4   | 11590.0     | 41.38          | -0.06       | 54.00          | 12.62       | 165         | 94        | Horizontal |
| 5   | 17385.0     | 46.72          | 3.19        | 54.00          | 7.28        | 184         | 208       | Horizontal |
| 6   | 17385.0     | 56.83          | 3.19        | 68.20          | 11.37       | 199         | 42        | Horizontal |

#### Remark:


- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

## 802.11ac 80 mode

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Vertical            |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 80 Channel 42

## Test Graph



## Suspected List

| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6861.99     | 48.93          | 19.01       | 68.20          | 19.27       | 178         | 152       | Vertical |
| 2              | 6899.79     | 37.58          | 19.24       | 54.00          | 16.42       | 195         | 252       | Vertical |
| 3              | 10420.0     | 50.69          | -2.28       | 68.20          | 17.51       | 184         | 351       | Vertical |
| 4              | 10420.0     | 40.40          | -2.28       | 54.00          | 13.60       | 156         | 1         | Vertical |
| 5              | 15630.0     | 45.96          | 4.31        | 54.00          | 8.04        | 187         | 70        | Vertical |
| 6              | 15630.0     | 55.00          | 4.31        | 74.00          | 19.00       | 191         | 100       | Vertical |


## Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Horizontal          |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 80 Channel 42

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6586.57     | 48.11          | 18.68       | 68.20          | 20.09       | 184         | 276       | Horizontal |
| 2   | 6689.18     | 37.68          | 19.34       | 54.00          | 16.32       | 174         | 260       | Horizontal |
| 3   | 10420.0     | 51.07          | -2.28       | 68.20          | 17.13       | 165         | 145       | Horizontal |
| 4   | 10420.0     | 40.48          | -2.28       | 54.00          | 13.52       | 185         | 290       | Horizontal |
| 5   | 15630.0     | 44.86          | 4.31        | 54.00          | 9.14        | 195         | 46        | Horizontal |
| 6   | 15630.0     | 55.31          | 4.31        | 74.00          | 18.69       | 117         | 108       | Horizontal |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Vertical            |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Huni: 57% |

## 802.11ac 80 Channel 58

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6855.09     | 37.52          | 19.10       | 54.00          | 16.48       | 221         | 17        | Vertical |
| 2   | 6898.29     | 48.34          | 19.16       | 68.20          | 19.86       | 245         | 108       | Vertical |
| 3   | 10580.0     | 51.45          | -2.33       | 68.20          | 16.75       | 263         | 305       | Vertical |
| 4   | 10580.0     | 41.75          | -2.33       | 54.00          | 12.25       | 284         | 228       | Vertical |
| 5   | 15870.0     | 46.54          | 4.36        | 54.00          | 7.46        | 256         | 267       | Vertical |
| 6   | 15870.0     | 56.03          | 4.36        | 74.00          | 17.97       | 281         | 206       | Vertical |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Horizontal          |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 80 Channel 58

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6843.99     | 48.04          | 19.18       | 68.20          | 20.16       | 174         | 206       | Horizontal |
| 2   | 6900.09     | 38.37          | 19.25       | 54.00          | 15.63       | 198         | 343       | Horizontal |
| 3   | 10580.0     | 51.18          | -2.33       | 68.20          | 17.02       | 175         | 89        | Horizontal |
| 4   | 10580.0     | 40.98          | -2.33       | 54.00          | 13.02       | 154         | 0         | Horizontal |
| 5   | 15870.0     | 46.45          | 4.36        | 54.00          | 7.55        | 178         | 210       | Horizontal |
| 6   | 15870.0     | 56.40          | 4.36        | 74.00          | 17.60       | 162         | 286       | Horizontal |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Vertical            |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 80 Channel 106

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6913.89     | 48.39          | 18.85       | 68.20          | 19.81       | 222         | 145       | Vertical |
| 2   | 6948.69     | 37.56          | 18.91       | 54.00          | 16.44       | 245         | 153       | Vertical |
| 3   | 11060.0     | 52.02          | -1.07       | 74.00          | 21.98       | 265         | 358       | Vertical |
| 4   | 11060.0     | 41.69          | -1.07       | 54.00          | 12.31       | 247         | 48        | Vertical |
| 5   | 16590.0     | 46.28          | 4.21        | 54.00          | 7.72        | 256         | 214       | Vertical |
| 6   | 16590.0     | 56.24          | 4.21        | 68.20          | 11.96       | 248         | 93        | Vertical |

#### Remark:


- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.



|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Horizontal          |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 80 Channel 106

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6524.47     | 47.61          | 18.30       | 68.20          | 20.59       | 174         | 229       | Horizontal |
| 2   | 6691.58     | 37.24          | 19.31       | 54.00          | 16.76       | 158         | 304       | Horizontal |
| 3   | 11060.0     | 52.91          | -1.07       | 74.00          | 21.09       | 165         | 10        | Horizontal |
| 4   | 11060.0     | 42.22          | -1.07       | 54.00          | 11.78       | 197         | 253       | Horizontal |
| 5   | 16590.0     | 46.34          | 4.21        | 54.00          | 7.66        | 174         | 154       | Horizontal |
| 6   | 16590.0     | 55.31          | 4.21        | 68.20          | 12.89       | 158         | 283       | Horizontal |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Vertical            |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Huni: 57% |

## 802.11ac 80 Channel 122

### Test Graph



### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6830.19     | 37.44          | 18.71       | 54.00          | 16.56       | 224         | 184       | Vertical |
| 2   | 6992.79     | 48.71          | 19.24       | 68.20          | 19.49       | 214         | 214       | Vertical |
| 3   | 11220.0     | 52.60          | -0.78       | 74.00          | 21.40       | 258         | 313       | Vertical |
| 4   | 11220.0     | 43.35          | -0.78       | 54.00          | 10.65       | 264         | 336       | Vertical |
| 5   | 16830.0     | 47.86          | 4.39        | 54.00          | 6.14        | 287         | 184       | Vertical |
| 6   | 16830.0     | 58.42          | 4.39        | 68.20          | 9.78        | 225         | 275       | Vertical |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Horizontal          |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 80 Channel 122

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6748.58     | 48.51          | 18.73       | 68.20          | 19.69       | 174         | 24        | Horizontal |
| 2   | 6840.39     | 38.48          | 19.24       | 54.00          | 15.52       | 198         | 206       | Horizontal |
| 3   | 11220.0     | 53.80          | -0.78       | 74.00          | 20.20       | 175         | 2         | Horizontal |
| 4   | 11220.0     | 42.99          | -0.78       | 54.00          | 11.01       | 168         | 2         | Horizontal |
| 5   | 16830.0     | 47.72          | 4.39        | 54.00          | 6.28        | 194         | 70        | Horizontal |
| 6   | 16830.0     | 57.11          | 4.39        | 68.20          | 11.09       | 187         | 100       | Horizontal |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Vertical            |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Huni: 57% |

## 802.11ac 80 Channel 155

### Test Graph



### Suspected List

| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6846.69     | 37.69          | 19.13       | 54.00          | 16.31       | 241         | 211       | Vertical |
| 2              | 6921.39     | 48.97          | 18.87       | 68.20          | 19.23       | 257         | 120       | Vertical |
| 3              | 11550.0     | 51.29          | -0.12       | 74.00          | 22.71       | 265         | 176       | Vertical |
| 4              | 11550.0     | 42.07          | -0.12       | 54.00          | 11.93       | 214         | 63        | Vertical |
| 5              | 17325.0     | 48.18          | 3.07        | 54.00          | 5.82        | 225         | 109       | Vertical |
| 6              | 17325.0     | 58.81          | 3.07        | 68.20          | 9.39        | 236         | 0         | Vertical |


#### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1370             |
| Test By:      | Mike         | Polarization:  | Horizontal          |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11ac 80 Channel 155

### Test Graph



### Suspected List

#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6888.09     | 38.02          | 18.79       | 54.00          | 15.98       | 174         | 98        | Horizontal |
| 2   | 6994.29     | 48.34          | 19.24       | 68.20          | 19.86       | 165         | 343       | Horizontal |
| 3   | 11550.0     | 50.92          | -0.12       | 74.00          | 23.08       | 187         | 69        | Horizontal |
| 4   | 11550.0     | 41.03          | -0.12       | 54.00          | 12.97       | 174         | 344       | Horizontal |
| 5   | 17325.0     | 48.88          | 3.07        | 54.00          | 5.12        | 165         | 129       | Horizontal |
| 6   | 17325.0     | 57.44          | 3.07        | 68.20          | 10.76       | 181         | 129       | Horizontal |

#### Remark:


- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

Above 1GHz:

AT-1361:

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1361             |
| Test By:      | Mike         | Polarization:  | Vertical            |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

## 802.11N20 Channel 149



### Suspected List


| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6878.7939   | 48.16          | 19.09       | 68.20          | 20.04       | 224         | 125       | Vertical |
| 2   | 6898.2949   | 37.66          | 19.16       | 54.00          | 16.34       | 265         | 193       | Vertical |
| 3   | 11490.0000  | 50.58          | -0.39       | 74.00          | 23.42       | 241         | 31        | Vertical |
| 4   | 11490.0000  | 40.67          | -0.39       | 54.00          | 13.33       | 287         | 244       | Vertical |
| 5   | 17235.0000  | 47.58          | 2.88        | 54.00          | 6.42        | 213         | 39        | Vertical |
| 6   | 17235.0000  | 56.91          | 2.88        | 68.20          | 11.29       | 217         | 130       | Vertical |

Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

|               |              |                |                     |
|---------------|--------------|----------------|---------------------|
| Product Name: | Smart Phone  | Product Model: | TA-1361             |
| Test By:      | Mike         | Polarization:  | Horizontal          |
| Test Voltage: | AC 120V/60Hz | Environment:   | Temp: 24℃ Humi: 57% |

### 802.11N20 Channel 149



### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6937.2969   | 47.66          | 19.13       | 68.20          | 20.54       | 174         | 253       | Horizontal |
| 2   | 6991.8996   | 37.73          | 19.23       | 54.00          | 16.27       | 165         | 26        | Horizontal |
| 3   | 11490.0000  | 51.56          | -0.39       | 74.00          | 22.44       | 184         | 251       | Horizontal |
| 4   | 11490.0000  | 40.88          | -0.39       | 54.00          | 13.12       | 199         | 2         | Horizontal |
| 5   | 17235.0000  | 47.03          | 2.88        | 54.00          | 6.97        | 175         | 137       | Horizontal |
| 6   | 17235.0000  | 56.45          | 2.88        | 68.20          | 11.75       | 162         | 184       | Horizontal |

### Remark:

- Final Level = Receiver Read level + Factor (Antenna Factor + Cable Loss – Preamplifier Factor).
- The emission levels of other frequencies are very lower than the limit and not show in test report.

## 7 Test Setup Photo

Reference to the test setup photos:: BT & Wi-Fi & NII Setup Photos.

## 8 EUT Constructional Details

Reference to the External Photo and Internal Photo

-----End of report-----