

tip

REF -23.0 dBm

AT 10 dB

MKR 36.000 msec

-45.08 dB

PEAK

LOG


10

dB/

VA SB

SC VC

CORR



$$\text{Average Factor} = \frac{0.5 \times 22 + 1 \times 5}{36}$$

$$= \frac{16}{36}$$

$$= 0.44 \text{ or } -7.1 \text{ dB}$$

CENTER 433.931 MHz

SPAN 0 Hz

#RES BW 100 kHz

#VBW 100 kHz

#SWP 50.0 msec

hp

REF -23.0 dBm

AT 10 dB

PEAK

LOG


10

dB/

VA SB

SC VC

CORR



CENTER 433.926 MHz

SPAN 0 Hz

#RES BW 100 KHz

#VBW 100 KHz

#SWP 20.0 msec

AP

REF -23.0 dBm

AT 10 dB

PEAK

LOG

10

dB

VA SB

SC VS

CORR

CENTER 433.931 MHz

#RES BW 100 KHZ

#VBW 100 KHZ

SPAN 0 HZ

#SWP 100 msec

hp

REF -23.0 dBm

AT 10 dB

Transmission Duration
MKR 2.8875 sec
-33.83 dBm

PEAK

LOG

10

dB/

PL


-72.8

dBm

VA SB

SC VC

CORR



CENTER 433.926 MHz

SPAN 0 Hz

#RES BW 100 kHz

#VBW 100 kHz

#SWP 5.00 sec