





Label must contain,





















- FCC/IC ID and HVIN shall be permanently indicated on the exterior of the product
- Identification of the product, e.g., trade name, model, etc
- The name and address, and telephone number, or internet contact information of the responsible party
- A statement that the product complies with the rules as mentioned below,

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation

Label for USA model

Stratum™ X5 SX5-1040A	Stratum™ X5 SX5-1042A
Model: SX5-1040A-US Ethernet 1 MAC-Addr: XXXXXXXXXXXX Ethernet 2 MAC-Addr: XXXXXXXXXXXX Wireless MAC-Addr: XXXXXXXXXXXX SN: XXXXXXXXXXXX PN: 906-00001 Rev: X	Model: SX5-1042A-US Ethernet 1 MAC-Addr: XXXXXXXXXXXX Ethernet 2 MAC-Addr: XXXXXXXXXXXX Wireless MAC-Addr: XXXXXXXXXXXX SN: XXXXXXXXXXXX PN: 906-00002 Rev: X
Proxim Wireless Corporation Powered by WOPR® FCC FCC ID: HZB-GIGA5 This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference. (2) This device must accept any interference received, including interference that may cause undesired operation.  "Outdoor Use"  Certified Radio Inside Refer to user documentation for regulatory details and all radio approvals. HVIN : Gigabit 5 quad	Proxim Wireless Corporation Powered by WOPR® FCC FCC ID: HZB-GIGA5 This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference. (2) This device must accept any interference received, including interference that may cause undesired operation.  "Outdoor Use"  Certified Radio Inside Refer to user documentation for regulatory details and all radio approvals. HVIN : Gigabit 5 quad
I/P : 56V dc 1.1A-via Ethernet Port OR 12V dc 4.0-5.0A-via Access Port O/P : 56V dc 10-20W (Optional) (Only when 56Vdc input provided) Assembled in the USA	I/P : 56V dc 1.1A-via Ethernet Port OR 12V dc 4.0-5.0A-via Access Port O/P : 56V dc 10-20W (Optional) (Only when 56Vdc input provided) Assembled in the USA

Label for Canada model

Stratum™ X5 SX5-1040A	Stratum™ X5 SX5-1042A
Model: SX5-1040A-WD	Model: SX5-1042A-WD
Ethernet 1 MAC-Addr: XXXXXXXXXXXX 	Ethernet 1 MAC-Addr: XXXXXXXXXXXX 
Ethernet 2 MAC-Addr: XXXXXXXXXXXX 	Ethernet 2 MAC-Addr: XXXXXXXXXXXX 
Wireless MAC-Addr: XXXXXXXXXXXX 	Wireless MAC-Addr: XXXXXXXXXXXX 
SN: XXXXXXXXXXXX 	SN: XXXXXXXXXXXX 
PN: 906-00003  Rev: X	PN: 906-00004  Rev: X
Proxim Wireless Corporation Powered by WORP® FC FCC ID: HZB-GIGA5 IC: 1856A-GIGA5  PROXIMXXXXXX RHS CE UK CA  "Outdoor Use" Certified Radio Inside Refer to user documentation for regulatory details and all radio approvals. HVIN : Gigabit 5 quad	Proxim Wireless Corporation Powered by WORP® FC FCC ID: HZB-GIGA5 IC: 1856A-GIGA5  PROXIMXXXXXX RHS CE UK CA  "Outdoor Use" Certified Radio Inside Refer to user documentation for regulatory details and all radio approvals. HVIN : Gigabit 5 quad
I/P : 56V dc  1.1A-via Ethernet Port OR 12V dc  4.0-5.0A-via Access Port O/P : 56V dc  10-20W (Optional) (Only when 56Vdc input provided) Assembled in the USA	I/P : 56V dc  1.1A-via Ethernet Port OR 12V dc  4.0-5.0A-via Access Port O/P : 56V dc  10-20W (Optional) (Only when 56Vdc input provided) Assembled in the USA

