


802.11ax HE40

CH179 (Horizontal) RMS

CH179 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5750.70	53.90	63.04	-9.14	68.20	-14.30	100	233 RMS	Horizontal		
2	6845.00	93.30	101.79	-8.40	68.20	25.10	100	233 RMS	Horizontal		
3	7213.20	53.58	62.10	-8.52	68.20	-14.62	100	233 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5782.20	54.06	63.12	-9.06	68.20	-14.14	100	351 RMS	Vertical		
2	6845.00	93.41	101.81	-8.40	68.20	25.21	100	351 RMS	Vertical		
3	7238.76	53.63	62.13	-8.50	68.20	-14.57	100	351 RMS	Vertical		


802.11ax HE40

CH187 (Horizontal) Peak

CH187 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5477.10	65.25	74.72	-9.47	88.20	-22.95	100	244	Peak	Horizontal		
2 *	6885.00	109.83	112.34	-8.51	88.20	15.63	100	244	Peak	Horizontal		
3	7247.22	65.13	73.63	-8.50	88.20	-23.07	100	244	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5492.94	65.26	74.66	-9.40	88.20	-22.94	100	85	Peak	Vertical		
2 *	6885.00	106.44	114.95	-8.51	88.20	18.24	100	85	Peak	Vertical		
3	7231.74	64.39	72.90	-8.51	88.20	-23.81	100	85	Peak	Vertical		


802.11ax HE40

CH187 (Horizontal) RMS

CH187 (Vertical) RMS



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5798.58	53.90	62.91	-9.01	68.20	-14.30	100	244 RMS	Horizontal	
2	6885.00	92.16	100.67	-8.51	68.20	23.96	100	244 RMS	Horizontal	
3	7192.32	53.52	62.04	-8.52	68.20	-14.68	100	244 RMS	Horizontal	



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5767.00	53.91	63.00	-9.09	68.20	-14.29	100	85 RMS	Vertical	
2	6885.00	94.47	102.98	-8.51	68.20	26.27	100	85 RMS	Vertical	
3	7168.38	53.46	62.00	-8.54	68.20	-14.74	100	85 RMS	Vertical	


802.11ax HE80

CH135 (Horizontal) Peak

CH135 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5490.78	65.29	74.71	-9.42	88.20	-22.91	100	87	Peak	Horizontal		
2 *	6625.00	107.05	115.36	-8.31	88.20	18.05	100	87	Peak	Horizontal		
3	7181.34	65.10	73.63	-8.53	88.20	-23.10	100	87	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5492.94	65.04	74.44	-9.40	88.20	-23.16	100	74	Peak	Vertical		
2 *	6625.00	104.70	113.01	-8.31	88.20	16.59	100	74	Peak	Vertical		
3	7231.92	65.57	74.08	-8.51	88.20	-22.63	100	74	Peak	Vertical		


802.11ax HE80

CH135 (Horizontal) RMS

CH135 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5800.20	54.29	63.30	-9.01	68.20	-13.91	100	87	RMS	Horizontal		
2 *	6625.00	95.32	103.63	-8.31	68.20	27.12	100	87	RMS	Horizontal		
3	7225.08	54.02	62.53	-8.51	68.20	-14.18	100	87	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5782.02	54.31	63.37	-9.06	68.20	-13.89	100	74	RMS	Vertical		
2 *	6625.00	93.26	101.57	-8.31	68.20	25.06	100	74	RMS	Vertical		
3	7231.02	53.68	62.19	-8.51	68.20	-14.52	100	74	RMS	Vertical		


802.11ax HE80

CH151 (Horizontal) Peak

CH151 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5835.30	66.21	75.26	-9.05	88.20	-21.99	100	91	Peak	Horizontal		
2	6705.00	106.23	114.55	-8.32	88.20	18.03	100	91	Peak	Horizontal		
3	7149.48	65.54	74.09	-8.55	88.20	-22.66	100	91	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5783.64	65.55	74.00	-9.05	88.20	-22.65	100	87	Peak	Vertical		
2	6705.00	104.21	112.53	-8.32	88.20	16.01	100	87	Peak	Vertical		
3	7225.44	64.56	73.07	-8.51	88.20	-23.64	100	87	Peak	Vertical		


802.11ax HE80

CH151 (Horizontal) RMS

CH151 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5478.00	54.66	64.12	-9.46	68.20	-13.54	100	91	RMS	Horizontal		
2 *	6705.00	94.85	103.17	-8.32	68.20	26.65	100	91	RMS	Horizontal		
3	7188.98	54.03	62.56	-8.53	68.20	-14.17	100	91	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5751.24	54.32	63.46	-9.14	68.20	-13.88	100	87	RMS	Vertical		
2 *	6705.00	93.55	101.87	-8.32	68.20	25.35	100	87	RMS	Vertical		
3	7239.30	53.79	62.29	-8.50	68.20	-14.41	100	87	RMS	Vertical		


802.11ax HE80

CH167 (Horizontal) Peak

CH167 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5837.28	65.26	74.31	-9.05	88.20	-22.94	100	79	Peak	Horizontal		
2 *	6785.00	104.03	112.36	-8.33	88.20	15.83	100	79	Peak	Horizontal		
3	7224.54	64.91	73.42	-8.51	88.20	-23.29	100	79	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5595.72	65.89	75.28	-9.39	88.20	-22.31	100	118	Peak	Vertical		
2 *	6785.00	103.34	111.67	-8.33	88.20	15.14	100	118	Peak	Vertical		
3	7229.04	64.26	72.77	-8.51	88.20	-23.94	100	118	Peak	Vertical		


802.11ax HE80

CH167 (Horizontal) RMS

CH167 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5754.12	54.21	63.34	-9.13	68.20	-13.99	100	79	RMS	Horizontal		
2 *	6785.00	93.53	101.86	-8.33	68.20	25.33	100	79	RMS	Horizontal		
3	7192.50	53.99	62.51	-8.52	68.20	-14.21	100	79	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5506.00	54.20	63.59	-9.39	68.20	-14.00	100	118	RMS	Vertical		
2 *	6785.00	91.08	100.31	-9.33	68.20	23.78	100	118	RMS	Vertical		
3	7186.38	53.68	62.20	-8.52	68.20	-14.52	100	118	RMS	Vertical		


802.11ax HE80

CH183 (Horizontal) Peak

CH183 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5596.26	65.03	74.42	-9.39	88.20	-23.17	100	235	Peak	Horizontal		
2 *	6865.00	109.72	112.18	-8.46	88.20	15.52	100	235	Peak	Horizontal		
3	7165.86	64.50	73.64	-8.54	88.20	-23.70	100	235	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5762.76	65.71	74.81	-9.10	88.20	-22.49	100	85	Peak	Vertical		
2 *	6865.00	105.24	113.70	-8.46	88.20	17.04	100	85	Peak	Vertical		
3	7248.84	65.10	73.60	-8.50	88.20	-23.10	100	85	Peak	Vertical		


802.11ax HE80

CH183 (Horizontal) RMS

CH183 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5785.00	54.43	63.48	-9.05	68.20	-13.77	100	235	RMS	Horizontal		
2 *	6865.00	92.68	101.14	-8.46	68.20	24.48	100	235	RMS	Horizontal		
3	7232.28	53.92	62.43	-8.51	68.20	-14.28	100	235	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5465.94	54.28	63.79	-9.51	68.20	-13.92	100	85	RMS	Vertical		
2 *	6865.00	94.47	102.93	-8.46	68.20	26.27	100	85	RMS	Vertical		
3	7158.12	53.80	62.34	-8.54	68.20	-14.40	100	85	RMS	Vertical		


802.11ax HE160

CH143 (Horizontal) Peak

CH143 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5819.02	64.84	73.87	-9.03	88.20	-23.36	100	80	Peak	Horizontal		
2 *	6665.00	106.25	114.60	-8.35	88.20	18.05	100	80	Peak	Horizontal		
3	7244.52	65.01	73.51	-8.50	88.20	-23.19	100	80	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5811.00	64.86	73.88	-9.02	88.20	-23.34	100	72	Peak	Vertical		
2 *	6665.00	104.88	113.15	-8.35	88.20	16.69	100	72	Peak	Vertical		
3	7200.78	64.59	73.11	-8.52	88.20	-23.61	100	72	Peak	Vertical		


802.11ax HE160

CH143 (Horizontal) RMS


CH143 (Vertical) RMS



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE160

CH175 (Horizontal) Peak

CH175 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5545.68	64.58	74.02	-9.44	88.20	-23.62	100	89	Peak	Horizontal		
2 *	6825.00	100.66	109.01	-8.35	88.20	12.46	100	89	Peak	Horizontal		
3	7221.30	64.64	73.15	-8.51	88.20	-23.56	100	89	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5783.10	65.82	74.87	-9.05	88.20	-22.38	100	254	Peak	Vertical		
2 *	6825.00	100.81	109.16	-8.35	88.20	12.61	100	254	Peak	Vertical		
3	7138.68	64.89	73.44	-8.55	88.20	-23.31	100	254	Peak	Vertical		


802.11ax HE160

CH175 (Horizontal) RMS

CH175 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5814.68	52.94	61.97	-9.03	68.20	-15.26	100	89	RMS	Horizontal		
2	7244.52	85.77	95.12	-8.35	68.20	18.57	100	89	RMS	Horizontal		
3	7244.52	53.38	61.88	-8.50	68.20	-14.82	100	89	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5783.46	53.09	62.14	-9.05	68.20	-15.11	100	254	RMS	Vertical		
2	7198.52	86.66	95.81	-8.35	68.20	18.46	100	254	RMS	Vertical		
3	7198.52	53.32	61.84	-8.52	68.20	-14.88	100	254	RMS	Vertical		

U-NII 8

802.11ax HE20

CH189 (Horizontal) Peak

CH189 (Vertical) Peak




802.11ax HE20

CH189 (Horizontal) RMS

CH189 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5796.68	53.77	62.79	-9.02	68.20	-14.43	110	236	RMS	Horizontal		
2 *	6895.00	92.04	100.58	-8.54	68.20	23.04	110	236	RMS	Horizontal		
3	7233.90	53.42	61.92	-8.50	68.20	-14.78	110	236	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5791.92	53.90	62.93	-9.03	68.20	-14.30	100	65	RMS	Vertical		
2 *	6895.00	94.27	102.81	-8.54	68.20	26.07	100	65	RMS	Vertical		
3	7215.36	53.41	61.93	-8.52	68.20	-14.79	100	65	RMS	Vertical		


802.11ax HE20

CH209 (Horizontal) Peak

CH209 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5546.40	65.16	74.60	-9.44	88.20	-23.04	100	235	Peak	Horizontal		
2 *	6995.00	105.72	114.32	-8.60	88.20	17.52	100	235	Peak	Horizontal		
3	7234.62	64.52	73.62	-8.50	88.20	-23.68	100	235	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5866.62	66.26	75.33	-9.07	88.20	-21.94	100	258	Peak	Vertical		
2 *	6995.00	104.18	112.78	-8.60	88.20	15.98	100	258	Peak	Vertical		
3	7208.70	65.95	74.47	-8.52	88.20	-22.25	100	258	Peak	Vertical		


802.11ax HE20

CH209 (Horizontal) RMS

CH209 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5799.48	53.87	62.88	-9.01	68.20	-14.33	100	235 RMS	Horizontal	
2	6995.00	93.80	102.40	-8.60	68.20	25.60	100	235 RMS	Horizontal	
3	7238.48	53.60	62.11	-8.51	68.20	-14.60	100	235 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5768.52	53.93	63.02	-9.09	68.20	-14.27	100	258 RMS	Vertical	
2	6995.00	91.71	100.31	-8.60	68.20	23.51	100	258 RMS	Vertical	
3	7247.94	53.49	61.99	-8.50	68.20	-14.71	100	258 RMS	Vertical	


802.11ax HE20

CH233 (Horizontal) Peak

CH233 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5764.92	62.95	72.05	-9.10	88.20	-25.25	100	238	Peak	Horizontal		
2 *	7115.00	105.20	113.76	-8.56	88.20	17.00	100	238	Peak	Horizontal		
3	7125.00	76.54	85.09	-8.55	88.20	-11.66	100	238	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5765.64	62.62	71.72	-9.10	88.20	-25.58	100	113	Peak	Vertical		
2 *	7115.00	102.99	111.55	-8.56	88.20	14.79	100	113	Peak	Vertical		
3	7125.00	79.27	87.82	-8.55	88.20	-8.93	100	113	Peak	Vertical		


802.11ax HE20

CH233 (Horizontal) RMS

CH233 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5919.00	50.32	59.27	-8.95	68.20	-17.88	100	238 RMS		Horizontal		
2 *	7115.00	91.05	100.41	-8.56	68.20	23.65	100	238 RMS		Horizontal		
3 !	7125.00	64.21	72.76	-8.55	68.20	-3.99	100	238 RMS		Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5904.06	50.25	59.27	-9.02	68.20	-17.95	100	113 RMS		Vertical		
2 *	7115.00	91.08	100.54	-8.56	68.20	23.78	100	113 RMS		Vertical		
3 !	7125.00	66.45	75.00	-8.55	68.20	-1.75	100	113 RMS		Vertical		


802.11ax HE40

CH195 (Horizontal) Peak

CH195 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5884.88	65.89	74.90	-9.01	88.20	-22.31	100	236	Peak	Horizontal		
2 *	6925.00	105.70	114.22	-8.52	88.20	17.50	100	236	Peak	Horizontal		
3	7247.04	64.96	73.46	-8.50	88.20	-23.24	100	236	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5757.18	66.29	75.42	-9.13	88.20	-21.91	100	64	Peak	Vertical		
2 *	6925.00	106.56	115.08	-8.52	88.20	18.36	100	64	Peak	Vertical		
3	7163.34	64.71	73.25	-8.54	88.20	-23.49	100	64	Peak	Vertical		


802.11ax HE40

CH195 (Horizontal) RMS

CH195 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5799.66	53.95	62.96	-9.01	68.20	-14.25	100	236	RMS	Horizontal		
2 *	6925.00	99.67	102.19	-8.52	68.20	25.47	100	236	RMS	Horizontal		
3	7225.80	53.71	62.22	-8.51	68.20	-14.49	100	236	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5756.10	53.72	62.85	-9.13	68.20	-14.48	100	64	RMS	Vertical		
2 *	6925.00	94.45	102.97	-8.52	68.20	26.25	100	64	RMS	Vertical		
3	7248.48	53.36	61.86	-8.50	68.20	-14.84	100	64	RMS	Vertical		

802.11ax HE40

CH211 (Horizontal) Peak

CH211 (Vertical) Peak




802.11ax HE40

CH211 (Horizontal) RMS

CH211 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5776.98	53.70	62.77	-9.07	68.20	-14.50	100	236	RMS	Horizontal		
2 *	7005.00	94.31	102.92	-8.61	68.20	26.11	100	236	RMS	Horizontal		
3	7229.76	53.40	61.91	-8.51	68.20	-14.80	100	236	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5463.24	53.70	63.22	-9.52	68.20	-14.50	100	82	RMS	Vertical		
2 *	7005.00	93.07	101.68	-8.61	68.20	24.87	100	82	RMS	Vertical		
3	7240.02	53.32	61.82	-8.50	68.20	-14.88	100	82	RMS	Vertical		


802.11ax HE40

CH227 (Horizontal) Peak

CH227 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5724.69	64.99	74.24	-9.25	88.20	-23.21	100	234	Peak	Horizontal		
2	7085.00	106.77	115.32	-8.55	88.20	18.57	100	234	Peak	Horizontal		
3	7153.44	64.76	73.24	-8.54	88.20	-23.50	100	234	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5896.86	65.46	74.51	-9.05	88.20	-22.74	100	117	Peak	Vertical		
2	7085.00	106.22	114.77	-8.55	88.20	18.02	100	117	Peak	Vertical		
3	7163.34	65.58	74.12	-8.54	88.20	-22.62	100	117	Peak	Vertical		


802.11ax HE40

CH227 (Horizontal) RMS

CH227 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5474.58	53.80	63.28	-9.48	68.20	-14.40	100	234	RMS	Horizontal		
2	7085.00	94.46	103.01	-8.55	68.20	26.26	100	234	RMS	Horizontal		
3	7125.00	53.78	62.33	-8.55	68.20	-14.42	100	234	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5778.78	53.83	62.89	-9.06	68.20	-14.37	100	117	RMS	Vertical		
2	7085.00	93.98	102.53	-8.55	68.20	25.78	100	117	RMS	Vertical		
3	7244.34	53.34	61.84	-8.50	68.20	-14.86	100	117	RMS	Vertical		


802.11ax HE80

CH199 (Horizontal) Peak

CH199 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5792.28	64.65	73.68	-9.03	88.20	-23.55	100	236	Peak	Horizontal	
2 *	6945.00	103.06	112.36	-8.50	88.20	15.66	100	236	Peak	Horizontal	
3	7223.64	65.25	73.76	-8.51	88.20	-22.95	100	236	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5833.14	65.12	74.17	-9.05	88.20	-23.08	100	70	Peak	Vertical	
2 *	6945.00	105.17	113.67	-8.50	88.20	16.97	100	70	Peak	Vertical	
3	7132.02	64.92	73.48	-8.56	88.20	-23.28	100	70	Peak	Vertical	


802.11ax HE80

CH199 (Horizontal) RMS

CH199 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5462.15	53.61	63.14	-9.53	68.20	-14.59	100	236 RMS	Horizontal	
2 *	6945.00	92.88	101.38	-8.50	68.20	24.68	100	236 RMS	Horizontal	
3	7235.79	53.71	62.21	-8.50	68.20	-14.49	100	236 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5490.42	53.38	62.80	-9.42	68.20	-14.82	100	70 RMS	Vertical	
2 *	6945.00	93.04	102.44	-8.50	68.20	25.74	100	70 RMS	Vertical	
3	7238.94	53.65	62.15	-8.50	68.20	-14.55	100	70 RMS	Vertical	


802.11ax HE80

CH215 (Horizontal) Peak

CH215 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5779.50	65.05	74.11	-9.06	88.20	-23.15	100	242	Peak	Horizontal		
2 *	7025.00	104.86	113.41	-8.55	88.20	16.66	100	242	Peak	Horizontal		
3	7235.88	66.22	74.72	-8.50	88.20	-21.98	100	242	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5773.20	64.30	73.37	-9.07	88.20	-23.90	100	118	Peak	Vertical		
2 *	7025.00	104.68	113.23	-8.55	88.20	16.48	100	118	Peak	Vertical		
3	7173.06	64.39	72.92	-8.53	88.20	-23.81	100	118	Peak	Vertical		


802.11ax HE80

CH215 (Horizontal) RMS

CH215 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5788.68	53.38	62.41	-9.03	68.20	-14.82	100	242	RMS	Horizontal		
2 *	7025.00	99.68	102.23	-8.55	68.20	25.48	100	242	RMS	Horizontal		
3	7202.94	53.56	62.67	-8.51	68.20	-14.64	100	242	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5775.18	53.58	62.65	-9.07	68.20	-14.62	100	118	RMS	Vertical		
2 *	7025.00	99.08	101.63	-8.55	68.20	24.88	100	118	RMS	Vertical		
3	7232.46	53.86	62.37	-8.51	68.20	-14.34	100	118	RMS	Vertical		


802.11ax HE160

CH207 (Horizontal) Peak

CH207 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5749.62	66.65	75.78	-9.13	88.20	-21.55	100	234	Peak	Horizontal		
2 *	6985.00	109.47	112.05	-8.58	88.20	15.27	100	234	Peak	Horizontal		
3	7130.04	74.96	83.52	-8.56	88.20	-13.24	100	234	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5813.52	64.00	73.03	-9.03	88.20	-24.20	100	116	Peak	Vertical		
2 *	6985.00	104.71	113.29	-8.58	88.20	16.51	100	116	Peak	Vertical		
3	7130.58	77.23	85.79	-8.56	88.20	-10.97	100	116	Peak	Vertical		


802.11ax HE160

CH207 (Horizontal) RMS

CH207 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5789.76	53.15	62.18	-9.03	68.20	-15.05	100	234 RMS	Horizontal		
2	6985.00	90.28	90.86	-8.58	68.20	22.66	100	234 RMS	Horizontal		
3	7130.04	54.30	62.86	-8.56	68.20	-13.90	100	234 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5781.48	52.90	61.96	-9.06	68.20	-15.30	100	116 RMS	Vertical		
2	6985.00	89.96	90.48	-8.52	68.20	22.28	100	116 RMS	Vertical		
3	7132.56	54.87	63.43	-8.56	68.20	-13.33	100	116 RMS	Vertical		

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


802.11ax HE20

CH233 9kHz~150kHz(Open)

CH233 150kHz~30MHz(Open)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.03	57.22	38.27	18.95	119.13	-61.91	100	308	Peak	Open		
2	0.05	48.57	29.43	19.14	114.22	-65.05	100	195	Peak	Open		
3	0.05	45.54	29.50	19.04	113.06	-64.52	100	180	Peak	Open		
4	0.07	43.41	24.76	18.65	110.72	-67.31	100	195	Peak	Open		
5	0.08	41.26	22.88	18.38	109.45	-68.19	100	172	Peak	Open		
6	0.11	35.59	17.61	17.98	106.56	-70.97	100	191	Peak	Open		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.27	38.45	19.83	18.62	98.99	-60.54	100	252	Peak	Open		
2	0.90	32.86	13.83	19.03	68.42	-35.56	100	68	Peak	Open		
3	4.12	30.38	10.82	19.56	69.50	-39.12	100	137	Peak	Open		
4	10.33	33.52	11.94	21.58	69.50	-35.98	100	188	Peak	Open		
5	15.46	34.88	12.95	21.93	69.50	-34.62	100	284	Peak	Open		
6	22.21	33.56	11.30	22.26	69.50	-35.94	100	232	Peak	Open		

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


802.11ax HE20

CH233 (Horizontal)

CH233 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	39.78	30.77	30.78	-8.01	40.00	-9.23	300	303 Peak		Horizontal		
2	166.77	25.56	32.49	-6.93	43.50	-17.94	200	250 Peak		Horizontal		
3	252.13	36.63	44.60	-7.97	46.00	-9.37	100	113 Peak		Horizontal		
4	416.06	36.96	41.06	-4.10	46.00	-9.04	100	220 Peak		Horizontal		
5	716.76	33.30	31.73	1.57	46.00	-12.70	200	205 Peak		Horizontal		
6	851.59	35.08	31.43	3.65	46.00	-10.92	100	54 Peak		Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	80.44	35.25	47.48	-12.23	40.00	-4.75	100	338 Peak		Vertical		
2	100.81	30.83	42.77	-11.94	43.50	-12.67	100	344 Peak		Vertical		
3	252.13	32.51	40.48	-7.97	46.00	-13.49	100	104 Peak		Vertical		
4	416.06	35.71	39.81	-4.10	46.00	-10.29	100	95 Peak		Vertical		
5	728.40	33.05	32.21	1.64	46.00	-12.15	100	101 Peak		Vertical		
6	844.80	34.66	30.94	3.72	46.00	-11.34	300	294 Peak		Vertical		

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz

U-NII 5


802.11ax HE20

CH01 (Horizontal)

CH01 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11910.00	37.26	39.18	-1.92	54.00	-16.74	300	153 Average	Horizontal	
2	11910.00	48.73	50.65	-1.92	74.00	-25.27	300	153 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11910.00	42.51	44.43	-1.92	54.00	-11.49	100	118 Average	Vertical	
2	11910.00	54.55	56.47	-1.92	74.00	-19.45	100	118 Peak	Vertical	


802.11ax HE20

CH45 (Horizontal)

CH45 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12350.00	36.86	38.28	-1.34	54.00	-17.14	400	359	Average	Horizontal	
2	12350.00	47.72	49.06	-1.34	74.00	-26.28	400	359	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12350.00	44.63	45.97	-1.34	54.00	-9.37	100	117	Average	Vertical	
2	12350.00	58.34	59.68	-1.34	74.00	-15.66	100	117	Peak	Vertical	


802.11ax HE20

CH93 (Horizontal)

CH93 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12830.00	51.38	52.44	-1.06	88.20	-36.82	100	65	Peak	Horizontal		
2	12830.00	41.11	42.17	-1.06	68.20	-27.09	100	65	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12830.00	52.34	53.40	-1.06	88.20	-35.86	100	315	Peak	Vertical		
2	12830.00	41.12	42.18	-1.06	68.20	-27.08	100	315	RMS	Vertical		


802.11ax HE40

CH03 (Horizontal)

CH03 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11930.00	46.11	47.98	-1.87	54.00	-7.89	100	163	Average	Horizontal	
2	11930.00	57.26	59.13	-1.87	74.00	-16.74	100	163	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11930.00	50.00	51.87	-1.87	54.00	-4.00	111	122	Average	Vertical	
2	11930.00	62.20	64.07	-1.87	74.00	-11.00	111	122	Peak	Vertical	


802.11ax HE40

CH43 (Horizontal)

CH43 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12330.00	41.57	42.90	-1.33	54.00	-12.43	100	356	Average	Horizontal		
2	12330.00	55.25	56.58	-1.33	74.00	-18.75	100	356	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12330.00	48.91	50.24	-1.33	54.00	-5.09	100	117	Average	Vertical		
2	12330.00	62.27	63.60	-1.33	74.00	-11.73	100	117	Peak	Vertical		


802.11ax HE40

CH91 (Horizontal)

CH91 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	12810.00	58.33	59.35	-1.02	88.20	-29.87	100	121	Peak	Horizontal	
2	12810.00	46.09	47.11	-1.02	68.20	-22.11	100	121	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	12810.00	63.87	64.89	-1.02	88.20	-24.33	100	318	Peak	Vertical	
2	12810.00	49.58	50.60	-1.02	68.20	-18.62	100	318	RMS	Vertical	


802.11ax HE80

CH07 (Horizontal)

CH07 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 11970.00	48.02	49.79	-1.77	54.00	-5.98	100	164	Average	Horizontal		
2 11970.00	58.67	60.44	-1.77	74.00	-15.33	100	164	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 11970.00	51.20	52.97	-1.77	54.00	-2.80	100	118	Average	Vertical		
2 11970.00	61.48	63.25	-1.77	74.00	-12.52	100	118	Peak	Vertical		


802.11ax HE80

CH39 (Horizontal)

CH39 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	12290.00	42.97	44.38	-1.33	54.00	-11.03	100	360	Average	Horizontal	
2	12290.00	53.41	54.74	-1.33	74.00	-20.59	100	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	12290.00	50.71	52.04	-1.33	54.00	-3.29	109	117	Average	Vertical	
2	12290.00	62.82	64.15	-1.33	74.00	-11.18	109	117	Peak	Vertical	


802.11ax HE80

CH87 (Horizontal)

CH87 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	12770.00	57.17	58.16	-0.99	88.20	-31.03	100	121	Peak	Horizontal	
2	12770.00	46.39	47.38	-0.99	68.20	-21.81	100	121	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	12770.00	62.74	63.73	-0.99	88.20	-25.46	100	317	Peak	Vertical	
2	12770.00	50.29	51.28	-0.99	68.20	-17.91	100	317	RMS	Vertical	


802.11ax HE160

CH15 (Horizontal)

CH15 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12050.00	47.58	49.20	-1.62	54.00	-6.42	100	112	Average	Horizontal	
2	12050.00	55.10	56.72	-1.62	74.00	-18.90	100	112	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12050.00	51.87	53.49	-1.62	54.00	-2.13	116	120	Average	Vertical	
2	12050.00	60.13	61.75	-1.62	74.00	-13.87	116	120	Peak	Vertical	


802.11ax HE160

CH47 (Horizontal)

CH47 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	12370.00	47.59	48.94	-1.35	54.00	-6.41	100	256	Average	Horizontal	
2	12370.00	56.67	58.02	-1.35	74.00	-17.33	100	256	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	12370.00	51.89	53.24	-1.35	54.00	-2.11	100	347	Average	Vertical	
2	12370.00	61.48	62.83	-1.35	74.00	-12.52	100	347	Peak	Vertical	


802.11ax HE160

CH79 (Horizontal)

CH79 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 12690.00	49.33	49.30	-0.97	54.00	-5.67	100	257	Average	Horizontal		
2 12690.00	58.79	59.76	-0.97	74.00	-15.21	100	257	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 12690.00	51.87	52.84	-0.97	54.00	-2.13	100	165	Average	Vertical		
2 12690.00	62.09	63.06	-0.97	74.00	-11.91	100	165	Peak	Vertical		

U-NII 6


802.11ax HE20

CH97 (Horizontal)

CH97 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12870.00	47.62	48.78	-1.16	88.20	-40.58	400			1 Peak	Horizontal	
2	12870.00	37.44	38.60	-1.16	68.20	-30.76	400			1 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12870.00	48.80	49.96	-1.16	88.20	-39.40	100			203 Peak	Vertical	
2	12870.00	38.33	39.49	-1.16	68.20	-29.87	100			203 RMS	Vertical	


802.11ax HE20

CH105 (Horizontal)

CH105 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12950.00	47.94	49.23	-1.29	88.20	-40.26	400	1	Peak	Horizontal		
2	12950.00	37.66	38.95	-1.29	68.20	-30.54	400	1	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12950.00	46.40	47.69	-1.29	88.20	-41.80	100	245	Peak	Vertical		
2	12950.00	36.22	37.51	-1.29	68.20	-31.98	100	245	RMS	Vertical		


802.11ax HE20

CH113 (Horizontal)

CH113 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13830.00	46.01	47.38	-1.37	88.20	-42.19	200	64	Peak	Horizontal		
2	13830.00	32.56	33.94	-1.38	68.20	-35.64	200	64	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13830.00	47.55	48.92	-1.37	88.20	-40.65	100	251	Peak	Vertical		
2	13830.00	37.12	38.50	-1.38	68.20	-31.08	100	251	RMS	Vertical		


802.11ax HE40

CH99 (Horizontal)

CH99 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	12899.00	59.13	59.33	-1.20	88.20	-30.07	100	65 Peak	Horizontal	
2	12899.00	45.87	47.07	-1.20	68.20	-22.33	100	65 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	12899.00	59.80	61.00	-1.20	88.20	-28.40	100	195 Peak	Vertical	
2	12899.00	47.41	48.61	-1.20	68.20	-20.79	100	195 RMS	Vertical	


802.11ax HE40

CH107 (Horizontal)

CH107 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	12970.00	54.87	56.19	-1.32	88.20	-33.33	118	360 Peak	Horizontal	
2	12970.00	41.37	42.69	-1.32	68.20	-26.83	118	360 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	12970.00	59.43	60.75	-1.32	88.20	-26.77	100	82 Peak	Vertical	
2	12970.00	46.01	47.33	-1.32	68.20	-22.19	100	82 RMS	Vertical	


802.11ax HE40

CH115 (Horizontal)

CH115 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13850.00	53.24	54.63	-1.39	88.20	-34.96	100	360	Peak	Horizontal	
2	13850.00	40.35	41.74	-1.39	68.20	-27.85	100	360	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13850.00	57.51	58.90	-1.39	88.20	-30.69	100	81	Peak	Vertical	
2	13850.00	43.85	45.24	-1.39	68.20	-24.35	100	81	RMS	Vertical	


802.11ax HE80

CH103 (Horizontal)

CH103 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	12930.00	53.85	55.11	-1.26	88.20	-34.35	100	58	Peak	Horizontal	
2	12930.00	43.25	44.51	-1.26	68.20	-24.95	100	58	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	12930.00	59.09	60.35	-1.26	88.20	-29.11	100	83	Peak	Vertical	
2	12930.00	46.66	47.92	-1.26	68.20	-21.54	100	83	RMS	Vertical	


802.11ax HE80

CH119 (Horizontal)

CH119 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13099.00	51.58	52.98	-1.40	88.20	-36.62	100	66	Peak	Horizontal		
2	13099.00	40.15	41.55	-1.40	68.20	-28.05	100	66	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13099.00	52.33	53.73	-1.40	88.20	-35.87	105	360	Peak	Vertical		
2	13099.00	42.33	43.73	-1.40	68.20	-25.87	105	360	RMS	Vertical		