

R-8338 SYMBOL CR1C OCCUPANCY TIME 1/5/00 TS

REF 90.0 dBmV ATTN 0 dB


hp

10 dB/

OFFSET

10.0

dB



CENTER 2.440 000 000 GHz

RES BW 100 kHz

VBW 3 MHz

SPAN 0 Hz

SWP 30.0 sec

Customer: Symbol Technologies  
Test Sample: 2.4 GHz Frequency Hopping Spread Spectrum PCMCIA module  
Model No.: CST30XX  
Test Method: Occupancy Time  
Notes: Plot of 4 transmissions in 30 seconds (worst case)  
Occupancy Time = 4 ( 10.2ms + 1ms = 11.2 ms ) = 44.8 msec




Retif Testing Laboratories

Report No. R-8338-1

Customer: Symbol Technologies  
 Test Sample: 2.4 GHz Frequency Hopping Spread Spectrum POCNIA module  
 Model No: CST300XX  
 Test Method: FCC 47 CFR 15.205  
 Notes: Occupancy Time  
 Duration of first part of single pulse = 1 ms  
 Occupancy Time = 4 (10.2ms + 1ms) = 44.8 msec  
 Date: January 5, 2000 Tech: T. Schneider Sheet: 2 of 3

R-8338 SYMBOL CR1C OCCUPANCY TIME 1/5/00 TSKR Δ 1.000 msec  
 REF 90.0 dBm ATTN 0 dB -28.60 dB

10 dB/  
 OFFSET  
 10.0  
 dB



CENTER 2.444 000 000 GHz SPAN 0 Hz  
 RES BW 100 kHz VBW 3 MHz SWP 200 msec



Retif Testing Laboratories


Report No. R-8338-1

R-8338 SYMBOL CR1C OCCUPANCY TIME 1/5/00 TSKR Δ 10.20 msec  
 REF 90.0 dBμV ATTN 0 dB 0.70 dB

10 dB/

OFFSET  
10.0  
dB

MARKER Δ  
10.20 msec  
0.70 dB



CENTER 2.444 000 000 GHz  
RES BW 100 kHz

VBW 3 MHz

SPAN 0 Hz  
SWP 200 msec

Customer: Symbol Technologies  
 Test Sample: 2.4 GHz Frequency Hopping Spread Spectrum PCMCIA module  
 Model No.: QMG CST300X A  
 Test Method: Ref 75: HPR-5724/K288R1  
 Notes: Occupancy Time  
 Duration of second part of single pulse = 10.2 ms  
 Occupancy Time = 4 (10.2ms + 1ms + 11.2 ms) = 44.8 msec  
 Date: January 5, 2000 Tech: T. Schneider Sheet: 3 of 3



Retlif Testing Laboratories

Report No. R-8338- /