

Applicant: DMR Technologies

Product: Agricultural unmarmed drone

Model No.: Field Ranger X50, Field Ranger

Trademark: N/A

Test Standards: FCC Part 15.247

Test result:

It is herewith confirmed and found to comply with the

requirements set up by ANSI C63.10, FCC Part 15.247 for

the evaluation of electromagnetic compatibility

Approved By

Terry long

Terry Tang

Manager

Dated: February 20, 2025

Results appearing herein relate only to the sample tested The technical reports is issued errors and omissions exempt and is subject to withdrawal at

# SHENZHEN TIMEWAY TESTING LABORATORIES

Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le Village, Nanshan District, Shenzhen, China

Tel (755) 83448688, Fax (755) 83442996, E-Mail:info@timeway-lab.com

Report No.: TW2501162-03E Page 2 of 75

Date: 2025-02-20



# **Special Statement:**

# FCC-Registration No.: 744189

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 744189.

# Industry Canada (IC) — Registration No.:5205A

The EMC Laboratory has been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 5205A.

# A2LA (Certification Number:5013.01)

The EMC Laboratory has been accredited by the American Association for Laboratory Accreditation (A2LA). Certification Number:5013.01

CAB identifier: CN0033

Page 3 of 75

Report No.: TW2501162-03E

Date: 2025-02-20



# **Test Report Conclusion**

## Content

1.0	General Details	4
1.1	Test Lab Details.	4
1.2	Applicant Details	4
1.3	Description of EUT	4
1.4	Submitted Sample	5
1.5	Test Duration.	5
1.6	Test Uncertainty.	5
1.7	Test By	5
2.0	List of Measurement Equipment	6
3.0	DESCRIPTION OF TEST MODES.	7
4.0	Technical Details	15
4.1	Summary of Test Results	15
4.2	Test Standards.	15
5.0	EUT Modification	15
6.0	Power Line Conducted Emission Test	16
5.1	Schematics of the Test.	16
5.2	Test Method and Test Procedure.	16
5.3	Configuration of the EUT	16
6.4	EUT Operating Condition.	17
6.5	Conducted Emission Limit.	17
6.6	Test Result.	17
7.0	Radiated Emission test	18
7.1	Test Method and Test Procedure.	18
7.2	Configuration of the EUT	19
7.3	EUT Operation Condition.	19
7.4	Radiated Emission Limit	19
8.0	6dB Bandwidth Measurement	25
9.0	Maximum Output Power	34
10.0	Power Spectral Density Measurement	37
11.0	Out of Band Measurement	46
12.0	Antenna Requirement	73
13.0	FCC ID Label	74
14.0	Photo of Test Setup and EUT View	75

Date: 2025-02-20



Page 4 of 75

#### 1.0 General Details

## 1.1 Test Lab Details

Name: SHENZHEN TIMEWAY TESTING LABORATORIES.

Address: Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le

Village, Nanshan District, Shenzhen, China

Telephone: (755) 83448688 Fax: (755) 83442996

Site Listed with Federal Communications commission (FCC)

Registration Number:744189 For 3m Anechoic Chamber

Site Listed with Industry Canada of Ottawa, Canada

Registration Number: IC: 5205A

For 3m Anechoic Chamber

# 1.2 Applicant Details

Applicant: DMR Technologies

Address: 2050 15th St., Detroit, MI 48216

# 1.3 Description of EUT

Product: Agricultural unmarmed drone

Manufacturer: DMR Technologies

Address: 2050 15th St., Detroit, MI 48216

Trademark: N/A
Additional Trademark: N/A

Model Number: Field Ranger X50
Additional Model Number: Field Ranger

Hardware Version: 2.0 Software Version: V6.7.2.0

Serial No.: 2025X50A0001

Battery: DC76.5V, 30000mAh Li-ion battery

Type of Modulation OFDM

Frequency List: 2411MHz, 2422MHz, 2433MHz, 2444MHz, 2455MHz, 2466MHz,

Antenna: Integral antennas with gain 1.94dBi Max for each one (Get from the antenna

specification)

Remark: EUT supports SISO Mode and MIMO Mode

# 1.4 Submitted Sample: 2 Samples

#### 1.5 Test Duration

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Date: 2025-02-20



Page 5 of 75

2025-01-21 to 2025-02-20

# 1.6 Test Uncertainty

Conducted Emissions Uncertainty = 3.6dB

Radiated Emissions below 1GHz Uncertainty =4.7dB

Radiated Emissions above 1GHz Uncertainty =6.0dB

Conducted Power Uncertainty =6.0dB

Occupied Channel Bandwidth Uncertainty = 5%

Note: The measurement uncertainty is for coverage factor of k=2 and a level of confidence of 95%.

1.7 Test Engineer

The sample tested by

Print Name: Andy Xing

Page 6 of 75 Report No.: TW2501162-03E

Date: 2025-02-20



2.0 Test Equipment					
Instrument Type	Manufacturer	Model	Serial No.	Date of Cal.	Due Date
ESPI Test Receiver	R&S	ESPI 3	100379	2024-07-12	2025-07-11
LISN	R&S	EZH3-Z5	100294	2024-07-12	2025-07-11
LISN	R&S	EZH3-Z5	100253	2024-07-12	2025-07-11
Impuls-Begrenzer	R&S	ESH3-Z2	100281	2024-07-12	2025-07-11
Loop Antenna	EMCO	6507	00078608	2022-07-18	2025-07-17
Spectrum	R&S	FSIQ26	100292	2024-07-12	2025-07-11
Horn Antenna	A-INFO	LB-180400-KF	J211060660	2022-07-18	2025-07-17
Horn Antenna	R&S	BBHA 9120D	9120D-631	2022-07-18	2025-07-17
Power meter	Anritsu	ML2487A	6K00003613	2024-07-12	2025-07-11
Power sensor	Anritsu	MA2491A	32263	2024-07-12	2025-07-11
Bilog Antenna	Schwarebeck	VULB9163	9163/340	2022-07-18	2025-07-17
9*6*6 Anechoic			N/A	2022-07-26	2025-07-25
EMI Test Receiver	RS	ESVB	826156/011	2024-07-12	2025-07-11
EMI Test Receiver	RS	ESCS 30	834115/006	2024-07-12	2025-07-11
Spectrum	HP/Agilent	E4407B	MY50441392	2024-07-12	2025-07-11
Spectrum	RS	FSP	1164.4391.38	2024-07-12	2025-07-11
RF Cable	Zhengdi	ZT26-NJ-NJ-8M/FA		2024-07-12	2025-07-11
RF Cable	Zhengdi	7m		2024-07-12	2025-07-11
Pre-Amplifier	Schwarebeck	BBV9743	#218	2024-07-12	2025-07-11
Pre-Amplifier	HP/Agilent	8449B	3008A00160	2024-07-12	2025-07-11
LISN	SCHAFFNER	NNB42	00012	2024-07-12	2025-07-11
ESPI Test Receiver	R&S	ESPI 3	100379	2024-07-12	2025-07-11
LISN	R&S	EZH3-Z5	100294	2024-07-12	2025-07-11

# 2.2 Automation Test Software

## For Conducted Emission Test

Name	Version
EZ-EMC	Ver.EMC-CON 3A1.1

# For Radiated Emissions

Name	Version
EMI Test Software BL410-EV18.91	V18.905
EMI Test Software BL410-EV18.806 High Frequency	V18.06

The report refers only to the sample tested and does not apply to the bulk.

This report released in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2025-02-20



Page 7 of 75

# 3. DESCRIPTION OF TEST MODES

The EUT had been tested under operating condition. There are three channels have been tested as following:

Channel	Frequency (MHz)
Low	2411
Middle	2433
High	2466


# **Duty Cycle**

10M Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
		2411		29.92	5.24	0.35
		2433	Ant1	29.92	5.24	0.35
NIV/NIT		2466		29.9	5.24	0.35
NVNT	b	2411		29.92	5.24	0.35
		2433	Ant2	29.92	5.24	0.35
		2466		29.9	5.24	0.35

Date: 2025-02-20






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2025-02-20






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2025-02-20





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2025-02-20




Page 11 of 75

# 20M Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
			7		, ,	. ,
		2411		29.92	5.24	0.35
		2433	Ant1	29.9	5.24	0.35
NVNT	b 2466 2411 2433 Ant2	2466		29.9	5.24	0.35
INVINI		2411		29.92	5.24	0.35
		29.9	5.24	0.35		
		2466		29.9	5.24	0.35

Date: 2025-02-20






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2025-02-20






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2025-02-20





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Page 15 of 75 Report No.: TW2501162-03E

Date: 2025-02-20



#### **Technical Details** 4.0

#### 4.1 Summary of test results

Standard	Test Type	Result	Notes
FCC Part 15, Paragraph15.203	Antenna Requirement	Pass	Complies
FCC Part 15, Paragraph15.207	<b>Conducted Emission Test</b>	N/A	N/A
	Spectrum bandwidth of a Orthogonal Frequency	Pass	Complies
FCC Part 15 Subpart C Paragraph 15.247(a)(2) Limit	Division Multiplex System Limit: 6dB		
	bandwidth>500kHz		
FCC Part 15, Paragraph 15.247(b)	Maximum peak output power	Pass	Complies
13.217(8)	Limit: max. 30dBm		
FCC Part 15, Paragraph 15.109,15.205 & 15.209	Transmitter Radiated Emission Limit: Table 15.209	Pass	Complies
FCC Part 15, Paragraph 15.247(e)	Power Spectral Density Limit: max. 8dBm/3kHz	Pass	Complies
FCC Part 15, Paragraph 15.247(d)	Out of Band Emission and Restricted Band Radiation Limit: 20dB less than	Pass	Complies
	peak value of fundamental frequency Restricted band limit:		

#### 4.2 **Test Standards**

FCC Part 15 Subpart & Subpart C, Paragraph 15.247

#### 5.0 **EUT Modification**

No modification by SHENZHEN TIMEWAY TESTING LABORATORIES.


Date: 2025-02-20



Page 16 of 75

# 6.0 Power Line Conducted Emission Test

# 6.1 Schematics of the test




**EUT: Equipment Under Test** 

#### 6.2 Test Method and test Procedure

The EUT was tested according to ANSI C63.10-2013. The Frequency spectrum from 0.15MHz to 30MHz was investigated. The LISN used was 50ohm/50uH as specified by section 5.1 of ANSI C63.10 –2013.

Test Voltage: N/A

Block diagram of Test setup



# 6.3 Configuration of the EUT

The EUT was configured according to ANSI C63.10-2013. All interface ports were connected to the appropriate peripherals. All peripherals and cables are listed below.

## A. EUT

Device	Manufacturer	Model	FCC ID
Agricultural	ltural Field Ranger X50, Field		2BM3J-X50
unmarmed drone	DMR Technologies	Ranger	ZDIVISJ-ASU

# B. Internal Device

Device	Manufacturer	Model	FCC ID/DOC
N/A			

# C. Peripherals

Device	Manufacturer	Model	FCC ID/DOC	Cable
N/A				

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Report No.: TW2501162-03E Page 17 of 75

Date: 2025-02-20



6.4 **EUT Operating Condition** 

Operating condition is according to ANSI C63.10-2013.

- Setup the EUT and simulators as shown on follow Α
- В Enable AF signal and confirm EUT active to normal condition

Power line conducted Emission Limit according to Paragraph 15.207 6.5

Frequency	Limits (d	lB μV)
(MHz)	Quasi-peak Level	Average Level
$0.15 \sim 0.50$	66.0~56.0*	56.0~46.0*
$0.50 \sim 5.00$	56.0	46.0
5.00 ~ 30.00	60.0	50.0

Notes:

- 1. \*Decreasing linearly with logarithm of frequency.
- 2. The tighter limit shall apply at the transition frequencies

N/A 6.6 Test Results

The frequency spectrum from 0.15MHz to 30MHz was investigated. All reading are quasi-peak values with a resolution bandwidth of 9kHz.

Note: EUT not directly or in-directly connected to the AC power source. so this test item not applicable.

Date: 2025-02-20




# Page 18 of 75

## 7 Radiated Emission Test

- 7.1 Test Method and test Procedure:
- (1) The EUT was tested according to ANSI C63.10-2013. The radiated test was performed at Timeway EMC Laboratory. This site is on file with the FCC laboratory division, Registration No. 744189
- (2) The EUT, peripherals were put on the turntable which table size is 1m x 1.5 m, table high 0.8 m. All set up is according to ANSI C63.10-2013.
- (3) The frequency spectrum from 30 MHz to 25 GHz was investigated. All readings from 30 MHz to 1 GHz are Quasi-peak values with a resolution bandwidth of 120 kHz. F For measurement above 1GHz, peak values with RBW=1MHz VBW=3MHz and PK detector. AV value with RBW=1MHz, VBW=3MHz and RMS detector. Measurements were made at 3 meters.
- (4) The antenna high is varied from 1 m to 4 m high to find the maximum emission for each frequency.
- (5) Maximizing procedure was performed on the six (6) highest emissions to ensure EUT compliance is with all installation combinations. All data was recorded in the peak detection mode. Quasi-peak readings was performed only when an emission was found to be marginal (within -4 dB of specification limit), and are distinguished with a "QP" in the data table.
- (6) The antenna polarization: Vertical polarization and Horizontal polarization.

## **Block diagram of Test setup**


For radiated emissions from 9kHz to 30MHz




Date: 2025-02-20



For radiated emissions from 30MHz to1GHz



For radiated emissions above 1GHz



# 7.2 Configuration of The EUT Same as section 5.3 of this report

# 7.3 EUT Operating Condition Same as section 5.4 of this report.

# 7.4 Radiated Emission Limit

All emission from a digital device, including any network of conductors and apparatus connected thereto, shall not exceed the level of field strength specified below:

Report No.: TW2501162-03E Page 20 of 75

Date: 2025-02-20



# Frequencies in restricted band are complied to limit on Paragraph 15.209

Frequency Range (MHz)	Distance (m)	Field strength (dB $\mu$ V/m)		
0.009-0.049	3	20log(2400/F(kHz)) +40log (300/3)		
0.490705	3	20log(24000/F(kHz)) +40log (30/3)		
1.705-30	3	69.5		
30-88	3	40.0		
88-216	3	43.5		
216-960	3	46.0		
Above 960	3	54.0		

Note:

- 1. RF Voltage (dBuV) = 20 log RF Voltage (uV)
- 2. In the Above Table, the tighter limit applies at the band edges.
- 3. Distance refers to the distance in meters between the measuring instrument antenna and the EUT
- 4. All scanning using PK detector. And the final emission level was get using QP detector for frequency range from 30-1000MHz.As to 1G-25G, the final emission level got using PK. For fundamental measurement, PK detector used.
- 5. For radiated emissions from 9kHz to 30MHz, the emission level is much less than the limit for more than 20dB. No necessary to take down the record.
- 6. Batteries were fully charged during test.
- 7. MIMO mode was tested and it was the worst case

Page 21 of 75

Report No.: TW2501162-03E

Date: 2025-02-20




# Test result General Radiated Emission Data and Harmonics Radiated Emission Data

# Radiated Emission In Horizontal (30MHz----1000MHz)

**EUT set Condition: Keep Transmitting** 

**Results: Pass** 



No.	Frequency	Results	Factor	Limit	Margin	Detector	Table	Height	Antenna	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(Degree)	(cm)		
1*	158.493	36.68	-10.39	43.5	6.82	QP	204.00	150	Horizontal	Pass
2*	178.858	36.31	-8.96	43.5	7.19	QP	61.00	150	Horizontal	Pass
3*	399.963	40.88	-2.94	46.0	5.12	QP	187.00	150	Horizontal	Pass
4*	499.848	42.91	-2.33	46.0	3.09	QP	83.00	150	Horizontal	Pass
5*	599.975	43.12	0.09	46.0	2.88	QP	67.00	150	Horizontal	Pass
6*	699.860	44.20	0.83	46.0	1.80	QP	91.00	150	Horizontal	Pass

Page 22 of 75 Report No.: TW2501162-03E

Date: 2025-02-20




# Test result General Radiated Emission Data and Harmonics Radiated Emission Data

# Radiated Emission In Vertical (30MHz----1000MHz)

**EUT set Condition: Keep Transmitting** 

**Results: Pass** 



No.	Frequency	Results	Factor	Limit	Margin	Detector	Table	Height	Antenna	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(Degree)	(cm)		
1*	127.461	39.78	-8.99	43.5	3.72	QP	267.00	150	Vertical	Pass
2*	157.038	40.07	-10.41	43.5	3.43	QP	30.00	150	Vertical	Pass
3*	449.905	40.38	-2.27	46.0	5.62	QP	129.00	150	Vertical	Pass
4*	499.848	41.93	-2.33	46.0	4.07	QP	257.00	150	Vertical	Pass
5*	599.975	41.22	0.09	46.0	4.78	QP	156.00	150	Vertical	Pass
6*	699.860	40.70	0.83	46.0	5.30	QP	59.00	150	Vertical	Pass

Report No.: TW2501162-03E Page 23 of 75

Date: 2025-02-20



# Operation Mode: Transmitting under 2411MHz

Frequency (MHz)	Level@3m (dB μ V/m)	Antenna Polarity	Limit@3m (dB µ V/m)
4822.00	63.7 (PK) / 45.9 (AV)	Н	74(Peak)/ 54(AV)
4822.00	58.9 (PK) / 42.6 (AV)	V	74(Peak)/ 54(AV)
7233.00		H/V	74(Pea )/ 54(AV)
9644. 0		H/V	74(Peak)/ 54(AV)
12055		H/V	74(Peak)/ 54(AV)
14466		H/V	74(Peak)/ 54(AV)
16877		H/V	74(Peak)/ 54(AV)
19288	-	H/V	74(Peak)/ 54(AV)
21699		H/V	74(Peak)/ 54(AV)
24110		H/V	74(Peak)/ 54(AV)

# **Operation Mode: Transmitting under 2433MHz**

Frequency (MHz)	Level@3m (dB μ V/m)	Antenna Polarity	Limit@3m (dB \( \mu \text{V/m} \)
4866.00	61.9 (PK)/ 44.8 (AV)	Н	74(Peak)/ 54(AV)
4866.00	57.8 (PK)/ 41.9 (AV)	V	74(Peak)/ 54(AV)
7299.00		H/V	74(Peak)/ 54(AV)
9732.00		H/V	74(Peak)/ 54(AV)
12165		H/V	74(Peak)/ 54(AV)
14598		H/V	74(Pea )/ 54(AV)
17031		H/V	74(Peak)/ 54(AV)
19464		H/V	74(Peak)/ 54(AV)
21897		H/V	74(Peak)/ 54(AV)
24330		H/V	74(Peak)/ 54(AV)

Report No.: TW2501162-03E Page 24 of 75

Date: 2025-02-20



# Operation Mode: Transmitting under 2466MHz

Frequency (MHz)	Level@3m (dB \u03b4 V/m)	Antenna Polarity	Limit@3m (dB \( \mu \)V/m)
4932	62.3 (PK)/ 45.1 (AV)	Н	74(Peak)/ 54(AV)
4932	58.1 (PK)/ 41.7 (AV)	V	74(Peak)/ 54(AV)
7398		H/V	74(Peak)/ 54(AV)
9864		H/V	74(Peak)/ 54(AV)
12330		H/V	74(Peak)/ 54(AV)
14796		H/V	74(Peak)/ 54(AV)
17262		H/V	74(Peak)/ 54(AV)
19728		H/V	74(Peak)/ 54(AV)
22194		H/V	74(Peak)/ 54(AV)
24660		H/V	74(Peak)/ 54(AV)

Note: 1. Level = Reading + AF + Cable - Preamp + Filter - Dist, Margin = Level - Limit

- 2. Remark "---" means that the emissions level is too low to be measured
- 3. 10M Bandwidth is the worst case
- 4. For radiated Emissions from 18-25GHz and below 30MHz, it is only the floor noise and less than the limit for more than 20dB. No necessary to take down.
- 5. Note: the final peak measurement results less than the AV limit. No necessary to take down the final AV measurement result


Report No.: TW2501162-03E Page 25 of 75

Date: 2025-02-20



# 8.0 6dB Bandwidth Measurement

# 8.1 Test Setup



# 8.2 Limits of 6dB Bandwidth Measurement

The minimum of 6dB Bandwidth Measurement is >500 kHz

# **8.3 Test Procedure**

- 1. Set resolution bandwidth (RBW) = 100 kHz
- 2. Set the video bandwidth (VBW)  $\geq$  3 x RBW.
- 3. Detector = Peak.
- 4. Trace mode = max hold.
- 5. Sweep = auto couple.
- 6. Allow the trace to stabilize.
- 7. Measure the maximum width of the emission that is constrained by the frequencies associated with the two outermost amplitude points (upper and lower) that are attenuated by 6 dB relative to the maximum level measured in the fundamental emission.

# **8.4 Test Result**

Date: 2025-02-20



Page 26 of 75


# 6dB Occupied Bandwidth

10M Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
		2411		9.369	0.5	Pass
		2433	Ant1	9.4	0.5	Pass
NIV/NIT	L	2466		9.387	0.5	Pass
NVNT	b	2411		9.426	0.5	Pass
		2433	Ant2 9.432		0.5	Pass
	Ī	2466		9.455	0.5	Pass

Date: 2025-02-20






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2025-02-20






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2025-02-20





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2025-02-20




Page 30 of 75

# 20M Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
		2411		18.92	0.5	Pass
		2433	Ant1	18.80	0.5	Pass
NIV/NIT	L	2466		18.56	0.5	Pass
NVNT	b	2411		18.68	0.5	Pass
		2433	Ant2	18.82	0.5	Pass
	Ī	2466		18.81	0.5	Pass

Date: 2025-02-20





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2025-02-20





The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

STATUS

Date: 2025-02-20





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2025-02-20



Page 34 of 75

# 9. Maximum Output Power

# 9.1 Test Setup



# 9.2 Limits of Maximum Output Power

The Maximum Output Power Measurement is 30dBm.

#### 9.3 Test Procedure

The RF power output was measured with a Power meter connected to the RF Antenna connector (conducted measurement) while EUT was operating in transmit mode at the appropriate centre frequency.

Note: The PK power was measured

Date: 2025-02-20



Page 35 of 75

#### 9.4Test Results

10M Bandwidth

Condition	Mode	Frequency	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total	Limit	Verdict
		(MHz)				Power	(dBm)	
						(dBm)		
		2411		14.16	5.24	19.4	30	Pass
		2433	Ant1	13.57	5.24	18.81	30	Pass
NVNT	h	2466		13.44	5.24	18.68	30	Pass
INVINI	b	2411		12.69	5.24	17.93	30	Pass
		2433	Ant2	12.8	5.24	18.04	30	Pass
		2466		13.55	5.24	18.79	30	Pass

#### 20M Bandwidth

Condition	Mode	Frequency	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total	Limit	Verdict
		(MHz)				Power	(dBm)	
						(dBm)		
		2411		13.91	5.24	19.15	30	Pass
		2433	Ant1	13.86	5.24	19.1	30	Pass
NIV/NIT	-	2466	•	13.87	5.24	19.11	30	Pass
NVNT	b	2411		12.17	5.24	17.41	30	Pass
		2433	Ant2	12.64	5.24	17.88	30	Pass
		2466		13.70	5.24	18.94	30	Pass

Note: 1. The result basic equation calculation as follow:

Power Output = Power Reading + Cable loss + Attenuator

2. The worse case was recorded

Page 36 of 75 Report No.: TW2501162-03E

Date: 2025-02-20



EUT	Agri	cultural	unmarme	d drone	Model			Field Ranger X50		
Mode		10M Bandwidth				Test Voltage		DC76.5V		
Temperature	24 deg. C, Humidity					56% RH				
Frequency (MI	·Iz)	Ant 1 I	Power	Ant 2 Power		Total Max. Power Output		Power Limit	Pass/ Fail	
		dBm	mW	dBm	mW	-MIMO (dl	3m)	(dBm)		
2411		19.4	87.10	17.93	62.09	21.74		30	Pass	
2433		18.81	76.03	18.04	63.68	21.45		30	Pass	
2466	2466		73.79	18.79	75.68	21.75		30	Pass	

Note: 1. At finial test to get the worst-case emission at mcs0 of 11n HT20 for CH01, CH06 and CH11

2. The result basic equation calculation as follow: Power Output = Power Reading + Cable loss + Attenuator

3. The worse case was recorded

EUT	Agı	ricultura	l unmarm	ed drone		Model		Field Ranger X50		
Mode		20M	Bandwid	lth	Т	Test Voltage		DC76.5V		
Temperature	24 deg. C,					Humidity		56% RH		
Frequency (MI	Hz)	Ant 1 I	Power	Ant 2 Po	wer		Total Max. Power		Pass/ Fail	
1 requerey (with	iz)	dBm	dBm mW dBm mW		-	Output-MIMO (dBm)		Tass/Tan		
2411		19.15	82.22	17.41	55.08	21.38		30	Pass	
2433		19.1	81.28	17.88	61.38	21.54		30	Pass	
2466		19.11	81.47	18.94	78.34	22.04	•	30	Pass	

Note: 1. At finial test to get the worst-case emission at mcs0 of 11n HT40 for CH03, CH06 and CH09

2. The result basic equation calculation as follow: Power Output = Power Reading + Cable loss + Attenuator

3. The worse case was recorded


Date: 2025-02-20



Page 37 of 75

# 10. Power Spectral Density Measurement

## 10.1 Test Setup



## 10.2 Limits of Power Spectral Density Measurement

The Maximum Power Spectral Density Measurement is 8dBm/3kHz.

## **10.3 Test Procedure**

- 1. Use this procedure when the maximum peak conducted output power in the fundamental emission is used to demonstrate compliance.
- 2. Set the RBW = 3 kHz
- 3. Set the VBW  $\geq$  10 kHz
- 4. Set the span to 1.5 times the DTS channel bandwidth.
- 5. Detector = peak.
- 6. Sweep time = auto couple.
- 7. Trace mode = max hold.
- 8. Allow trace to fully stabilize.
- 9. Use the peak marker function to determine the maximum amplitude level.
- 10. If measured value exceeds limit, reduce RBW (no less than 3 kHz) and repeat.
- 11. The resulting peak PSD level must be  $\leq 8 \text{ dBm/3kHz}$ .

Report No.: TW2501162-03E Page 38 of 75

Date: 2025-02-20



## 10.4Test Result


10M Bandwidth

Condition	Mode	Frequency	Antenna	Conducted	Duty	Total PSD	Limit	Verdict
		(MHz)		PSD	Factor	(dBm/3kHz)	(dBm/3kHz)	
				(dBm/3kHz)	(dB)			
		2411		-4.35	5.24	0.89	8	Pass
	2433	Ant1	-5.23	5.24	0.01	8	Pass	
NIV/NIT	b	2466		-5.85	5.24	-0.61	8	Pass
NVNT	Ь	2411		-7.01	5.24	-1.77	8	Pass
		2433	Ant2	-7.73	5.24	-2.49	8	Pass
		2466		-7.18	5.24	-1.94	8	Pass

EUT	Agric	cultural unmarme	d drone	I	Model		Field Ranger X50		
Mode		10M Bandwidtl	h	Test Voltage			DC76.5V		
Temperature	24 deg. C,			Humidity			56% RH		
Frequency (MHz)		Ant 1 PSD dBm/3kHz	Ant 2 PSD dBm/3kHz		Total Max. Power PSD -MIMO (dBm/3kHz)		PSD Limit (dBm/3kHz)	Pass/ Fail	
2411		0.89	-1.1	77	2.77		8	Pass	
2433		0.01	-2.49		1.95		8	Pass	
2466		-0.61	-1.9	94	1.79 8		Pass		

Date: 2025-02-20





The report refers only to the sample tested and does not apply to the bulk.


This report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2025-02-20








The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2025-02-20







The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Report No.: TW2501162-03E Page 42 of 75

Date: 2025-02-20




## 20M Bandwidth

Condition	Mode	Frequency	Antenna	Conducted	Duty	Total PSD	Limit	Verdict
		(MHz)		PSD	Factor	(dBm/3kHz)	(dBm/3kHz)	
				(dBm/3kHz)	(dB)			
		2411		-8.29	5.24	-3.05	8	Pass
		2433	Ant1	-8.29	5.24	-3.05	8	Pass
NVNT	b	2466		-8.03	5.24	-2.79	8	Pass
INVINI	Ь	2411		-10.66	5.24	-5.42	8	Pass
		2433	Ant2	-10.28	5.24	-5.04	8	Pass
		2466		-10.14	5.24	-4.9	8	Pass

EUT	Agric	cultural unmarme	d drone	I	Model		Field Ranger X50		
Mode		20M Bandwidt	h	Test Voltage			DC76.5V		
Temperature	24 deg. C,		Humidity			56% RH			
Frequency (MHz)		Ant 1 PSD dBm/3kHz	Ant 2 PSD dBm/3kHz		Total Max. Power PSD -MIMO (dBm/3kHz)		PSD Limit (dBm/3kHz)	Pass/ Fail	
2411	2411 -3.05 -5.42		42	-1.06		8	Pass		
2433		-3.05	-5.04		-0.92		8	Pass	
2466		-2.79	-4.	.9	-0.71		8	Pass	

Date: 2025-02-20






The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2025-02-20








The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2025-02-20







The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to


Date: 2025-02-20



# Page 46 of 75

## 11 Out of Band Measurement

## 11.1 Test Setup for band edge



The restricted band requirement based on radiated emission test; please see the clause 6 for the test setup

## 11.2 Limits of Out of Band Emissions Measurement

- 1. Below –20dB of the highest emission level of operating band (in 100kHz Resolution Bandwidth).
- 2. Fall in the restricted bands listed in section 15.205. The maximum permitted average field strength is listed in section 15.209.

### 11.3 Test Procedure

For signals in the restricted bands above and below the 2.4-2.483GHz allocated band a measurement was made of radiated emission test. (Peak values with RBW=VBW=1MHz and PK detector. AV value with RBW=1MHz, VBW≥1/T and PK detector)

For bandage test, the spectrum set as follows: RBW=100, VBW=300 kHz. A conducted measurement used

### 11.4 Test Result

Please see next pages

Note: 1. For band-edge measurement, the frequency from 30MHz-25GHz was tested. And It met the FCC rule. 2.Ant 1 and Ant 2 transmitting Simultaneously

Date: 2025-02-20



# Page 47 of 75

# Band Edge

10M Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
		2411	A 4.4	-45.42	-20	Pass
NI) /NIT	-	2466	Ant1	-51.36	-20	Pass
NVNT	b	2411	A = 40	-47.51	-20	Pass
		2466	Ant2	-53.51	-20	Pass

Date: 2025-02-20






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2025-02-20





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2025-02-20






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2025-02-20





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2025-02-20



Page 52 of 75

## 20M Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
		2411	A 4.1	-43.1	-20	Pass
NI) /NIT		2466 Ant1		-43.46	-20	Pass
NVNT	b	2411	A = 40	-41.98	-20	Pass
		2466	Ant2	-45.3	-20	Pass

Date: 2025-02-20






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2025-02-20






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2025-02-20






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2025-02-20





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2025-02-20



Page 57 of 75


# Conducted RF Spurious Emission

10M Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
		2411		-46.92	-20	Pass
		2433	Ant1	-43.9	-20	Pass
NIV /NIT	L	2466		-33.07	-20	Pass
NVNT	b	2411		-33.64	-20	Pass
		2433	Ant2	-42.57	-20	Pass
		2466		-35.27	-20	Pass

Date: 2025-02-20






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2025-02-20






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2025-02-20






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2025-02-20






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2025-02-20






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2025-02-20





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2025-02-20



Page 64 of 75

# 20M Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
		2411		-42.23	-20	Pass
		2433	Ant1	-42.32	-20	Pass
NIV /NIT		2466		-31.66	-20	Pass
NVNT	b	2411		-31.43	-20	Pass
		2433	Ant2	-39.88	-20	Pass
		2466		-31.45	-20	Pass

Date: 2025-02-20






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2025-02-20





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into an will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2025-02-20






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2025-02-20






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2025-02-20





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2025-02-20





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Report No.: TW2501162-03E Page 71 of 75

Date: 2025-02-20



#### 10.5 Restricted band Measurement

EUT	Agricul	tural unmarmed drone		Мо	del	Field Ranger X50	
Mode	Kee	ping Transmitting		Test V	oltage	DC76.5V	
Temperature		24 deg. C,			idity	56% RH	
Test Result:		Pass Detector			ector	PK	
10M Bandwidth, Low Channel, Horizontal							
2390	PK (dBμV/m)	48.38	т:		74(dBμV/m)		
	AV (dBμV/m)		Lli	mit		$54(dB\mu V/m)$	
		10M Bandwidth, Low	Channel	l, Vertical			
2390	PK (dBμV/m)	43.62	т:.		74(dBμV/m)		
	AV (dBμV/m)		Lii	mit		$54(dB\mu V/m)$	

#### 10.5 Restricted band Measurement

TOLE RESULTATION	edita ivicasareniei	10										
EUT	Agricu	ıltural unmarmed drone	;	M	odel	Field Ranger X50						
Mode	Ke	eeping Transmitting		Test	Voltage	DC76.5V						
Temperature	24 deg. C,			Humidity		56% RH						
Test Result:			Detector		PK							
10M Bandwidth, High Channel, Horizontal												
2483.5	PK (dBµV/m)	58.12	т ::	:4		$74(dB\mu V/m)$						
	AV (dBμV/m)	43.06	Limi	IŢ		$54(dB\mu V/m)$						
		10M Bandwidth, High	n Channel,	Vertical								
2483.5	PK (dBμV/m)	53.27	т ::	74(dBμV/m)								
	AV (dBμV/m)	38.22	Limi	II	54(dBμV/m)							

Page 72 of 75 Report No.: TW2501162-03E

Date: 2025-02-20



#### 10.5 Restricted band Measurement

EUT	Agricul	tural unmarmed drone		M	odel	Field Ranger X50	
Mode	Kee	eping Transmitting		Test '	Voltage	DC76.5V	
Temperature		Humidity		56% RH			
Test Result:	Pass				tector	PK	
20M Bandwidth, Low Channel, Horizontal							
2390	PK (dBμV/m)	49.15	т.	٠,	74(dBμV/m)		
	AV (dBμV/m)		Lii	mit		54(dBµV/m)	
		20M Bandwidth, Lov	v Channe	l Vertical			
2390	PK (dBμV/m)	45.23	1.5	mit	74(dBμV/m)		
	AV (dBμV/m)		Lli	mı		54(dBµV/m)	

#### 10.5 Restricted band Measurement

EUT	Agricı	ıltural unmarmed drone	;	N	Iodel	Field Ranger X50	
Mode	Ke	eeping Transmitting		Test	Voltage	DC76.5V	
Temperature	24 deg. C,				midity	56% RH	
Test Result:	Pass			De	etector	PK	
20M Bandwidth, High Channel, Horizontal							
2483.5	PK (dBµV/m)	61.23	т.	•,		$74(dB\mu V/m)$	
	AV (dBμV/m)	46.39	Lim	IŢ		$54(dB\mu V/m)$	
		20M Bandwidth, High	Channel, V	Vertical			
2483.5	PK (dBμV/m)	57.31	т ::	.,	74(dBμV/m)		
	AV (dBμV/m)	43.07	Lim	It	54(dBμV/m)		

Date: 2025-02-20



Page 73 of 75

# 12.0 Antenna Requirement

## 12.1 Standard Applicable

For intentional device, according to FCC 47 CFR Section 15.203, an intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device.

And according to FCC 47 CFR Section 15.247 (b), if transmitter antennas of directional gain greater than 6 dBi are used, the power shall be reduced by the mount in dB that the directional gain of the antenna exceeds 6 dBi.

## 12.2 Antenna Connected construction

Integral antennas with gain 1.94dBi Max for each one (Get from the antenna specification)

Report No.: TW2501162-03E Page 74 of 75

Date: 2025-02-20



## 13.0 FCC ID Label


## FCC ID: 2BM3J-X50

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and

(2) this device must accept any interference received, including interference that may cause undesired operation

The label must not be a stick-on paper label. The label on these products must be permanently affixed to the product and readily visible at the time of purchase and must last the expected lifetime of the equipment not be readily detachable.

### Mark Location:



Date: 2025-02-20




#### 14.0 **Photo of testing**

Conducted Emission Test Setup:

N/A

Radiated Emission Test Setup:



Photographs - EUT

Please refer test report TW2501162-01E

-End of the report-

The report refers only to the sample tested and does not apply to the bulk.

This report released in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to