



Kenbotong Technology Co., Ltd.

SPECIFICATION

Vendor Name	Shenzhen kenhaitong antenna technology co,Ltd.				
Customer Name	Particle				
Sample Name	PD-MORPH-WIFI-V02				
Part Number					
Specification					
Inspection Item	Performance	Total Appearance	structure	Others	Inspection Result
Remark					
QA Audit		Engineer Audit		Sales Confirm	
The following are filled by Customer					
Customer Evaluation					
Signation/ Chapter by Customer	date:				



Kenbotong Technology Co., Ltd.

1、Antenna Picture

Kenbotong Technology Co., Ltd.


2.Measurement information

Band	WIFI
Frequency(MHz)	2400-2500
Max VSWR	≤ 1.5
Max Return loss(dB)	-17
Peak Gain(dB)	2.83
Efficiency(%)	58.88
Average Gain(dB)	1.5
Radiation Properties	Omnidirectional
Max Input Power(watts)	5
Polarization	Linear
Impedance(Ohms)	50
MECHANICAL	
Dimensions(mm)	48.2*23.87*0.8mm
Material	Flexible Polymer
Connector and Cable	U.FL and 1.13mm mini coax
Cable Length	113mm
ENVIRONMENTAL	
Operation Temperature	-40℃ to 85℃
Storage Temperature	-40℃ to 85℃
Relative Humidity	-40℃ to 95℃
ROHS Compliant	YES

Kenbotong Technology Co., Ltd.



3. Antenna Parameters

VSWR



Kenbotong Technology Co., Ltd.


Radiation Pattern



Radiation Pattern at 2400 MHz of Antenna


Kenbotong Technology Co., Ltd.

4、IPEX/U.FL





Kenbotong Technology Co., Ltd.

5、Mechanical Drawing



Kenbotong Technology Co., Ltd.

6、Packaging

Packaging					
Customer Name:particle		name: PD-MORPH-WIFI-V02 天线		Code: TEST: A	
	Code	name	size	quantities	
	PE	PE bag	230*330*0.12	1/100	
	SYC-BZ-01	Paper box	270*250*130	1/5000	
S T E P S					N O T I C E
	 5000PCS				
compile		approval		MADE	
				DATE	