


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6195MHz_TX

EUT_V_4TX
Setting 12
06-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58971G	55.19	83.54	-28.35	51.84	1	Horizontal	100	1.97	-	37.70	15.27	49.62			
AV	18.57543G	41.67	63.54	-21.87	38.33	1	Horizontal	100	1.97	-	37.70	15.27	49.63			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 14
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8243G	58.54	88.20	-29.66	40.55	3	Vertical	269	2.30	-	39.35	11.19	32.55			
RMS	12.8195G	45.74	68.20	-22.46	27.77	3	Vertical	269	2.30	-	39.34	11.18	32.55			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 14
06-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.83297G	58.11	88.20	-30.09	40.10	3	Horizontal	92	2.30	-	39.37	11.19	32.55			
RMS	12.82928G	45.69	68.20	-22.51	27.69	3	Horizontal	92	2.30	-	39.36	11.19	32.55			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 14
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24569G	55.18	83.54	-28.36	51.54	1	Vertical	254	1.11	-	37.91	15.24	49.51			
AV	19.23825G	42.26	63.54	-21.28	38.60	1	Vertical	254	1.11	-	37.92	15.24	49.50			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 14
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.23468G	54.45	83.54	-29.09	50.78	1	Horizontal	284	1.83	-	37.93	15.24	49.50			
AV	19.2303G	42.20	63.54	-21.34	38.52	1	Horizontal	284	1.83	-	37.94	15.24	49.50			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_V_4TX
Setting 12
06-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.85524G	58.84	88.20	-29.36	40.78	3	Vertical	303	1.95	-	39.41	11.20	32.55			
RMS	12.86043G	46.04	68.20	-22.16	27.97	3	Vertical	303	1.95	-	39.42	11.20	32.55			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_V_4TX
Setting 12
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87948G	58.91	88.20	-29.29	40.80	3	Horizontal	150	2.80	-	39.46	11.21	32.56			
RMS	12.855G	45.96	68.20	-22.24	27.90	3	Horizontal	150	2.80	-	39.41	11.20	32.55			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
Setting 12
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.31853G	55.29	83.54	-28.25	51.69	1	Vertical	64	1.41	-	37.93	15.23	49.56			
AV	19.30455G	43.73	63.54	-19.81	40.07	1	Vertical	64	1.41	-	37.98	15.23	49.55			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_V_4TX
Setting 12
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.31298G	54.32	83.54	-29.22	50.69	1	Horizontal	78	1.72	-	37.95	15.23	49.55			
AV	19.30485G	43.23	63.54	-20.31	39.57	1	Horizontal	78	1.72	-	37.98	15.23	49.55			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX
Setting 14
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.93515G	60.16	88.20	-28.04	41.98	3	Vertical	8	1.93	-	39.50	11.24	32.56			
RMS	12.94295G	45.79	68.20	-22.41	27.61	3	Vertical	8	1.93	-	39.50	11.24	32.56			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_V_4TX
Setting 14
06-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.93767G	58.97	88.20	-29.23	40.79	3	Horizontal	16	1.86	-	39.50	11.24	32.56			
RMS	12.94385G	45.91	68.20	-22.29	27.73	3	Horizontal	16	1.86	-	39.50	11.24	32.56			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX
Setting 14
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4142G	54.91	83.54	-28.63	51.36	1	Vertical	344	1.19	-	37.94	15.23	49.62			
AV	19.41006G	42.68	63.54	-20.86	39.11	1	Vertical	344	1.19	-	37.96	15.23	49.62			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6475MHz_TX

EUT_V_4TX
Setting 14
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.43508G	54.28	83.54	-29.26	50.83	1	Horizontal	230	2.88	-	37.86	15.23	49.64			
AV	19.41036G	42.36	63.54	-21.18	38.79	1	Horizontal	230	2.88	-	37.96	15.23	49.62			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_V_4TX
Setting 13
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.033G	58.91	88.20	-29.29	40.80	3	Vertical	193	1.13	-	39.43	11.28	32.60			
RMS	13.03354G	46.55	68.20	-21.65	28.44	3	Vertical	193	1.13	-	39.43	11.28	32.60			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_V_4TX
Setting 13
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02385G	59.07	88.20	-29.13	40.93	3	Horizontal	157	2.15	-	39.45	11.28	32.59			
RMS	13.04107G	46.49	68.20	-21.71	28.40	3	Horizontal	157	2.15	-	39.42	11.28	32.61			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_V_4TX
Setting 13
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.55148G	54.39	83.54	-29.15	50.72	1	Vertical	122	1.42	-	38.09	15.22	49.64			
AV	19.54692G	42.07	63.54	-21.47	38.40	1	Vertical	122	1.42	-	38.09	15.22	49.64			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6515MHz_TX

EUT_V_4TX
Setting 13
06-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.53465G	54.60	83.54	-28.94	50.96	1	Horizontal	49	1.75	-	38.07	15.22	49.65			
AV	19.53051G	41.60	63.54	-21.94	37.97	1	Horizontal	49	1.75	-	38.06	15.22	49.65			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 13
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07438G	58.65	88.20	-29.55	40.59	3	Vertical	198	3.00	-	39.40	11.30	32.64			
RMS	13.06343G	46.40	68.20	-21.80	28.34	3	Vertical	198	3.00	-	39.40	11.29	32.63			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 13
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06595G	59.00	88.20	-29.20	40.94	3	Horizontal	15	2.88	-	39.40	11.30	32.64			
RMS	13.06607G	46.52	68.20	-21.68	28.46	3	Horizontal	15	2.88	-	39.40	11.30	32.64			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 13
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60122G	54.42	83.54	-29.12	50.99	1	Vertical	209	1.80	-	37.81	15.22	49.60			
AV	19.59009G	41.83	63.54	-21.71	38.36	1	Vertical	209	1.80	-	37.86	15.22	49.61			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 13
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.61028G	54.49	83.54	-29.05	51.00	1	Horizontal	43	1.14	-	37.86	15.22	49.59			
AV	19.59075G	41.77	63.54	-21.77	38.30	1	Horizontal	43	1.14	-	37.86	15.22	49.61			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 14
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3819G	59.13	74.00	-14.87	40.41	3	Vertical	49	1.49	-	40.23	11.44	32.95			
AV	13.3844G	46.69	54.00	-7.31	27.96	3	Vertical	49	1.49	-	40.24	11.44	32.95			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 14
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39281G	59.61	74.00	-14.39	40.86	3	Horizontal	349	2.20	-	40.27	11.44	32.96			
AV	13.39212G	46.70	54.00	-7.30	27.95	3	Horizontal	349	2.20	-	40.27	11.44	32.96			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 14
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.07648G	55.24	83.54	-28.30	51.42	1	Vertical	219	1.83	-	37.81	15.26	49.25			
AV	20.07006G	42.88	63.54	-20.66	39.09	1	Vertical	219	1.83	-	37.78	15.26	49.25			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 14
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.07081G	56.56	83.54	-26.98	52.77	1	Horizontal	346	2.87	-	37.78	15.26	49.25			
AV	20.07612G	43.37	63.54	-20.17	39.56	1	Horizontal	346	2.87	-	37.80	15.26	49.25			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 14
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.75927G	61.57	88.20	-26.63	41.99	3	Vertical	34	2.04	-	40.66	11.61	32.69			
RMS	13.74406G	49.15	68.20	-19.05	29.60	3	Vertical	34	2.04	-	40.66	11.60	32.71			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 14
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.73554G	61.67	88.20	-26.53	42.18	3	Horizontal	72	2.97	-	40.61	11.60	32.72			
RMS	13.73542G	49.24	68.20	-18.96	29.75	3	Horizontal	72	2.97	-	40.61	11.60	32.72			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 14
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.61531G	56.67	83.54	-26.87	52.09	1	Vertical	200	1.68	-	37.97	15.69	49.08			
AV	20.61192G	43.48	63.54	-20.06	38.89	1	Vertical	200	1.68	-	37.98	15.69	49.08			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 14
06-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.63091G	55.68	83.54	-27.86	51.11	1	Horizontal	39	2.41	-	37.94	15.70	49.07			
AV	20.61264G	43.45	63.54	-20.09	38.87	1	Horizontal	39	2.41	-	37.97	15.69	49.08			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_4TX
Setting 14
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78394G	61.09	88.20	-27.11	41.56	3	Vertical	51	1.15	-	40.56	11.62	32.65			
RMS	13.78793G	49.03	68.20	-19.17	29.50	3	Vertical	51	1.15	-	40.55	11.62	32.64			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_V_4TX
Setting 14
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79219G	61.84	88.20	-26.36	42.32	3	Horizontal	137	2.01	-	40.53	11.63	32.64			
RMS	13.793G	49.04	68.20	-19.16	29.52	3	Horizontal	137	2.01	-	40.53	11.63	32.64			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_4TX
Setting 14
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.67267G	55.88	83.54	-27.66	51.29	1	Vertical	75	1.68	-	37.90	15.74	49.05				
AV	20.67039G	43.72	63.54	-19.82	39.13	1	Vertical	75	1.68	-	37.90	15.74	49.05				

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_V_4TX
Setting 14
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.67855G	56.34	83.54	-27.20	51.75	1	Horizontal	194	1.99	-	37.90	15.74	49.05			
AV	20.67015G	44.04	63.54	-19.50	39.45	1	Horizontal	194	1.99	-	37.90	15.74	49.05			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6995MHz_TX

EUT_V_4TX
Setting 14
06-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.98442G	62.93	88.20	-25.27	42.73	3	Vertical	283	1.58	-	40.84	11.71	32.35			
RMS	14.00404G	50.45	68.20	-17.75	30.16	3	Vertical	283	1.58	-	40.90	11.72	32.33			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_V_4TX
Setting 14
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.98925G	63.41	88.20	-24.79	43.18	3	Horizontal	34	2.24	-	40.86	11.72	32.35			
RMS	13.99798G	50.55	68.20	-17.65	30.27	3	Horizontal	34	2.24	-	40.89	11.72	32.33			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX



EUT_V_4TX
Setting 14
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.99754G	56.29	83.54	-27.25	51.26	1	Vertical	83	2.78	-	37.91	16.00	48.88			
AV	20.99226G	43.88	63.54	-19.66	38.84	1	Vertical	83	2.78	-	37.93	15.99	48.88			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_V_4TX
Setting 14
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.99997G	56.18	83.54	-27.36	51.16	1	Horizontal	50	1.49	-	37.90	16.00	48.88			
AV	20.97006G	43.81	63.54	-19.73	38.71	1	Horizontal	50	1.49	-	38.02	15.98	48.90			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 13
05-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0878G	107.25	Inf	-Inf	97.41	3	Vertical	170	1.80	-	36.43	8.59	35.18			
RMS	7.1034G	97.07	Inf	-Inf	87.12	3	Vertical	170	1.80	-	36.52	8.58	35.15			
PK	7.2411G	64.00	88.20	-24.20	53.24	3	Vertical	170	1.80	-	37.08	8.58	34.90			
RMS	7.245G	53.02	68.20	-15.18	42.24	3	Vertical	170	1.80	-	37.09	8.58	34.89			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 13
05-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0863G	109.20	Inf	-Inf	99.37	3	Horizontal	119.9	2.95	-	36.42	8.59	35.18			
RMS	7.086G	99.74	Inf	-Inf	89.91	3	Horizontal	119.9	2.95	-	36.42	8.59	35.18			
PK	7.1337G	63.79	88.20	-24.41	53.61	3	Horizontal	119.9	2.95	-	36.70	8.58	35.10			
RMS	7.2423G	52.98	68.20	-15.22	42.22	3	Horizontal	119.9	2.95	-	37.08	8.58	34.90			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_V_4TX
Setting 13
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.18265G	63.28	88.20	-24.92	42.95	3	Vertical	85	2.33	-	40.97	11.81	32.45			
RMS	14.19954G	50.74	68.20	-17.46	30.39	3	Vertical	85	2.33	-	41.00	11.81	32.46			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 13
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.20179G	63.25	88.20	-24.95	42.89	3	Horizontal	96	2.21	-	41.00	11.82	32.46			
RMS	14.18247G	50.71	68.20	-17.49	30.39	3	Horizontal	96	2.21	-	40.96	11.81	32.45			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_V_4TX
Setting 13
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.29085G	56.25	83.54	-27.29	50.54	1	Vertical	68	1.63	-	38.33	16.23	48.85			
AV	21.29976G	43.88	63.54	-19.66	38.08	1	Vertical	68	1.63	-	38.40	16.24	48.84			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_V_4TX
Setting 13
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.27684G	56.50	83.54	-27.04	50.92	1	Horizontal	17	2.78	-	38.21	16.22	48.85			
AV	21.29964G	43.91	63.54	-19.63	38.11	1	Horizontal	17	2.78	-	38.40	16.24	48.84			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_Y_4TX
Setting 5
05-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1215G	96.54	Inf	-Inf	86.45	3	Vertical	169	1.80	80_BP 1M	36.63	8.58	35.12			
RMS	7.1215G	90.76	Inf	-Inf	80.67	3	Vertical	169	1.80	80_BP 1M	36.63	8.58	35.12			
PK	7.1255G	75.92	88.20	-12.28	65.80	3	Vertical	169	1.80	80_BP 1M	36.65	8.58	35.11			
RMS	7.1255G	66.76	68.20	-1.44	56.64	3	Vertical	169	1.80	80_BP 1M	36.65	8.58	35.11			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_Y_4TX
Setting 5
05-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1215G	98.09	Inf	-Inf	88.00	3	Horizontal	-0	1.80	80_BP 1M	36.63	8.58	35.12			
RMS	7.1215G	91.92	Inf	-Inf	81.83	3	Horizontal	-0	1.80	80_BP 1M	36.63	8.58	35.12			
PK	7.1255G	76.83	88.20	-11.37	66.71	3	Horizontal	-0	1.80	80_BP 1M	36.65	8.58	35.11			
RMS	7.1255G	67.29	68.20	-0.91	57.17	3	Horizontal	-0	1.80	80_BP 1M	36.65	8.58	35.11			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_V_4TX
Setting 5
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.23225G	62.95	88.20	-25.25	42.54	3	Vertical	140	2.80	-	41.06	11.83	32.48			
RMS	14.22778G	50.52	68.20	-17.68	30.11	3	Vertical	140	2.80	-	41.06	11.83	32.48			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_V_4TX
Setting 5
06-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.23297G	64.09	88.20	-24.11	43.67	3	Horizontal	145	2.26	-	41.07	11.83	32.48			
RMS	14.245G	50.47	68.20	-17.73	30.03	3	Horizontal	145	2.26	-	41.09	11.84	32.49			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT V_4TX
Setting 5
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.34524G	56.06	83.54	-27.48	50.31	1	Vertical	56	1.61	-	38.31	16.28	48.84			
AV	21.3489G	44.17	63.54	-19.37	38.43	1	Vertical	56	1.61	-	38.30	16.28	48.84			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_V_4TX
Setting 5
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.35031G	57.15	83.54	-26.39	51.41	1	Horizontal	181	1.94	-	38.30	16.28	48.84			
AV	21.33006G	44.80	63.54	-18.74	39.04	1	Horizontal	181	1.94	-	38.34	16.26	48.84			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 15
05-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.863G	62.36	88.20	-25.84	55.80	3	Vertical	251	1.80	-	34.05	8.07	35.56			
RMS	5.9026G	50.61	68.20	-17.59	43.88	3	Vertical	251	1.80	-	34.20	8.10	35.57			
PK	5.9815G	107.74	Inf	-Inf	101.05	3	Vertical	251	1.80	-	34.14	8.15	35.60			
RMS	5.9833G	96.02	Inf	-Inf	89.34	3	Vertical	251	1.80	-	34.13	8.15	35.60			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 15
05-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8978G	62.04	88.20	-26.16	55.33	3	Horizontal	184	1.80	-	34.19	8.09	35.57			
RMS	5.925G	50.62	68.20	-17.58	43.89	3	Horizontal	184	1.80	-	34.20	8.11	35.58			
PK	5.9827G	110.79	Inf	-Inf	104.11	3	Horizontal	184	1.80	-	34.13	8.15	35.60			
RMS	5.9836G	99.97	Inf	-Inf	93.29	3	Horizontal	184	1.80	-	34.13	8.15	35.60			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 15
05-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91716G	57.01	74.00	-16.99	40.83	3	Vertical	234	1.83	-	38.53	11.03	33.38			
AV	11.93822G	43.89	54.00	-10.11	27.67	3	Vertical	234	1.83	-	38.58	11.04	33.40			
PK	17.89185G	57.99	74.00	-16.01	36.33	3	Vertical	147	2.80	-	41.90	13.31	33.55			
AV	17.90907G	48.29	54.00	-5.71	26.46	3	Vertical	147	2.80	-	42.07	13.32	33.56			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 15
05-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93768G	57.25	74.00	-16.75	41.03	3	Horizontal	52	1.36	-	38.58	11.04	33.40			
AV	11.9183G	43.85	54.00	-10.15	27.66	3	Horizontal	52	1.36	-	38.54	11.03	33.38			
PK	17.90322G	57.03	74.00	-16.97	35.25	3	Horizontal	115	1.07	-	42.03	13.31	33.56			
AV	17.90586G	49.29	54.00	-4.71	27.48	3	Horizontal	115	1.07	-	42.05	13.32	33.56			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6205MHz_TX

EUT_V_4TX
Setting 15
05-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.42188G	57.78	74.00	-16.22	40.70	3	Vertical	42	2.14	-	38.86	11.22	33.00			
AV	12.41492G	44.97	54.00	-9.03	27.90	3	Vertical	42	2.14	-	38.87	11.21	33.01			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
Setting 15
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40346G	57.84	74.00	-16.16	40.76	3	Horizontal	59	2.72	-	38.89	11.21	33.02			
AV	12.40853G	45.01	54.00	-8.99	27.94	3	Horizontal	59	2.72	-	38.88	11.21	33.02			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
Setting 15
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.62925G	56.51	83.54	-27.03	53.07	1	Vertical	52	1.26	-	37.76	15.27	49.59			
AV	18.60684G	43.33	63.54	-20.21	39.96	1	Vertical	52	1.26	-	37.71	15.27	49.61			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
Setting 15
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.60414G	55.81	83.54	-27.73	52.44	1	Horizontal	129	2.76	-	37.71	15.27	49.61			
AV	18.60006G	43.26	63.54	-20.28	39.90	1	Horizontal	129	2.76	-	37.70	15.27	49.61			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 17
05-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.81441G	58.34	88.20	-29.86	40.74	3	Vertical	280	2.27	-	39.60	11.35	33.35			
RMS	12.81717G	45.13	68.20	-23.07	27.53	3	Vertical	280	2.27	-	39.60	11.35	33.35			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 17
05-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.80547G	58.12	88.20	-30.08	40.51	3	Horizontal	180	1.02	-	39.60	11.35	33.34			
RMS	12.81213G	45.05	68.20	-23.15	27.44	3	Horizontal	180	1.02	-	39.60	11.35	33.34			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 17
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.22865G	55.70	83.54	-27.84	52.02	1	Vertical	30	2.43	-	37.94	15.24	49.50			
AV	19.20414G	43.22	63.54	-20.32	39.47	1	Vertical	30	2.43	-	37.99	15.24	49.48			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6405MHz_TX

EUT_Y_4TX
Setting 17
05-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.20399G	55.81	83.54	-27.73	52.06	1	Horizontal	200	2.99	-	37.99	15.24	49.48			
AV	19.2018G	43.24	63.54	-20.30	39.48	1	Horizontal	200	2.99	-	38.00	15.24	49.48			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_V_4TX
Setting 18
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.88028G	57.83	88.20	-30.37	40.18	3	Vertical	83	2.62	-	39.72	11.37	33.44			
RMS	12.90392G	45.14	68.20	-23.06	27.41	3	Vertical	83	2.62	-	39.82	11.38	33.47			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_V_4TX
Setting 18
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.89516G	57.48	88.20	-30.72	39.78	3	Horizontal	320	2.99	-	39.78	11.38	33.46			
RMS	12.89618G	45.00	68.20	-23.20	27.30	3	Horizontal	320	2.99	-	39.78	11.38	33.46			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_V_4TX
Setting 18
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33116G	55.31	83.54	-28.23	51.77	1	Vertical	160	2.39	-	37.88	15.23	49.57			
AV	19.32207G	42.31	63.54	-21.23	38.73	1	Vertical	160	2.39	-	37.91	15.23	49.56			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_V_4TX
Setting 18
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.32963G	55.76	83.54	-27.78	52.21	1	Horizontal	60	2.54	-	37.88	15.23	49.56			
AV	19.32192G	42.54	63.54	-21.00	38.96	1	Horizontal	60	2.54	-	37.91	15.23	49.56			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_V_4TX
Setting 15
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.95818G	58.19	88.20	-30.01	40.35	3	Vertical	270	2.37	-	39.98	11.40	33.54			
RMS	12.98431G	45.05	68.20	-23.15	27.29	3	Vertical	270	2.37	-	39.93	11.41	33.58			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_V_4TX
Setting 15
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.96052G	57.65	88.20	-30.55	39.82	3	Horizontal	143	2.01	-	39.98	11.40	33.55			
RMS	12.95623G	45.26	68.20	-22.94	27.41	3	Horizontal	143	2.01	-	39.99	11.40	33.54			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Y_4TX
Setting 15
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45314G	54.78	83.54	-28.76	51.39	1	Vertical	343	1.03	-	37.81	15.23	49.65			
AV	19.44147G	42.40	63.54	-21.14	38.98	1	Vertical	343	1.03	-	37.83	15.23	49.64			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Y_4TX
Setting 15
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45818G	55.17	83.54	-28.37	51.76	1	Horizontal	9	1.30	-	37.83	15.23	49.65			
AV	19.44498G	42.24	63.54	-21.30	38.83	1	Horizontal	9	1.30	-	37.82	15.23	49.64			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 15
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.04445G	58.27	88.20	-29.93	40.70	3	Vertical	339	1.03	-	39.72	11.43	33.58			
RMS	13.04868G	45.55	68.20	-22.65	27.99	3	Vertical	339	1.03	-	39.71	11.43	33.58			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 15
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06422G	58.68	88.20	-29.52	41.11	3	Horizontal	148	2.20	-	39.70	11.44	33.57			
RMS	13.0643G	45.54	68.20	-22.66	27.98	3	Horizontal	148	2.20	-	39.71	11.43	33.58			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 15
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.58766G	55.11	83.54	-28.43	51.63	1	Vertical	217	2.96	-	37.87	15.22	49.61			
AV	19.56342G	42.29	63.54	-21.25	38.68	1	Vertical	217	2.96	-	38.02	15.22	49.63			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 15
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.57353G	56.00	83.54	-27.54	52.44	1	Horizontal	281	2.21	-	37.96	15.22	49.62			
AV	19.56021G	42.59	63.54	-20.95	38.96	1	Horizontal	281	2.21	-	38.04	15.22	49.63			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 15
05-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.11527G	57.95	88.20	-30.25	40.32	3	Vertical	187	2.12	-	39.73	11.45	33.55			
RMS	13.12106G	44.95	68.20	-23.25	27.30	3	Vertical	187	2.12	-	39.74	11.46	33.55			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 15
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12601G	57.95	88.20	-30.25	40.29	3	Horizontal	123	2.55	-	39.75	11.46	33.55			
RMS	13.12886G	45.07	68.20	-23.13	27.40	3	Horizontal	123	2.55	-	39.76	11.46	33.55			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 15
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.7076G	54.80	83.54	-28.74	51.28	1	Vertical	203	1.30	-	37.82	15.21	49.51			
AV	19.68318G	41.88	63.54	-21.66	38.29	1	Vertical	203	1.30	-	37.90	15.22	49.53			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 15
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.70163G	53.71	83.54	-29.83	50.21	1	Horizontal	278	1.67	-	37.80	15.21	49.51			
AV	19.68306G	41.65	63.54	-21.89	38.06	1	Horizontal	278	1.67	-	37.90	15.22	49.53			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 17
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37594G	57.88	74.00	-16.12	39.58	3	Vertical	209	1.51	-	40.20	11.54	33.44			
AV	13.38176G	45.52	54.00	-8.48	27.18	3	Vertical	209	1.51	-	40.23	11.55	33.44			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 17
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38272G	58.45	74.00	-15.55	40.11	3	Horizontal	215	2.41	-	40.23	11.55	33.44			
AV	13.37645G	45.56	54.00	-8.44	27.25	3	Horizontal	215	2.41	-	40.21	11.54	33.44			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 17
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05515G	55.91	83.54	-27.63	52.21	1	Vertical	98	2.00	-	37.72	15.24	49.26			
AV	20.06253G	42.68	63.54	-20.86	38.93	1	Vertical	98	2.00	-	37.75	15.25	49.25			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 17
05-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.04285G	55.60	83.54	-27.94	51.92	1	Horizontal	291	1.09	-	37.71	15.23	49.26			
AV	20.0424G	42.83	63.54	-20.71	39.14	1	Horizontal	291	1.09	-	37.72	15.23	49.26			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 17
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78416G	61.12	88.20	-27.08	42.55	3	Vertical	184	2.12	-	40.36	11.69	33.48			
RMS	13.7562G	47.72	68.20	-20.48	29.03	3	Vertical	184	2.12	-	40.48	11.68	33.47			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 17
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.76298G	60.40	88.20	-27.80	41.74	3	Horizontal	185	2.74	-	40.45	11.68	33.47			
RMS	13.7625G	47.71	68.20	-20.49	29.05	3	Horizontal	185	2.74	-	40.45	11.68	33.47			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 17
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.66265G	56.29	83.54	-27.25	51.72	1	Vertical	248	2.98	-	37.90	15.73	49.06			
AV	20.66748G	43.57	63.54	-19.97	38.99	1	Vertical	248	2.98	-	37.90	15.73	49.05			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 17
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.66718G	56.27	83.54	-27.27	51.69	1	Horizontal	315	1.92	-	37.90	15.73	49.05			
AV	20.6595G	43.39	63.54	-20.15	38.82	1	Horizontal	315	1.92	-	37.90	15.73	49.06			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
Setting 17
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.84025G	60.23	88.20	-27.97	41.81	3	Vertical	319	1.05	-	40.22	11.70	33.50			
RMS	13.84169G	47.35	68.20	-20.85	28.92	3	Vertical	319	1.05	-	40.22	11.71	33.50			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
Setting 17
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.86287G	60.49	88.20	-27.71	42.04	3	Horizontal	220	2.38	-	40.25	11.71	33.51			
RMS	13.86413G	47.41	68.20	-20.79	28.95	3	Horizontal	220	2.38	-	40.26	11.71	33.51			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
Setting 17
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.78406G	56.79	83.54	-26.75	51.88	1	Vertical	238	2.87	-	38.07	15.83	48.99			
AV	20.76258G	43.39	63.54	-20.15	38.68	1	Vertical	238	2.87	-	37.90	15.81	49.00			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
Setting 17
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.76261G	55.98	83.54	-27.56	51.27	1	Horizontal	332	2.64	-	37.90	15.81	49.00				
AV	20.76354G	43.28	63.54	-20.26	38.56	1	Horizontal	332	2.64	-	37.91	15.81	49.00				

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 16
05-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.01165G	61.16	88.20	-27.04	42.60	3	Vertical	331	2.32	-	40.35	11.76	33.55			
RMS	14.00061G	48.44	68.20	-19.76	29.93	3	Vertical	331	2.32	-	40.30	11.76	33.55			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 16
05-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.00355G	61.58	88.20	-26.62	43.06	3	Horizontal	319	1.81	-	40.31	11.76	33.55			
RMS	14.00373G	48.40	68.20	-19.80	29.88	3	Horizontal	319	1.81	-	40.31	11.76	33.55			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 16
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.0189G	56.24	83.54	-27.30	51.01	1	Vertical	103	2.94	-	38.09	16.02	48.88			
AV	21G	42.92	63.54	-20.62	37.90	1	Vertical	103	2.94	-	37.90	16.00	48.88			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 16
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.00072G	56.09	83.54	-27.45	51.06	1	Horizontal	182	1.95	-	37.91	16.00	48.88			
AV	21.00285G	43.17	63.54	-20.37	38.12	1	Horizontal	182	1.95	-	37.93	16.00	48.88			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 18
05-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0718G	110.42	Inf	-Inf	100.71	3	Vertical	167	1.80	-	36.33	8.59	35.21			
RMS	7.0688G	100.01	Inf	-Inf	90.32	3	Vertical	167	1.80	-	36.31	8.59	35.21			
PK	7.2218G	63.77	88.20	-24.43	53.10	3	Vertical	167	1.80	-	37.04	8.57	34.94			
RMS	7.2326G	52.99	68.20	-15.21	42.27	3	Vertical	167	1.80	-	37.07	8.57	34.92			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 18
05-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0673G	110.69	Inf	-Inf	101.02	3	Horizontal	67.9	1.80	-	36.30	8.59	35.22			
RMS	7.0667G	100.39	Inf	-Inf	90.72	3	Horizontal	67.9	1.80	-	36.30	8.59	35.22			
PK	7.1801G	63.79	88.20	-24.41	53.32	3	Horizontal	67.9	1.80	-	36.92	8.56	35.01			
RMS	7.2341G	52.87	68.20	-15.33	42.14	3	Horizontal	67.9	1.80	-	37.07	8.57	34.91			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_V_4TX
Setting 18
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.17141G	61.64	88.20	-26.56	42.95	3	Vertical	331	2.36	-	40.46	11.82	33.59			
RMS	14.16325G	48.51	68.20	-19.69	29.82	3	Vertical	331	2.36	-	40.47	11.81	33.59			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_V_4TX
Setting 18
05-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.1691G	61.55	88.20	-26.65	42.86	3	Horizontal	302	1.10	-	40.46	11.82	33.59			
RMS	14.16856G	48.68	68.20	-19.52	29.99	3	Horizontal	302	1.10	-	40.46	11.82	33.59			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 18
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.26694G	55.62	83.54	-27.92	50.12	1	Vertical	343	2.98	-	38.14	16.21	48.85			
AV	21.24009G	42.92	63.54	-20.62	37.58	1	Vertical	343	2.98	-	38.00	16.19	48.85			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_V_4TX
Setting 18
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.24873G	55.59	83.54	-27.95	50.24	1	Horizontal	298	1.80	-	38.00	16.20	48.85			
AV	21.24G	42.79	63.54	-20.75	37.45	1	Horizontal	298	1.80	-	38.00	16.19	48.85			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 18
05-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9073G	62.28	88.20	-25.92	55.55	3	Vertical	340	1.80	-	34.20	8.10	35.57			
RMS	5.9193G	50.86	68.20	-17.34	44.13	3	Vertical	340	1.80	-	34.20	8.11	35.58			
PK	6.0117G	106.54	Inf	-Inf	99.87	3	Vertical	340	1.80	-	34.10	8.16	35.59			
RMS	6.0159G	95.88	Inf	-Inf	89.20	3	Vertical	340	1.80	-	34.10	8.16	35.58			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 18
05-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9205G	61.87	88.20	-26.33	55.14	3	Horizontal	184	1.80	-	34.20	8.11	35.58			
RMS	5.9247G	51.16	68.20	-17.04	44.43	3	Horizontal	184	1.80	-	34.20	8.11	35.58			
PK	5.9922G	110.43	Inf	-Inf	103.77	3	Horizontal	184	1.80	-	34.12	8.15	35.61			
RMS	5.9913G	100.23	Inf	-Inf	93.57	3	Horizontal	184	1.80	-	34.12	8.15	35.61			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 18
05-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.95815G	57.76	74.00	-16.24	41.49	3	Vertical	122	2.59	-	38.63	11.05	33.41			
AV	11.97978G	43.99	54.00	-10.01	27.64	3	Vertical	122	2.59	-	38.72	11.06	33.43			
PK	17.96175G	60.03	74.00	-13.97	37.80	3	Vertical	178	1.31	-	42.49	13.34	33.60			
AV	17.96721G	47.52	54.00	-6.48	25.25	3	Vertical	178	1.31	-	42.54	13.34	33.61			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5985MHz_TX

EUT_Y_4TX
Setting 18
05-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96115G	56.81	74.00	-17.19	40.54	3	Horizontal	101	2.09	-	38.64	11.05	33.42			
AV	11.985G	43.91	54.00	-10.09	27.55	3	Horizontal	101	2.09	-	38.74	11.06	33.44			
PK	17.96964G	61.77	74.00	-12.23	39.47	3	Horizontal	326	1.20	-	42.56	13.35	33.61			
AV	17.96967G	48.57	54.00	-5.43	26.27	3	Horizontal	326	1.20	-	42.56	13.35	33.61			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 20
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44658G	58.22	74.00	-15.78	41.17	3	Vertical	106	2.83	-	38.81	11.22	32.98			
AV	12.44292G	45.02	54.00	-8.98	27.97	3	Vertical	106	2.83	-	38.81	11.22	32.98			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 20
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44595G	57.97	74.00	-16.03	40.92	3	Horizontal	95	1.57	-	38.81	11.22	32.98			
AV	12.4398G	45.08	54.00	-8.92	28.02	3	Horizontal	95	1.57	-	38.82	11.22	32.98			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 20
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.68862G	54.60	83.54	-28.94	51.23	1	Vertical	95	1.79	-	37.65	15.27	49.55			
AV	18.66861G	41.92	63.54	-21.62	38.49	1	Vertical	95	1.79	-	37.73	15.27	49.57			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 20
05-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67869G	55.55	83.54	-27.99	52.15	1	Horizontal	200	1.33	-	37.69	15.27	49.56			
AV	18.6711G	42.13	63.54	-21.41	38.70	1	Horizontal	200	1.33	-	37.72	15.27	49.56			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 18
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76475G	57.94	88.20	-30.26	40.23	3	Vertical	186	2.01	-	39.09	11.16	32.54			
RMS	12.78455G	45.04	68.20	-23.16	27.20	3	Vertical	186	2.01	-	39.21	11.17	32.54			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6385MHz_TX

EUT_Y_4TX
Setting 18
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.75908G	58.02	88.20	-30.18	40.35	3	Horizontal	257	1.52	-	39.05	11.16	32.54			
RMS	12.78044G	45.14	68.20	-23.06	27.33	3	Horizontal	257	1.52	-	39.18	11.17	32.54			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 18
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.14078G	54.88	83.54	-28.66	51.34	1	Vertical	179	2.60	-	37.74	15.24	49.44			
AV	19.16229G	41.37	63.54	-22.17	37.81	1	Vertical	179	2.60	-	37.77	15.24	49.45			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 18
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.16478G	54.12	83.54	-29.42	50.54	1	Horizontal	283	2.43	-	37.79	15.24	49.45			
AV	19.16508G	41.62	63.54	-21.92	38.04	1	Horizontal	283	2.43	-	37.79	15.24	49.45			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 18
06-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.93927G	48.38	88.20	-39.82	40.35	3	Vertical	292	1.51	-	39.50	11.24	42.71			
RMS	12.91674G	35.55	68.20	-32.65	27.55	3	Vertical	292	1.51	-	39.50	11.23	42.73			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 18
06-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.93549G	49.23	88.20	-38.97	41.20	3	Horizontal	25	1.27	-	39.50	11.24	42.71			
RMS	12.91743G	35.55	68.20	-32.65	27.55	3	Horizontal	25	1.27	-	39.50	11.23	42.73			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 18
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.38939G	55.36	83.54	-28.18	51.77	1	Vertical	290	1.02	-	37.96	15.23	49.60			
AV	19.39962G	42.44	63.54	-21.10	38.82	1	Vertical	290	1.02	-	38.00	15.23	49.61			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 18
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.40769G	55.44	83.54	-28.10	51.86	1	Horizontal	262	2.65	-	37.97	15.23	49.62			
AV	19.39434G	42.46	63.54	-21.08	38.86	1	Horizontal	262	2.65	-	37.98	15.23	49.61			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 19
06-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.08661G	51.18	88.20	-37.02	43.15	3	Vertical	330	2.79	-	39.40	11.30	42.67			
RMS	13.08169G	37.38	68.20	-30.82	29.35	3	Vertical	330	2.79	-	39.40	11.30	42.67			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 19
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07509G	51.35	88.20	-36.85	43.32	3	Horizontal	8	1.98	-	39.40	11.30	42.67			
RMS	13.07767G	37.41	68.20	-30.79	29.38	3	Horizontal	8	1.98	-	39.40	11.30	42.67			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 19
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.64337G	57.88	83.54	-25.66	54.16	1	Vertical	70	2.92	-	38.06	15.22	49.56			
AV	19.64403G	44.16	63.54	-19.38	40.44	1	Vertical	70	2.92	-	38.06	15.22	49.56			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 19
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63803G	57.48	83.54	-26.06	53.80	1	Horizontal	5	1.30	-	38.03	15.22	49.57			
AV	19.64907G	44.18	63.54	-19.36	40.43	1	Horizontal	5	1.30	-	38.09	15.22	49.56			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 18
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.23638G	50.07	88.20	-38.13	41.63	3	Vertical	224	1.99	-	39.77	11.37	42.70			
RMS	13.23743G	36.46	68.20	-31.74	28.02	3	Vertical	224	1.99	-	39.77	11.37	42.70			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 18
06-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.24295G	50.34	88.20	-37.86	41.87	3	Horizontal	209	2.50	-	39.79	11.38	42.70			
RMS	13.23506G	36.52	68.20	-31.68	28.08	3	Horizontal	209	2.50	-	39.77	11.37	42.70			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 18
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87308G	58.17	83.54	-25.37	54.59	1	Vertical	77	1.31	-	37.74	15.21	49.37			
AV	19.87443G	44.00	63.54	-19.54	40.41	1	Vertical	77	1.31	-	37.75	15.21	49.37			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 18
06-P-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.8717G	58.06	83.54	-25.48	54.50	1	Horizontal	286	2.61	-	37.73	15.21	49.38			
AV	19.88775G	44.10	63.54	-19.44	40.42	1	Horizontal	286	2.61	-	37.83	15.21	49.36			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 17
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40373G	51.45	88.20	-36.75	42.44	3	Vertical	102	1.56	-	40.30	11.45	42.74			
RMS	13.41297G	37.67	68.20	-30.53	28.66	3	Vertical	102	1.56	-	40.30	11.45	42.74			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 17
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.425G	51.12	88.20	-37.08	42.10	3	Horizontal	174	1.52	-	40.30	11.46	42.74			
RMS	13.42371G	37.75	68.20	-30.45	28.73	3	Horizontal	174	1.52	-	40.30	11.46	42.74			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 17
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11374G	57.37	83.54	-26.17	53.50	1	Vertical	51	2.16	-	37.82	15.29	49.24			
AV	20.10348G	44.07	63.54	-19.47	40.15	1	Vertical	51	2.16	-	37.88	15.28	49.24			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 17
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.12637G	58.19	83.54	-25.35	54.39	1	Horizontal	274	2.89	-	37.74	15.30	49.24			
AV	20.10024G	43.95	63.54	-19.59	40.01	1	Horizontal	274	2.89	-	37.90	15.28	49.24			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 18
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.55977G	51.39	88.20	-36.81	42.01	3	Vertical	62	1.76	-	40.58	11.52	42.72			
RMS	13.55668G	38.04	68.20	-30.16	28.66	3	Vertical	62	1.76	-	40.59	11.52	42.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 18
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.55662G	51.85	88.20	-36.35	42.47	3	Horizontal	358	2.96	-	40.59	11.52	42.73			
RMS	13.55899G	38.01	68.20	-30.19	28.63	3	Horizontal	358	2.96	-	40.58	11.52	42.72			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 18
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.34372G	58.79	83.54	-24.75	54.39	1	Vertical	28	2.78	-	38.11	15.47	49.18			
AV	20.36541G	45.05	63.54	-18.49	40.66	1	Vertical	28	2.78	-	38.07	15.49	49.17			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6785MHz_TX


EUT_Y_4TX
Setting 18
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.34198G	58.84	83.54	-24.70	54.43	1	Horizontal	192	1.22	-	38.12	15.47	49.18			
AV	20.3421G	45.02	63.54	-18.52	40.61	1	Horizontal	192	1.22	-	38.12	15.47	49.18			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 21
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.73459G	62.40	88.20	-25.80	42.91	3	Vertical	197	2.52	-	40.61	11.60	32.72			
RMS	13.7411G	49.47	68.20	-18.73	29.93	3	Vertical	197	2.52	-	40.65	11.60	32.71			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 21
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.72721G	62.39	88.20	-25.81	42.96	3	Horizontal	159	1.19	-	40.56	11.60	32.73			
RMS	13.7291G	49.40	68.20	-18.80	29.96	3	Horizontal	159	1.19	-	40.57	11.60	32.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 21
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.58003G	58.66	83.54	-24.88	54.14	1	Vertical	119	2.74	-	37.96	15.66	49.10			
AV	20.59278G	45.19	63.54	-18.35	40.62	1	Vertical	119	2.74	-	37.99	15.67	49.09			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 21
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59509G	57.59	83.54	-25.95	53.01	1	Horizontal	331	2.50	-	37.99	15.68	49.09			
AV	20.58423G	45.26	63.54	-18.28	40.72	1	Horizontal	331	2.50	-	37.97	15.67	49.10			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 20
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.90164G	63.15	88.20	-25.05	43.25	3	Vertical	142	1.57	-	40.70	11.68	32.48			
RMS	13.90437G	49.53	68.20	-18.67	29.62	3	Vertical	142	1.57	-	40.70	11.68	32.47			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Y_4TX
Setting 20
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.89546G	62.85	88.20	-25.35	42.99	3	Horizontal	207	1.35	-	40.67	11.67	32.48			
RMS	13.89435G	49.62	68.20	-18.58	29.77	3	Horizontal	207	1.35	-	40.67	11.67	32.49			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Y_4TX
Setting 20
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.84535G	57.46	83.54	-26.08	52.34	1	Vertical	55	1.49	-	38.20	15.88	48.96			
AV	20.84001G	45.23	63.54	-18.31	40.12	1	Vertical	55	1.49	-	38.20	15.87	48.96			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Y_4TX
Setting 20
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.82867G	57.82	83.54	-25.72	52.73	1	Horizontal	87	1.63	-	38.20	15.86	48.97			
AV	20.82234G	45.18	63.54	-18.36	40.09	1	Horizontal	87	1.63	-	38.20	15.86	48.97			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 20
03-S-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.007G	107.75	Inf	-Inf	99.31	3	Vertical	325	2.16	-	35.60	8.40	35.56			
RMS	7.0074G	97.81	Inf	-Inf	89.37	3	Vertical	325	2.16	-	35.60	8.40	35.56			
PK	7.1894G	62.52	88.20	-25.68	53.38	3	Vertical	325	2.16	-	36.14	8.45	35.45			
RMS	7.2038G	52.29	68.20	-15.91	43.06	3	Vertical	325	2.16	-	36.22	8.45	35.44			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 20
03-S-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0442G	107.77	Inf	-Inf	99.29	3	Horizontal	127.4	1.80	-	35.60	8.41	35.53			
RMS	7.0434G	98.10	Inf	-Inf	89.62	3	Horizontal	127.4	1.80	-	35.60	8.41	35.53			
PK	7.1422G	63.38	88.20	-24.82	54.55	3	Horizontal	127.4	1.80	-	35.87	8.44	35.48			
RMS	7.2234G	52.36	68.20	-15.84	42.99	3	Horizontal	127.4	1.80	-	36.34	8.46	35.43			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 20
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.06182G	63.87	88.20	-24.33	43.59	3	Vertical	56	2.81	-	40.90	11.75	32.37			
RMS	14.04859G	50.96	68.20	-17.24	30.68	3	Vertical	56	2.81	-	40.90	11.74	32.36			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_V_4TX
Setting 20
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04955G	63.94	88.20	-24.26	43.66	3	Horizontal	143	1.38	-	40.90	11.74	32.36			
RMS	14.05666G	50.97	68.20	-17.23	30.69	3	Horizontal	143	1.38	-	40.90	11.75	32.37			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX



EUT_Y_4TX
Setting 20
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07659G	58.23	83.54	-25.31	52.80	1	Vertical	47	2.97	-	38.24	16.06	48.87			
AV	21.06528G	45.15	63.54	-18.39	39.66	1	Vertical	47	2.97	-	38.31	16.05	48.87			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 20
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.07995G	57.88	83.54	-25.66	52.47	1	Horizontal	48	2.50	-	38.22	16.06	48.87			
AV	21.06222G	45.04	63.54	-18.50	39.53	1	Horizontal	48	2.50	-	38.33	16.05	48.87			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 22
03-S-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8888G	63.62	88.20	-24.58	56.65	3	Vertical	342	1.09	-	34.46	7.60	35.09			
RMS	5.9236G	50.13	68.20	-18.07	43.05	3	Vertical	342	1.09	-	34.55	7.63	35.10			
PK	6.004G	106.92	Inf	-Inf	99.77	3	Vertical	342	1.09	-	34.60	7.69	35.14			
RMS	6.0124G	95.94	Inf	-Inf	88.78	3	Vertical	342	1.09	-	34.60	7.70	35.14			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 22
03-S-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8948G	61.75	88.20	-26.45	54.75	3	Horizontal	348	1.93	-	34.48	7.61	35.09			
RMS	5.9242G	50.33	68.20	-17.87	43.25	3	Horizontal	348	1.93	-	34.55	7.63	35.10			
PK	5.9938G	109.62	Inf	-Inf	102.47	3	Horizontal	348	1.93	-	34.60	7.69	35.14			
RMS	5.9932G	99.81	Inf	-Inf	92.67	3	Horizontal	348	1.93	-	34.60	7.68	35.14			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 22
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.06197G	58.02	74.00	-15.98	40.89	3	Vertical	114	1.95	-	39.22	10.84	32.93			
AV	12.03551G	45.07	54.00	-8.93	28.03	3	Vertical	114	1.95	-	39.17	10.83	32.96			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 22
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.06041G	57.68	74.00	-16.32	40.55	3	Horizontal	305	2.03	-	39.22	10.84	32.93			
AV	12.04826G	45.11	54.00	-8.89	28.02	3	Horizontal	305	2.03	-	39.20	10.83	32.94			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_V_4TX
Setting 22
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07089G	46.16	83.54	-37.38	42.85	1	Vertical	253	1.97	-	37.48	15.30	49.47			
AV	18.06198G	32.93	63.54	-30.61	29.65	1	Vertical	253	1.97	-	37.45	15.30	49.47			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 22
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.06687G	46.43	83.54	-37.11	43.13	1	Horizontal	139	1.53	-	37.47	15.30	49.47			
AV	18.06273G	32.87	63.54	-30.67	29.59	1	Horizontal	139	1.53	-	37.45	15.30	49.47			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 23
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36643G	59.46	74.00	-14.54	42.15	3	Vertical	42	2.14	-	38.97	10.98	32.64			
AV	12.37831G	45.47	54.00	-8.53	28.18	3	Vertical	42	2.14	-	38.94	10.98	32.63			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 23
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36499G	58.87	74.00	-15.13	41.56	3	Horizontal	236	2.31	-	38.97	10.98	32.64			
AV	12.3757G	45.57	54.00	-8.43	28.27	3	Horizontal	236	2.31	-	38.95	10.98	32.63			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 23
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5427G	57.00	83.54	-26.54	53.65	1	Vertical	324	1.89	-	37.73	15.27	49.65			
AV	18.5424G	43.01	63.54	-20.53	39.66	1	Vertical	324	1.89	-	37.73	15.27	49.65			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 23
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.54972G	55.31	83.54	-28.23	51.99	1	Horizontal	55	2.92	-	37.70	15.27	49.65			
AV	18.54198G	43.02	63.54	-20.52	39.67	1	Horizontal	55	2.92	-	37.73	15.27	49.65			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 24
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.67905G	59.18	74.00	-14.82	41.65	3	Vertical	10	2.01	-	38.94	11.12	32.53			
AV	12.675G	45.52	54.00	-8.48	27.98	3	Vertical	10	2.01	-	38.95	11.12	32.53			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 24
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69864G	58.38	74.00	-15.62	40.88	3	Horizontal	239	2.83	-	38.90	11.13	32.53			
AV	12.67581G	45.52	54.00	-8.48	27.98	3	Horizontal	239	2.83	-	38.95	11.12	32.53			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
Setting 24
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.04373G	55.43	83.54	-28.11	51.65	1	Vertical	215	1.92	-	37.90	15.25	49.37			
AV	19.04559G	42.97	63.54	-20.57	39.19	1	Vertical	215	1.92	-	37.90	15.25	49.37			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
Setting 24
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.04889G	56.02	83.54	-27.52	52.24	1	Horizontal	242	2.10	-	37.90	15.25	49.37			
AV	19.04262G	43.30	63.54	-20.24	39.52	1	Horizontal	242	2.10	-	37.90	15.25	49.37			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 23
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02224G	59.99	88.20	-28.21	41.84	3	Vertical	155	1.41	-	39.46	11.28	32.59			
RMS	13.01843G	47.06	68.20	-21.14	28.92	3	Vertical	155	1.41	-	39.46	11.27	32.59			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 23
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.99533G	59.52	88.20	-28.68	41.33	3	Horizontal	11	1.28	-	39.50	11.26	32.57			
RMS	13.00955G	47.12	68.20	-21.08	28.95	3	Horizontal	11	1.28	-	39.48	11.27	32.58			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 23
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.52487G	56.52	83.54	-27.02	52.91	1	Vertical	192	1.25	-	38.05	15.22	49.66			
AV	19.52454G	43.85	63.54	-19.69	40.24	1	Vertical	192	1.25	-	38.05	15.22	49.66			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 23
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.52178G	56.56	83.54	-26.98	52.96	1	Horizontal	18	1.38	-	38.04	15.22	49.66			
AV	19.51848G	43.68	63.54	-19.86	40.08	1	Horizontal	18	1.38	-	38.04	15.22	49.66			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 22
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.32445G	59.50	74.00	-14.50	40.98	3	Vertical	358	1.59	-	40.00	11.41	32.89			
AV	13.33417G	46.87	54.00	-7.13	28.31	3	Vertical	358	1.59	-	40.04	11.42	32.90			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 22
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33153G	60.38	74.00	-13.62	41.83	3	Horizontal	101	2.63	-	40.03	11.42	32.90			
AV	13.32862G	46.96	54.00	-7.04	28.44	3	Horizontal	101	2.63	-	40.01	11.41	32.90			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 22
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.00094G	57.13	83.54	-26.41	53.40	1	Vertical	45	1.62	-	37.80	15.20	49.27			
AV	20.00277G	44.06	63.54	-19.48	40.34	1	Vertical	45	1.62	-	37.79	15.20	49.27			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 22
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.9971G	57.05	83.54	-26.49	53.32	1	Horizontal	78	1.13	-	37.80	15.20	49.27			
AV	20.00796G	44.17	63.54	-19.37	40.45	1	Horizontal	78	1.13	-	37.78	15.21	49.27			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 22
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.64469G	62.09	88.20	-26.11	42.98	3	Vertical	55	2.02	-	40.41	11.56	32.86			
RMS	13.6437G	49.44	68.20	-18.76	30.33	3	Vertical	55	2.02	-	40.41	11.56	32.86			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 22
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.65843G	62.38	88.20	-25.82	43.26	3	Horizontal	248	1.10	-	40.40	11.56	32.84			
RMS	13.6428G	49.44	68.20	-18.76	30.33	3	Horizontal	248	1.10	-	40.41	11.56	32.86			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 22
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.48403G	59.41	83.54	-24.13	55.23	1	Vertical	122	2.06	-	37.73	15.59	49.14			
AV	20.47167G	45.24	63.54	-18.30	40.98	1	Vertical	122	2.06	-	37.83	15.58	49.15			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 22
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.46285G	58.23	83.54	-25.31	53.91	1	Horizontal	13	2.37	-	37.90	15.57	49.15			
AV	20.47662G	45.24	63.54	-18.30	41.02	1	Horizontal	13	2.37	-	37.79	15.58	49.15			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 23
03-S-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9538G	104.50	Inf	-Inf	96.02	3	Vertical	339	1.80	-	35.60	8.38	35.50			
RMS	6.9286G	94.33	Inf	-Inf	85.83	3	Vertical	339	1.80	-	35.60	8.37	35.47			
PK	7.1386G	70.04	88.20	-18.16	61.24	3	Vertical	339	1.80	-	35.85	8.43	35.48			
RMS	7.141G	52.57	68.20	-15.63	43.75	3	Vertical	339	1.80	-	35.86	8.44	35.48			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 23
03-S-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9078G	110.23	Inf	-Inf	101.72	3	Horizontal	128	2.08	-	35.60	8.36	35.45			
RMS	6.9082G	98.78	Inf	-Inf	90.27	3	Horizontal	128	2.08	-	35.60	8.36	35.45			
PK	7.1378G	64.17	88.20	-24.03	55.37	3	Horizontal	128	2.08	-	35.85	8.43	35.48			
RMS	7.1702G	51.89	68.20	-16.31	42.89	3	Horizontal	128	2.08	-	36.02	8.44	35.46			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 23
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9823G	63.11	88.20	-25.09	42.93	3	Vertical	200	2.15	-	40.83	11.71	32.36			
RMS	13.98425G	50.46	68.20	-17.74	30.26	3	Vertical	200	2.15	-	40.84	11.71	32.35			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 23
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.98239G	63.16	88.20	-25.04	42.98	3	Horizontal	240	2.75	-	40.83	11.71	32.36			
RMS	13.98407G	50.49	68.20	-17.71	30.29	3	Horizontal	240	2.75	-	40.84	11.71	32.35			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 23
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.94492G	58.19	83.54	-25.35	53.04	1	Vertical	278	1.08	-	38.10	15.96	48.91			
AV	20.95356G	45.04	63.54	-18.50	39.89	1	Vertical	278	1.08	-	38.09	15.96	48.90			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 23
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.94726G	58.45	83.54	-25.09	53.30	1	Horizontal	327	2.57	-	38.10	15.96	48.91			
AV	20.94546G	45.17	63.54	-18.37	40.02	1	Horizontal	327	2.57	-	38.10	15.96	48.91			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 25
03-S-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9218G	60.46	88.20	-27.74	53.39	3	Vertical	158	1.80	-	34.54	7.63	35.10			
RMS	5.9242G	49.99	68.20	-18.21	42.91	3	Vertical	158	1.80	-	34.55	7.63	35.10			
PK	6.125G	106.85	Inf	-Inf	99.21	3	Vertical	158	1.80	-	34.90	7.83	35.09			
RMS	6.1226G	96.36	Inf	-Inf	88.72	3	Vertical	158	1.80	-	34.90	7.83	35.09			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 25
03-S-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	63.29	88.20	-24.91	56.21	3	Horizontal	345	1.72	-	34.55	7.63	35.10			
RMS	5.925G	51.89	68.20	-16.31	44.81	3	Horizontal	345	1.72	-	34.55	7.63	35.10			
PK	6.1674G	109.59	Inf	-Inf	101.86	3	Horizontal	345	1.72	-	34.93	7.88	35.08			
RMS	6.221G	99.17	Inf	-Inf	91.34	3	Horizontal	345	1.72	-	34.96	7.93	35.06			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 25
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.19656G	57.60	74.00	-16.40	40.49	3	Vertical	274	2.58	-	39.01	10.90	32.80			
AV	12.20982G	45.18	54.00	-8.82	28.06	3	Vertical	274	2.58	-	39.00	10.91	32.79			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
Setting 25
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20559G	58.19	74.00	-15.81	41.08	3	Horizontal	336	1.11	-	39.00	10.90	32.79			
AV	12.21528G	45.19	54.00	-8.81	28.06	3	Horizontal	336	1.11	-	39.00	10.91	32.78			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 25
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.30564G	56.40	83.54	-27.14	53.21	1	Vertical	128	1.06	-	37.50	15.28	49.59			
AV	18.30564G	43.29	63.54	-20.25	40.10	1	Vertical	128	1.06	-	37.50	15.28	49.59			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX

EUT_V_4TX
Setting 25
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31128G	56.37	83.54	-27.17	53.18	1	Horizontal	131	1.85	-	37.50	15.28	49.59			
AV	18.3G	43.25	63.54	-20.29	40.04	1	Horizontal	131	1.85	-	37.50	15.29	49.58			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 26
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.54491G	58.22	74.00	-15.78	41.09	3	Vertical	178	2.30	-	38.59	11.06	32.52			
AV	12.5261G	45.45	54.00	-8.55	28.36	3	Vertical	178	2.30	-	38.55	11.05	32.51			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 26
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52274G	58.61	74.00	-15.39	41.52	3	Horizontal	273	2.26	-	38.55	11.05	32.51			
AV	12.52745G	45.40	54.00	-8.60	28.31	3	Horizontal	273	2.26	-	38.55	11.05	32.51			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_Y_4TX
Setting 26
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.78549G	56.03	83.54	-27.51	52.46	1	Vertical	183	2.62	-	37.80	15.26	49.49			
AV	18.80529G	43.66	63.54	-19.88	40.05	1	Vertical	183	2.62	-	37.82	15.26	49.47			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6265MHz_TX

EUT_Y_4TX
Setting 26
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.78882G	56.54	83.54	-27.00	52.96	1	Horizontal	208	2.24	-	37.80	15.26	49.48			
AV	18.80481G	43.76	63.54	-19.78	40.15	1	Horizontal	208	2.24	-	37.82	15.26	49.47			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_V_4TX
Setting 25
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84214G	58.11	88.20	-30.09	40.09	3	Vertical	231	2.49	-	39.38	11.19	32.55			
RMS	12.84199G	45.74	68.20	-22.46	27.72	3	Vertical	231	2.49	-	39.38	11.19	32.55			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_V_4TX
Setting 25
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84451G	59.00	88.20	-29.20	40.97	3	Horizontal	194	1.02	-	39.39	11.19	32.55			
RMS	12.84025G	45.71	68.20	-22.49	27.69	3	Horizontal	194	1.02	-	39.38	11.19	32.55			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_V_4TX
Setting 25
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.28706G	55.92	83.54	-27.62	52.25	1	Vertical	320	2.62	-	37.97	15.24	49.54			
AV	19.26912G	42.82	63.54	-20.72	39.16	1	Vertical	320	2.62	-	37.94	15.24	49.52			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_V_4TX
Setting 25
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2624G	55.86	83.54	-27.68	52.22	1	Horizontal	191	1.38	-	37.92	15.24	49.52			
AV	19.2747G	42.88	63.54	-20.66	39.22	1	Horizontal	191	1.38	-	37.95	15.24	49.53			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 25
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1718G	59.04	88.20	-29.16	40.74	3	Vertical	297	2.40	-	39.70	11.34	32.74			
RMS	13.18245G	46.42	68.20	-21.78	28.12	3	Vertical	297	2.40	-	39.70	11.35	32.75			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 25
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.17561G	59.74	88.20	-28.46	41.45	3	Horizontal	48	1.99	-	39.70	11.34	32.75			
RMS	13.15704G	46.50	68.20	-21.70	28.19	3	Horizontal	48	1.99	-	39.70	11.34	32.73			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 25
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.75956G	56.15	83.54	-27.39	52.47	1	Vertical	252	2.58	-	37.94	15.21	49.47			
AV	19.76448G	43.01	63.54	-20.53	39.30	1	Vertical	252	2.58	-	37.96	15.21	49.46			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 25
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.76892G	56.34	83.54	-27.20	52.61	1	Horizontal	198	2.46	-	37.98	15.21	49.46			
AV	19.76955G	42.76	63.54	-20.78	39.03	1	Horizontal	198	2.46	-	37.98	15.21	49.46			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 25
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.47914G	59.66	88.20	-28.54	40.87	3	Vertical	1	1.09	-	40.36	11.48	33.05			
RMS	13.48457G	46.92	68.20	-21.28	28.11	3	Vertical	1	1.09	-	40.37	11.49	33.05			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 25
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4852G	60.15	88.20	-28.05	41.35	3	Horizontal	324	1.30	-	40.37	11.49	33.06			
RMS	13.48049G	46.86	68.20	-21.34	28.07	3	Horizontal	324	1.30	-	40.36	11.48	33.05			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 25
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.23539G	58.23	83.54	-25.31	54.08	1	Vertical	296	2.22	-	37.97	15.39	49.21			
AV	20.23806G	44.50	63.54	-19.04	40.34	1	Vertical	296	2.22	-	37.98	15.39	49.21			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 25
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.24349G	57.78	83.54	-25.76	53.61	1	Horizontal	70	2.34	-	37.99	15.39	49.21			
AV	20.23845G	44.54	63.54	-19.00	40.38	1	Horizontal	70	2.34	-	37.98	15.39	49.21			

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz Straddle 6.875-7.125GHz_TX




EUT_Y_4TX
Setting 24
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8792G	108.98	Inf	-Inf	100.44	3	Vertical	329	2.05	-	35.60	8.35	35.41			
RMS	6.8798G	96.16	Inf	-Inf	87.62	3	Vertical	329	2.05	-	35.60	8.35	35.41			
PK	7.1828G	65.12	88.20	-23.08	56.02	3	Vertical	329	2.05	-	36.10	8.45	35.45			
RMS	7.1906G	51.95	68.20	-16.25	42.81	3	Vertical	329	2.05	-	36.14	8.45	35.45			

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz Straddle 6.875-7.125GHz_TX




EUT_Y_4TX
Setting 24
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7814G	109.61	Inf	-Inf	101.06	3	Horizontal	288	1.43	-	35.53	8.31	35.29			
RMS	6.7784G	99.45	Inf	-Inf	90.92	3	Horizontal	288	1.43	-	35.51	8.31	35.29			
PK	7.1774G	63.75	88.20	-24.45	54.71	3	Horizontal	288	1.43	-	36.06	8.44	35.46			
RMS	7.1942G	52.46	68.20	-15.74	43.29	3	Horizontal	288	1.43	-	36.17	8.45	35.45			

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz Straddle 6.875-7.125GHz_TX




EUT_Y_4TX
Setting 24
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80844G	61.88	88.20	-26.32	42.38	3	Vertical	136	2.76	-	40.48	11.63	32.61			
RMS	13.7953G	48.89	68.20	-19.31	29.37	3	Vertical	136	2.76	-	40.52	11.63	32.63			

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6905MHz Straddle 6.875-7.125GHz_TX

EUT_Y_4TX
Setting 24
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.8163G	61.63	88.20	-26.57	42.12	3	Horizontal	271	2.84	-	40.47	11.64	32.60			
RMS	13.80328G	48.91	68.20	-19.29	29.41	3	Horizontal	271	2.84	-	40.49	11.63	32.62			

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz Straddle 6.875-7.125GHz_TX




EUT_Y_4TX
Setting 24
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.70009G	57.95	83.54	-25.59	53.33	1	Vertical	38	2.72	-	37.90	15.76	49.04			
AV	20.70009G	44.99	63.54	-18.55	40.37	1	Vertical	38	2.72	-	37.90	15.76	49.04			

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz Straddle 6.875-7.125GHz_TX



EUT_Y_4TX
Setting 24
06-D-E-2


Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71767G	57.08	83.54	-26.46	52.48	1	Horizontal	278	1.38	-	37.86	15.77	49.03			
AV	20.70003G	44.80	63.54	-18.74	40.18	1	Horizontal	278	1.38	-	37.90	15.76	49.04			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

22/04/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

22/04/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

22/04/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

22/04/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

22/04/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

22/04/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

22/04/2024

CF (Hz)
6.535G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.544223G	-10.69	6.4974G	-63.15	-50.69	-12.46	1
6.543323G	-10.33	6.498775G	-63.18	-50.33	-12.85	2
6.532926G	-10.58	6.523125G	-41.88	-30.70	-11.18	3
6.5338G	-10.29	6.4972G	-62.72	-50.29	-12.43	4


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

22/04/2024

CF (Hz)
6.695G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.701773G	-9.76	6.707125G	-43.50	-29.82	-13.68	1
6.704198G	-9.47	6.738575G	-63.37	-49.47	-13.90	2
6.6965G	-9.17	6.7449G	-63.39	-49.17	-14.22	3
6.702548G	-9.52	6.707025G	-41.55	-29.54	-12.01	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

22/04/2024

CF (Hz)
6.875G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.883423G	-9.12	6.887025G	-41.72	-29.16	-12.56	1
6.866377G	-9.07	6.887G	-41.77	-29.07	-12.70	2
6.870951G	-8.75	6.9135G	-62.06	-48.75	-13.31	3
6.870426G	-9.41	6.924925G	-62.27	-49.41	-12.86	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

22/04/2024

CF (Hz)
6.895G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.904323G	-10.55	6.939525G	-61.90	-50.55	-11.35	1
6.888627G	-10.39	6.93075G	-62.06	-50.39	-11.67	2
6.901348G	-10.01	6.941375G	-61.91	-50.01	-11.90	3
6.886177G	-10.75	6.936525G	-61.86	-50.75	-11.11	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

22/04/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

22/04/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

7115MHz_TX

22/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.110251G	-10.12	7.1268G	-41.02	-30.21	-10.81	1
7.120374G	-10.01	7.162325G	-62.06	-50.01	-12.05	2
7.107502G	-10.23	7.1268G	-40.80	-30.29	-10.51	3
7.107502G	-10.17	7.1606G	-62.53	-50.17	-12.36	4

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

22/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.980596G	-5.32	5.9874G	-35.37	-25.34	-10.03	1
5.977847G	-5.53	5.98725G	-35.50	-25.56	-9.94	2
5.978297G	-5.31	5.98775G	-37.69	-25.41	-12.28	3
5.983095G	-5.62	5.98685G	-35.74	-25.62	-10.12	4

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

22/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.201851G	-3.48	6.18195G	-37.36	-23.54	-13.82	1
6.190754G	-4.03	6.22715G	-35.20	-24.09	-11.11	2
6.201751G	-3.95	6.22725G	-35.62	-23.98	-11.64	3
6.210949G	-4.02	6.2273G	-34.44	-24.07	-10.37	4

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

22/04/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.388654G	-4.78	6.38245G	-36.55	-24.80	-11.75	1
6.411298G	-5.02	6.3822G	-37.56	-25.11	-12.45	2
6.423095G	-4.57	6.42755G	-36.91	-24.61	-12.30	3
6.390254G	-4.98	6.38225G	-36.18	-24.38	-11.80	4


6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

22/04/2024

CF (Hz)
6.445G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.428804G	-4.61	6.46725G	-35.41	-23.91	-11.50	1
6.437402G	-5.10	6.423G	-35.21	-25.12	-10.09	2
6.4469G	-4.36	6.46695G	-33.09	-24.38	-8.71	3
6.427054G	-4.50	6.4229G	-35.18	-24.65	-10.53	4


6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

22/04/2024

CF (Hz)
6.485G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.488549G	-4.50	6.50775G	-37.37	-24.55	-12.82	1
6.480301G	-4.41	6.46195G	-37.20	-24.47	-12.73	2
6.502646G	-3.99	6.4623G	-36.01	-24.11	-11.90	3
6.494048G	-4.53	6.5076G	-37.04	-24.55	-12.49	4


6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6525MHz_TX

22/04/2024

CF (Hz)
6.525G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.527849G	-5.07	6.54755G	-36.60	-25.11	-11.49	1
6.518252G	-5.16	6.50215G	-37.74	-24.36	-13.38	2
6.5259G	-4.42	6.54755G	-37.07	-24.46	-12.61	3
6.542396G	-5.10	6.5027G	-36.71	-25.11	-11.60	4


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

22/04/2024

CF (Hz)
6.565G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.578247G	-5.05	6.5875G	-36.69	-25.11	-11.58	1
6.562101G	-4.76	6.58775G	-37.59	-24.83	-12.76	2
6.571898G	-4.31	6.58765G	-35.85	-23.91	-11.94	3
6.577697G	-5.35	6.54235G	-36.81	-24.95	-11.86	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

22/04/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

22/04/2024



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

22/04/2024

CF (Hz)
6.925G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.941446G	-6.58	7.00495G	-57.73	-46.58	-11.15	1
6.939946G	-6.50	7.00565G	-57.74	-46.50	-11.24	2
6.913553G	-6.52	7.0088G	-57.56	-46.52	-11.04	3
6.934198G	-6.52	6.9029G	-36.55	-26.12	-10.43	4

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

22/04/2024

CF (Hz)
7.005G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.001151G	-5.55	7.02705G	-35.69	-25.25	-10.44	1
7.015697G	-5.82	6.9829G	-35.90	-25.42	-10.48	2
7.021296G	-5.88	7.02705G	-36.07	-25.94	-10.13	3
6.987754G	-5.42	6.98285G	-37.08	-25.45	-11.63	4


6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

22/04/2024

CF (Hz)
7.085G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.090249G	-4.45	7.06255G	-35.68	-24.45	-11.23	1
7.077152G	-4.61	6.99355G	-57.25	-44.61	-12.64	2
7.068454G	-4.37	7.0052G	-57.37	-44.37	-13.00	3
7.071903G	-4.89	7.00915G	-57.48	-44.89	-12.59	4


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

22/04/2024

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9972G	-1.81	6.0292G	-29.75	-21.83	-7.92	1
6.02139G	-1.63	6.0294G	-29.38	-21.70	-7.68	2
6.02309G	-1.96	6.0297G	-30.80	-21.99	-8.81	3
6.01599G	-1.83	6.0294G	-29.87	-21.84	-8.03	4


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

22/04/2024

CF (Hz)
6.225G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.18741G	-1.66	6.2692G	-30.06	-21.72	-8.34	1
6.20391G	-1.83	6.2704G	-32.39	-21.84	-10.55	2
6.19061G	-1.84	6.2694G	-30.04	-21.87	-8.17	3
6.2137G	-1.56	6.18G	-31.22	-21.58	-9.64	4


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

22/04/2024

CF (Hz)
6.385G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.34831G	-0.83	6.4303G	-31.42	-20.89	-10.53	1
6.3992G	-1.72	6.3402G	-30.92	-21.81	-9.11	2
6.40629G	-1.29	6.4306G	-31.81	-21.30	-10.51	3
6.3657G	-1.29	6.4297G	-30.88	-21.36	-9.52	4

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

22/04/2024




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6545MHz_TX

22/04/2024



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

22/04/2024

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6194G	-2.48	6.6688G	-30.65	-22.48	-8.17	1
6.6336G	-2.62	6.6704G	-31.98	-22.63	-9.35	2
6.64959G	-2.14	6.6693G	-30.56	-22.17	-8.39	3
6.66139G	-2.38	6.6689G	-30.76	-22.40	-8.36	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

22/04/2024

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.687G	-2.88	6.6615G	-30.72	-22.95	-7.77	1
6.7203G	-2.98	6.6604G	-32.51	-22.99	-9.52	2
6.7072G	-2.77	6.6605G	-31.68	-22.78	-8.90	3
6.6976G	-3.01	6.8968G	-52.62	-43.01	-9.61	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

22/04/2024

CF (Hz)
6.785G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.74921G	-3.39	6.7412G	-31.13	-23.39	-7.74	1
6.781G	-3.44	6.7398G	-33.08	-23.52	-9.56	2
6.80559G	-3.07	6.7399G	-32.63	-22.87	-9.76	3
6.75391G	-3.17	6.6516G	-52.59	-43.17	-9.42	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

22/04/2024

CF (Hz)
6.865G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.84371G	-3.81	6.8198G	-32.81	-23.41	-9.40	1
6.8796G	-3.69	6.8206G	-32.28	-23.70	-8.58	2
6.82741G	-3.64	6.82G	-32.34	-23.72	-8.62	3
6.8507G	-3.89	6.7072G	-52.38	-43.89	-8.49	4

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

22/04/2024

CF (Hz)
6.945G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9423G	-1.76	6.9897G	-31.16	-21.81	-9.35	1
6.97869G	-1.91	6.9887G	-30.11	-21.96	-8.15	2
6.90801G	-1.69	6.9002G	-31.05	-21.69	-9.36	3
6.9469G	-1.92	6.7537G	-51.26	-41.92	-9.34	4

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

22/04/2024

CF (Hz)
7.025G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0363G	-2.92	6.9801G	-32.35	-22.92	-9.43	1
7.0368G	-3.28	6.9786G	-33.79	-23.48	-10.31	2
7.035G	-3.16	6.9813G	-31.12	-23.16	-7.96	3
6.99661G	-3.35	6.9811G	-32.07	-23.35	-8.72	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

22/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.09338G	0.11	6.2938G	-51.27	-39.89	-11.38	1
6.09798G	0.88	6.1092G	-29.16	-19.15	-10.01	2
6.04919G	0.21	6.3442G	-50.01	-39.79	-10.22	3
6.10058G	0.67	6.2866G	-48.56	-39.33	-9.23	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

22/04/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2042G	1.13	6.46G	-51.67	-38.87	-12.80	1
6.18G	1.34	6.5022G	-51.17	-38.66	-12.51	2
6.166G	1.21	6.499G	-49.62	-38.79	-10.83	3
6.21199G	1.33	6.4468G	-49.02	-38.67	-10.35	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

22/04/2024

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.26842G	1.42	6.0914G	-51.34	-38.58	-12.76	1
6.27122G	0.59	6.0852G	-51.54	-39.41	-12.13	2
6.26982G	1.10	6.6434G	-48.76	-38.90	-9.86	3
6.27522G	0.83	6.6064G	-50.01	-39.17	-10.84	4

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

22/04/2024

CF (Hz)
6.505G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.44102G	0.61	6.239G	-50.29	-39.39	-10.90	1
6.57258G	0.54	6.1894G	-50.69	-39.46	-11.23	2
6.5246G	1.24	6.2328G	-49.34	-38.76	-10.58	3
6.43342G	0.58	6.2468G	-49.49	-39.42	-10.07	4


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

22/04/2024

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.649G	-1.13	7.0022G	-50.97	-41.13	-9.84	1
6.69499G	-1.28	6.9516G	-50.63	-41.28	-9.35	2
6.6506G	-0.77	6.952G	-50.35	-40.77	-9.58	3
6.684G	-0.99	6.3668G	-50.31	-40.99	-9.32	4


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

22/04/2024

CF (Hz)
6.825G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.74982G	-2.27	7.1916G	-51.89	-42.27	-9.62	1
6.76362G	-2.23	6.4808G	-52.38	-42.23	-10.15	2
6.76382G	-2.23	6.5014G	-51.19	-42.23	-8.96	3
6.75262G	-2.05	6.504G	-50.57	-42.05	-8.52	4

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

22/04/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

22/04/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

22/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.20701G	2.65	6.769G	-47.67	-37.35	-10.32	1
6.23621G	2.41	6.781G	-46.85	-37.59	-9.26	2
6.20941G	2.54	6.7678G	-44.68	-37.46	-7.22	3
6.275G	2.51	6.7558G	-45.15	-37.38	-7.77	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6425MHz_TX

22/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.27064G	3.02	6.9674G	-46.78	-36.98	-9.80	1
6.27544G	2.64	6.9718G	-45.66	-37.36	-8.30	2
6.56656G	2.86	6.9678G	-44.42	-37.14	-7.28	3
6.27344G	2.37	6.973G	-45.92	-37.63	-8.29	4

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6585MHz_TX

22/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.43064G	0.01	6.083G	-49.33	-39.99	-9.34	1
6.63739G	0.36	6.085G	-49.28	-39.62	-9.66	2
6.66898G	0.78	6.0838G	-49.37	-39.19	-10.18	3
6.593G	0.18	6.0866G	-49.55	-39.82	-9.73	4

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6745MHz_TX

22/04/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.68541G	0.43	6.2354G	-48.55	-39.57	-8.98	1
6.72101G	0.29	6.2402G	-48.88	-39.71	-9.17	2
6.7262G	0.81	6.2438G	-49.01	-39.19	-9.82	3
6.67782G	0.37	6.2442G	-48.72	-39.63	-9.09	4

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6905MHz_TX

22/04/2024

CF (Hz)
6.905G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.74984G	0.15	6.375G	-48.79	-39.85	-8.94	1
6.75864G	0.15	6.3962G	-48.92	-39.85	-9.07	2
6.74904G	1.09	6.407G	-48.72	-38.84	-9.88	3
6.75464G	0.41	6.3994G	-48.35	-39.59	-8.76	4

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

5955MHz_TX

22/04/2024

CF (Hz)
5.955G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.962498G	-4.01	5.9673G	-38.33	-24.16	-14.17	1
5.964348G	-4.36	5.966925G	-36.18	-23.96	-12.22	2
5.963098G	-4.15	5.967375G	-37.84	-23.95	-13.89	3
5.963498G	-4.44	5.9668G	-34.92	-24.50	-10.42	4


5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6195MHz_TX

22/04/2024

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.186977G	-4.25	6.183275G	-35.32	-24.25	-11.07	1
6.203148G	-4.23	6.18285G	-38.77	-24.29	-14.48	2
6.203548G	-4.11	6.20705G	-36.82	-24.15	-12.67	3
6.187577G	-4.04	6.20685G	-35.55	-24.05	-11.50	4


5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6415MHz_TX

22/04/2024

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.406952G	-4.93	6.40285G	-38.78	-25.01	-13.77	1
6.407627G	-5.32	6.403125G	-37.83	-25.33	-12.50	2
6.421848G	-4.60	6.427125G	-37.45	-24.84	-12.61	3
6.422423G	-5.35	6.45115G	-60.92	-45.35	-15.57	4

6.425-6.525GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6435MHz_TX

22/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.426952G	-4.96	6.447075G	-38.86	-25.02	-13.84	1
6.426402G	-5.50	6.4471G	-38.34	-25.54	-12.80	2
6.438999G	-4.89	6.42255G	-40.25	-25.00	-15.25	3
6.440674G	-4.65	6.4469G	-36.87	-24.70	-12.17	4

6.425-6.525GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6475MHz_TX

22/04/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.482373G	-4.81	6.487125G	-38.13	-24.87	-13.26	1
6.472451G	-4.95	6.46325G	-36.78	-25.04	-11.74	2
6.481023G	-4.81	6.486775G	-36.19	-24.83	-11.36	3
6.483973G	-4.81	6.46305G	-37.81	-24.88	-12.93	4

6.425-6.525GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6515MHz_TX

22/04/2024

CF (Hz)
6.515G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.508577G	-5.13	6.502725G	-39.30	-25.17	-14.13	1
6.524198G	-5.62	6.526875G	-37.30	-25.65	-11.65	2
6.522373G	-4.81	6.5033G	-35.97	-24.95	-11.02	3
6.505802G	-4.99	6.503G	-38.73	-25.03	-13.70	4

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6535MHz_TX

22/04/2024

CF (Hz)
6.535G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.526027G	-5.87	6.5471G	-39.47	-26.06	-13.41	1
6.541723G	-5.95	6.523G	-38.85	-25.95	-12.90	2
6.528427G	-5.77	6.5233G	-36.53	-24.77	-11.76	3
6.5337G	-5.92	6.547275G	-39.94	-26.01	-13.93	4

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6695MHz_TX

22/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.702573G	-5.22	6.706675G	-36.07	-25.22	-10.85	1
6.685752G	-5.61	6.6833G	-36.46	-25.61	-10.85	2
6.698274G	-5.44	6.6833G	-36.52	-25.51	-11.01	3
6.701698G	-5.71	6.682975G	-38.24	-25.71	-12.53	4

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6875MHz_TX

22/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.865827G	-5.51	6.8871G	-38.75	-25.55	-13.20	1
6.872576G	-4.90	6.887175G	-38.59	-24.91	-13.68	2
6.869176G	-5.20	6.886975G	-38.37	-25.20	-13.17	3
6.867377G	-5.42	6.886875G	-37.27	-25.50	-11.77	4

6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6895MHz_TX

22/04/2024




6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6995MHz_TX

22/04/2024




6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

7095MHz_TX

22/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.085877G	-4.72	7.1071G	-38.54	-24.76	-13.78	1
7.087202G	-4.64	7.082875G	-37.57	-22.74	-14.83	2
7.085702G	-5.29	7.082775G	-39.03	-25.31	-13.72	3
7.086677G	-5.47	7.1071G	-39.44	-25.27	-14.17	4

6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

7115MHz_TX

22/04/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.122148G	-12.88	7.157675G	-62.66	-52.88	-9.78	1
7.108877G	-13.06	7.162G	-62.71	-53.06	-9.65	2
7.109526G	-13.11	7.162G	-62.66	-53.11	-9.55	3
7.108577G	-13.52	7.1643G	-62.46	-53.52	-8.94	4


5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

5965MHz_TX

22/04/2024

CF (Hz)
5.965G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.980546G	-0.44	5.9882G	-33.02	-20.62	-12.40	1
5.979396G	-0.96	5.987G	-29.45	-21.07	-8.38	2
5.982296G	-0.76	5.98735G	-31.74	-20.76	-10.98	3
5.979346G	-0.77	5.9873G	-31.59	-20.80	-10.79	4


5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6205MHz_TX

22/04/2024

CF (Hz)
6.205G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.221446G	0.27	6.183G	-28.82	-19.77	-9.05	1
6.201201G	0.19	6.2275G	-29.96	-19.85	-10.11	2
6.189304G	0.49	6.227G	-29.44	-19.53	-9.91	3
6.214648G	0.57	6.2275G	-31.64	-19.45	-12.19	4


5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6405MHz_TX

22/04/2024

CF (Hz)
6.405G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.40695G	-0.23	6.3822G	-33.20	-19.53	-13.67	1
6.388754G	-0.41	6.427G	-30.45	-20.47	-9.98	2
6.421946G	0.14	6.38275G	-31.43	-19.91	-11.52	3
6.422346G	-0.16	6.4269G	-31.34	-20.16	-11.18	4


6.425-6.525GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6445MHz_TX

22/04/2024

CF (Hz)
6.445G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.428054G	0.63	6.46725G	-30.23	-19.40	-10.83	1
6.463045G	0.15	6.42245G	-30.97	-20.07	-10.90	2
6.454698G	0.95	6.46745G	-31.56	-19.07	-12.49	3
6.428404G	0.29	6.4671G	-30.32	-19.72	-10.60	4

6.425-6.525GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6485MHz_TX

22/04/2024

CF (Hz)
6.485G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.469254G	-0.28	6.4623G	-32.35	-20.33	-12.02	1
6.502946G	-0.17	6.5072G	-30.21	-20.18	-10.03	2
6.500696G	0.22	6.50685G	-29.38	-18.78	-10.60	3
6.502946G	-0.32	6.5072G	-30.79	-20.37	-10.42	4

6.425-6.525GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6525MHz_TX

22/04/2024

CF (Hz)
6.525G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.517802G	0.62	6.5027G	-30.43	-19.39	-11.04	1
6.517802G	0.66	6.54755G	-30.68	-19.36	-11.32	2
6.513453G	0.90	6.54765G	-31.47	-19.22	-12.25	3
6.539096G	0.64	6.5022G	-32.57	-19.43	-13.14	4

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6565MHz_TX

22/04/2024




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6685MHz_TX

22/04/2024



6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6885MHz_TX

22/04/2024

CF (Hz)
6.885G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.882751G	-2.31	6.9072G	-32.56	-22.32	-10.24	1
6.881801G	-2.37	6.9073G	-33.14	-22.49	-10.65	2
6.896347G	-2.28	6.8625G	-33.37	-22.32	-11.05	3
6.893548G	-2.46	6.8623G	-34.75	-22.47	-12.28	4

6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6925MHz_TX

22/04/2024

CF (Hz)
6.925G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.908854G	-0.88	6.94735G	-32.31	-20.88	-11.43	1
6.943245G	-0.75	6.9027G	-32.53	-20.78	-11.75	2
6.930499G	-0.70	6.8575G	-55.41	-40.70	-14.71	3
6.942396G	-1.10	6.90315G	-30.53	-21.10	-9.43	4

6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

7005MHz_TX

22/04/2024




6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

7085MHz_TX

22/04/2024




5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

5985MHz_TX

22/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.02029G	1.64	6.0284G	-24.54	-18.37	-6.17	1
6.01869G	2.27	6.0297G	-25.44	-17.76	-7.68	2
6.02259G	1.91	6.0289G	-25.75	-18.09	-7.66	3
6.01169G	1.83	6.0301G	-26.01	-18.27	-7.74	4

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6225MHz_TX

22/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2313G	3.06	6.1801G	-26.61	-16.96	-9.65	1
6.24799G	3.02	6.2687G	-24.88	-16.98	-7.90	2
6.19931G	3.02	6.271G	-27.50	-17.08	-10.42	3
6.26109G	3.12	6.2707G	-27.15	-16.89	-10.26	4

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6385MHz_TX

22/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3702G	1.63	6.3407G	-26.48	-17.57	-8.91	1
6.41439G	1.36	6.4289G	-26.29	-18.72	-7.57	2
6.35121G	1.76	6.4285G	-25.78	-18.25	-7.53	3
6.35411G	1.87	6.4301G	-27.95	-18.19	-9.76	4

6.425-6.525GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6465MHz_TX

22/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4555G	1.87	6.4208G	-26.80	-17.53	-9.27	1
6.48789G	2.03	6.5101G	-28.37	-17.77	-10.60	2
6.49829G	2.34	6.5102G	-27.15	-17.80	-9.35	3
6.43081G	2.30	6.4206G	-25.96	-16.70	-9.26	4

6.425-6.525GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6545MHz_TX

22/04/2024




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6625MHz_TX

22/04/2024




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6705MHz_TX

22/04/2024




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6785MHz_TX

22/04/2024




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6865MHz_TX

22/04/2024




6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6945MHz_TX

22/04/2024




6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

7025MHz_TX

22/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0367G	2.22	7.0715G	-27.81	-17.91	-9.90	1
7.06249G	1.91	6.979G	-28.23	-18.21	-10.02	2
6.99291G	1.92	7.0692G	-26.09	-18.10	-7.99	3
7.0123G	1.92	7.0685G	-25.18	-18.20	-6.98	4

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6025MHz_TX

22/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.09798G	4.64	6.2768G	-39.54	-35.03	-4.51	1
6.09958G	5.44	6.1818G	-21.87	-17.61	-4.26	2
6.0358G	4.62	6.277G	-39.44	-35.08	-4.36	3
6.09758G	5.52	6.222G	-29.71	-25.28	-4.43	4

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6185MHz_TX

22/04/2024




5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6345MHz_TX

22/04/2024




6.425-6.525GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6505MHz_TX

22/04/2024

CF (Hz)
6.505G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.43042G	4.27	6.251G	-46.14	-35.73	-10.41	1
6.57678G	4.34	6.252G	-45.63	-35.66	-9.97	2
6.57498G	4.90	6.2462G	-44.90	-35.02	-9.88	3
6.42882G	4.35	6.252G	-44.43	-35.65	-8.78	4


6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6665MHz_TX

22/04/2024

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.68519G	4.74	6.9202G	-44.95	-35.26	-9.69	1
6.6576G	5.10	6.922G	-44.48	-34.90	-9.58	2
6.6622G	5.33	6.9162G	-42.65	-34.67	-7.98	3
6.6712G	5.06	6.9156G	-43.31	-34.82	-8.49	4

6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6825MHz_TX

22/04/2024

CF (Hz)
6.825G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.74982G	4.02	6.5696G	-46.72	-35.98	-10.74	1
6.74842G	3.90	6.5666G	-47.20	-36.10	-11.10	2
6.75822G	4.46	6.5664G	-45.90	-35.54	-10.36	3
6.75102G	4.23	6.5776G	-46.13	-35.76	-10.37	4

6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6985MHz_TX

22/04/2024

CF (Hz)
6.985G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00599G	4.68	7.2406G	-40.29	-35.32	-4.97	1
6.92242G	4.92	7.2424G	-40.70	-35.08	-5.62	2
6.90882G	4.73	7.239G	-41.20	-35.27	-5.93	3
7.05798G	4.69	7.2346G	-40.77	-35.23	-5.54	4