
- USB-C input por

福州电路

## INSTRUCTION MANUAL 使用說師/使用貨幣

## momox

## Mag.Link Pop





**函制** 主头

细笔尖

ED Indicator

旨示煙

## INSTRUCTION FOR USE 操作/操作

## Mode State S

William mode Double tress the total will be power on or cit, when the light is on, the stylus per-Sign mode Automobility states after in minute to

ou roper ion. We an the light is on Stylu: pen et ronkin it o de woken up t blog swillich of the working mi al the water the charging more Touch were further hubble press further than subtrapess to turn off, Long press fix to muti-fask

**李健之 受整殊形計別社会禁控电池 - 正过光兴·思 中國構成**: 新任代條件6分傳接自動像人·資館效量等。

建行掌控止循行+ 密焊端接截凹可填解呈索入工介值 也可在充業株式下推翻。 **商店商店商:景學完善、高赞學高樓: 草草在入多行用** 

工作概念 双名触译除开启成先用电路, 由打开时, 电 理算开始活化 体制建成: 另件可提供与分钟的自动进入。他们也不断 

輪撲擊功爾: 双击开机, 再双五米机; 单击进入多任务

= 世間音楽中陸光下 | | | | |

The light is on and the por works mally: doi: 100 pen to power on/press and hold find my for 2 asconds to power on, and heep Marking mode been sounds. 銀典・東北京工作と業額 工作技术 東側線 告推定特的d my 四株 · 安保安斯 灯筒、第四周工作: 學: 在对机/长端2形tind my 开机, 前鄉鄉本 The green light shows TO-100%, the blue high

shows 30-70%. Eve mid light shows 5-30%, and the 5% low ballery red. Battery clospiny fight flushes. **婦根期**※70-100% - 配色 distant orange 电影放出 深30-70% - 紅鹿5-30% £44 5%医醫量后頭肉團· 2011年7月75-100年。 日本

# 10 70° 4T# - 10°

5% 哈弗里尔汀河西。

mode (enters | Will it up by promise after 5 minutes | bullet and writer the of no operatory working mode. You can 深度休眠模式 "" (無任何媒作 等不工作可到退 深度休眠池 たる様式可以見能 (天任明操作 ) 打苦。 第末工作,地震说 5. 分包的进入1. 加健康进行特殊进入工作 報信, 方电模式可以用器 The great light shows TO 100%, the bise lists aboves 30-70%, the red tight above 5-30%, the SMAR Proce twos. red Size hardes when the y is our at 5%, after We shight is always en the nattery is ful E STU-TOUY, FREEDA TON . 4THE SON

**乳量(加度)人(尿) 元/**原

**邮管发展** 

the left is off and the pen-

Drien sleen de not work You can

绿灯影 。 蓝色 ET30-70% ET/75-30%, 5%低电量红 纸,充满 但打些主 Charged 100% Cross light seem or 維持在長 充满 操灯长亮 Fressand holds and any Down See 2 serionds find my 開業機 4-H2W find my FFRIS. 4049786

. Fee anwer on and of

Mesure to make a recor

. ction

WHER

堪开关的.

I JAIST TONIA

- 三日本で発見

I VE TO O TLANE

Press once:

10.00

-- ·

- 804

3.0

SPECIFICATION

產品與格/产品规格

Model: TP11

USB-C root

Press 4 times | Confirm 5N pq 確認らN rm≓ BULSN Prem 4 limes, Cannot find my pairing Onc noid and restors factory MATERIAL PROPERTY. 50投 COURT HOW DAY THE LOUIS A 長掛! 10/047 建物的对 myElit 和集出 41.0017

## Find and bins your product

\*\*Prease make sure that y ave an iPhone, iPad or iPed touch with IOS 14.1 m PadOS 14.5 or later and two-factor authentication ied.

to Lisettings1 - Library ecurity1 - Turn on cation Services, a lipe dher and too

Some back to main screen of the appearance, six モリスツランバデ (風力) · 元正甲世 (位置) the IPVedMy1 upp, and then seem the Ister(1 tot) SCHOOL I-1 . and ther clot. [Add Other form]

First the ten name "MOMAX TITL", click [Connect] . Ni in the "harrie tiern" custom procluct herro, and place [Continue]. "Oncome on emist", click is photos check that the error actives and mobile more rupter up corner, from tap [Agree] . and tren top [Firen] in and aucoreshity.

## - 14 / I WAY

L 作品は - 1911以 LAL 3.加及 リトルカッフが 【禮母】 2 蘋果設備處于桌面狀態 可能 [2] 从 心而任力, 然,接腰 [編品]。

4 找到物品名为"归一品"。

证是小正确 题即跟w ring

**教育不確定产品** IndMy) to allow accomplete the second second

> 製】-川道| E1以服务| | 回 | 四 2 医療通過なご言語なか。AD 1 mm1 中市1

THE REPORT OF THE PARTY OF THE AND SECTION AND SECTION

## JE THE LOST MODE

When the basis station is a cursum distance away II. C.- ACIESTO, YOU NOOL IO IO reen, then tap the name of the n et Mode, ten Enable

Foliow the co-action instructions and estar a phone mberwhere vou can be to enter accented architects intrinsed, top: One semail Note: Prepay make superty allow sufficiency, from the

第二項的確定上評【審集】App的連起。

を開きる」のでは中で、東入りにつなる中のです。 大名子が中央は、一般ので「日本日」

生: 景光确定处计 [春集] App构造标:

View kinstor legation on the map. Copy the First My ago, then click the farty tab.

Select the occorryou went to copie in the flave list.

If the locator is within the coverage wins of your sensor or the first My testwork where the locator was econfly delected, you can see A or the rogs, field is name, you'll are the occation and time of the

## 2. If the bean statum is not within range of your device. t tild known bouster and time. If you want t scove restrictions when the tractor certain will

## PLAY A BOUND

Open the \$Firshly2 sup, select the \$16m3 to size the protect you need to use, the mobile phone reprison will closely the [Play bound] button, close place of music, indicating that the product can be used nurmally.

distance, the IFInd MyI app cannot connect to its product and the product carrier play sound

日本 1年日 中国市で、東京 1年日 27 ×

の子の製造の業品が指点最近也開刊力で 事業1 15年内・位金行及出議管理・其名称7 企业吸用度从提出使用的数据: [曲件] 原用相等。 知过进项问题从六位最后知过了关项均衡等。

# 

原止陳白松原

[編集學者] 原始、相即明史一般自由、異共产品可以

fferce to use these products to track someone without

「如果任何全也高近其他 [金数] 新闻是中非众都同 了其实系统,只要中部的一位外面,可可以选择了 金数] 集四部计划的对数例Activities ,并是两颗

整长加州新新的广泛建设及约用

## Prevent unautho riped inacking

If you of the remines and other Dist My reduces across ・ 加里が保守である方が【金銭】 契格を作べる意子 丁宮周末者・月間が移动・長利収・作可以直げ【 金銭】 売料指序後間別窓がApparは第一方式等高料 clustes below their seamens sent move with you fix a od of time, you can send a notification to you a through the Fired My app closecy, and the abiotherwe the warring part as you move and in time. 网络物质动物的正确程度的词 这样功能为特殊制作、旨容斯止他人在你不知情况

Three houses are designed to prevent people from (2所込即世・非常無益罰を全分が避防・3 ryting to trace you without your breakenings, so if you been our safety to at mile, contact your social law enterconnect **銀銀式会取出人株**人

一本产品加入了助土他人推会施設的总额、平均有限的 提供人、多不品用完成都不属于素的影響。在全球的 "This product has a function to prevent unauthorized tradeing, and should not be used to track others, nor should 多国家和地区、米逊州人刘蒙康司这进产业出版的人 I be used to that properly that since not belong to you. It many countries and response around the world. If is an

斯里人产压肉与放产品也可引

功能安定、新平别行通告。

\*\*\*\*\*\*\*\*\*

M+48

4. 出保符证如偿债债、保存证负债条件

111.不可抗症量分單件或天然炎量有助产业的证:

五 本公司有权增加任何申請其保持条款而予作請按:

在 加朗维用使用点公司产品用用整平排物设施其标准

子产品有任何自环、本以到于自牵担任何责任。

7. 有美MOMAXIP第产品和物的手机或电子产品的吧

首性、首在胸部时向新殖器物以,北产品或精髓的

物研查分析证人具\*

而止應自治院

西湖南海北、市海南南村至天市部市縣一首


一本產品加入了同三地人權合案超去之級。不應則無益 給他人、亦不應用達函配不遵予他的財命。在生活指 全國宣和地區、米提他人同意使用當來產品施程的人

## COMPATIBILITY 華容性/華容性

| Fad 6                | A1893/A7954              |
|----------------------|--------------------------|
| Psd7                 | A2197A2198A2200          |
| Ped 8                | A2279/A2426/A2429/A2430  |
| Field                | A2802/A2804/A2803/A2803  |
| Pad til              | A2696/A2757/A2777        |
| Fad mes (5th Gen)    | A2133/A2124/A2126/A2126  |
| Pad mini (8th Gert)  | A2581/A2588/A2589        |
| Plut Air (3th Gers)  | A21500A2153A2153A2154    |
| Pad Air (4th Ger)    | A2910/A2324/A2325/A2072  |
| Field Air (5th Dord  | A2588/A2589/A2591        |
| Pad Pto              | A1880/A2013/A/83A/A1979/ |
|                      | A2228/A2068/A2220/A2221  |
| Past Pro Ded Geré    | A1876/A2D1A/A1895/A1963/ |
|                      | A2377/A2495/W2501/K2460  |
| Pad Pro (4th Ger)    | A2229A2089A2232A2233     |
|                      | A2700/A2435/A2701/A2762  |
| Field Pro (8th Geri) | A2376/A2379/A3461/A2462  |

## TP11 Manual NewSize aw 肯面

# Apple Find My



has been designed to work specifically with the sectorology identified in the hedge and has been contilled by the product manufacturer to most Apple First My network product specifications and requirements. Apple to not responsible for the connection of this device. or use of the product or to compliance with earlify and regulatory standards

Apple, Apple Find My. Apple Wests, Find My. (Phone). Past PhotOG, Mac, macOS and weethOS are transmerte of Agains Inc. ICR is a trademark or regalated backmark. of Class in the U.S. and other countries and is used. Landler Sciences:

You can find the model number in two ways: 1. Look on the back of your Part.

金可以產業區東京大共和東京 1. 密書 (Fact 英華) That of the Works with Aprill haday mesons that a perchant

\*Compatibility depends on iPed models & IOS

## INDICATOR

## 學者內實訊

versions without fulfer rolling. 無存在を決計の計算をおける原本・ボテス行動性・ 維持性指決于iPud型件和CIS版本・新不良行機能・

the row to reveal the model number.

・開放工程金1、金米和一下1・個1・日本一下工業時 李確2、在長倉団別計的「監督世帝」保田・尚指一丁

## 1.密度 Pic

| LEDER.      | 工作模式特備核<br>工作模式特易核 |  |  |
|-------------|--------------------|--|--|
| LED IN COFF | Seep mode<br>改藏模式  |  |  |

| <b>特別大大利用</b>  |          |     | - 1 |
|----------------|----------|-----|-----|
| 資用:<br>ロ・根原の一下 | <br>Ba-T | Ter | - 1 |
| 最新原始分的 [3      |          |     | - 1 |
| (有有相)          |          |     | - 1 |

# 顧示燈/显示灯

Open Settings, top Ceneral then tap About Look for the "model number" main the top exclor. Sep-

# 

| N ON<br>BR                  | Working mode/Standby<br>mode<br>工作模式/特爾模式<br>工作模式/特莉模式 |  |
|-----------------------------|--------------------------------------------------------|--|
| N COPP<br>REMAIN<br>COMUNIC | Seep mode<br>必要模式<br>企图模式                              |  |
| Flushen<br>M.R.<br>P.R.     | Charging<br>ARP<br>E4.9                                |  |
|                             | Man San Will believe                                   |  |

# Red LED Flashes 総由 LED 政策 初告 UED 四條 70年以上董書

## Grean LED to ON More than 70% hather 練肉 LED 標高 70年以上电路 被告 LED 扩张

## The LED to ON 30-70% battery 報告LED被各 30-70% 電景 30-70% 4.8 新新LED打造

# SIMUS USE / USE

幕示章/皇帝打

Florid LED in ON

松色 LED 提長

紅色 建印任务

minutes. then burn off

LED灯亮10分,然底

Centry Berry 20% battery 5-30% 奄重 Charping line: 5-30% SLB Wunterg time Standby the Hover height Below 5% battery Ordey time Moteruil

## LED Flashes in the When sharping noise gerberosserson LED 以初期的数色四乘 · 去私中 LED 似疱疹的酵色闪烁 LED IN ON Ref 10

# 5%以下海線 Writing precision 9%以下电路 Weight A. Brann by a Y LED 提表 10 分鐘、然後 方面立成

## 19V x=0.5W 16then Alt-1/88-0

Charping inturbate 12.0 hours E.858-C chargesal : 35 Feare 12 months wires 4210/www.SDMTER all trivialEDGE 12546 PC + Numeum + POM 166-49,1mm

L MagLirk Pop Find My Magnetic active etylas per SLUMBA to UNR-C Cabbot Hore) 4 Everyotion manual and warranty word

## MLA. MINDS 100AA

STRO TUBBO 光电对象 108/19 508-0 光电 通知時間 110-149 IRMINIS -5115 metal street ROBE LCCLIPS(FG), xx 2000RB) BRIDE 125m HOE. :PC+副命音+FDM 及他 1884 0 h trave

15V~05A

1. Pod 時用生物式等定律 2、横桁轨向 > 1 A USB-A to USB-C (FVI MYBLE) 人员可靠发现场流

10.4

## 120/-03A MINISTER LINESPARE SHEET 1988-C

光明时间 一位5寸时点图60次组 株型計画 103-0-91 B4256 (20.0) Attal garen WIGHT WIDDOWSPOLENTINGERS B15E1 (25%)

**点面符形企业**生

4, 1985 K & 978 L

3.108-Ab188-C398/Beet

ER SPIT

MEA.

## NCSI PC+Scc+POM 10.00 1105c (-0, hors.) 2.7 176

包括内容: 1. Parify用上动花电影电

## reids part of the product's irreface. This would touse damages to the product.

WARNING

case of your device when charging: E. While-changing, product may hear up. This is normal. or netural disserters. and should not affect Q.Mag.' a perfumence. If the trathery feets hot to the lough uturing this changing. process, retries the GANg from the charger and allow it to pool down before restarting the charging strange without prior resistan-

## DISPOSAL OF ELECTRONIC PRODUCTS 1. Do not please the product as household weather

2. Please dispose of discarded electronic products: properly according to social regulations. 3. MOMAXwecoungesynutoparticoals in electronics

## WARRANTY CONDITIONS

recycling program.

1. For any defeat, in the Euterrent of our lechniques counsed under normal use, we are responsible for repairing free of charges 12 months commencing. from the diaty of psychologist the electricity of sur-

COMPONI

E. A valid warrenty card and original purchase invoice...

1. Do not dismantly or modify the pendant must be presented upon request of warranty service; 2. Do not store the product it was conditions:

This warranty count shall not apply for the product it. 3. Do not keep or use the product near treet sources: (a) If has explicitly modified or required in any way 4. Do not let water or any other liquid flows mis the by persons other than technicians of this contpany.

(\$4) has been demaged through mouse, maliticus 5. Make sure to remove metallic or magnetic protective acts, negligenou, reflow of any liquid, br. (closes or damages are caused by finos majoure)

> . No alterator to this warranty card will be allowed: . The warranty herms and pondfirms are nutred to

## Home result your proof of purchase for warranty

competitify with your owl phone/ POA texture purchase. Product specifications are subject to change without promotion,

Please volt were removated for lated product Witnesses.

. Please streak the dealer about the product

1. 操作自行的附近的模式基本基础:

1. 預別第4進品介俗を測算書標件

3、 請於無應品養好物源或於無關的於出權 4. 課犯報水道其合領難四人來進品介第內領・帰放 市商品市場/

of reduces, pleases turn on Stoolly which hours

《轉音》 漢章中医經經算工作的工程器、計畫

**国力研究宣传查询** 

**建功能会定事使用的** 

上也有能分化市企業は位立場行の定議等、誘導等 九年計画報告 

影響者从其禁。例如藥或和不養質因或者从供

## · 計劃時度計算機・持令事後・共軍試生度。 如何處理療業電子產品

· 建市研究子库公司企業政策整件必要 2. 請於當場所決勞核定處排棄業的電子提品: MOMANDERSTOPPER TEACHERS

出籍實行關稅12個月內、前便是有展徵或維持 建多公司技術人是證實為在正常使用之情以下會 本公司市提供免费的集局等

1. 能療料必然低化水保料器及機質物能之發表。 本·加爾拉巴不無情性。本自司申權不能的維要 施牌 - 用戶可面推算支付用補給修費用 3. 保助物內、也完以下補資業止採用總自動失復;

(6) 苏美公司人員常書節解或 商品產品之付利限分

四: 菩提的達在如一会还非配電源、二五水、内積物

## 深入建筑内有效表示中非

(2) 不可於如意於事件或大巴丁會應位數品事業:

4. 企作用提出研除效、保用提供新采取:

A. 請事費 www.morrage.net 開製製料商品資訊。

母雄蘭聚、斯不识四個市

2. 语物概率产品价值位置适应编件: 1. 油包用户高度近色建设于沟道和近发用。 5. 不公司有權權辦分別維修長保險權數所不得請於 4. 异抗直接使用水公司推结而建筑平衡驱动或其形象 4. 请前师永成其它连续改入本产品介资内层、导致本

保养条款

· 大學習事以明報傳 · 本型点主導音樂技術集任 5. 加热村輔於使用金属或和貨幣片的原炉用。 语音座 7. 有關MOMAX禁灰素品和细胞中继或度干满品的机 **新忙,提出展界時光練到兩種菜。此產品用核種特** 图例前指移降:

1. 请你会们并开成选择本产品

4. 我也时,有可能产生休力。业力正常需要,并不会 影響产品直接、但如果感到于机电池建产品分类。 8. 達別区 sees memorated 了醫療更产品更沒。 油板开电源机图 - 排水图纸 - 再告述史电+

## 如何处理废弃电子产品

1. 请包袱市下产品总证家最高声彩长英 工 通航证金航压到框架业员高声的电子产品:

## 3. MCMAX提出世界影響与电子产品符段计划。

## 1. 出物家日報目12个月内、加产品有偿异或财策。 经书公司技术人类证实为有了管使用之模层下出 本·本公司新提供公共申请在信息

您是用个干部提供,多公司有效干提供特殊指令。 用户可能需要支付相关维修的性。 3. 保月期内: 比策以下承歇产高疾用证用动铁效:

2. 维格的总统出示单编用还块的写真号之业整正本。

(a) 非常公司人员基整核解源 港梯产品之任何部分

(1))物法的操作数: 法法施贷电源,以及水、污秽

A STATE OF STREET N. AFRICK'S SHOP WHEN TRANSPORTS AND

\*\*\*\*\*\*\*





# 別號/提出

## iomarks/WIII/W/II-Customer Service/客戶服務中心/客戶服务中心

WAAF, Devoluping his Relation Devoy for literat. LW Chi Kok, Kosylton, Hong Kong. Homes 852-2403 7600 F-Met tribilitaring ret

# SHARE HIS-2412 THE - THE INDONESSALE

# no her automorphisms (Mari









Pad Pto (6th Gars | A2436A3754A33437A2766

WARRANTY/福用國/衛用证 MANALES TO SERVICE TO

# Data of PunPasse/開胃日配/例如日前:

Hong King and Mikraul

## BEST TO 銀行人を応じる 石榴(そうの)を強え場を強く使

東京大阪内の関係が開発し

"车间深刻水龙地下直接经回角从北江海洋跨过19年值 甲烯丙次厂 完AZEET **御殿 739000 全国協力が長 865-400-808-0000** 

pyrgretatale MONRY. Technology 1.30, Wingran reserved IX to risulational transcripts of MCMMX Tachronicay Lt. is other tradematic and the present of that respective own SMERTS OF CORRECTION OF THE PORCE AND A SMERTS WITH A

GROOM PROCESS OF STREET

OMISSION Terroring: In Published - HESSENSON

www.momax.

# FCC Warning

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

**Note:** This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -Reorient or relocate the receiving antenna.
- -Increase the separation between the equipment and receiver.
- -Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.