


802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT X_4TX
Setting 80
02-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	59.37	88.20	-28.83	50.54	3	Vertical	38	2.08	-	34.15	5.72	31.04	
RMS	5.925G	47.08	68.20	-21.12	38.25	3	Vertical	38	2.08	-	34.15	5.72	31.04	
PK	6.4428G	120.64	Inf	-Inf	111.76	3	Vertical	38	2.08	-	34.31	5.80	31.23	
RMS	6.4324G	108.62	Inf	-Inf	99.71	3	Vertical	38	2.08	-	34.34	5.80	31.23	

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT X_4TX
Setting 80
02-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.902G	60.17	88.20	-28.03	51.40	3	Horizontal	101	1.83	-	34.10	5.70	31.03	
RMS	5.925G	46.90	68.20	-21.30	38.07	3	Horizontal	101	1.83	-	34.15	5.72	31.04	
PK	6.4324G	118.71	Inf	-Inf	109.80	3	Horizontal	101	1.83	-	34.34	5.80	31.23	
RMS	6.4376G	106.68	Inf	-Inf	97.79	3	Horizontal	101	1.83	-	34.32	5.80	31.23	

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8723G	54.34	88.20	-33.86	38.69	3	Vertical	205	2.33	-	39.04	8.54	31.93	
RMS	12.87016G	40.81	68.20	-27.39	25.16	3	Vertical	205	2.33	-	39.04	8.54	31.93	

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8738G	54.69	88.20	-33.51	39.03	3	Horizontal	287	2.87	-	39.05	8.54	31.93
RMS	12.87046G	40.77	68.20	-27.43	25.12	3	Horizontal	287	2.87	-	39.04	8.54	31.93

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT X_4TX
Setting 80
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30854G	46.82	83.54	-36.72	44.56	1	Vertical	165	1.52	-	38.00	14.86	50.60
AV	19.30116G	34.07	63.54	-29.47	31.81	1	Vertical	165	1.52	-	38.00	14.86	50.60

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.30804G	46.71	83.54	-36.83	44.45	1	Horizontal	323	1.57	-	38.00	14.86	50.60	
AV	19.30088G	34.14	63.54	-29.40	31.88	1	Horizontal	323	1.57	-	38.00	14.86	50.60	

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.775G	59.54	88.20	-28.66	51.07	3	Vertical	34	2.04	-	33.80	5.60	30.93
RMS	5.9178G	46.83	68.20	-21.37	38.01	3	Vertical	34	2.04	-	34.14	5.72	31.04
PK	6.4834G	120.66	Inf	-Inf	111.81	3	Vertical	34	2.04	-	34.30	5.80	31.25
RMS	6.4834G	108.40	Inf	-Inf	99.55	3	Vertical	34	2.04	-	34.30	5.80	31.25
PK	7.161G	60.64	88.20	-27.56	50.60	3	Vertical	34	2.04	-	35.77	6.10	31.83
RMS	7.175G	48.50	68.20	-19.70	38.39	3	Vertical	34	2.04	-	35.85	6.10	31.84

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9178G	59.21	88.20	-28.99	50.39	3	Horizontal	103	1.80	-	34.14	5.72	31.04
RMS	5.925G	46.81	68.20	-21.39	37.98	3	Horizontal	103	1.80	-	34.15	5.72	31.04
PK	6.4722G	117.11	Inf	-Inf	108.25	3	Horizontal	103	1.80	-	34.30	5.80	31.24
RMS	6.4722G	106.17	Inf	-Inf	97.31	3	Horizontal	103	1.80	-	34.30	5.80	31.24
PK	7.161G	61.27	88.20	-26.93	51.23	3	Horizontal	103	1.80	-	35.77	6.10	31.83
RMS	7.1722G	48.50	68.20	-19.70	38.41	3	Horizontal	103	1.80	-	35.83	6.10	31.84

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	12.95058G	54.72	88.20	-33.48	38.88	3	Vertical	291	2.17	-	39.15	8.58	31.89	
RMS	12.95G	40.89	68.20	-27.31	25.05	3	Vertical	291	2.17	-	39.15	8.58	31.89	

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.95296G	55.17	88.20	-33.03	39.33	3	Horizontal	59	1.58	-	39.15	8.58	31.89	
RMS	12.95032G	40.89	68.20	-27.31	25.05	3	Horizontal	59	1.58	-	39.15	8.58	31.89	

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.4291G	48.28	83.54	-35.26	45.98	1	Vertical	331	1.58	-	38.00	14.90	50.60
AV	19.4244G	35.03	63.54	-28.51	32.73	1	Vertical	331	1.58	-	38.00	14.90	50.60

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.4206G	47.67	83.54	-35.87	45.37	1	Horizontal	142	1.53	-	38.00	14.90	50.60
AV	19.42838G	35.09	63.54	-28.45	32.79	1	Horizontal	142	1.53	-	38.00	14.90	50.60

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.857G	59.32	88.20	-28.88	50.81	3	Vertical	29	1.59	-	33.84	5.66	30.99
RMS	5.9102G	46.75	68.20	-21.45	37.95	3	Vertical	29	1.59	-	34.12	5.71	31.03
PK	6.5206G	118.54	Inf	-Inf	109.63	3	Vertical	29	1.59	-	34.38	5.80	31.27
RMS	6.5206G	107.76	Inf	-Inf	98.85	3	Vertical	29	1.59	-	34.38	5.80	31.27
PK	7.1562G	61.98	88.20	-26.22	51.97	3	Vertical	29	1.59	-	35.74	6.10	31.83
RMS	7.2094G	48.82	68.20	-19.38	38.54	3	Vertical	29	1.59	-	36.04	6.10	31.86

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT X_4TX
Setting 80
02-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8906G	59.38	88.20	-28.82	50.67	3	Horizontal	104	1.80	-	34.04	5.69	31.02
RMS	5.9074G	46.66	68.20	-21.54	37.87	3	Horizontal	104	1.80	-	34.11	5.71	31.03
PK	6.5206G	117.69	Inf	-Inf	108.78	3	Horizontal	104	1.80	-	34.38	5.80	31.27
RMS	6.5122G	106.04	Inf	-Inf	97.15	3	Horizontal	104	1.80	-	34.35	5.80	31.26
PK	7.1926G	61.23	88.20	-26.97	51.02	3	Horizontal	104	1.80	-	35.96	6.10	31.85
RMS	7.2122G	48.80	68.20	-19.40	38.50	3	Horizontal	104	1.80	-	36.05	6.11	31.86

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.03444G	54.53	88.20	-33.67	38.45	3	Vertical	6	1.68	-	39.34	8.62	31.88	
RMS	13.02712G	40.98	68.20	-27.22	24.94	3	Vertical	6	1.68	-	39.31	8.61	31.88	

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02942G	54.67	88.20	-33.53	38.62	3	Horizontal	55	2.82	-	39.32	8.61	31.88
RMS	13.02974G	41.00	68.20	-27.20	24.95	3	Horizontal	55	2.82	-	39.32	8.61	31.88

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT X_4TX
Setting 80
04-G-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.54414G	46.54	83.54	-37.00	44.19	1	Vertical	87	1.53	-	37.98	14.94	50.57	
AV	19.54032G	34.59	63.54	-28.95	32.25	1	Vertical	87	1.53	-	37.98	14.94	50.58	

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.54248G	46.65	83.54	-36.89	44.30	1	Horizontal	178	1.53	-	37.98	14.94	50.57	
AV	19.54328G	34.59	63.54	-28.95	32.24	1	Horizontal	178	1.53	-	37.98	14.94	50.57	

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	63.41	88.20	-24.79	55.58	3	Vertical	34	1.94	-	35.03	5.36	32.56
RMS	5.919G	51.42	68.20	-16.78	43.61	3	Vertical	34	1.94	-	35.01	5.36	32.56
PK	6.5434G	126.80	Inf	-Inf	117.93	3	Vertical	34	1.94	-	35.97	5.70	32.80
RMS	6.5434G	116.34	Inf	-Inf	107.47	3	Vertical	34	1.94	-	35.97	5.70	32.80
PK	7.1902G	65.00	88.20	-23.20	54.91	3	Vertical	34	1.94	-	37.26	6.00	33.17
RMS	7.2266G	53.56	68.20	-14.64	43.39	3	Vertical	34	1.94	-	37.35	6.01	33.19

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	63.33	88.20	-24.87	55.50	3	Horizontal	104	1.88	-	35.03	5.36	32.56
RMS	5.8938G	51.28	68.20	-16.92	43.59	3	Horizontal	104	1.88	-	34.89	5.35	32.55
PK	6.535G	125.05	Inf	-Inf	116.20	3	Horizontal	104	1.88	-	35.94	5.70	32.79
RMS	6.5378G	114.69	Inf	-Inf	105.84	3	Horizontal	104	1.88	-	35.95	5.70	32.80
PK	7.151G	65.45	88.20	-22.75	55.53	3	Horizontal	104	1.88	-	37.10	5.98	33.16
RMS	7.235G	53.44	68.20	-14.76	43.24	3	Horizontal	104	1.88	-	37.37	6.02	33.19

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.0733G	58.75	88.20	-29.45	44.27	3	Vertical	310	1.80	-	39.70	8.79	34.01	
RMS	13.07876G	46.55	68.20	-21.65	32.08	3	Vertical	310	1.80	-	39.70	8.78	34.01	

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08338G	58.48	88.20	-29.72	44.01	3	Horizontal	207	1.84	-	39.70	8.78	34.01
RMS	13.07888G	46.55	68.20	-21.65	32.08	3	Horizontal	207	1.84	-	39.70	8.78	34.01

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.61724G	58.66	83.54	-24.88	56.27	1	Vertical	14	1.50	-	37.95	14.97	50.53
AV	19.60218G	46.05	63.54	-17.49	43.67	1	Vertical	14	1.50	-	37.96	14.96	50.54
PK	26.13124G	62.15	97.74	-35.59	53.16	1	Vertical	344	1.51	-	39.55	17.06	47.62
RMS	26.14114G	48.82	77.74	-28.92	39.82	1	Vertical	344	1.51	-	39.56	17.06	47.62

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.60452G	66.84	83.54	-16.70	64.46	1	Horizontal	309	1.58	-	37.96	14.96	50.54	
AV	19.60116G	54.34	63.54	-9.20	51.96	1	Horizontal	309	1.58	-	37.96	14.96	50.54	
PK	26.14918G	60.93	97.74	-36.81	51.91	1	Horizontal	340	1.70	-	39.56	17.07	47.61	
RMS	26.13916G	48.35	77.74	-29.39	39.35	1	Horizontal	340	1.70	-	39.56	17.06	47.62	

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6884G	125.66	Inf	-Inf	116.66	3	Vertical	19	1.86	-	36.20	5.70	32.90	
RMS	6.6928G	115.34	Inf	-Inf	106.34	3	Vertical	19	1.86	-	36.20	5.70	32.90	
PK	7.1284G	65.80	88.20	-22.40	56.06	3	Vertical	19	1.86	-	36.93	5.96	33.15	
RMS	7.2428G	53.60	68.20	-14.60	43.38	3	Vertical	19	1.86	-	37.39	6.02	33.19	

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7038G	124.56	Inf	-Inf	115.55	3	Horizontal	91	2.42	-	36.22	5.70	32.91	
RMS	6.6994G	114.44	Inf	-Inf	105.45	3	Horizontal	91	2.42	-	36.20	5.70	32.91	
PK	7.1834G	64.96	88.20	-23.24	54.91	3	Horizontal	91	2.42	-	37.23	5.99	33.17	
RMS	7.2384G	53.46	68.20	-14.74	43.25	3	Horizontal	91	2.42	-	37.38	6.02	33.19	

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37812G	59.63	74.00	-14.37	44.81	3	Vertical	317	1.79	-	40.16	8.72	34.06
AV	13.38928G	47.25	54.00	-6.75	32.41	3	Vertical	317	1.79	-	40.18	8.72	34.06

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38428G	58.65	74.00	-15.35	43.82	3	Horizontal	92	1.15	-	40.17	8.72	34.06
AV	13.38928G	47.19	54.00	-6.81	32.35	3	Horizontal	92	1.15	-	40.18	8.72	34.06

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.08392G	62.74	83.54	-20.80	59.77	1	Vertical	54.4	1.50	-	38.13	15.12	50.28	
AV	20.08224G	50.70	63.54	-12.84	47.72	1	Vertical	54.4	1.50	-	38.14	15.12	50.28	
PK	26.78312G	57.55	97.74	-40.19	47.64	1	Vertical	346	1.48	-	39.85	17.35	47.29	
RMS	26.78012G	46.24	77.74	-31.50	36.33	1	Vertical	346	1.48	-	39.85	17.35	47.29	

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.07528G	68.74	83.54	-14.80	65.75	1	Horizontal	292	1.50	-	38.15	15.12	50.28	
AV	20.08218G	56.02	63.54	-7.52	53.04	1	Horizontal	292	1.50	-	38.14	15.12	50.28	
PK	26.79032G	61.08	97.74	-36.66	51.16	1	Horizontal	304	1.50	-	39.84	17.36	47.28	
RMS	26.78G	48.94	77.74	-28.80	39.03	1	Horizontal	304	1.50	-	39.85	17.35	47.29	

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8522G	124.35	Inf	-Inf	115.02	3	Vertical	16	1.78	-	36.59	5.75	33.01	
RMS	6.8578G	114.45	Inf	-Inf	105.13	3	Vertical	16	1.78	-	36.57	5.76	33.01	
PK	7.1518G	65.53	88.20	-22.67	55.60	3	Vertical	16	1.78	-	37.11	5.98	33.16	
RMS	7.1504G	53.44	68.20	-14.76	43.52	3	Vertical	16	1.78	-	37.10	5.98	33.16	

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8592G	122.91	Inf	-Inf	113.60	3	Horizontal	104	2.48	-	36.56	5.76	33.01	
RMS	6.8606G	112.54	Inf	-Inf	103.24	3	Horizontal	104	2.48	-	36.56	5.76	33.02	
PK	7.1392G	65.41	88.20	-22.79	55.59	3	Horizontal	104	2.48	-	37.01	5.97	33.16	
RMS	7.1812G	53.42	68.20	-14.78	43.38	3	Horizontal	104	2.48	-	37.22	5.99	33.17	

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.70874G	63.81	88.20	-24.39	48.70	3	Vertical	306	1.61	-	40.41	8.66	33.96	
RMS	13.70898G	50.72	68.20	-17.48	35.61	3	Vertical	306	1.61	-	40.41	8.66	33.96	

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7208G	62.89	88.20	-25.31	47.76	3	Horizontal	8	1.82	-	40.42	8.66	33.95
RMS	13.71102G	50.41	68.20	-17.79	35.30	3	Horizontal	8	1.82	-	40.41	8.66	33.96

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.56302G	52.81	83.54	-30.73	49.40	1	Vertical	310	1.50	-	38.33	15.24	50.16	
AV	20.56314G	40.41	63.54	-23.13	37.00	1	Vertical	310	1.50	-	38.33	15.24	50.16	
PK	27.41304G	61.24	97.74	-36.50	51.27	1	Vertical	342	1.50	-	39.20	17.64	46.87	
RMS	27.42252G	49.50	77.74	-28.24	39.53	1	Vertical	342	1.50	-	39.19	17.64	46.86	

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.55162G	57.12	83.54	-26.42	53.75	1	Horizontal	302	1.66	-	38.30	15.24	50.17
PK	27.40524G	67.01	97.74	-30.73	57.05	1	Horizontal	46	1.65	-	39.21	17.63	46.88
RMS	27.41532G	55.12	77.74	-22.62	45.15	1	Horizontal	46	1.65	-	39.20	17.64	46.87
AV	20.56302G	45.62	63.54	-17.92	42.21	1	Horizontal	302	1.66	-	38.33	15.24	50.16

802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8666G	119.15	Inf	-Inf	109.46	3	Vertical	20	1.95	-	35.20	6.10	31.61	
RMS	6.8774G	107.39	Inf	-Inf	97.71	3	Vertical	20	1.95	-	35.20	6.10	31.62	
PK	7.157G	61.74	88.20	-26.46	51.73	3	Vertical	20	1.95	-	35.74	6.10	31.83	
RMS	7.1618G	48.83	68.20	-19.37	38.79	3	Vertical	20	1.95	-	35.77	6.10	31.83	

802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_4TX
Setting 80
02-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8834G	117.85	Inf	-Inf	108.18	3	Horizontal	115	2.12	-	35.20	6.10	31.63
RMS	6.869G	105.20	Inf	-Inf	95.51	3	Horizontal	115	2.12	-	35.20	6.10	31.61
PK	7.1654G	61.91	88.20	-26.29	51.86	3	Horizontal	115	2.12	-	35.79	6.10	31.84
RMS	7.1738G	48.70	68.20	-19.50	38.60	3	Horizontal	115	2.12	-	35.84	6.10	31.84

802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75568G	62.90	88.20	-25.30	44.68	3	Vertical	25	1.69	-	41.01	8.98	31.77
RMS	13.75148G	49.27	68.20	-18.93	31.07	3	Vertical	25	1.69	-	41.00	8.98	31.78

802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75436G	64.49	88.20	-23.71	46.28	3	Horizontal	16	1.80	-	41.01	8.98	31.78
RMS	13.75084G	50.12	68.20	-18.08	31.92	3	Horizontal	16	1.80	-	41.00	8.98	31.78

802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62976G	46.49	83.54	-37.05	42.89	1	Vertical	215	1.58	-	38.46	15.26	50.12
AV	20.62006G	34.24	63.54	-29.30	30.67	1	Vertical	215	1.58	-	38.44	15.26	50.13

802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62722G	47.27	83.54	-36.27	43.68	1	Horizontal	241	1.53	-	38.45	15.26	50.12
AV	20.6227G	34.23	63.54	-29.31	30.65	1	Horizontal	241	1.53	-	38.45	15.26	50.13

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT X_4TX
Setting 80
02-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8926G	119.94	Inf	-Inf	110.27	3	Vertical	26	1.93	-	35.20	6.10	31.63	
RMS	6.8866G	108.15	Inf	-Inf	98.48	3	Vertical	26	1.93	-	35.20	6.10	31.63	
PK	7.1734G	62.01	88.20	-26.19	51.91	3	Vertical	26	1.93	-	35.84	6.10	31.84	
RMS	7.1866G	48.90	68.20	-19.30	38.73	3	Vertical	26	1.93	-	35.92	6.10	31.85	

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT X_4TX
Setting 80
02-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8914G	117.16	Inf	-Inf	107.49	3	Horizontal	121	2.22	-	35.20	6.10	31.63
RMS	6.8962G	105.70	Inf	-Inf	96.04	3	Horizontal	121	2.22	-	35.20	6.10	31.64
PK	7.171G	61.80	88.20	-26.40	51.71	3	Horizontal	121	2.22	-	35.83	6.10	31.84
RMS	7.195G	48.98	68.20	-19.22	38.76	3	Horizontal	121	2.22	-	35.97	6.10	31.85

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7894G	64.47	88.20	-23.73	46.14	3	Vertical	26	1.68	-	41.08	8.99	31.74
RMS	13.79056G	51.25	68.20	-16.95	32.91	3	Vertical	26	1.68	-	41.08	9.00	31.74

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78984G	66.28	88.20	-21.92	47.95	3	Horizontal	18	1.69	-	41.08	8.99	31.74
RMS	13.78852G	52.70	68.20	-15.50	34.37	3	Horizontal	18	1.69	-	41.08	8.99	31.74

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68284G	47.38	83.54	-36.16	43.63	1	Horizontal	236	1.56	-	38.57	15.27	50.09
AV	20.6852G	34.88	63.54	-28.66	31.12	1	Horizontal	236	1.56	-	38.58	15.27	50.09

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.68522G	47.59	83.54	-35.95	43.84	1	Horizontal	153	1.56	-	38.57	15.27	50.09	
AV	20.68894G	34.88	63.54	-28.66	31.12	1	Horizontal	153	1.56	-	38.58	15.27	50.09	

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0022G	118.92	Inf	-Inf	109.36	3	Vertical	21	1.82	-	35.20	6.10	31.74
RMS	6.9926G	107.00	Inf	-Inf	97.43	3	Vertical	21	1.82	-	35.20	6.10	31.73
PK	7.1618G	62.48	88.20	-25.72	52.44	3	Vertical	21	1.82	-	35.77	6.10	31.83
RMS	7.193G	49.41	68.20	-18.79	39.20	3	Vertical	21	1.82	-	35.96	6.10	31.85
PK	7.277G	61.84	74.00	-12.16	51.29	3	Vertical	21	1.82	-	36.31	6.14	31.90
AV	7.2902G	49.39	54.00	-4.61	38.79	3	Vertical	21	1.82	-	36.36	6.15	31.91

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT X_4TX
Setting 80
02-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9986G	116.76	Inf	-Inf	107.20	3	Horizontal	3	1.43	-	35.20	6.10	31.74
RMS	6.9998G	104.46	Inf	-Inf	94.90	3	Horizontal	3	1.43	-	35.20	6.10	31.74
PK	7.211G	62.21	88.20	-25.99	51.92	3	Horizontal	3	1.43	-	36.04	6.11	31.86
RMS	7.2494G	49.19	68.20	-19.01	38.75	3	Horizontal	3	1.43	-	36.20	6.12	31.88
PK	7.2842G	62.15	74.00	-11.85	51.57	3	Horizontal	3	1.43	-	36.34	6.14	31.90
AV	7.2938G	49.29	54.00	-4.71	38.67	3	Horizontal	3	1.43	-	36.38	6.15	31.91

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.98832G	66.26	88.20	-21.94	47.14	3	Vertical	308	1.80	-	41.58	9.09	31.55	
RMS	13.98836G	52.44	68.20	-15.76	33.32	3	Vertical	308	1.80	-	41.58	9.09	31.55	

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98392G	65.86	88.20	-22.34	46.76	3	Horizontal	54	1.77	-	41.57	9.09	31.56
RMS	13.98844G	52.45	68.20	-15.75	33.33	3	Horizontal	54	1.77	-	41.58	9.09	31.55

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT X_4TX
Setting 80
04-G-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.9887G	46.71	83.54	-36.83	42.95	1	Vertical	118	1.57	-	38.32	15.35	49.91
AV	20.98G	34.39	63.54	-29.15	30.62	1	Vertical	118	1.57	-	38.33	15.35	49.91

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT X_4TX
Setting 80
04-G-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.98506G	46.36	83.54	-37.18	42.60	1	Horizontal	284	1.51	-	38.32	15.35	49.91
AV	20.98008G	34.48	63.54	-29.06	30.71	1	Horizontal	284	1.51	-	38.33	15.35	49.91

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0998G	119.70	Inf	-Inf	110.00	3	Vertical	13	1.19	-	35.40	6.10	31.80
RMS	7.0902G	107.05	Inf	-Inf	97.36	3	Vertical	13	1.19	-	35.38	6.10	31.79
PK	7.1254G	67.88	88.20	-20.32	58.04	3	Vertical	13	1.19	-	35.55	6.10	31.81
RMS	7.1254G	55.60	68.20	-12.60	45.76	3	Vertical	13	1.19	-	35.55	6.10	31.81
PK	7.295G	63.68	74.00	-10.32	53.06	3	Vertical	13	1.19	-	36.38	6.15	31.91
AV	7.2942G	49.78	54.00	-4.22	39.16	3	Vertical	13	1.19	-	36.38	6.15	31.91

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0918G	116.77	Inf	-Inf	107.08	3	Horizontal	4	1.80	-	35.38	6.10	31.79
RMS	7.0918G	104.38	Inf	-Inf	94.69	3	Horizontal	4	1.80	-	35.38	6.10	31.79
PK	7.127G	65.71	88.20	-22.49	55.86	3	Horizontal	4	1.80	-	35.56	6.10	31.81
RMS	7.1262G	52.96	68.20	-15.24	43.11	3	Horizontal	4	1.80	-	35.56	6.10	31.81
PK	7.267G	62.71	74.00	-11.29	52.20	3	Horizontal	4	1.80	-	36.27	6.13	31.89
AV	7.2926G	49.55	54.00	-4.45	38.94	3	Horizontal	4	1.80	-	36.37	6.15	31.91

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1822G	63.31	88.20	-24.89	43.34	3	Vertical	8	1.97	-	42.25	9.18	31.46
RMS	14.19256G	49.94	68.20	-18.26	29.93	3	Vertical	8	1.97	-	42.28	9.19	31.46

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18784G	64.00	88.20	-24.20	44.02	3	Horizontal	31	2.21	-	42.26	9.18	31.46
RMS	14.18796G	50.23	68.20	-17.97	30.25	3	Horizontal	31	2.21	-	42.26	9.18	31.46

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.28506G	46.55	83.54	-36.99	43.01	1	Vertical	308	1.56	-	38.08	15.42	49.96
AV	21.28962G	34.19	63.54	-29.35	30.63	1	Vertical	308	1.56	-	38.10	15.42	49.96

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2866G	46.04	83.54	-37.50	42.49	1	Vertical	142	1.54	-	38.09	15.42	49.96
AV	21.28968G	34.09	63.54	-29.45	30.53	1	Vertical	142	1.54	-	38.10	15.42	49.96

802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT X_4TX
Setting 88
04-G-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9222G	76.10	88.20	-12.10	68.27	3	Vertical	43	2.52	-	35.03	5.36	32.56
RMS	5.9222G	62.73	68.20	-5.47	54.90	3	Vertical	43	2.52	-	35.03	5.36	32.56
PK	5.9622G	121.89	Inf	-Inf	113.83	3	Vertical	43	2.52	-	35.25	5.38	32.57
RMS	5.967G	110.06	Inf	-Inf	101.98	3	Vertical	43	2.52	-	35.27	5.38	32.57

802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT X_4TX
Setting 88
04-G-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	79.75	88.20	-8.45	71.90	3	Horizontal	51	1.87	-	35.05	5.36	32.56
RMS	5.925G	66.35	68.20	-1.85	58.50	3	Horizontal	51	1.87	-	35.05	5.36	32.56
PK	5.955G	120.79	Inf	-Inf	112.76	3	Horizontal	51	1.87	-	35.22	5.38	32.57
RMS	5.9602G	109.29	Inf	-Inf	101.24	3	Horizontal	51	1.87	-	35.24	5.38	32.57

802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT_X_4TX
Setting 88
04-G-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93852G	58.41	74.00	-15.59	44.71	3	Vertical	337	1.80	-	39.08	8.96	34.34
AV	11.9396G	45.77	54.00	-8.23	32.07	3	Vertical	337	1.80	-	39.08	8.96	34.34
PK	17.90712G	64.35	74.00	-9.65	46.15	3	Vertical	283	1.91	-	42.01	9.77	33.58
AV	17.88174G	52.62	54.00	-1.38	34.49	3	Vertical	283	1.91	-	41.95	9.76	33.58

802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT_X_4TX
Setting 88
04-G-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.93G	58.17	74.00	-15.83	44.45	3	Horizontal	117	2.63	-	39.11	8.95	34.34	
AV	11.94296G	45.75	54.00	-8.25	32.07	3	Horizontal	117	2.63	-	39.07	8.96	34.35	
PK	17.8854G	64.85	74.00	-9.15	46.71	3	Horizontal	275	1.70	-	41.96	9.76	33.58	
AV	17.8812G	52.61	54.00	-1.39	34.49	3	Horizontal	275	1.70	-	41.94	9.76	33.58	

802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT_X_4TX
Setting 88
04-G-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	17.89356G	53.80	83.54	-29.74	52.34	1	Vertical	342	1.50	-	37.08	14.38	50.00	
AV	17.8983G	40.93	63.54	-22.61	39.48	1	Vertical	342	1.50	-	37.09	14.38	50.02	

802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT_X_4TX
Setting 88
04-G-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.89464G	51.98	83.54	-31.56	50.53	1	Horizontal	321	1.50	-	37.08	14.38	50.01
AV	17.8992G	39.85	63.54	-23.69	38.40	1	Horizontal	321	1.50	-	37.09	14.38	50.02

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9238G	63.75	88.20	-24.45	55.91	3	Vertical	37	1.85	-	35.04	5.36	32.56	
RMS	5.925G	52.51	68.20	-15.69	44.66	3	Vertical	37	1.85	-	35.05	5.36	32.56	
PK	6.1758G	124.14	Inf	-Inf	115.66	3	Vertical	37	1.85	-	35.55	5.58	32.65	
RMS	6.171G	113.26	Inf	-Inf	104.80	3	Vertical	37	1.85	-	35.53	5.57	32.64	

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9166G	65.54	88.20	-22.66	57.73	3	Horizontal	43	1.85	-	35.00	5.36	32.55	
RMS	5.925G	54.07	68.20	-14.13	46.22	3	Horizontal	43	1.85	-	35.05	5.36	32.56	
PK	6.1626G	122.35	Inf	-Inf	113.95	3	Horizontal	43	1.85	-	35.48	5.56	32.64	
RMS	6.1578G	110.92	Inf	-Inf	102.55	3	Horizontal	43	1.85	-	35.45	5.56	32.64	

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3369G	58.17	74.00	-15.83	44.66	3	Vertical	0	1.18	-	38.81	8.93	34.23
AV	12.3438G	45.80	54.00	-8.20	32.26	3	Vertical	0	1.18	-	38.83	8.93	34.22

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32922G	58.03	74.00	-15.97	44.54	3	Horizontal	95	2.69	-	38.79	8.93	34.23
AV	12.33648G	45.69	54.00	-8.31	32.18	3	Horizontal	95	2.69	-	38.81	8.93	34.23

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.483G	56.96	83.54	-26.58	55.18	1	Vertical	9	1.50	-	37.80	14.57	50.59	
AV	18.4878G	45.28	63.54	-18.26	43.50	1	Vertical	9	1.50	-	37.80	14.57	50.59	
PK	24.65952G	50.37	97.74	-47.37	43.48	1	Vertical	349	1.49	-	39.16	16.33	48.60	
RMS	24.65982G	43.59	77.74	-34.15	36.70	1	Vertical	349	1.49	-	39.16	16.33	48.60	

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.48204G	59.47	83.54	-24.07	57.69	1	Horizontal	343	1.50	-	37.80	14.57	50.59	
AV	18.48684G	48.08	63.54	-15.46	46.30	1	Horizontal	343	1.50	-	37.80	14.57	50.59	
PK	24.65976G	56.04	97.74	-41.70	49.15	1	Horizontal	318	1.46	-	39.16	16.33	48.60	
RMS	24.65982G	49.99	77.74	-27.75	43.10	1	Horizontal	318	1.46	-	39.16	16.33	48.60	

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8986G	63.55	88.20	-24.65	55.85	3	Vertical	36	2.00	-	34.90	5.35	32.55	
RMS	5.925G	51.45	68.20	-16.75	43.60	3	Vertical	36	2.00	-	35.05	5.36	32.56	
PK	6.3978G	126.17	Inf	-Inf	117.50	3	Vertical	36	2.00	-	35.70	5.70	32.73	
RMS	6.4074G	114.96	Inf	-Inf	106.30	3	Vertical	36	2.00	-	35.69	5.70	32.73	

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.889G	63.70	88.20	-24.50	56.03	3	Horizontal	106	1.84	-	34.88	5.34	32.55	
RMS	5.925G	51.45	68.20	-16.75	43.60	3	Horizontal	106	1.84	-	35.05	5.36	32.56	
PK	6.4122G	123.39	Inf	-Inf	114.75	3	Horizontal	106	1.84	-	35.68	5.70	32.74	
RMS	6.3978G	112.65	Inf	-Inf	103.98	3	Horizontal	106	1.84	-	35.70	5.70	32.73	

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8046G	59.47	88.20	-28.73	45.29	3	Vertical	0	1.39	-	39.40	8.84	34.06	
RMS	12.79692G	46.94	68.20	-21.26	32.76	3	Vertical	0	1.39	-	39.40	8.84	34.06	

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.80838G	58.50	88.20	-29.70	44.31	3	Horizontal	174	2.84	-	39.41	8.84	34.06	
RMS	12.79518G	46.85	68.20	-21.35	32.67	3	Horizontal	174	2.84	-	39.40	8.84	34.06	

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.20072G	55.55	83.54	-27.99	53.31	1	Vertical	26	1.50	-	38.02	14.82	50.60	
AV	19.2105G	44.04	63.54	-19.50	41.80	1	Vertical	26	1.50	-	38.02	14.82	50.60	
PK	25.608G	60.99	97.74	-36.75	53.22	1	Vertical	349	1.52	-	38.98	16.80	48.01	
RMS	25.6179G	48.42	77.74	-29.32	40.66	1	Vertical	349	1.52	-	38.96	16.81	48.01	

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2222G	58.04	83.54	-25.50	55.80	1	Horizontal	6	1.50	-	38.01	14.83	50.60
AV	19.21722G	45.89	63.54	-17.65	43.65	1	Horizontal	6	1.50	-	38.01	14.83	50.60
PK	25.62306G	63.46	97.74	-34.28	55.70	1	Horizontal	54.9	1.60	-	38.95	16.81	48.00
RMS	25.6182G	51.29	77.74	-26.45	43.53	1	Horizontal	54.9	1.60	-	38.96	16.81	48.01

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT X_4TX
Setting 80
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8704G	58.55	88.20	-29.65	49.96	3	Vertical	36	2.00	-	33.92	5.67	31.00	
RMS	5.925G	48.66	68.20	-19.54	39.83	3	Vertical	36	2.00	-	34.15	5.72	31.04	
PK	6.4372G	117.37	Inf	-Inf	108.47	3	Vertical	36	2.00	-	34.33	5.80	31.23	
RMS	6.4424G	106.83	Inf	-Inf	97.94	3	Vertical	36	2.00	-	34.32	5.80	31.23	

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT X_4TX
Setting 80
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.873G	58.76	88.20	-29.44	50.15	3	Horizontal	107	1.80	-	33.94	5.67	31.00	
RMS	5.9146G	48.43	68.20	-19.77	39.63	3	Horizontal	107	1.80	-	34.13	5.71	31.04	
PK	6.432G	115.34	Inf	-Inf	106.43	3	Horizontal	107	1.80	-	34.34	5.80	31.23	
RMS	6.4372G	103.43	Inf	-Inf	94.53	3	Horizontal	107	1.80	-	34.33	5.80	31.23	

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.89198G	55.04	88.20	-33.16	39.33	3	Vertical	122	1.48	-	39.08	8.55	31.92	
RMS	12.88688G	40.70	68.20	-27.50	25.01	3	Vertical	122	1.48	-	39.07	8.54	31.92	

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.88798G	55.02	88.20	-33.18	39.32	3	Horizontal	141	2.54	-	39.08	8.54	31.92	
RMS	12.886G	40.70	68.20	-27.50	25.01	3	Horizontal	141	2.54	-	39.07	8.54	31.92	

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33666G	46.22	83.54	-37.32	43.95	1	Vertical	36	1.54	-	38.00	14.87	50.60
AV	19.33156G	33.90	63.54	-29.64	31.63	1	Vertical	36	1.54	-	38.00	14.87	50.60

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT X_4TX
Setting 80
04-G-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.33862G	46.27	83.54	-37.27	44.00	1	Horizontal	194	1.50	-	38.00	14.87	50.60	
AV	19.33492G	33.90	63.54	-29.64	31.63	1	Horizontal	194	1.50	-	38.00	14.87	50.60	

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8998G	58.72	88.20	-29.48	49.94	3	Vertical	40	2.41	-	34.10	5.70	31.02
RMS	5.7906G	48.92	68.20	-19.28	40.46	3	Vertical	40	2.41	-	33.80	5.60	30.94
PK	6.485G	117.29	Inf	-Inf	108.44	3	Vertical	40	2.41	-	34.30	5.80	31.25
RMS	6.4738G	106.62	Inf	-Inf	97.76	3	Vertical	40	2.41	-	34.30	5.80	31.24
PK	7.185G	61.05	88.20	-27.15	50.89	3	Vertical	40	2.41	-	35.91	6.10	31.85
RMS	7.185G	50.42	68.20	-17.78	40.26	3	Vertical	40	2.41	-	35.91	6.10	31.85

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8914G	59.62	88.20	-28.58	50.90	3	Horizontal	104	1.82	-	34.05	5.69	31.02
RMS	5.7906G	48.96	68.20	-19.24	40.50	3	Horizontal	104	1.82	-	33.80	5.60	30.94
PK	6.471G	116.32	Inf	-Inf	107.46	3	Horizontal	104	1.82	-	34.30	5.80	31.24
RMS	6.4766G	103.00	Inf	-Inf	94.14	3	Horizontal	104	1.82	-	34.30	5.80	31.24
PK	7.143G	61.24	88.20	-26.96	51.30	3	Horizontal	104	1.82	-	35.66	6.10	31.82
RMS	7.1766G	50.38	68.20	-17.82	40.26	3	Horizontal	104	1.82	-	35.86	6.10	31.84

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.9654G	54.95	88.20	-33.25	39.09	3	Vertical	73	1.50	-	39.17	8.58	31.89	
RMS	12.97044G	41.00	68.20	-27.20	25.12	3	Vertical	73	1.50	-	39.17	8.59	31.88	

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96826G	55.07	88.20	-33.13	39.20	3	Horizontal	301	2.70	-	39.17	8.58	31.88
RMS	12.97028G	40.97	68.20	-27.23	25.09	3	Horizontal	301	2.70	-	39.17	8.59	31.88

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45124G	47.72	83.54	-35.82	45.41	1	Vertical	278	1.58	-	38.00	14.91	50.60
AV	19.45304G	34.80	63.54	-28.74	32.49	1	Vertical	278	1.58	-	38.00	14.91	50.60

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.45662G	47.47	83.54	-36.07	45.16	1	Horizontal	209	1.55	-	38.00	14.91	50.60	
AV	19.45618G	34.81	63.54	-28.73	32.50	1	Horizontal	209	1.55	-	38.00	14.91	50.60	

802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_4TX
Setting 80
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9146G	58.85	88.20	-29.35	50.05	3	Vertical	36	2.22	-	34.13	5.71	31.04
RMS	5.9146G	48.49	68.20	-19.71	39.69	3	Vertical	36	2.22	-	34.13	5.71	31.04
PK	6.5334G	116.76	Inf	-Inf	107.81	3	Vertical	36	2.22	-	34.43	5.80	31.28
RMS	6.5334G	106.49	Inf	-Inf	97.54	3	Vertical	36	2.22	-	34.43	5.80	31.28
PK	7.2194G	61.53	88.20	-26.67	51.38	3	Vertical	36	2.22	-	35.90	6.10	31.85
RMS	7.2194G	50.67	68.20	-17.53	40.35	3	Vertical	36	2.22	-	36.08	6.11	31.87

802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8922G	59.11	88.20	-29.09	50.39	3	Horizontal	104	2.52	-	34.05	5.69	31.02
RMS	5.8922G	48.43	68.20	-19.77	39.71	3	Horizontal	104	2.52	-	34.05	5.69	31.02
PK	6.5082G	114.39	Inf	-Inf	105.52	3	Horizontal	104	2.52	-	34.33	5.80	31.26
RMS	6.5278G	103.67	Inf	-Inf	94.74	3	Horizontal	104	2.52	-	34.41	5.80	31.28
PK	7.2026G	61.26	88.20	-26.94	51.01	3	Horizontal	104	2.52	-	36.01	6.10	31.86
RMS	7.2138G	50.66	68.20	-17.54	40.35	3	Horizontal	104	2.52	-	36.06	6.11	31.86

802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05156G	56.30	88.20	-31.90	40.15	3	Vertical	92	2.53	-	39.41	8.63	31.89
RMS	13.0545G	41.68	68.20	-26.52	25.52	3	Vertical	92	2.53	-	39.42	8.63	31.89

802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05222G	55.98	88.20	-32.22	39.83	3	Horizontal	129	1.52	-	39.41	8.63	31.89
RMS	13.05456G	41.64	68.20	-26.56	25.48	3	Horizontal	129	1.52	-	39.42	8.63	31.89

802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57612G	46.43	83.54	-37.11	44.06	1	Vertical	235	1.53	-	37.97	14.95	50.55
AV	19.57G	34.13	63.54	-29.41	31.77	1	Vertical	235	1.53	-	37.97	14.95	50.56

802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57548G	46.57	83.54	-36.97	44.20	1	Horizontal	265	1.55	-	37.97	14.95	50.55
AV	19.57G	34.13	63.54	-29.41	31.77	1	Horizontal	265	1.55	-	37.97	14.95	50.56

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.5578G	125.65	Inf	-Inf	116.74	3	Vertical	34	1.94	-	36.02	5.70	32.81	
RMS	6.5626G	114.62	Inf	-Inf	105.70	3	Vertical	34	1.94	-	36.03	5.70	32.81	
PK	7.1314G	64.34	88.20	-23.86	54.57	3	Vertical	34	1.94	-	36.95	5.97	33.15	
RMS	7.153G	53.15	68.20	-15.05	43.22	3	Vertical	34	1.94	-	37.11	5.98	33.16	

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5578G	124.67	Inf	-Inf	115.76	3	Horizontal	103	1.91	-	36.02	5.70	32.81
RMS	6.5626G	112.27	Inf	-Inf	103.35	3	Horizontal	103	1.91	-	36.03	5.70	32.81
PK	7.1458G	64.09	88.20	-24.11	54.21	3	Horizontal	103	1.91	-	37.07	5.97	33.16
RMS	7.153G	53.15	68.20	-15.05	43.22	3	Horizontal	103	1.91	-	37.11	5.98	33.16

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13174G	59.18	88.20	-29.02	44.67	3	Vertical	331	1.68	-	39.76	8.77	34.02
RMS	13.14428G	46.54	68.20	-21.66	32.00	3	Vertical	331	1.68	-	39.79	8.77	34.02

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.14308G	58.83	88.20	-29.37	44.29	3	Horizontal	214	2.79	-	39.79	8.77	34.02
RMS	13.13972G	46.48	68.20	-21.72	31.95	3	Horizontal	214	2.79	-	39.78	8.77	34.02

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.70238G	61.42	83.54	-22.12	58.98	1	Vertical	15	1.49	-	37.92	15.00	50.48	
AV	19.69242G	48.83	63.54	-14.71	46.40	1	Vertical	15	1.49	-	37.92	14.99	50.48	
PK	26.25634G	64.36	97.74	-33.38	55.19	1	Vertical	347	1.50	-	39.60	17.12	47.55	
RMS	26.26054G	50.94	77.74	-26.80	41.76	1	Vertical	347	1.50	-	39.60	17.12	47.54	

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.69416G	67.32	83.54	-16.22	64.89	1	Horizontal	308	1.58	-	37.92	14.99	50.48	
AV	19.6959G	54.85	63.54	-8.69	52.42	1	Horizontal	308	1.58	-	37.92	14.99	50.48	
PK	26.25208G	63.07	97.74	-34.67	53.91	1	Horizontal	342	1.50	-	39.60	17.11	47.55	
RMS	26.25688G	50.28	77.74	-27.46	41.11	1	Horizontal	342	1.50	-	39.60	17.12	47.55	

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.667G	123.70	Inf	-Inf	114.68	3	Vertical	36	1.86	-	36.20	5.70	32.88
RMS	6.677G	113.35	Inf	-Inf	104.34	3	Vertical	36	1.86	-	36.20	5.70	32.89
PK	7.175G	65.93	88.20	-22.27	55.91	3	Vertical	36	1.86	-	37.20	5.99	33.17
RMS	7.183G	53.28	68.20	-14.92	43.23	3	Vertical	36	1.86	-	37.23	5.99	33.17

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.695G	123.04	Inf	-Inf	114.04	3	Horizontal	93	2.34	-	36.20	5.70	32.90
RMS	6.689G	111.89	Inf	-Inf	102.89	3	Horizontal	93	2.34	-	36.20	5.70	32.90
PK	7.163G	64.38	88.20	-23.82	54.42	3	Horizontal	93	2.34	-	37.15	5.98	33.17
RMS	7.185G	53.28	68.20	-14.92	43.22	3	Horizontal	93	2.34	-	37.24	5.99	33.17

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37336G	60.32	74.00	-13.68	45.50	3	Vertical	316	1.83	-	40.15	8.73	34.06
AV	13.36388G	47.18	54.00	-6.82	32.38	3	Vertical	316	1.83	-	40.13	8.73	34.06

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36154G	58.73	74.00	-15.27	43.94	3	Horizontal	356	1.57	-	40.12	8.73	34.06
AV	13.36358G	47.12	54.00	-6.88	32.32	3	Horizontal	356	1.57	-	40.13	8.73	34.06

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.05428G	60.78	83.54	-22.76	57.77	1	Vertical	2.2	1.70	-	38.19	15.11	50.29	
AV	20.0505G	48.70	63.54	-14.84	45.68	1	Vertical	2.2	1.70	-	38.20	15.11	50.29	
PK	26.73952G	55.56	97.74	-42.18	45.64	1	Vertical	360	1.47	-	39.89	17.33	47.30	
RMS	26.7346G	43.21	77.74	-34.53	33.31	1	Vertical	360	1.47	-	39.88	17.33	47.31	

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.05428G	63.24	83.54	-20.30	60.23	1	Horizontal	289	1.50	-	38.19	15.11	50.29	
AV	20.05452G	50.71	63.54	-12.83	47.70	1	Horizontal	289	1.50	-	38.19	15.11	50.29	
PK	26.7391G	58.50	97.74	-39.24	48.58	1	Horizontal	304	1.50	-	39.89	17.33	47.30	
RMS	26.73958G	47.05	77.74	-30.69	37.13	1	Horizontal	304	1.50	-	39.89	17.33	47.30	

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8434G	123.56	Inf	-Inf	114.26	3	Vertical	17	1.80	-	36.56	5.74	33.00
RMS	6.8386G	112.89	Inf	-Inf	103.62	3	Vertical	17	1.80	-	36.53	5.74	33.00
PK	7.1922G	65.60	88.20	-22.60	55.51	3	Vertical	17	1.80	-	37.27	6.00	33.18
RMS	7.2338G	53.59	68.20	-14.61	43.39	3	Vertical	17	1.80	-	37.37	6.02	33.19

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8322G	120.31	Inf	-Inf	111.09	3	Horizontal	80	1.79	-	36.49	5.73	33.00	
RMS	6.837G	109.38	Inf	-Inf	100.12	3	Horizontal	80	1.79	-	36.52	5.74	33.00	
PK	7.245G	65.27	88.20	-22.93	55.05	3	Horizontal	80	1.79	-	37.39	6.02	33.19	
RMS	7.245G	53.60	68.20	-14.60	43.38	3	Horizontal	80	1.79	-	37.39	6.02	33.19	

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.69414G	62.24	88.20	-25.96	47.16	3	Vertical	36	2.49	-	40.39	8.66	33.97	
RMS	13.68946G	50.35	68.20	-17.85	35.28	3	Vertical	36	2.49	-	40.38	8.66	33.97	

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68904G	63.15	88.20	-25.05	48.08	3	Horizontal	17	1.53	-	40.38	8.66	33.97
RMS	13.68898G	50.99	68.20	-17.21	35.92	3	Horizontal	17	1.53	-	40.38	8.66	33.97

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.53164G	59.97	83.54	-23.57	56.66	1	Vertical	354	1.50	-	38.26	15.23	50.18	
AV	20.53632G	47.66	63.54	-15.88	44.34	1	Vertical	354	1.50	-	38.27	15.23	50.18	
PK	27.38276G	63.67	97.74	-34.07	53.70	1	Vertical	344	1.35	-	39.24	17.62	46.89	
RMS	27.38774G	50.72	77.74	-27.02	40.76	1	Vertical	344	1.35	-	39.23	17.62	46.89	

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.52024G	60.08	83.54	-23.46	56.80	1	Horizontal	320	1.55	-	38.24	15.23	50.19
AV	20.53026G	47.91	63.54	-15.63	44.60	1	Horizontal	320	1.55	-	38.26	15.23	50.18
PK	27.38792G	67.60	97.74	-30.14	57.64	1	Horizontal	45	1.65	-	39.23	17.62	46.89
RMS	27.38792G	55.07	77.74	-22.67	45.11	1	Horizontal	45	1.65	-	39.23	17.62	46.89

802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_4TX
Setting 80
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.878G	118.15	Inf	-Inf	108.47	3	Vertical	45	1.97	-	35.20	6.10	31.62
RMS	6.878G	107.08	Inf	-Inf	97.40	3	Vertical	45	1.97	-	35.20	6.10	31.62
PK	7.2182G	62.61	88.20	-25.59	52.30	3	Vertical	45	1.97	-	36.07	6.11	31.87
RMS	7.207G	50.77	68.20	-17.43	40.50	3	Vertical	45	1.97	-	36.03	6.10	31.86

802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_4TX
Setting 80
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9004G	114.11	Inf	-Inf	104.45	3	Horizontal	114	2.20	-	35.20	6.10	31.64
RMS	6.8948G	102.89	Inf	-Inf	93.23	3	Horizontal	114	2.20	-	35.20	6.10	31.64
PK	7.1328G	62.16	88.20	-26.04	52.28	3	Horizontal	114	2.20	-	35.60	6.10	31.82
RMS	7.2294G	50.82	68.20	-17.38	40.46	3	Horizontal	114	2.20	-	36.12	6.11	31.87

802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7696G	62.07	88.20	-26.13	43.81	3	Vertical	54	1.73	-	41.04	8.98	31.76
RMS	13.77032G	48.35	68.20	-19.85	30.08	3	Vertical	54	1.73	-	41.04	8.99	31.76

802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.771G	63.95	88.20	-24.25	45.68	3	Horizontal	17	1.69	-	41.04	8.99	31.76
RMS	13.77396G	50.18	68.20	-18.02	31.90	3	Horizontal	17	1.69	-	41.05	8.99	31.76

802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65122G	46.39	83.54	-37.15	42.74	1	Vertical	108	1.53	-	38.50	15.26	50.11
AV	20.65834G	34.46	63.54	-29.08	30.78	1	Vertical	108	1.53	-	38.52	15.26	50.10

802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6533G	46.51	83.54	-37.03	42.85	1	Horizontal	315	1.55	-	38.51	15.26	50.11
AV	20.65834G	34.46	63.54	-29.08	30.78	1	Horizontal	315	1.55	-	38.52	15.26	50.10

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9178G	116.89	Inf	-Inf	107.25	3	Vertical	46	2.02	-	35.20	6.10	31.66	
RMS	6.9178G	106.60	Inf	-Inf	96.96	3	Vertical	46	2.02	-	35.20	6.10	31.66	
PK	7.225G	61.48	88.20	-26.72	51.14	3	Vertical	46	2.02	-	36.10	6.11	31.87	
RMS	7.1398G	50.85	68.20	-17.35	40.93	3	Vertical	46	2.02	-	35.64	6.10	31.82	

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9274G	113.66	Inf	-Inf	104.03	3	Horizontal	114	2.29	-	35.20	6.10	31.67	
RMS	6.9094G	103.56	Inf	-Inf	93.91	3	Horizontal	114	2.29	-	35.20	6.10	31.65	
PK	7.1254G	62.52	88.20	-25.68	52.68	3	Horizontal	114	2.29	-	35.55	6.10	31.81	
RMS	7.2022G	50.81	68.20	-17.39	40.56	3	Horizontal	114	2.29	-	36.01	6.10	31.86	

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85332G	62.87	88.20	-25.33	44.26	3	Vertical	303	1.80	-	41.26	9.03	31.68
RMS	13.8484G	48.78	68.20	-19.42	30.20	3	Vertical	303	1.80	-	41.25	9.02	31.69

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85884G	65.46	88.20	-22.74	46.83	3	Horizontal	16	1.67	-	41.28	9.03	31.68
RMS	13.84876G	51.48	68.20	-16.72	32.90	3	Horizontal	16	1.67	-	41.25	9.02	31.69

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7749G	47.65	83.54	-35.89	43.74	1	Horizontal	54	1.52	-	38.66	15.29	50.04
AV	20.77504G	35.15	63.54	-28.39	31.23	1	Horizontal	54	1.52	-	38.66	15.29	50.03

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.77074G	47.25	83.54	-36.29	43.33	1	Horizontal	90	1.52	-	38.67	15.29	50.04
AV	20.77504G	35.15	63.54	-28.39	31.23	1	Horizontal	90	1.52	-	38.66	15.29	50.03

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT X_4TX
Setting 80
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9954G	113.74	Inf	-Inf	104.18	3	Vertical	19	1.21	-	35.20	6.10	31.74	
RMS	7.0154G	106.38	Inf	-Inf	96.80	3	Vertical	19	1.21	-	35.23	6.10	31.75	
PK	7.181G	62.41	88.20	-25.79	52.26	3	Vertical	19	1.21	-	35.89	6.10	31.84	
RMS	7.125G	51.09	68.20	-17.11	41.25	3	Vertical	19	1.21	-	35.55	6.10	31.81	

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT X_4TX
Setting 80
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0226G	114.53	Inf	-Inf	104.93	3	Horizontal	118	2.27	-	35.25	6.10	31.75
RMS	7.0074G	104.57	Inf	-Inf	95.00	3	Horizontal	118	2.27	-	35.21	6.10	31.74
PK	7.1338G	62.13	88.20	-26.07	52.25	3	Horizontal	118	2.27	-	35.60	6.10	31.82
RMS	7.1994G	51.03	68.20	-17.17	40.79	3	Horizontal	118	2.27	-	36.00	6.10	31.86

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00308G	64.85	88.20	-23.35	45.68	3	Vertical	318	2.97	-	41.61	9.10	31.54
RMS	14.00828G	51.20	68.20	-17.00	32.01	3	Vertical	318	2.97	-	41.63	9.10	31.54

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0102G	64.32	88.20	-23.88	45.12	3	Horizontal	302	1.77	-	41.64	9.10	31.54
RMS	14.00544G	50.60	68.20	-17.60	31.42	3	Horizontal	302	1.77	-	41.62	9.10	31.54

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01942G	45.94	83.54	-37.60	42.21	1	Horizontal	314	1.53	-	38.28	15.35	49.90
AV	21.01704G	33.82	63.54	-29.72	30.09	1	Horizontal	314	1.53	-	38.28	15.35	49.90

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01094G	46.16	83.54	-37.38	42.42	1	Horizontal	26	1.50	-	38.29	15.35	49.90
AV	21.01718G	33.82	63.54	-29.72	30.09	1	Horizontal	26	1.50	-	38.28	15.35	49.90

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT X_4TX
Setting 80
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0978G	117.37	Inf	-Inf	107.67	3	Vertical	40	1.80	-	35.40	6.10	31.80	
RMS	7.0774G	107.19	Inf	-Inf	97.52	3	Vertical	40	1.80	-	35.35	6.10	31.78	
PK	7.1326G	66.52	88.20	-21.68	56.64	3	Vertical	40	1.80	-	35.60	6.10	31.82	
RMS	7.1274G	54.88	68.20	-13.32	45.03	3	Vertical	40	1.80	-	35.56	6.10	31.81	

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT X_4TX
Setting 80
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.075G	111.11	Inf	-Inf	101.44	3	Horizontal	0	1.82	-	35.35	6.10	31.78	
RMS	7.0766G	104.87	Inf	-Inf	95.20	3	Horizontal	0	1.82	-	35.35	6.10	31.78	
PK	7.1274G	62.25	88.20	-25.95	52.40	3	Horizontal	0	1.82	-	35.56	6.10	31.81	
RMS	7.1266G	53.34	68.20	-14.86	43.49	3	Horizontal	0	1.82	-	35.56	6.10	31.81	

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.1732G	63.17	88.20	-25.03	43.24	3	Vertical	7	1.67	-	42.22	9.18	31.47	
RMS	14.17216G	49.09	68.20	-19.11	29.16	3	Vertical	7	1.67	-	42.22	9.18	31.47	

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.167G	62.14	88.20	-26.06	42.23	3	Horizontal	208	2.58	-	42.20	9.18	31.47
RMS	14.1638G	48.24	68.20	-19.96	28.35	3	Horizontal	208	2.58	-	42.19	9.17	31.47

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.2564G	45.96	83.54	-37.58	42.48	1	Vertical	259	1.57	-	38.02	15.41	49.95
AV	21.25406G	33.80	63.54	-29.74	30.33	1	Vertical	259	1.57	-	38.01	15.41	49.95

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.2547G	46.11	83.54	-37.43	42.64	1	Horizontal	183	1.55	-	38.01	15.41	49.95
AV	21.26G	33.72	63.54	-29.82	30.23	1	Horizontal	183	1.55	-	38.02	15.42	49.95

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT X_4TX
Setting 88
04-G-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	75.22	88.20	-12.98	67.39	3	Vertical	35	2.38	-	35.03	5.36	32.56
RMS	5.9218G	63.03	68.20	-5.17	55.20	3	Vertical	35	2.38	-	35.03	5.36	32.56
PK	5.9978G	119.49	Inf	-Inf	111.28	3	Vertical	35	2.38	-	35.39	5.40	32.58
RMS	5.997G	107.95	Inf	-Inf	99.74	3	Vertical	35	2.38	-	35.39	5.40	32.58

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT X_4TX
Setting 88
04-G-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	78.30	88.20	-9.90	70.45	3	Horizontal	49	1.95	-	35.05	5.36	32.56	
RMS	5.925G	65.84	68.20	-2.36	57.99	3	Horizontal	49	1.95	-	35.05	5.36	32.56	
PK	5.9794G	118.16	Inf	-Inf	110.02	3	Horizontal	49	1.95	-	35.32	5.39	32.57	
RMS	5.9746G	106.30	Inf	-Inf	98.18	3	Horizontal	49	1.95	-	35.30	5.39	32.57	

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT_X_4TX
Setting 88
04-G-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.9691G	58.08	74.00	-15.92	44.47	3	Vertical	33	1.80	-	38.99	8.98	34.36	
AV	11.955G	45.68	54.00	-8.32	32.03	3	Vertical	33	1.80	-	39.03	8.97	34.35	
PK	17.96214G	64.48	74.00	-9.52	46.20	3	Vertical	52	2.94	-	42.06	9.79	33.57	
AV	17.96982G	52.34	54.00	-1.66	34.05	3	Vertical	52	2.94	-	42.07	9.79	33.57	

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT_X_4TX
Setting 88
04-G-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.96958G	57.86	74.00	-16.14	44.25	3	Horizontal	219	1.81	-	38.99	8.98	34.36	
AV	11.95878G	45.62	54.00	-8.38	31.99	3	Horizontal	219	1.81	-	39.02	8.97	34.36	
PK	17.967G	64.59	74.00	-9.41	46.30	3	Horizontal	76	1.62	-	42.07	9.79	33.57	
AV	17.96916G	52.34	54.00	-1.66	34.05	3	Horizontal	76	1.62	-	42.07	9.79	33.57	

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT X_4TX
Setting 88
04-G-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	17.95852G	44.52	83.54	-39.02	43.10	1	Vertical	190	1.51	-	37.21	14.39	50.18	
AV	17.95G	32.31	63.54	-31.23	30.88	1	Vertical	190	1.51	-	37.20	14.39	50.16	

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT X_4TX
Setting 88
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.9517G	44.56	83.54	-38.98	43.14	1	Vertical	89	1.52	-	37.20	14.39	50.17
AV	17.95016G	32.39	63.54	-31.15	30.96	1	Vertical	89	1.52	-	37.20	14.39	50.16

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9242G	72.11	88.20	-16.09	64.26	3	Vertical	38	1.78	-	35.05	5.36	32.56	
RMS	5.925G	60.32	68.20	-7.88	52.47	3	Vertical	38	1.78	-	35.05	5.36	32.56	
PK	6.1558G	121.91	Inf	-Inf	113.56	3	Vertical	38	1.78	-	35.43	5.56	32.64	
RMS	6.1558G	110.03	Inf	-Inf	101.68	3	Vertical	38	1.78	-	35.43	5.56	32.64	

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9218G	72.68	88.20	-15.52	64.85	3	Horizontal	75	2.30	-	35.03	5.36	32.56	
RMS	5.9218G	60.82	68.20	-7.38	52.99	3	Horizontal	75	2.30	-	35.03	5.36	32.56	
PK	6.1666G	121.23	Inf	-Inf	112.80	3	Horizontal	75	2.30	-	35.50	5.57	32.64	
RMS	6.157G	109.52	Inf	-Inf	101.16	3	Horizontal	75	2.30	-	35.44	5.56	32.64	

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28904G	57.92	74.00	-16.08	44.52	3	Vertical	82	1.80	-	38.71	8.94	34.25
AV	12.27524G	45.39	54.00	-8.61	31.98	3	Vertical	82	1.80	-	38.72	8.94	34.25

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28562G	57.93	74.00	-16.07	44.53	3	Horizontal	79	2.09	-	38.71	8.94	34.25
AV	12.27506G	45.33	54.00	-8.67	31.92	3	Horizontal	79	2.09	-	38.72	8.94	34.25

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.42228G	60.32	74.00	-13.68	58.52	1	Vertical	22	1.48	-	37.80	14.55	50.55	
AV	18.4221G	48.66	63.54	-14.88	46.86	1	Vertical	22	1.48	-	37.80	14.55	50.55	

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.42456G	63.69	74.00	-10.31	61.89	1	Horizontal	38	1.60	-	37.80	14.55	50.55	
AV	18.42606G	51.82	63.54	-11.72	50.03	1	Horizontal	38	1.60	-	37.80	14.55	50.56	

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9098G	63.76	88.20	-24.44	56.00	3	Vertical	33	2.03	-	34.96	5.35	32.55	
RMS	5.9242G	51.61	68.20	-16.59	43.76	3	Vertical	33	2.03	-	35.05	5.36	32.56	
PK	6.397G	123.60	Inf	-Inf	114.94	3	Vertical	33	2.03	-	35.69	5.70	32.73	
RMS	6.3514G	111.69	Inf	-Inf	103.12	3	Vertical	33	2.03	-	35.60	5.68	32.71	

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9218G	63.22	88.20	-24.98	55.39	3	Horizontal	66	2.00	-	35.03	5.36	32.56	
RMS	5.9242G	51.92	68.20	-16.28	44.07	3	Horizontal	66	2.00	-	35.05	5.36	32.56	
PK	6.373G	120.52	Inf	-Inf	111.90	3	Horizontal	66	2.00	-	35.65	5.69	32.72	
RMS	6.3514G	110.11	Inf	-Inf	101.54	3	Horizontal	66	2.00	-	35.60	5.68	32.71	

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.78386G	59.70	88.20	-28.50	45.54	3	Vertical	328	1.80	-	39.38	8.84	34.06	
RMS	12.78452G	46.80	68.20	-21.40	32.64	3	Vertical	328	1.80	-	39.38	8.84	34.06	

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.77306G	58.48	88.20	-29.72	44.33	3	Horizontal	95	2.16	-	39.37	8.85	34.07	
RMS	12.78026G	46.72	68.20	-21.48	32.57	3	Horizontal	95	2.16	-	39.38	8.84	34.07	

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15524G	60.00	74.00	-14.00	57.76	1	Vertical	52	1.51	-	38.04	14.80	50.60
AV	19.14066G	48.33	63.54	-15.21	46.09	1	Vertical	52	1.51	-	38.04	14.80	50.60

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1406G	68.66	74.00	-5.34	66.42	1	Horizontal	55	1.62	-	38.04	14.80	50.60
AV	19.14G	52.24	63.54	-11.30	50.00	1	Horizontal	55	1.62	-	38.04	14.80	50.60

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT X_4TX
Setting 80
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8956G	59.27	88.20	-28.93	50.52	3	Vertical	37	2.09	-	34.07	5.70	31.02	
RMS	5.9216G	48.81	68.20	-19.39	39.99	3	Vertical	37	2.09	-	34.14	5.72	31.04	
PK	6.4546G	113.83	Inf	-Inf	104.97	3	Vertical	37	2.09	-	34.30	5.80	31.24	
RMS	6.4676G	102.64	Inf	-Inf	93.78	3	Vertical	37	2.09	-	34.30	5.80	31.24	

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9242G	59.84	88.20	-28.36	51.01	3	Horizontal	102	1.83	-	34.15	5.72	31.04	
RMS	5.919G	48.57	68.20	-19.63	39.75	3	Horizontal	102	1.83	-	34.14	5.72	31.04	
PK	6.4572G	111.34	Inf	-Inf	102.48	3	Horizontal	102	1.83	-	34.30	5.80	31.24	
RMS	6.4572G	100.25	Inf	-Inf	91.39	3	Horizontal	102	1.83	-	34.30	5.80	31.24	

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93074G	54.65	88.20	-33.55	38.85	3	Vertical	205	1.41	-	39.13	8.57	31.90
RMS	12.93358G	40.78	68.20	-27.42	24.98	3	Vertical	205	1.41	-	39.13	8.57	31.90

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9337G	55.52	88.20	-32.68	39.72	3	Horizontal	296	1.54	-	39.13	8.57	31.90
RMS	12.93026G	40.76	68.20	-27.44	24.96	3	Horizontal	296	1.54	-	39.13	8.57	31.90

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.38336G	60.69	83.54	-22.85	58.41	1	Vertical	7	1.66	-	38.00	14.88	50.60
AV	19.38366G	48.82	63.54	-14.72	46.54	1	Vertical	7	1.66	-	38.00	14.88	50.60

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.38576G	59.54	83.54	-24.00	57.25	1	Horizontal	318	1.70	-	38.00	14.89	50.60
AV	19.38252G	47.94	63.54	-15.60	45.66	1	Horizontal	318	1.70	-	38.00	14.88	50.60

802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_4TX
Setting 80
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9066G	58.40	88.20	-29.80	49.61	3	Vertical	38	2.21	-	34.11	5.71	31.03
RMS	5.9206G	48.38	68.20	-19.82	39.56	3	Vertical	38	2.21	-	34.14	5.72	31.04
PK	6.559G	114.20	Inf	-Inf	105.19	3	Vertical	38	2.21	-	34.52	5.80	31.31
RMS	6.5478G	102.92	Inf	-Inf	93.93	3	Vertical	38	2.21	-	34.49	5.80	31.30
PK	7.2366G	61.17	88.20	-27.03	50.78	3	Vertical	38	2.21	-	36.15	6.12	31.88
RMS	7.2254G	50.67	68.20	-17.53	40.33	3	Vertical	38	2.21	-	36.10	6.11	31.87

802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8786G	59.48	88.20	-28.72	50.84	3	Horizontal	102	2.39	-	33.97	5.68	31.01	
RMS	5.9234G	48.25	68.20	-19.95	39.42	3	Horizontal	102	2.39	-	34.15	5.72	31.04	
PK	6.5226G	112.37	Inf	-Inf	103.45	3	Horizontal	102	2.39	-	34.39	5.80	31.27	
RMS	6.5338G	100.43	Inf	-Inf	91.47	3	Horizontal	102	2.39	-	34.44	5.80	31.28	
PK	7.175G	60.95	88.20	-27.25	50.84	3	Horizontal	102	2.39	-	35.85	6.10	31.84	
RMS	7.245G	50.58	68.20	-17.62	40.16	3	Horizontal	102	2.39	-	36.18	6.12	31.88	

802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.09392G	55.54	88.20	-32.66	39.21	3	Vertical	131	2.97	-	39.58	8.65	31.90	
RMS	13.09432G	41.74	68.20	-26.46	25.41	3	Vertical	131	2.97	-	39.58	8.65	31.90	

802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09088G	55.33	88.20	-32.87	39.02	3	Horizontal	60	2.10	-	39.56	8.65	31.90
RMS	13.0944G	41.72	68.20	-26.48	25.39	3	Horizontal	60	2.10	-	39.58	8.65	31.90

802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.62264G	56.88	74.00	-17.12	54.49	1	Vertical	16	1.48	-	37.95	14.97	50.53
AV	19.64766G	44.73	63.54	-18.81	42.32	1	Vertical	16	1.48	-	37.94	14.98	50.51

802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63122G	61.97	74.00	-12.03	59.57	1	Horizontal	310	1.58	-	37.95	14.97	50.52
AV	19.64628G	50.01	63.54	-13.53	47.60	1	Horizontal	310	1.58	-	37.94	14.98	50.51

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6274G	122.28	Inf	-Inf	113.29	3	Vertical	34	1.89	-	36.15	5.70	32.86	
RMS	6.613G	111.28	Inf	-Inf	102.30	3	Vertical	34	1.89	-	36.13	5.70	32.85	
PK	7.1266G	65.96	88.20	-22.24	56.24	3	Vertical	34	1.89	-	36.91	5.96	33.15	
RMS	7.2226G	53.98	68.20	-14.22	43.81	3	Vertical	34	1.89	-	37.35	6.01	33.19	

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5914G	119.30	Inf	-Inf	110.35	3	Horizontal	114	1.83	-	36.08	5.70	32.83
RMS	6.5962G	107.96	Inf	-Inf	99.01	3	Horizontal	114	1.83	-	36.09	5.70	32.84
PK	7.1554G	65.01	88.20	-23.19	55.07	3	Horizontal	114	1.83	-	37.12	5.98	33.16
RMS	7.2178G	53.71	68.20	-14.49	43.54	3	Horizontal	114	1.83	-	37.34	6.01	33.18

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2431G	59.45	88.20	-28.75	44.80	3	Vertical	316	1.52	-	39.94	8.75	34.04
RMS	13.23602G	46.82	68.20	-21.38	32.17	3	Vertical	316	1.52	-	39.94	8.75	34.04

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.23588G	58.46	88.20	-29.74	43.81	3	Horizontal	355	1.87	-	39.94	8.75	34.04
RMS	13.23554G	46.76	68.20	-21.44	32.11	3	Horizontal	355	1.87	-	39.94	8.75	34.04

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.88022G	59.69	83.54	-23.85	56.89	1	Vertical	354	1.52	-	38.11	15.06	50.37
AV	19.87848G	47.13	63.54	-16.41	44.33	1	Vertical	354	1.52	-	38.11	15.06	50.37

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87518G	64.99	83.54	-18.55	62.20	1	Horizontal	48	1.59	-	38.10	15.06	50.37
AV	19.86846G	52.63	63.54	-10.91	49.87	1	Horizontal	48	1.59	-	38.09	15.05	50.38

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.677G	121.02	Inf	-Inf	112.01	3	Vertical	22	1.86	-	36.20	5.70	32.89
RMS	6.693G	110.52	Inf	-Inf	101.52	3	Vertical	22	1.86	-	36.20	5.70	32.90
PK	7.173G	64.82	88.20	-23.38	54.81	3	Vertical	22	1.86	-	37.19	5.99	33.17
RMS	7.179G	53.57	68.20	-14.63	43.53	3	Vertical	22	1.86	-	37.22	5.99	33.17

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.695G	119.52	Inf	-Inf	110.52	3	Horizontal	86	2.44	-	36.20	5.70	32.90
RMS	6.695G	109.00	Inf	-Inf	100.00	3	Horizontal	86	2.44	-	36.20	5.70	32.90
PK	7.185G	65.73	88.20	-22.47	55.67	3	Horizontal	86	2.44	-	37.24	5.99	33.17
RMS	7.195G	53.55	68.20	-14.65	43.45	3	Horizontal	86	2.44	-	37.28	6.00	33.18

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40862G	60.06	88.20	-28.14	45.21	3	Vertical	360	1.80	-	40.20	8.72	34.07
RMS	13.40532G	46.92	68.20	-21.28	32.06	3	Vertical	360	1.80	-	40.20	8.72	34.06

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.41222G	59.74	88.20	-28.46	44.89	3	Horizontal	7	1.33	-	40.20	8.72	34.07	
RMS	13.42464G	46.81	68.20	-21.39	31.96	3	Horizontal	7	1.33	-	40.20	8.72	34.07	

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.10918G	55.83	83.54	-27.71	52.90	1	Vertical	53	1.57	-	38.08	15.13	50.28	
AV	20.10402G	44.13	63.54	-19.41	41.19	1	Vertical	53	1.57	-	38.09	15.13	50.28	

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.10726G	63.17	83.54	-20.37	60.23	1	Horizontal	291	1.46	-	38.09	15.13	50.28
AV	20.1021G	50.50	63.54	-13.04	47.55	1	Horizontal	291	1.46	-	38.10	15.13	50.28

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7722G	121.95	Inf	-Inf	112.85	3	Vertical	29	1.94	-	36.36	5.70	32.96	
RMS	6.7722G	110.87	Inf	-Inf	101.77	3	Vertical	29	1.94	-	36.36	5.70	32.96	
PK	7.1274G	65.17	88.20	-23.03	55.44	3	Vertical	29	1.94	-	36.92	5.96	33.15	
RMS	7.1498G	53.71	68.20	-14.49	43.80	3	Vertical	29	1.94	-	37.10	5.97	33.16	

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7738G	118.46	Inf	-Inf	109.37	3	Horizontal	79	2.26	-	36.35	5.70	32.96	
RMS	6.7738G	107.80	Inf	-Inf	98.71	3	Horizontal	79	2.26	-	36.35	5.70	32.96	
PK	7.169G	65.14	88.20	-23.06	55.15	3	Horizontal	79	2.26	-	37.18	5.98	33.17	
RMS	7.1786G	53.42	68.20	-14.78	43.39	3	Horizontal	79	2.26	-	37.21	5.99	33.17	

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.56868G	58.96	88.20	-29.24	44.11	3	Vertical	0	2.96	-	40.20	8.69	34.04	
RMS	13.56076G	46.73	68.20	-21.47	31.88	3	Vertical	0	2.96	-	40.20	8.69	34.04	

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.55734G	58.85	88.20	-29.35	44.01	3	Horizontal	88	2.22	-	40.20	8.69	34.05
RMS	13.56082G	46.73	68.20	-21.47	31.88	3	Horizontal	88	2.22	-	40.20	8.69	34.04

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.36964G	56.20	74.00	-17.80	53.25	1	Vertical	13	1.56	-	37.99	15.19	50.23
AV	20.36478G	44.80	63.54	-18.74	41.86	1	Vertical	13	1.56	-	37.98	15.19	50.23

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.34042G	58.33	74.00	-15.67	55.43	1	Horizontal	31	1.64	-	37.94	15.19	50.23
AV	20.36556G	46.08	63.54	-17.46	43.14	1	Horizontal	31	1.64	-	37.98	15.19	50.23

802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_4TX
Setting 80
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.877G	114.29	Inf	-Inf	104.61	3	Vertical	19	1.94	-	35.20	6.10	31.62
RMS	6.8626G	103.59	Inf	-Inf	93.90	3	Vertical	19	1.94	-	35.20	6.10	31.61
PK	7.1386G	61.19	88.20	-27.01	51.28	3	Vertical	19	1.94	-	35.63	6.10	31.82
RMS	7.1278G	50.60	68.20	-17.60	40.74	3	Vertical	19	1.94	-	35.57	6.10	31.81

802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_4TX
Setting 80
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8434G	111.61	Inf	-Inf	101.90	3	Horizontal	100	2.32	-	35.20	6.10	31.59
RMS	6.8338G	100.91	Inf	-Inf	91.19	3	Horizontal	100	2.32	-	35.20	6.10	31.58
PK	7.153G	61.17	88.20	-27.03	51.18	3	Horizontal	100	2.32	-	35.72	6.10	31.83
RMS	7.1254G	50.32	68.20	-17.88	40.48	3	Horizontal	100	2.32	-	35.55	6.10	31.81

802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72834G	59.60	88.20	-28.60	41.48	3	Vertical	166	1.70	-	40.96	8.96	31.80
RMS	13.73242G	46.14	68.20	-22.06	28.01	3	Vertical	166	1.70	-	40.96	8.97	31.80

802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73354G	60.26	88.20	-27.94	42.12	3	Horizontal	71	1.78	-	40.97	8.97	31.80
RMS	13.73264G	46.14	68.20	-22.06	28.00	3	Horizontal	71	1.78	-	40.97	8.97	31.80

802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59072G	46.85	83.54	-36.69	43.37	1	Vertical	77	1.58	-	38.38	15.25	50.15
AV	20.59352G	34.44	63.54	-29.10	30.94	1	Vertical	77	1.58	-	38.39	15.25	50.14

802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59186G	46.97	83.54	-36.57	43.48	1	Horizontal	210	1.51	-	38.38	15.25	50.14
AV	20.59004G	34.41	63.54	-29.13	30.93	1	Horizontal	210	1.51	-	38.38	15.25	50.15

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT X_4TX
Setting 80
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.927G	111.87	Inf	-Inf	102.24	3	Vertical	72	1.80	-	35.20	6.10	31.67
RMS	6.9318G	102.76	Inf	-Inf	93.13	3	Vertical	72	1.80	-	35.20	6.10	31.67
PK	7.125G	61.87	88.20	-26.33	52.03	3	Vertical	72	1.80	-	35.55	6.10	31.81
RMS	7.2378G	50.71	68.20	-17.49	40.32	3	Vertical	72	1.80	-	36.15	6.12	31.88

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT X_4TX
Setting 80
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9198G	111.37	Inf	-Inf	101.73	3	Horizontal	108	2.36	-	35.20	6.10	31.66
RMS	6.9198G	100.55	Inf	-Inf	90.91	3	Horizontal	108	2.36	-	35.20	6.10	31.66
PK	7.1322G	61.74	88.20	-26.46	51.87	3	Horizontal	108	2.36	-	35.59	6.10	31.82
RMS	7.2378G	50.79	68.20	-17.41	40.40	3	Horizontal	108	2.36	-	36.15	6.12	31.88

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89496G	62.45	88.20	-25.75	43.66	3	Vertical	26	1.74	-	41.38	9.05	31.64
RMS	13.88544G	48.46	68.20	-19.74	29.71	3	Vertical	26	1.74	-	41.36	9.04	31.65

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89976G	62.71	88.20	-25.49	43.90	3	Horizontal	17	1.75	-	41.40	9.05	31.64
RMS	13.8884G	49.07	68.20	-19.13	30.31	3	Horizontal	17	1.75	-	41.37	9.04	31.65

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.83912G	47.85	83.54	-35.69	43.98	1	Vertical	180	1.57	-	38.56	15.31	50.00	
AV	20.83044G	35.56	63.54	-27.98	31.68	1	Vertical	180	1.57	-	38.57	15.31	50.00	

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.83152G	47.93	83.54	-35.61	44.05	1	Horizontal	225	1.56	-	38.57	15.31	50.00	
AV	20.83G	35.48	63.54	-28.06	31.60	1	Horizontal	225	1.56	-	38.57	15.31	50.00	

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT X_4TX
Setting 80
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0402G	114.26	Inf	-Inf	104.64	3	Vertical	13	1.25	-	35.28	6.10	31.76
RMS	7.0354G	104.12	Inf	-Inf	94.51	3	Vertical	13	1.25	-	35.27	6.10	31.76
PK	7.125G	73.52	88.20	-14.68	63.68	3	Vertical	13	1.25	-	35.55	6.10	31.81
RMS	7.125G	58.82	68.20	-9.38	48.98	3	Vertical	13	1.25	-	35.55	6.10	31.81

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT X_4TX
Setting 80
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0306G	110.82	Inf	-Inf	101.22	3	Horizontal	116	1.80	-	35.26	6.10	31.76
RMS	7.0306G	100.57	Inf	-Inf	90.97	3	Horizontal	116	1.80	-	35.26	6.10	31.76
PK	7.1258G	66.95	88.20	-21.25	57.11	3	Horizontal	116	1.80	-	35.55	6.10	31.81
RMS	7.1258G	55.90	68.20	-12.30	46.06	3	Horizontal	116	1.80	-	35.55	6.10	31.81

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05376G	62.45	88.20	-25.75	43.03	3	Vertical	309	3.00	-	41.82	9.12	31.52
RMS	14.05324G	48.86	68.20	-19.34	29.45	3	Vertical	309	3.00	-	41.81	9.12	31.52

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.0506G	62.74	88.20	-25.46	43.34	3	Horizontal	16	1.70	-	41.80	9.12	31.52	
RMS	14.05048G	49.05	68.20	-19.15	29.65	3	Horizontal	16	1.70	-	41.80	9.12	31.52	

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.07188G	46.13	83.54	-37.41	42.46	1	Vertical	7	1.52	-	38.21	15.37	49.91
AV	21.0794G	34.04	63.54	-29.50	30.39	1	Vertical	7	1.52	-	38.20	15.37	49.92

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07184G	46.56	83.54	-36.98	42.89	1	Horizontal	345	1.51	-	38.21	15.37	49.91
AV	21.07954G	34.04	63.54	-29.50	30.39	1	Horizontal	345	1.51	-	38.20	15.37	49.92

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT_X_4TX
Setting 79
02-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.92G	87.05	88.20	-1.15	78.23	3	Vertical	36	2.37	-	34.14	5.72	31.04	
RMS	5.922G	67.34	68.20	-0.86	58.52	3	Vertical	36	2.37	-	34.14	5.72	31.04	
PK	6.007G	115.06	Inf	-Inf	106.15	3	Vertical	36	2.37	-	34.21	5.80	31.10	
RMS	6.007G	102.07	Inf	-Inf	93.16	3	Vertical	36	2.37	-	34.21	5.80	31.10	

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT X_4TX
Setting 79
02-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.92G	85.42	88.20	-2.78	76.60	3	Horizontal	78	2.09	-	34.14	5.72	31.04	
RMS	5.922G	65.73	68.20	-2.47	56.91	3	Horizontal	78	2.09	-	34.14	5.72	31.04	
PK	6.002G	112.85	Inf	-Inf	103.95	3	Horizontal	78	2.09	-	34.20	5.80	31.10	
RMS	6.002G	99.78	Inf	-Inf	90.88	3	Horizontal	78	2.09	-	34.20	5.80	31.10	

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT X_4TX
Setting 79
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.04848G	54.11	74.00	-19.89	39.22	3	Vertical	72	1.26	-	39.15	8.12	32.38	
AV	12.04658G	40.29	54.00	-13.71	25.39	3	Vertical	72	1.26	-	39.16	8.12	32.38	

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT X_4TX
Setting 79
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04628G	55.15	74.00	-18.85	40.25	3	Horizontal	327	1.72	-	39.16	8.12	32.38
AV	12.04618G	40.33	54.00	-13.67	25.43	3	Horizontal	327	1.72	-	39.16	8.12	32.38

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT X_4TX
Setting 79
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.07802G	44.21	83.54	-39.33	42.67	1	Vertical	142	1.52	-	37.46	14.43	50.35	
AV	18.07034G	32.39	63.54	-31.15	30.87	1	Vertical	142	1.52	-	37.44	14.42	50.34	

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT_X_4TX
Setting 79
04-G-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.07912G	45.65	83.54	-37.89	44.11	1	Horizontal	122	1.56	-	37.46	14.43	50.35	
AV	18.07G	32.39	63.54	-31.15	30.87	1	Horizontal	122	1.56	-	37.44	14.42	50.34	

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
Setting 100
02-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9146G	79.52	88.20	-8.68	71.72	3	Vertical	52	2.08	-	34.99	5.36	32.55	
RMS	5.9242G	67.86	68.20	-0.34	60.01	3	Vertical	52	2.08	-	35.05	5.36	32.56	
PK	6.1562G	118.20	Inf	-Inf	109.84	3	Vertical	52	2.08	-	35.44	5.56	32.64	
RMS	6.1674G	106.69	Inf	-Inf	98.26	3	Vertical	52	2.08	-	35.50	5.57	32.64	

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
Setting 100
02-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9114G	78.98	88.20	-9.22	71.20	3	Horizontal	75	2.60	-	34.97	5.36	32.55	
RMS	5.9242G	67.38	68.20	-0.82	59.53	3	Horizontal	75	2.60	-	35.05	5.36	32.56	
PK	6.1642G	117.23	Inf	-Inf	108.82	3	Horizontal	75	2.60	-	35.49	5.56	32.64	
RMS	6.1594G	106.97	Inf	-Inf	98.59	3	Horizontal	75	2.60	-	35.46	5.56	32.64	

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
Setting 100
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.36868G	58.71	74.00	-15.29	45.08	3	Vertical	65	1.66	-	38.91	8.93	34.21	
AV	12.37384G	45.95	54.00	-8.05	32.31	3	Vertical	65	1.66	-	38.92	8.93	34.21	

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
Setting 100
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35644G	58.68	74.00	-15.32	45.10	3	Horizontal	81	1.86	-	38.87	8.93	34.22
AV	12.37738G	45.90	54.00	-8.10	32.26	3	Horizontal	81	1.86	-	38.93	8.92	34.21

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
Setting 100
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.5532G	53.32	74.00	-20.68	51.44	1	Vertical	341	1.68	-	37.89	14.59	50.60	
AV	18.5436G	41.68	63.54	-21.86	39.82	1	Vertical	341	1.68	-	37.87	14.59	50.60	

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
Setting 100
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55224G	55.86	74.00	-18.14	53.99	1	Horizontal	57	1.67	-	37.88	14.59	50.60
AV	18.54228G	43.97	63.54	-19.57	42.11	1	Horizontal	57	1.67	-	37.87	14.59	50.60

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_X_4TX
Setting 104
02-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	72.22	88.20	-15.98	64.37	3	Vertical	38	2.04	-	35.05	5.36	32.56	
RMS	5.925G	60.88	68.20	-7.32	53.03	3	Vertical	38	2.04	-	35.05	5.36	32.56	
PK	6.353G	120.59	Inf	-Inf	112.01	3	Vertical	38	2.04	-	35.61	5.68	32.71	
RMS	6.363G	109.10	Inf	-Inf	100.51	3	Vertical	38	2.04	-	35.63	5.68	32.72	

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_X_4TX
Setting 104
02-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.921G	73.43	88.20	-14.77	65.60	3	Horizontal	66	2.19	-	35.03	5.36	32.56	
RMS	5.921G	61.85	68.20	-6.35	54.02	3	Horizontal	66	2.19	-	35.03	5.36	32.56	
PK	6.341G	119.10	Inf	-Inf	110.54	3	Horizontal	66	2.19	-	35.60	5.67	32.71	
RMS	6.281G	107.69	Inf	-Inf	99.22	3	Horizontal	66	2.19	-	35.52	5.64	32.69	

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_X_4TX
Setting 104
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69084G	58.59	74.00	-15.41	44.56	3	Vertical	66	1.80	-	39.26	8.86	34.09
AV	12.67626G	45.96	54.00	-8.04	31.99	3	Vertical	66	1.80	-	39.21	8.86	34.10

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT X_4TX
Setting 104
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69786G	58.47	74.00	-15.53	44.41	3	Horizontal	14	1.36	-	39.29	8.86	34.09
AV	12.67512G	46.01	54.00	-7.99	32.05	3	Horizontal	14	1.36	-	39.20	8.86	34.10

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.0308G	56.78	83.54	-26.76	54.53	1	Vertical	28	1.50	-	38.09	14.76	50.60	
AV	19.02114G	45.23	63.54	-18.31	42.98	1	Vertical	28	1.50	-	38.09	14.76	50.60	

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03542G	60.78	83.54	-22.76	58.53	1	Horizontal	15.9	1.70	-	38.09	14.76	50.60
AV	19.02066G	48.94	63.54	-14.60	46.69	1	Horizontal	15.9	1.70	-	38.09	14.76	50.60

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_4TX
Setting 80
02-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8806G	59.27	88.20	-28.93	50.62	3	Vertical	34	2.05	-	33.98	5.68	31.01
RMS	5.925G	46.78	68.20	-21.42	37.95	3	Vertical	34	2.05	-	34.15	5.72	31.04
PK	6.477G	112.79	Inf	-Inf	103.93	3	Vertical	34	2.05	-	34.30	5.80	31.24
RMS	6.4826G	100.37	Inf	-Inf	91.51	3	Vertical	34	2.05	-	34.30	5.80	31.24
PK	7.1294G	61.03	88.20	-27.17	51.17	3	Vertical	34	2.05	-	35.58	6.10	31.82
RMS	7.205G	48.60	68.20	-19.60	38.34	3	Vertical	34	2.05	-	36.02	6.10	31.86

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.805G	59.10	88.20	-29.10	50.65	3	Horizontal	104	1.78	-	33.80	5.60	30.95
RMS	5.925G	46.63	68.20	-21.57	37.80	3	Horizontal	104	1.78	-	34.15	5.72	31.04
PK	6.477G	110.30	Inf	-Inf	101.44	3	Horizontal	104	1.78	-	34.30	5.80	31.24
RMS	6.533G	98.16	Inf	-Inf	89.21	3	Horizontal	104	1.78	-	34.43	5.80	31.28
PK	7.1322G	60.68	88.20	-27.52	50.81	3	Horizontal	104	1.78	-	35.59	6.10	31.82
RMS	7.1994G	48.61	68.20	-19.59	38.37	3	Horizontal	104	1.78	-	36.00	6.10	31.86

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01096G	54.54	88.20	-33.66	38.56	3	Vertical	191	1.80	-	39.24	8.61	31.87
RMS	13.01732G	41.15	68.20	-27.05	25.15	3	Vertical	191	1.80	-	39.27	8.61	31.88

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0152G	55.00	88.20	-33.20	39.00	3	Horizontal	274	2.21	-	39.26	8.61	31.87
RMS	13.01724G	41.04	68.20	-27.16	25.04	3	Horizontal	274	2.21	-	39.27	8.61	31.88

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51412G	46.74	83.54	-36.80	44.41	1	Horizontal	90	1.52	-	37.99	14.93	50.59
AV	19.51002G	34.62	63.54	-28.92	32.28	1	Horizontal	90	1.52	-	38.00	14.93	50.59

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51538G	46.64	83.54	-36.90	44.31	1	Horizontal	217	1.53	-	37.99	14.93	50.59
AV	19.51312G	34.60	63.54	-28.94	32.27	1	Horizontal	217	1.53	-	37.99	14.93	50.59

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_X_4TX
Setting 104
02-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6562G	118.54	Inf	-Inf	109.52	3	Vertical	52	1.94	-	36.20	5.70	32.88	
RMS	6.6936G	107.20	Inf	-Inf	98.20	3	Vertical	52	1.94	-	36.20	5.70	32.90	
PK	7.127G	70.96	88.20	-17.24	61.23	3	Vertical	52	1.94	-	36.92	5.96	33.15	
RMS	7.1292G	59.39	68.20	-8.81	49.65	3	Vertical	52	1.94	-	36.93	5.96	33.15	

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_X_4TX
Setting 104
02-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6496G	116.95	Inf	-Inf	107.92	3	Horizontal	91	2.30	-	36.20	5.70	32.87	
RMS	6.6892G	105.83	Inf	-Inf	96.83	3	Horizontal	91	2.30	-	36.20	5.70	32.90	
PK	7.1336G	66.73	88.20	-21.47	56.95	3	Horizontal	91	2.30	-	36.97	5.97	33.16	
RMS	7.127G	56.16	68.20	-12.04	46.43	3	Horizontal	91	2.30	-	36.92	5.96	33.15	

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_X_4TX
Setting 104
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33954G	60.29	74.00	-13.71	45.53	3	Vertical	328	1.80	-	40.08	8.73	34.05
AV	13.34362G	46.91	54.00	-7.09	32.14	3	Vertical	328	1.80	-	40.09	8.73	34.05

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_X_4TX
Setting 104
02-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.32298G	58.55	74.00	-15.45	43.81	3	Horizontal	144	1.73	-	40.05	8.74	34.05	
AV	13.34266G	46.80	54.00	-7.20	32.03	3	Horizontal	144	1.73	-	40.09	8.73	34.05	

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99008G	57.08	83.54	-26.46	54.01	1	Vertical	355	1.50	-	38.28	15.10	50.31
AV	19.98342G	44.38	63.54	-19.16	41.33	1	Vertical	355	1.50	-	38.27	15.09	50.31

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.00178G	60.20	83.54	-23.34	57.10	1	Horizontal	292	1.50	-	38.30	15.10	50.30	
AV	19.9869G	47.80	63.54	-15.74	44.73	1	Horizontal	292	1.50	-	38.28	15.10	50.31	

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7834G	112.94	Inf	-Inf	103.22	3	Vertical	18	1.96	-	35.17	6.08	31.53	
RMS	6.8026G	99.72	Inf	-Inf	89.97	3	Vertical	18	1.96	-	35.20	6.10	31.55	
PK	7.1306G	64.72	88.20	-23.48	54.86	3	Vertical	18	1.96	-	35.58	6.10	31.82	
RMS	7.129G	50.03	68.20	-18.17	40.17	3	Vertical	18	1.96	-	35.57	6.10	31.81	

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7994G	109.34	Inf	-Inf	99.58	3	Horizontal	23	1.66	-	35.20	6.10	31.54
RMS	6.8042G	96.22	Inf	-Inf	86.47	3	Horizontal	23	1.66	-	35.20	6.10	31.55
PK	7.1306G	65.19	88.20	-23.01	55.33	3	Horizontal	23	1.66	-	35.58	6.10	31.82
RMS	7.1258G	49.86	68.20	-18.34	40.02	3	Horizontal	23	1.66	-	35.55	6.10	31.81

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64168G	59.29	88.20	-28.91	41.47	3	Vertical	84	2.59	-	40.78	8.92	31.88
RMS	13.64468G	45.62	68.20	-22.58	27.79	3	Vertical	84	2.59	-	40.79	8.92	31.88

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64564G	60.18	88.20	-28.02	42.35	3	Horizontal	56	1.80	-	40.79	8.92	31.88
RMS	13.6548G	45.69	68.20	-22.51	27.82	3	Horizontal	56	1.80	-	40.81	8.93	31.87

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.47218G	46.34	83.54	-37.20	43.17	1	Vertical	60	1.56	-	38.16	15.22	50.21	
AV	20.47852G	34.67	63.54	-28.87	31.48	1	Vertical	60	1.56	-	38.17	15.22	50.20	

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47844G	46.72	83.54	-36.82	43.53	1	Horizontal	131	1.55	-	38.17	15.22	50.20
AV	20.47514G	34.41	63.54	-29.13	31.23	1	Horizontal	131	1.55	-	38.16	15.22	50.20

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9466G	112.05	Inf	-Inf	102.44	3	Vertical	26	1.89	-	35.20	6.10	31.69
RMS	6.9574G	99.55	Inf	-Inf	89.95	3	Vertical	26	1.89	-	35.20	6.10	31.70
PK	7.1302G	81.92	88.20	-6.28	72.06	3	Vertical	26	1.89	-	35.58	6.10	31.82
RMS	7.1278G	61.36	68.20	-6.84	51.50	3	Vertical	26	1.89	-	35.57	6.10	31.81
PK	7.2526G	64.88	74.00	-9.12	54.43	3	Vertical	26	1.89	-	36.21	6.13	31.89
AV	7.2538G	51.88	54.00	-2.12	41.42	3	Vertical	26	1.89	-	36.22	6.13	31.89

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT X_4TX
Setting 80
02-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0126G	110.36	Inf	-Inf	100.78	3	Horizontal	5	1.87	-	35.23	6.10	31.75
RMS	7.0114G	96.99	Inf	-Inf	87.42	3	Horizontal	5	1.87	-	35.22	6.10	31.75
PK	7.1398G	78.30	88.20	-9.90	68.38	3	Horizontal	5	1.87	-	35.64	6.10	31.82
RMS	7.1266G	60.56	68.20	-7.64	50.71	3	Horizontal	5	1.87	-	35.56	6.10	31.81
PK	7.2514G	63.74	74.00	-10.26	53.29	3	Horizontal	5	1.87	-	36.21	6.13	31.89
AV	7.2526G	51.33	54.00	-2.67	40.88	3	Horizontal	5	1.87	-	36.21	6.13	31.89

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.96352G	62.72	88.20	-25.48	43.69	3	Vertical	307	2.97	-	41.53	9.08	31.58	
RMS	13.9736G	49.11	68.20	-19.09	30.04	3	Vertical	307	2.97	-	41.55	9.09	31.57	

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_X_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97352G	63.60	88.20	-24.60	44.53	3	Horizontal	54	1.80	-	41.55	9.09	31.57
RMS	13.97336G	49.24	68.20	-18.96	30.17	3	Horizontal	54	1.80	-	41.55	9.09	31.57

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95776G	47.40	83.54	-36.14	43.62	1	Horizontal	18	1.55	-	38.37	15.34	49.93
AV	20.95628G	35.06	63.54	-28.48	31.28	1	Horizontal	18	1.55	-	38.37	15.34	49.93

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom



EUT_X_4TX
Setting 80
04-G-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.95496G	46.72	83.54	-36.82	42.94	1	Horizontal	212	1.58	-	38.37	15.34	49.93
AV	20.95G	35.02	63.54	-28.52	31.23	1	Horizontal	212	1.58	-	38.38	15.34	49.93




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	RMS	5.925G	67.89	68.20	-0.31	3	Vertical	43	1.00	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT X_4TX
Setting 102
04-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	81.05	88.20	-7.15	73.20	3	Vertical	45	1.43	-	35.05	5.36	32.56
RMS	5.925G	67.38	68.20	-0.82	59.53	3	Vertical	45	1.43	-	35.05	5.36	32.56
PK	5.9506G	123.83	Inf	-Inf	115.82	3	Vertical	45	1.43	-	35.20	5.38	32.57
RMS	5.9478G	111.28	Inf	-Inf	103.28	3	Vertical	45	1.43	-	35.19	5.37	32.56

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT X_4TX
Setting 102
04-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	80.02	88.20	-8.18	72.17	3	Horizontal	85	1.32	-	35.05	5.36	32.56
RMS	5.925G	65.53	68.20	-2.67	57.68	3	Horizontal	85	1.32	-	35.05	5.36	32.56
PK	5.9606G	126.16	Inf	-Inf	118.11	3	Horizontal	85	1.32	-	35.24	5.38	32.57
RMS	5.9574G	112.89	Inf	-Inf	104.85	3	Horizontal	85	1.32	-	35.23	5.38	32.57

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT X_4TX
Setting 102
04-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90892G	56.88	74.00	-17.12	43.10	3	Vertical	323	1.80	-	39.17	8.94	34.33
AV	11.9046G	43.98	54.00	-10.02	30.18	3	Vertical	323	1.80	-	39.19	8.93	34.32
PK	17.85888G	64.79	74.00	-9.21	46.75	3	Vertical	31	2.95	-	41.88	9.75	33.59
AV	17.86302G	51.14	54.00	-2.86	33.09	3	Vertical	31	2.95	-	41.89	9.75	33.59

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT X_4TX
Setting 102
04-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92116G	56.58	74.00	-17.42	42.83	3	Horizontal	16	2.06	-	39.14	8.94	34.33
AV	11.92236G	43.99	54.00	-10.01	30.24	3	Horizontal	16	2.06	-	39.13	8.95	34.33
PK	17.85726G	64.76	74.00	-9.24	46.73	3	Horizontal	101	1.37	-	41.87	9.75	33.59
AV	17.86014G	51.93	54.00	-2.07	33.89	3	Horizontal	101	1.37	-	41.88	9.75	33.59

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT X_4TX
Setting 104
04-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9206G	60.72	88.20	-27.48	52.90	3	Vertical	28	2.34	-	35.02	5.36	32.56
RMS	5.923G	48.72	68.20	-19.48	40.88	3	Vertical	28	2.34	-	35.04	5.36	32.56
PK	6.1678G	123.16	Inf	-Inf	114.72	3	Vertical	28	2.34	-	35.51	5.57	32.64
RMS	6.1666G	112.63	Inf	-Inf	104.20	3	Vertical	28	2.34	-	35.50	5.57	32.64

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT X_4TX
Setting 104
04-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	61.80	88.20	-26.40	53.95	3	Horizontal	39	1.34	-	35.05	5.36	32.56
RMS	5.925G	49.22	68.20	-18.98	41.37	3	Horizontal	39	1.34	-	35.05	5.36	32.56
PK	6.1666G	124.67	Inf	-Inf	116.24	3	Horizontal	39	1.34	-	35.50	5.57	32.64
RMS	6.1666G	112.59	Inf	-Inf	104.16	3	Horizontal	39	1.34	-	35.50	5.57	32.64

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT X_4TX
Setting 104
04-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.33566G	56.28	74.00	-17.72	42.77	3	Vertical	282	1.34	-	38.81	8.93	34.23
AV	12.36476G	43.06	54.00	-10.94	29.45	3	Vertical	282	1.34	-	38.89	8.93	34.21

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT X_4TX
Setting 104
04-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.33854G	57.42	74.00	-16.58	43.89	3	Horizontal	151	3.00	-	38.82	8.93	34.22
AV	12.35588G	43.20	54.00	-10.80	29.62	3	Horizontal	151	3.00	-	38.87	8.93	34.22

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.51798G	57.35	83.54	-26.19	55.54	1	Vertical	299.3	1.48	-	37.83	14.58	50.60
AV	18.52386G	45.01	63.54	-18.53	43.19	1	Vertical	299.3	1.48	-	37.84	14.58	50.60
PK	24.70006G	53.07	97.74	-44.67	46.08	1	Vertical	349	1.50	-	39.22	16.35	48.58
RMS	24.6997G	42.96	77.74	-34.78	35.97	1	Vertical	349	1.50	-	39.22	16.35	48.58

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.51102G	68.54	83.54	-15.00	66.74	1	Horizontal	35	1.57	-	37.82	14.58	50.60
AV	18.5169G	55.62	63.54	-7.92	53.81	1	Horizontal	35	1.57	-	37.83	14.58	50.60
PK	24.69982G	56.25	97.74	-41.49	49.26	1	Horizontal	318	1.46	-	39.22	16.35	48.58
RMS	24.69982G	49.48	77.74	-28.26	42.49	1	Horizontal	318	1.46	-	39.22	16.35	48.58

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT X_4TX
Setting 104
04-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8942G	60.68	88.20	-27.52	52.99	3	Vertical	33	1.75	-	34.89	5.35	32.55
RMS	5.923G	47.83	68.20	-20.37	39.99	3	Vertical	33	1.75	-	35.04	5.36	32.56
PK	6.4198G	124.04	Inf	-Inf	115.42	3	Vertical	33	1.75	-	35.66	5.70	32.74
RMS	6.4246G	112.80	Inf	-Inf	104.19	3	Vertical	33	1.75	-	35.65	5.70	32.74

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT X_4TX
Setting 104
04-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.863G	60.86	88.20	-27.34	53.24	3	Horizontal	59	1.00	-	34.83	5.33	32.54
RMS	5.9206G	48.00	68.20	-20.20	40.18	3	Horizontal	59	1.00	-	35.02	5.36	32.56
PK	6.4078G	123.85	Inf	-Inf	115.20	3	Horizontal	59	1.00	-	35.68	5.70	32.73
RMS	6.4078G	111.90	Inf	-Inf	103.25	3	Horizontal	59	1.00	-	35.68	5.70	32.73

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT X_4TX
Setting 104
04-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83018G	57.15	88.20	-31.05	42.94	3	Vertical	215	2.14	-	39.43	8.83	34.05
RMS	12.84344G	43.78	68.20	-24.42	29.56	3	Vertical	215	2.14	-	39.44	8.83	34.05

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT X_4TX
Setting 104
04-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.827G	56.41	88.20	-31.79	42.20	3	Horizontal	148	1.51	-	39.43	8.83	34.05
RMS	12.84338G	43.47	68.20	-24.73	29.25	3	Horizontal	148	1.51	-	39.44	8.83	34.05

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.23066G	66.34	83.54	-17.20	64.10	1	Vertical	23.5	1.50	-	38.01	14.83	50.60
AV	19.23036G	54.28	63.54	-9.26	52.04	1	Vertical	23.5	1.50	-	38.01	14.83	50.60
PK	25.66894G	57.94	97.74	-39.80	50.21	1	Vertical	337	1.45	-	38.86	16.83	47.96
RMS	25.66828G	44.98	77.74	-32.76	37.26	1	Vertical	337	1.45	-	38.86	16.83	47.97

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2348G	73.00	83.54	-10.54	70.76	1	Horizontal	56	1.58	-	38.01	14.83	50.60
AV	19.2411G	60.71	63.54	-2.83	58.48	1	Horizontal	56	1.58	-	38.00	14.83	50.60
PK	25.66246G	62.02	97.74	-35.72	54.28	1	Horizontal	55	1.54	-	38.88	16.83	47.97
RMS	25.65712G	47.07	77.74	-30.67	39.32	1	Horizontal	55	1.54	-	38.89	16.83	47.97

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT X_4TX
Setting 104
04-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.837G	60.66	88.20	-27.54	53.15	3	Vertical	35	1.74	-	34.72	5.32	32.53
RMS	5.9228G	47.97	68.20	-20.23	40.13	3	Vertical	35	1.74	-	35.04	5.36	32.56
PK	6.4272G	125.13	Inf	-Inf	116.52	3	Vertical	35	1.74	-	35.65	5.70	32.74
RMS	6.4324G	114.12	Inf	-Inf	105.52	3	Vertical	35	1.74	-	35.64	5.70	32.74

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT X_4TX
Setting 104
04-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8084G	60.18	88.20	-28.02	52.85	3	Horizontal	57	1.03	-	34.55	5.30	32.52
RMS	5.9228G	47.79	68.20	-20.41	39.95	3	Horizontal	57	1.03	-	35.04	5.36	32.56
PK	6.4376G	122.18	Inf	-Inf	113.61	3	Horizontal	57	1.03	-	35.62	5.70	32.75
RMS	6.435G	112.11	Inf	-Inf	103.53	3	Horizontal	57	1.03	-	35.63	5.70	32.75

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT X_4TX
Setting 104
04-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88014G	57.36	88.20	-30.84	43.10	3	Vertical	-0	1.04	-	39.48	8.82	34.04
RMS	12.88356G	43.63	68.20	-24.57	29.36	3	Vertical	-0	1.04	-	39.48	8.82	34.03

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT X_4TX
Setting 104
04-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88494G	56.48	88.20	-31.72	42.21	3	Horizontal	356	2.42	-	39.48	8.82	34.03
RMS	12.88374G	43.57	68.20	-24.63	29.30	3	Horizontal	356	2.42	-	39.48	8.82	34.03

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.29894G	61.08	83.54	-22.46	58.83	1	Vertical	21.6	1.50	-	38.00	14.85	50.60
AV	19.30152G	48.86	63.54	-14.68	46.60	1	Vertical	21.6	1.50	-	38.00	14.86	50.60

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30122G	67.48	83.54	-16.06	65.22	1	Horizontal	313.6	1.58	-	38.00	14.86	50.60
AV	19.30014G	55.30	63.54	-8.24	53.04	1	Horizontal	313.6	1.58	-	38.00	14.86	50.60

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT X_4TX
Setting 104
04-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9234G	61.02	88.20	-27.18	53.18	3	Vertical	35	1.83	-	35.04	5.36	32.56
RMS	5.925G	48.00	68.20	-20.20	40.15	3	Vertical	35	1.83	-	35.05	5.36	32.56
PK	6.4722G	124.98	Inf	-Inf	116.35	3	Vertical	35	1.83	-	35.69	5.70	32.76
RMS	6.4778G	113.70	Inf	-Inf	105.05	3	Vertical	35	1.83	-	35.71	5.70	32.76
PK	7.175G	63.05	88.20	-25.15	53.03	3	Vertical	35	1.83	-	37.20	5.99	33.17
RMS	7.1442G	50.18	68.20	-18.02	40.32	3	Vertical	35	1.83	-	37.05	5.97	33.16

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT X_4TX
Setting 104
04-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9066G	60.44	88.20	-27.76	52.70	3	Horizontal	106	1.59	-	34.94	5.35	32.55
RMS	5.9234G	47.90	68.20	-20.30	40.06	3	Horizontal	106	1.59	-	35.04	5.36	32.56
PK	6.4806G	125.47	Inf	-Inf	116.81	3	Horizontal	106	1.59	-	35.72	5.70	32.76
RMS	6.4806G	114.75	Inf	-Inf	106.09	3	Horizontal	106	1.59	-	35.72	5.70	32.76
PK	7.1358G	62.72	88.20	-25.48	52.92	3	Horizontal	106	1.59	-	36.99	5.97	33.16
RMS	7.147G	49.93	68.20	-18.27	40.04	3	Horizontal	106	1.59	-	37.08	5.97	33.16

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT X_4TX
Setting 104
04-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9368G	58.56	88.20	-29.64	44.20	3	Vertical	341	1.78	-	39.57	8.81	34.02
RMS	12.94298G	45.45	68.20	-22.75	31.07	3	Vertical	341	1.78	-	39.59	8.81	34.02

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT X_4TX
Setting 104
04-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9428G	58.18	88.20	-30.02	43.80	3	Horizontal	218	1.96	-	39.59	8.81	34.02
RMS	12.94292G	45.15	68.20	-23.05	30.77	3	Horizontal	218	1.96	-	39.59	8.81	34.02

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.43034G	62.33	83.54	-21.21	60.03	1	Vertical	26.2	1.51	-	38.00	14.90	50.60
AV	19.43052G	50.05	63.54	-13.49	47.75	1	Vertical	26.2	1.51	-	38.00	14.90	50.60

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.43538G	67.25	83.54	-16.29	64.95	1	Horizontal	310	1.62	-	38.00	14.90	50.60
AV	19.42404G	55.62	63.54	-7.92	53.32	1	Horizontal	310	1.62	-	38.00	14.90	50.60

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT X_4TX
Setting 104
04-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8654G	60.26	88.20	-27.94	52.64	3	Vertical	32	1.54	-	34.83	5.33	32.54
RMS	5.8626G	47.79	68.20	-20.41	40.17	3	Vertical	32	1.54	-	34.83	5.33	32.54
PK	6.5178G	125.20	Inf	-Inf	116.41	3	Vertical	32	1.54	-	35.87	5.70	32.78
RMS	6.5206G	113.87	Inf	-Inf	105.07	3	Vertical	32	1.54	-	35.88	5.70	32.78
PK	7.2038G	62.57	88.20	-25.63	52.44	3	Vertical	32	1.54	-	37.31	6.00	33.18
RMS	7.2038G	50.22	68.20	-17.98	40.09	3	Vertical	32	1.54	-	37.31	6.00	33.18

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT X_4TX
Setting 104
04-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8598G	60.51	88.20	-27.69	52.90	3	Horizontal	102	1.92	-	34.82	5.33	32.54
RMS	5.9046G	47.99	68.20	-20.21	40.26	3	Horizontal	102	1.92	-	34.93	5.35	32.55
PK	6.5178G	121.97	Inf	-Inf	113.18	3	Horizontal	102	1.92	-	35.87	5.70	32.78
RMS	6.5178G	110.79	Inf	-Inf	102.00	3	Horizontal	102	1.92	-	35.87	5.70	32.78
PK	7.1254G	62.14	88.20	-26.06	52.43	3	Horizontal	102	1.92	-	36.90	5.96	33.15
RMS	7.1254G	50.18	68.20	-18.02	40.47	3	Horizontal	102	1.92	-	36.90	5.96	33.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT X_4TX
Setting 104
04-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03774G	57.73	88.20	-30.47	43.25	3	Vertical	6	1.75	-	39.70	8.79	34.01
RMS	13.0384G	44.32	68.20	-23.88	29.84	3	Vertical	6	1.75	-	39.70	8.79	34.01

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT X_4TX
Setting 104
04-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03954G	57.26	88.20	-30.94	42.78	3	Horizontal	125	1.09	-	39.70	8.79	34.01
RMS	13.03096G	44.08	68.20	-24.12	29.59	3	Horizontal	125	1.09	-	39.70	8.79	34.00

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54482G	63.09	83.54	-20.45	60.74	1	Vertical	13	1.48	-	37.98	14.94	50.57
AV	19.54296G	49.41	63.54	-14.13	47.06	1	Vertical	13	1.48	-	37.98	14.94	50.57

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.55922G	65.99	83.54	-17.55	63.62	1	Horizontal	314	1.63	-	37.98	14.95	50.56
AV	19.54044G	55.24	63.54	-8.30	52.90	1	Horizontal	314	1.63	-	37.98	14.94	50.58

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT X_4TX
Setting 104
04-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8518G	60.22	88.20	-27.98	52.63	3	Vertical	32	1.62	-	34.80	5.33	32.54
RMS	5.919G	47.86	68.20	-20.34	40.05	3	Vertical	32	1.62	-	35.01	5.36	32.56
PK	6.5378G	126.66	Inf	-Inf	117.81	3	Vertical	32	1.62	-	35.95	5.70	32.80
RMS	6.5434G	113.27	Inf	-Inf	104.40	3	Vertical	32	1.62	-	35.97	5.70	32.80
PK	7.1566G	63.10	88.20	-25.10	53.15	3	Vertical	32	1.62	-	37.13	5.98	33.16
RMS	7.221G	50.28	68.20	-17.92	40.12	3	Vertical	32	1.62	-	37.34	6.01	33.19

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT X_4TX
Setting 104
04-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9162G	60.13	88.20	-28.07	52.32	3	Horizontal	93	1.57	-	35.00	5.36	32.55
RMS	5.9106G	47.85	68.20	-20.35	40.08	3	Horizontal	93	1.57	-	34.96	5.36	32.55
PK	6.5294G	120.06	Inf	-Inf	111.23	3	Horizontal	93	1.57	-	35.92	5.70	32.79
RMS	6.5266G	109.33	Inf	-Inf	100.51	3	Horizontal	93	1.57	-	35.91	5.70	32.79
PK	7.179G	62.52	88.20	-25.68	52.48	3	Horizontal	93	1.57	-	37.22	5.99	33.17
RMS	7.2266G	50.29	68.20	-17.91	40.12	3	Horizontal	93	1.57	-	37.35	6.01	33.19

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT X_4TX
Setting 104
04-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06706G	57.28	88.20	-30.92	42.80	3	Vertical	316	1.80	-	39.70	8.79	34.01
RMS	13.07774G	43.91	68.20	-24.29	29.44	3	Vertical	316	1.80	-	39.70	8.78	34.01

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT X_4TX
Setting 104
04-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07384G	56.66	88.20	-31.54	42.18	3	Horizontal	157	1.97	-	39.70	8.79	34.01
RMS	13.07432G	43.87	68.20	-24.33	29.39	3	Horizontal	157	1.97	-	39.70	8.79	34.01

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60194G	61.63	83.54	-21.91	59.25	1	Vertical	15	1.49	-	37.96	14.96	50.54
AV	19.60254G	50.76	63.54	-12.78	48.38	1	Vertical	15	1.49	-	37.96	14.96	50.54

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.59126G	67.37	83.54	-16.17	65.00	1	Horizontal	309.2	1.58	-	37.96	14.96	50.55
AV	19.5969G	55.31	63.54	-8.23	52.93	1	Horizontal	309.2	1.58	-	37.96	14.96	50.54

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT X_4TX
Setting 104
04-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6994G	123.66	Inf	-Inf	114.67	3	Vertical	25	2.00	-	36.20	5.70	32.91
RMS	6.7038G	113.27	Inf	-Inf	104.26	3	Vertical	25	2.00	-	36.22	5.70	32.91
PK	7.2296G	63.61	88.20	-24.59	53.43	3	Vertical	25	2.00	-	37.36	6.01	33.19
RMS	7.2362G	50.46	68.20	-17.74	40.26	3	Vertical	25	2.00	-	37.37	6.02	33.19

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT X_4TX
Setting 104
04-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7038G	125.18	Inf	-Inf	116.17	3	Horizontal	89	2.50	-	36.22	5.70	32.91
RMS	6.7038G	115.71	Inf	-Inf	106.70	3	Horizontal	89	2.50	-	36.22	5.70	32.91
PK	7.2296G	63.16	88.20	-25.04	52.98	3	Horizontal	89	2.50	-	37.36	6.01	33.19
RMS	7.245G	50.42	68.20	-17.78	40.20	3	Horizontal	89	2.50	-	37.39	6.02	33.19

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT X_4TX
Setting 104
04-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39384G	58.11	74.00	-15.89	43.26	3	Vertical	182	2.21	-	40.19	8.72	34.06
AV	13.38364G	44.96	54.00	-9.04	30.13	3	Vertical	182	2.21	-	40.17	8.72	34.06

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT X_4TX
Setting 104
04-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39198G	57.75	74.00	-16.25	42.91	3	Horizontal	268	1.79	-	40.18	8.72	34.06
AV	13.39318G	44.74	54.00	-9.26	29.89	3	Horizontal	268	1.79	-	40.19	8.72	34.06

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07078G	63.62	83.54	-19.92	60.63	1	Vertical	12.4	1.50	-	38.16	15.12	50.29
AV	20.07054G	51.98	63.54	-11.56	48.99	1	Vertical	12.4	1.50	-	38.16	15.12	50.29

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08092G	67.78	83.54	-15.76	64.80	1	Horizontal	292	1.45	-	38.14	15.12	50.28
AV	20.08164G	56.47	63.54	-7.07	53.49	1	Horizontal	292	1.45	-	38.14	15.12	50.28

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT X_4TX
Setting 104
04-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8564G	124.15	Inf	-Inf	114.83	3	Vertical	38	1.79	-	36.57	5.76	33.01
RMS	6.8564G	111.55	Inf	-Inf	102.23	3	Vertical	38	1.79	-	36.57	5.76	33.01
PK	7.191G	63.12	88.20	-25.08	53.03	3	Vertical	38	1.79	-	37.26	6.00	33.17
RMS	7.128G	50.87	68.20	-17.33	41.14	3	Vertical	38	1.79	-	36.92	5.96	33.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT X_4TX
Setting 104
04-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8606G	122.30	Inf	-Inf	113.00	3	Horizontal	133	1.54	-	36.56	5.76	33.02
RMS	6.8634G	112.52	Inf	-Inf	103.23	3	Horizontal	133	1.54	-	36.55	5.76	33.02
PK	7.1728G	62.89	88.20	-25.31	52.88	3	Horizontal	133	1.54	-	37.19	5.99	33.17
RMS	7.1266G	50.45	68.20	-17.75	40.73	3	Horizontal	133	1.54	-	36.91	5.96	33.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT X_4TX
Setting 104
04-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71606G	62.25	88.20	-25.95	47.12	3	Vertical	303	1.91	-	40.42	8.66	33.95
RMS	13.71114G	49.84	68.20	-18.36	34.73	3	Vertical	303	1.91	-	40.41	8.66	33.96

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT X_4TX
Setting 104
04-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71558G	62.48	88.20	-25.72	47.35	3	Horizontal	78	1.23	-	40.42	8.66	33.95
RMS	13.71144G	49.63	68.20	-18.57	34.52	3	Horizontal	78	1.23	-	40.41	8.66	33.96

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom



EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.57658G	64.52	83.54	-19.02	61.08	1	Vertical	356	1.50	-	38.35	15.24	50.15
AV	20.57424G	49.84	63.54	-13.70	46.41	1	Vertical	356	1.50	-	38.35	15.24	50.16